

Mark Miller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/666839/mark-miller-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143 papers	8,533 citations	44 h-index	90 g-index
162 ext. papers	10,372 ext. citations	6.1 avg, IF	6.16 L-index

#	Paper	IF	Citations
143	Conceptualizing traumatic stress and the structure of posttraumatic psychopathology through the lenses of RDoC and HiTOP. <i>Clinical Psychology Review</i> , 2022 , 102177	10.8	0
142	Trauma and posttraumatic stress disorder modulate polygenic predictors of hippocampal and amygdala volume.. <i>Translational Psychiatry</i> , 2021 , 11, 637	8.6	1
141	Prior histories of posttraumatic stress disorder and major depression and their onset and course in the three months after a motor vehicle collision in the AURORA study. <i>Depression and Anxiety</i> , 2021 , 36, 1000000	8.4	1
140	CUE: CpG impUtation ensemble for DNA methylation levels across the human methylation450 (HM450) and EPIC (HM850) BeadChip platforms. <i>Epigenetics</i> , 2021 , 16, 851-861	5.7	0
139	Socio-demographic and trauma-related predictors of PTSD within 8 weeks of a motor vehicle collision in the AURORA study. <i>Molecular Psychiatry</i> , 2021 , 26, 3108-3121	15.1	6
138	Examining Individual and Synergistic Contributions of PTSD and Genetics to Blood Pressure: A Trans-Ethnic Meta-Analysis. <i>Frontiers in Neuroscience</i> , 2021 , 15, 678503	5.1	1
137	Cerebral perfusion is associated with blast exposure in military personnel without moderate or severe TBI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 886-900	7.3	3
136	PTSD is associated with increased DNA methylation across regions of HLA-DPB1 and SPATC1L. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 429-436	16.6	6
135	Klotho, PTSD, and advanced epigenetic age in cortical tissue. <i>Neuropsychopharmacology</i> , 2021 , 46, 721-789	7.9	8
134	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 , 90, 1000000	7.9	3
133	Gene expression in the dorsolateral and ventromedial prefrontal cortices implicates immune-related gene networks in PTSD. <i>Neurobiology of Stress</i> , 2021 , 15, 100398	7.6	8
132	Gene expression correlates of advanced epigenetic age and psychopathology in postmortem cortical tissue. <i>Neurobiology of Stress</i> , 2021 , 15, 100371	7.6	3
131	A prospective examination of sex differences in posttraumatic autonomic functioning. <i>Neurobiology of Stress</i> , 2021 , 15, 100384	7.6	3
130	An epigenome-wide association study of posttraumatic stress disorder in US veterans implicates several new DNA methylation loci. <i>Clinical Epigenetics</i> , 2020 , 12, 46	7.7	31
129	Psychometric Performance of the Miller Forensic Assessment of Symptoms Test (M-FAST) in Veteran PTSD Assessment. <i>Psychological Injury and Law</i> , 2020 , 2020, 284	2.8	5
128	PTSD and the klotho longevity gene: Evaluation of longitudinal effects on inflammation via DNA methylation. <i>Psychoneuroendocrinology</i> , 2020 , 117, 104656	5	7
127	Dietary patterns and risk of systemic lupus erythematosus in women. <i>Lupus</i> , 2020 , 29, 67-73	2.6	5

126	The AURORA Study: a longitudinal, multimodal library of brain biology and function after traumatic stress exposure. <i>Molecular Psychiatry</i> , 2020 , 25, 283-296	15.1	38
125	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
124	Interpersonal early life trauma is associated with increased cerebral perfusion and poorer memory performance in post-9/11 veterans. <i>NeuroImage: Clinical</i> , 2020 , 28, 102365	5.3	
123	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies methylation changes in AHRR. <i>Nature Communications</i> , 2020 , 11, 5965	17.4	34
122	Analysis of Genetically Regulated Gene Expression Identifies a Prefrontal PTSD Gene, SNRNP35, Specific to Military Cohorts. <i>Cell Reports</i> , 2020 , 31, 107716	10.6	21
121	Leveraging genetics to enhance the efficacy of PTSD pharmacotherapies. <i>Neuroscience Letters</i> , 2020 , 726, 133562	3.3	5
120	The PPM1F gene moderates the association between PTSD and cortical thickness. <i>Journal of Affective Disorders</i> , 2019 , 259, 201-209	6.6	3
119	Psychometric Properties of the Dissociative Subtype of PTSD Scale: Replication and Extension in a Clinical Sample of Trauma-Exposed Veterans. <i>Behavior Therapy</i> , 2019 , 50, 952-966	4.8	6
118	The goddess who spins the thread of life: Klotho, psychiatric stress, and accelerated aging. <i>Brain, Behavior, and Immunity</i> , 2019 , 80, 193-203	16.6	21
117	Epigenetic Biomarkers Of PTSD: Updates From The EWAS Working Group of The PTSD PGC. <i>European Neuropsychopharmacology</i> , 2019 , 29, S750	1.2	2
116	Posttraumatic psychopathology and the pace of the epigenetic clock: a longitudinal investigation. <i>Psychological Medicine</i> , 2019 , 49, 791-800	6.9	26
115	Close-Range Blast Exposure Is Associated with Altered White Matter Integrity in Apolipoprotein e4 Carriers. <i>Journal of Neurotrauma</i> , 2019 , 36, 3264-3273	5.4	10
114	Correction for multiple testing in candidate-gene methylation studies. <i>Epigenomics</i> , 2019 , 11, 1089-1105	4.4	4
113	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
112	Investigation of bidirectional longitudinal associations between advanced epigenetic age and peripheral biomarkers of inflammation and metabolic syndrome. <i>Aging</i> , 2019 , 11, 3487-3504	5.6	6
111	Linking genes, circuits, and behavior: network connectivity as a novel endophenotype of externalizing. <i>Psychological Medicine</i> , 2019 , 49, 1905-1913	6.9	3
110	Reduced interleukin 1A gene expression in the dorsolateral prefrontal cortex of individuals with PTSD and depression. <i>Neuroscience Letters</i> , 2019 , 692, 204-209	3.3	17
109	DNA methylation correlates of PTSD: Recent findings and technical challenges. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 223-234	5.5	15

108	Stress-Generative Effects of Posttraumatic Stress Disorder: Transactional Associations Between Posttraumatic Stress Disorder and Stressful Life Events in a Longitudinal Sample. <i>Journal of Traumatic Stress</i> , 2018 , 31, 191-201	3.8	12
107	Traumatic stress and accelerated DNA methylation age: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2018 , 92, 123-134	5	107
106	A classical twin study of PTSD symptoms and resilience: Evidence for a single spectrum of vulnerability to traumatic stress. <i>Depression and Anxiety</i> , 2018 , 35, 132-139	8.4	45
105	PTSD in women is associated with a block in conversion of progesterone to the GABAergic neurosteroids allopregnanolone and pregnanolone measured in plasma. <i>Psychoneuroendocrinology</i> , 2018 , 93, 133-141	5	72
104	Largest GWAS of PTSD (N=20 070) yields genetic overlap with schizophrenia and sex differences in heritability. <i>Molecular Psychiatry</i> , 2018 , 23, 666-673	15.1	248
103	BDNF genotype is associated with hippocampal volume in mild traumatic brain injury. <i>Genes, Brain and Behavior</i> , 2018 , 17, 107-117	3.6	14
102	Accelerated DNA Methylation Age: Associations With Posttraumatic Stress Disorder and Mortality. <i>Psychosomatic Medicine</i> , 2018 , 80, 42-48	3.7	40
101	Oxidative Stress, Inflammation, and Neuroprogression in Chronic PTSD. <i>Harvard Review of Psychiatry</i> , 2018 , 26, 57-69	4.1	92
100	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
99	CRP polymorphisms and DNA methylation of the AIM2 gene influence associations between trauma exposure, PTSD, and C-reactive protein. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 194-202	16.6	41
98	Posttraumatic Stress Disorder Symptoms, Temperament, and the Pathway to Cellular Senescence. <i>Journal of Traumatic Stress</i> , 2018 , 31, 676-686	3.8	6
97	The Dissociative Subtype of PTSD Scale: Initial Evaluation in a National Sample of Trauma-Exposed Veterans. <i>Assessment</i> , 2017 , 24, 503-516	3.7	42
96	Post-traumatic stress disorder symptom duration and remission in relation to cardiovascular disease risk among a large cohort of women. <i>Psychological Medicine</i> , 2017 , 47, 1370-1378	6.9	21
95	Posttraumatic stress disorder symptom severity is associated with reduced default mode network connectivity in individuals with elevated genetic risk for psychopathology. <i>Depression and Anxiety</i> , 2017 , 34, 632-640	8.4	16
94	Reckless Self-Destructive Behavior and PTSD in Veterans: The Mediating Role of New Adverse Events. <i>Journal of Traumatic Stress</i> , 2017 , 30, 270-278	3.8	27
93	Mild traumatic brain injury is associated with reduced cortical thickness in those at risk for Alzheimer's disease. <i>Brain</i> , 2017 , 140, 813-825	11.2	50
92	Post-traumatic stress disorder and cardiometabolic disease: improving causal inference to inform practice. <i>Psychological Medicine</i> , 2017 , 47, 209-225	6.9	69
91	COMT Val158Met polymorphism moderates the association between PTSD symptom severity and hippocampal volume. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 95-102	4.5	12

90	The correlation of methylation levels measured using Illumina 450K and EPIC BeadChips in blood samples. <i>Epigenomics</i> , 2017 , 9, 1363-1371	4.4	64
89	Epigenome-wide association of PTSD from heterogeneous cohorts with a common multi-site analysis pipeline. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 619-630	3.5	53
88	A comparison of ICD-11 and DSM criteria for posttraumatic stress disorder in two national samples of U.S. military veterans. <i>Journal of Affective Disorders</i> , 2017 , 223, 17-19	6.6	13
87	Contributions of polygenic risk for obesity to PTSD-related metabolic syndrome and cortical thickness. <i>Brain, Behavior, and Immunity</i> , 2017 , 65, 328-336	16.6	20
86	SKA2 methylation is associated with decreased prefrontal cortical thickness and greater PTSD severity among trauma-exposed veterans. <i>Molecular Psychiatry</i> , 2016 , 21, 357-63	15.1	66
85	Polygenic Risk for Externalizing Psychopathology and Executive Dysfunction in Trauma-Exposed Veterans. <i>Clinical Psychological Science</i> , 2016 , 4, 545-558	6	10
84	Posttraumatic Stress Disorder as a Catalyst for the Association Between Metabolic Syndrome and Reduced Cortical Thickness. <i>Biological Psychiatry</i> , 2016 , 80, 363-71	7.9	27
83	Probable Posttraumatic Stress Disorder in the US Veteran Population According to DSM-5: Results From the National Health and Resilience in Veterans Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1503-1510	4.6	32
82	Group-delivered cognitive/exposure therapy for PTSD in women veterans: A randomized controlled trial. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2016 , 8, 404-412	7.8	30
81	5-HT2A Gene Variants Moderate the Association between PTSD and Reduced Default Mode Network Connectivity. <i>Frontiers in Neuroscience</i> , 2016 , 10, 299	5.1	17
80	EPIGENETIC VARIATION AT SKA2 PREDICTS SUICIDE PHENOTYPES AND INTERNALIZING PSYCHOPATHOLOGY. <i>Depression and Anxiety</i> , 2016 , 33, 308-15	8.4	44
79	Accelerated DNA methylation age: Associations with PTSD and neural integrity. <i>Psychoneuroendocrinology</i> , 2016 , 63, 155-62	5	97
78	PTSD has shared polygenic contributions with bipolar disorder and schizophrenia in women. <i>Psychological Medicine</i> , 2016 , 46, 669-71	6.9	6
77	The impact of proposed changes to ICD-11 on estimates of PTSD prevalence and comorbidity. <i>Psychiatry Research</i> , 2016 , 240, 226-233	9.9	45
76	An analysis of gene expression in PTSD implicates genes involved in the glucocorticoid receptor pathway and neural responses to stress. <i>Psychoneuroendocrinology</i> , 2015 , 57, 1-13	5	60
75	A novel locus in the oxidative stress-related gene ALOX12 moderates the association between PTSD and thickness of the prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2015 , 62, 359-65	5	30
74	Genomic predictors of combat stress vulnerability and resilience in U.S. Marines: A genome-wide association study across multiple ancestries implicates PRTFDC1 as a potential PTSD gene. <i>Psychoneuroendocrinology</i> , 2015 , 51, 459-71	5	125
73	An evaluation of the DSM-5 factor structure for posttraumatic stress disorder in survivors of traumatic injury. <i>Journal of Anxiety Disorders</i> , 2015 , 29, 43-51	10.9	39

72	Veterans PTSD symptoms and their partners' desired changes in key relationship domains. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2015 , 7, 479-84	7.8	6
71	Neurobiological indicators of disinhibition in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2015 , 36, 3076-86	5.9	35
70	ICD-11 Complex PTSD in US National and Veteran Samples: Prevalence and Structural Associations with PTSD. <i>Clinical Psychological Science</i> , 2015 , 3, 215-229	6	115
69	The Psychiatric Genomics Consortium Posttraumatic Stress Disorder Workgroup: Posttraumatic Stress Disorder Enters the Age of Large-Scale Genomic Collaboration. <i>Neuropsychopharmacology</i> , 2015 , 40, 2287-97	8.7	94
68	Negative emotionality and disconstraint influence PTSD symptom course via exposure to new major adverse life events. <i>Journal of Anxiety Disorders</i> , 2015 , 31, 20-7	10.9	24
67	A genome-wide association study of clinical symptoms of dissociation in a trauma-exposed sample. <i>Depression and Anxiety</i> , 2014 , 31, 352-60	8.4	48
66	Traumatic stress, oxidative stress and post-traumatic stress disorder: neurodegeneration and the accelerated-aging hypothesis. <i>Molecular Psychiatry</i> , 2014 , 19, 1156-62	15.1	159
65	Family ties: maternal-offspring attachment and young adult nonmedical prescription opioid use. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 231-8	4.9	14
64	The Minnesota Multiphasic Personality Inventory-2 Restructured Form and Posttraumatic Stress Disorder: Forensic Applications and Considerations. <i>Psychological Injury and Law</i> , 2014 , 7, 143-152	2.8	6
63	Eating disorder symptoms and comorbid psychopathology among male and female veterans. <i>General Hospital Psychiatry</i> , 2014 , 36, 406-10	5.6	31
62	Intermittent explosive disorder: associations with PTSD and other Axis I disorders in a US military veteran sample. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 488-94	10.9	10
61	No association between RORA polymorphisms and PTSD in two independent samples. <i>Molecular Psychiatry</i> , 2014 , 19, 1056-7	15.1	14
60	Association of eating disorder symptoms with internalizing and externalizing dimensions of psychopathology among men and women. <i>International Journal of Eating Disorders</i> , 2014 , 47, 860-9	6.3	24
59	Agreement between veteran and partner reports of intimate partner aggression. <i>Psychological Assessment</i> , 2014 , 26, 1369-74	5.3	15
58	The dopamine D3 receptor gene and posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2014 , 27, 379-87	3.8	19
57	Posttraumatic stress disorder in DSM-5: New criteria and controversies.. <i>Clinical Psychology: Science and Practice</i> , 2014 , 21, 208-220	3.7	23
56	Externalizing and internalizing subtypes of posttraumatic psychopathology and anger expression. <i>Journal of Traumatic Stress</i> , 2014 , 27, 108-11	3.8	23
55	Combat exposure severity as a moderator of genetic and environmental liability to post-traumatic stress disorder. <i>Psychological Medicine</i> , 2014 , 44, 1499-509	6.9	23

54	Posttraumatic stress disorder in the US veteran population: results from the National Health and Resilience in Veterans Study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 1338-46	4.6	162
53	The ankyrin-3 gene is associated with posttraumatic stress disorder and externalizing comorbidity. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2249-57	5	28
52	Sample Size Requirements for Structural Equation Models: An Evaluation of Power, Bias, and Solution Propriety. <i>Educational and Psychological Measurement</i> , 2013 , 76, 913-934	3.1	1199
51	The retinoid-related orphan receptor alpha (RORA) gene and fear-related psychopathology. <i>Journal of Affective Disorders</i> , 2013 , 151, 702-708	6.6	30
50	National estimates of exposure to traumatic events and PTSD prevalence using DSM-IV and DSM-5 criteria. <i>Journal of Traumatic Stress</i> , 2013 , 26, 537-47	3.8	917
49	PTSD and conflict behavior between veterans and their intimate partners. <i>Journal of Anxiety Disorders</i> , 2013 , 27, 240-51	10.9	43
48	Lead exposure and fear-potentiated startle in the VA Normative Aging Study: a pilot study of a novel physiological approach to investigating neurotoxicant effects. <i>Neurotoxicology and Teratology</i> , 2013 , 38, 21-8	3.9	2
47	Psychological effects of the marathon bombing on Boston-area veterans with posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2013 , 26, 762-6	3.8	11
46	Alcohol and drug abuse among U.S. veterans: comparing associations with intimate partner substance abuse and veteran psychopathology. <i>Journal of Traumatic Stress</i> , 2013 , 26, 71-6	3.8	4
45	A dyadic analysis of the influence of trauma exposure and posttraumatic stress disorder severity on intimate partner aggression. <i>Journal of Traumatic Stress</i> , 2013 , 26, 329-37	3.8	21
44	Corticotropin releasing hormone receptor 2 (CRHR-2) gene is associated with decreased risk and severity of posttraumatic stress disorder in women. <i>Depression and Anxiety</i> , 2013 , 30, 1161-9	8.4	32
43	A genome-wide association study of post-traumatic stress disorder identifies the retinoid-related orphan receptor alpha (RORA) gene as a significant risk locus. <i>Molecular Psychiatry</i> , 2013 , 18, 937-42	15.1	181
42	The prevalence and latent structure of proposed DSM-5 posttraumatic stress disorder symptoms in U.S. national and veteran samples.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2013 , 5, 501-512	7.8	138
41	A latent class analysis of dissociation and posttraumatic stress disorder: evidence for a dissociative subtype. <i>Archives of General Psychiatry</i> , 2012 , 69, 698-705		182
40	Associations between Pittsburgh Sleep Quality Index factors and health outcomes in women with posttraumatic stress disorder. <i>Sleep Medicine</i> , 2012 , 13, 752-8	4.6	39
39	Personality and the latent structure of PTSD comorbidity. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 599-607	10.9	30
38	Attention-deficit/hyperactivity disorder comorbidity in a sample of veterans with posttraumatic stress disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 679-90	7.3	36
37	The dissociative subtype of PTSD: a replication and extension. <i>Depression and Anxiety</i> , 2012 , 29, 679-88	8.4	129

36	Personality-based latent classes of posttraumatic psychopathology: personality disorders and the internalizing/externalizing model. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 256-62	7	62
35	Childhood gender nonconformity: a risk indicator for childhood abuse and posttraumatic stress in youth. <i>Pediatrics</i> , 2012 , 129, 410-7	7.4	160
34	The structure of personality disorders in individuals with posttraumatic stress disorder. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2011 , 2, 261-78	4.1	9
33	Hydrocortisone suppression of the fear-potentiated startle response and posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2011 , 36, 970-80	5	30
32	Race/ethnic differences in exposure to traumatic events, development of post-traumatic stress disorder, and treatment-seeking for post-traumatic stress disorder in the United States. <i>Psychological Medicine</i> , 2011 , 41, 71-83	6.9	601
31	Psychometric properties of the Schedule for Nonadaptive and Adaptive Personality in a PTSD sample. <i>Psychological Assessment</i> , 2011 , 23, 911-24	5.3	5
30	Posttraumatic stress disorder and the genetic structure of comorbidity. <i>Journal of Abnormal Psychology</i> , 2010 , 119, 320-30	7	83
29	Biological Correlates of Intimate Partner Violence Perpetration. <i>Aggression and Violent Behavior</i> , 2010 , 15, 387-398	3.9	71
28	Internalizing and externalizing classes in posttraumatic stress disorder: a latent class analysis. <i>Journal of Traumatic Stress</i> , 2010 , 23, 340-9	3.8	45
27	An evaluation of competing models for the structure of PTSD symptoms using external measures of comorbidity. <i>Journal of Traumatic Stress</i> , 2010 , 23, 631-8	3.8	46
26	On comparing competing models of PTSD: Response to Simms. <i>Journal of Traumatic Stress</i> , 2010 , 23, 642-644	3.8	4
25	DSM-V: should PTSD be in a class of its own?. <i>British Journal of Psychiatry</i> , 2009 , 194, 90	5.4	8
24	Posttraumatic stress disorder: anxiety or traumatic stress disorder?. <i>Journal of Traumatic Stress</i> , 2009 , 22, 384-90	3.8	73
23	Intimate partner and general aggression perpetration among combat veterans presenting to a posttraumatic stress disorder clinic. <i>American Journal of Orthopsychiatry</i> , 2009 , 79, 461-8	2.8	77
22	Emotional processing in PTSD: heightened negative emotionality to unpleasant photographic stimuli. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 419-26	1.8	22
21	Low Basal Cortisol and Startle Responding as Possible Biomarkers of PTSD: The Influence of Internalizing and Externalizing Comorbidity 2009 , 277-293		1
20	The MMPI-2 restructured clinical scales in the assessment of posttraumatic stress disorder and comorbid disorders. <i>Psychological Assessment</i> , 2008 , 20, 327-40	5.3	55
19	Military-related PTSD, current disability policies, and malingering. <i>American Journal of Public Health</i> , 2008 , 98, 773-4; author reply 774-5	5.1	7

18	The internalizing and externalizing structure of psychiatric comorbidity in combat veterans. <i>Journal of Traumatic Stress</i> , 2008 , 21, 58-65	3.8	90
17	Structural equation modeling of associations among combat exposure, PTSD symptom factors, and Global Assessment of Functioning. <i>Journal of Rehabilitation Research and Development</i> , 2008 , 45, 359-69		27
16	Differential etiology of posttraumatic stress disorder with conduct disorder and major depression in male veterans. <i>Biological Psychiatry</i> , 2007 , 62, 1088-94	7.9	36
15	Internalizing and externalizing subtypes in female sexual assault survivors: implications for the understanding of complex PTSD. <i>Behavior Therapy</i> , 2007 , 38, 58-71	4.8	134
14	PTSD and substance-related problems: the mediating roles of disconstraint and negative emotionality. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 369-79	7	66
13	Diurnal variation of the startle reflex in relation to HPA-axis activity in humans. <i>Psychophysiology</i> , 2006 , 43, 297-301	4.1	32
12	Personality Assessment Inventory (PAI) Profiles of Male Veterans With Combat-Related Posttraumatic Stress Disorder. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2005 , 27, 179-189 ²		21
11	Externalizing and internalizing subtypes of combat-related PTSD: a replication and extension using the PSY-5 scales. <i>Journal of Abnormal Psychology</i> , 2004 , 113, 636-45	7	166
10	Emotional-processing in posttraumatic stress disorder II: startle reflex modulation during picture processing. <i>Journal of Abnormal Psychology</i> , 2004 , 113, 451-63	7	34
9	Multidimensional Personality Questionnaire profiles of veterans with traumatic combat exposure: externalizing and internalizing subtypes. <i>Psychological Assessment</i> , 2003 , 15, 205-15	5.3	136
8	Personality and the etiology and expression of PTSD: A three-factor model perspective.. <i>Clinical Psychology: Science and Practice</i> , 2003 , 10, 373-393	3.7	104
7	Affective imagery and the startle response: probing mechanisms of modulation during pleasant scenes, personal experiences, and discrete negative emotions. <i>Psychophysiology</i> , 2002 , 39, 519-29	4.1	62
6	Trait differences in affective and attentional responding to threat revealed by emotional stroop interference and startle reflex modulation. <i>Behavior Therapy</i> , 2000 , 31, 757-776	4.8	20
5	A startle-probe methodology for investigating the effects of active avoidance on negative emotional reactivity. <i>Biological Psychology</i> , 1999 , 50, 235-57	3.2	12
4	Personality factors in resilience to traumatic stress		7
3	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
2	Analysis of Genetically Regulated Gene Expression identifies a trauma type specific PTSD gene, SNRNP35		1
1	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies novel methylation loci		3

