

Erminia Conti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6669412/publications.pdf>

Version: 2024-02-01

22
papers

293
citations

1040056

9
h-index

940533

16
g-index

24
all docs

24
docs citations

24
times ranked

471
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecological validation of soil food-web robustness for managed grasslands. <i>Ecological Indicators</i> , 2022, 141, 109079.	6.3	4
2	Beyond virology: environmental constraints of the first wave of COVID-19 cases in Italy. <i>Environmental Science and Pollution Research</i> , 2021, 28, 31996-32004.	5.3	6
3	Eco-Ethology and Trait Distribution of Two Congeneric Species " Different Strategies for the Pest <i>Acanthopplus discoidalis</i> and the Long-Legged <i>A. Longipes</i> (Orthoptera: Tettigoniidae). <i>African Entomology</i> , 2021, 29, .	0.6	0
4	Effects of tetracycline on entomopathogenic nematodes and their bacterial symbionts. <i>Ecotoxicology</i> , 2021, 30, 705-710.	2.4	0
5	Novel Amino Acid Assembly in the Silk Tubes of Arid-Adapted Segestriid Spiders. <i>Journal of Chemical Ecology</i> , 2020, 46, 48-62.	1.8	1
6	Capitalizing the blue world: What can we learn from an Eastern Mediterranean case study?. <i>Ecological Indicators</i> , 2020, 115, 106420.	6.3	3
7	Testing for top-down cascading effects in a biomass-driven ecological network of soil invertebrates. <i>Ecology and Evolution</i> , 2020, 10, 7062-7072.	1.9	10
8	Predator traits determine food-web architecture across ecosystems. <i>Nature Ecology and Evolution</i> , 2019, 3, 919-927.	7.8	157
9	Belowground thermoregulation in Namibian desert spiders that burrow their own chemostats. <i>Acta Oecologica</i> , 2019, 96, 18-23.	1.1	4
10	How soil granulometry, temperature, and water predict genetic differentiation in Namibian spiders (<i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>	1.9	11
11	The Present is the Key to the Past: How Living Fossils in Namibia Share Insights on the Insects of Tertiary European Forests. <i>African Entomology</i> , 2019, 27, 185.	0.6	1
12	Ariadna spiders as bioindicator of heavy elements contamination in the Central Namib Desert. <i>Ecological Indicators</i> , 2018, 95, 663-672.	6.3	11
13	Orientation behavior is a good biomarker of trace metal contamination in <i>Parallelomorphus laevigatus</i> (Coleoptera, Carabidae). <i>Environmental Science and Pollution Research</i> , 2017, 24, 17642-17650.	5.3	2
14	The ground beetle <i>Parallelomorphus laevigatus</i> is a potential indicator of trace metal contamination on the eastern coast of Sicily. <i>Ecotoxicology and Environmental Safety</i> , 2017, 135, 183-190.	6.0	14
15	Bioaccumulation of trace elements in the sandhopper <i>Talitrus saltator</i> (Montagu) from the Ionian sandy coasts of Sicily. <i>Ecotoxicology and Environmental Safety</i> , 2016, 129, 57-65.	6.0	10
16	The chorion of eggs in a Namibian <i>Ariadna</i> species (Araneae: Segestriidae): morphological and SEM analyses. <i>Journal of Arachnology</i> , 2015, 43, 224-227.	0.5	9
17	Do habitat features affect the composition of silk proteins by Namibian arid-adapted <i>Ariadna</i> spiders (Araneae: Segestriidae)? <i>Italian Journal of Zoology</i> , 2015, 82, 48-60.	0.6	9
18	Opening and closing of burrows by the Namibian spider <i>Ariadna</i> sp. (Araneae: Segestriidae) in a year of heavy rainfall. <i>Journal of Arachnology</i> , 2013, 41, 215-218.	0.5	8

#	ARTICLE	IF	CITATIONS
19	Morphometric analysis of some metric characters of two Macrobiotus species (Eutardigrada,) Tj ETQq1 1 0.784314,rgBT /Overlock 10 Tf 50 62	1.1	10
20	Ecology of the calling song of two Namibian armoured ground crickets, <i>Acanthoplus longipes</i> and <i>Acanthoproctus diadematus</i> (Orthoptera Tettigoniidae Hetrodinae). Ethology Ecology and Evolution, 2005, 17, 261-269.	1.4	12
21	A "mathematical" spider living on gravel plains of the Namib Desert. Journal of Arid Environments, 1995, 29, 485-494.	2.4	13
22	Preliminary data on orientation in the earwig <i>Esphalmenus rostratus</i> Brindle (Dermaptera) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.4	10