

Andrey Mishchenko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6669752/publications.pdf>

Version: 2024-02-01

15
papers

62
citations

1684188

5
h-index

1588992

8
g-index

16
all docs

16
docs citations

16
times ranked

39
citing authors

#	ARTICLE	IF	CITATIONS
1	Reconstruction of the Mitochondrial Genome of the Ancient Horse from the Ashna-Pando Hillfort (Middle Volga). Russian Journal of Genetics, 2019, 55, 598-603.	0.6	0
2	Population genetic structure and phylogeography of sterlet (<i>Acipenser ruthenus</i>) and Analysis, 2019, 30, 156-164.	0.7	5
3	GENETIC DIFFERENTIATION AND POLYMORPHISM OF THE VOLGA POPULATION OF THE IMPERIAL EAGLE (AQUILA HELIACA, FALCONIFORMES, ACCIPITRIDAE) ACCORDING TO A MITOCHONDRIAL DNA ANALYSIS. University Proceedings Volga Region Natural Sciences, 2017, , .	0.1	1
4	Genetic Divergence of the Species of the Yellow Wagtails Group (Passeriformes, Motacillidae) in European Territory of Russia. Vestnik Zoologii, 2016, 50, 279-282.	0.7	3
5	Morphoecological aspects of preimaginal stages of development of the parasitic wasp <i>Minotetrastichus frontalis</i> (Nees, 1834) (Insecta, Hymenoptera, Eulophidae). Russian Journal of Developmental Biology, 2016, 47, 154-159.	0.5	0
6	Divergence of Populations of Yellow Wagtail, <i>Motacilla flava</i> , and Citrine wagtail, <i>Motacilla citreola</i> (Motacillidae, Passeriformes), in the Middle Volga of Russia. Vestnik Zoologii, 2016, 50, 135-146.	0.7	3
7	A review of the leaf blotch miners of the genus <i>Phyllonorycter</i> HÄbn. (Lepidoptera, Gracillariidae) in the Middle Volga Area, with a key to the species using morphological characters of the female genitalia. Entomological Review, 2014, 94, 1342-1347.	0.3	1
8	Pigmy moths (Lepidoptera, Nepticulidae) from the Middle Volga Basin. Entomological Review, 2013, 93, 590-594.	0.3	0
9	Eulophid wasps (Hymenoptera, Eulophidae), parasitoids of leaf-mining moths (Lepidoptera:) Review, 2013, 93, 309-315.	0.3	6
10	<i>Phyllonorycter medicaginella</i> (Lepidoptera, Gracillariidae) and its parasitoids (Hymenoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T	0.3	1
11	The preimaginal stages of <i>Minotetrastichus frontalis</i> (Nees) and <i>Chrysocharis laomedon</i> (Walker) (Hymenoptera: Eulophidae), parasitoids associated with <i>Phyllonorycter issikii</i> (Kumata) (Lepidoptera, Gracillariidae). Journal of Natural History, 2012, 46, 1283-1305.	0.5	11
12	Preimaginal development of the parasitoid <i>Minotetrastichus frontalis</i> (Nees) (Hymenoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	0.3	0
13	Eulophidae (hymenoptera) parasitoids of <i>Phyllonorycter apparella</i> and <i>Phyllonorycter populifoliella</i> (Lepidoptera, Gracillariidae), pests of <i>Populus tremula</i> and <i>Populus nigra</i> in Ulâ€™yanovsk province, Russia. Entomological Review, 2011, 91, 743-749.	0.3	4
14	Parasitoid complexes (Hymenoptera, Eulophidae) of leafminers of the genus <i>Phyllonorycter</i> (Lepidoptera, Gracillariidae) in the Middle Volga Basin. Entomological Review, 2009, 89, 903-911.	0.3	9
15	The parasitoid complex (Hymenoptera, Eulophidae) of the leafminer <i>Phyllonorycter issikii</i> (Kumata) (Lepidoptera, Gracillariidae) from the Middle Volga Basin. Entomological Review, 2008, 88, 178-185.	0.3	17