

Pasquale Chieco

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6670137/pasquale-chieco-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

3,706
citations

30
h-index

60
g-index

76
ext. papers

3,962
ext. citations

6.1
avg. IF

4.37
L-index

#	Paper	IF	Citations
75	Intravenous Iron Replacement Therapy Improves Cardiovascular Outcomes in Hemodialysis Patients. <i>In Vivo</i> , 2021 , 35, 1617-1624	2.3	1
74	A simple immunohistochemical bio-profile incorporating Bcl2 curbs those cases of invasive breast carcinoma for which an Oncotype Dx characterization is needed. <i>PLoS ONE</i> , 2019 , 14, e0217937	3.7	2
73	Short-term treatment with eicosapentaenoic acid improves inflammation and affects colonic differentiation markers and microbiota in patients with ulcerative colitis. <i>Scientific Reports</i> , 2017 , 7, 74584-9	4.9	39
72	Inflammation increases NOTCH1 activity via MMP9 and is counteracted by Eicosapentaenoic Acid-free fatty acid in colon cancer cells. <i>Scientific Reports</i> , 2016 , 6, 20670	4.9	37
71	p53/mdm2 feedback loop sustains miR-221 expression and dictates the response to anticancer treatments in hepatocellular carcinoma. <i>Molecular Cancer Research</i> , 2014 , 12, 203-16	6.6	36
70	Eicosapentaenoic acid free fatty acid prevents and suppresses colonic neoplasia in colitis-associated colorectal cancer acting on Notch signaling and gut microbiota. <i>International Journal of Cancer</i> , 2014 , 135, 2004-13	7.5	64
69	Suppression of p53 by Notch3 is mediated by Cyclin G1 and sustained by MDM2 and miR-221 axis in hepatocellular carcinoma. <i>Oncotarget</i> , 2014 , 5, 10607-20	3.3	37
68	Image cytometry: protocols for 2D and 3D quantification in microscopic images. <i>Progress in Histochemistry and Cytochemistry</i> , 2013 , 47, 211-333		38
67	Image cytometry protocols. <i>Journal of Histochemistry and Cytochemistry</i> , 2013 , 61, 759-60	3.4	3
66	Van-Gogh-like 2 antagonises the canonical WNT pathway and is methylated in colorectal cancers. <i>British Journal of Cancer</i> , 2013 , 108, 1750-6	8.7	12
65	Notch3 inhibition enhances sorafenib cytotoxic efficacy by promoting GSK3b phosphorylation and p21 down-regulation in hepatocellular carcinoma. <i>Oncotarget</i> , 2013 , 4, 1618-31	3.3	40
64	Role of Slug transcription factor in human mesenchymal stem cells. <i>Journal of Cellular and Molecular Medicine</i> , 2012 , 16, 740-51	5.6	28
63	CDKN1C/P57 is regulated by the Notch target gene Hes1 and induces senescence in human hepatocellular carcinoma. <i>American Journal of Pathology</i> , 2012 , 181, 413-22	5.8	46
62	The decrease of cell membrane fluidity by the non-steroidal anti-inflammatory drug Licofelone inhibits epidermal growth factor receptor signalling and triggers apoptosis in HCA-7 colon cancer cells. <i>Cancer Letters</i> , 2012 , 321, 187-94	9.9	29
61	In hepatocellular carcinoma miR-519d is up-regulated by p53 and DNA hypomethylation and targets CDKN1A/p21, PTEN, AKT3 and TIMP2. <i>Journal of Pathology</i> , 2012 , 227, 275-85	9.4	155
60	Serum albumin-bound proteomic signature for early detection and staging of hepatocarcinoma: sample variability and data classification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1319-26	5.9	17
59	MiR-199a-3p regulates mTOR and c-Met to influence the doxorubicin sensitivity of human hepatocarcinoma cells. <i>Cancer Research</i> , 2010 , 70, 5184-93	10.1	347

58	Epigenetic control of the basal-like gene expression profile via Interleukin-6 in breast cancer cells. <i>Molecular Cancer</i> , 2010 , 9, 300	42.1	52
57	TNFalpha up-regulates SLUG via the NF-kappaB/HIF1alpha axis, which imparts breast cancer cells with a stem cell-like phenotype. <i>Journal of Cellular Physiology</i> , 2010 , 225, 682-91	7	129
56	Which factors affect pulmonary function after lung metastasectomy?. <i>European Journal of Cardio-thoracic Surgery</i> , 2009 , 35, 792-6	3	19
55	Cyclooxygenase-2/carbonic anhydrase-IX up-regulation promotes invasive potential and hypoxia survival in colorectal cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 3876-87	5.6	35
54	MiR-122/cyclin G1 interaction modulates p53 activity and affects doxorubicin sensitivity of human hepatocarcinoma cells. <i>Cancer Research</i> , 2009 , 69, 5761-7	10.1	346
53	Selective ablation of Notch3 in HCC enhances doxorubicin death promoting effect by a p53 dependent mechanism. <i>Journal of Hepatology</i> , 2009 , 50, 969-79	13.4	81
52	Human hepatocellular carcinoma expresses specific PCNA isoforms: an in vivo and in vitro evaluation. <i>Laboratory Investigation</i> , 2008 , 88, 995-1007	5.9	15
51	Doxorubicin coupled to lactosaminated albumin: effect of heterogeneity in drug load on conjugate disposition and hepatocellular carcinoma uptake in rats. <i>European Journal of Pharmaceutical Sciences</i> , 2008 , 33, 191-8	5.1	15
50	Efficacy of doxorubicin coupled to lactosaminated albumin on rat hepatocellular carcinomas evaluated by ultrasound imaging. <i>Digestive and Liver Disease</i> , 2008 , 40, 278-84	3.3	21
49	p66Shc/Notch-3 interplay controls self-renewal and hypoxia survival in human stem/progenitor cells of the mammary gland expanded in vitro as mammospheres. <i>Stem Cells</i> , 2007 , 25, 807-15	5.8	155
48	Aberrant Notch3 and Notch4 expression in human hepatocellular carcinoma. <i>Liver International</i> , 2007 , 27, 997-1007	7.9	88
47	Coupling of lactose molecules to the carrier protein hinders the spleen and bone marrow uptake of doxorubicin conjugated with human albumin. <i>European Journal of Pharmaceutical Sciences</i> , 2007 , 30, 136-42	5.1	12
46	The p53 codon 72 proline allele is endowed with enhanced cell-death inducing potential in cancer cells exposed to hypoxia. <i>British Journal of Cancer</i> , 2007 , 96, 1302-8	8.7	19
45	IL-6 triggers malignant features in mammospheres from human ductal breast carcinoma and normal mammary gland. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3988-4002	15.9	604
44	Doxorubicin coupled to lactosaminated albumin: Effects on rats with liver fibrosis and cirrhosis. <i>Digestive and Liver Disease</i> , 2006 , 38, 404-8	3.3	23
43	Successful treatment of CCl4-induced acute liver failure with portal vein arterialization in the rat. <i>Journal of Surgical Research</i> , 2006 , 135, 394-401	2.5	13
42	Portal vein arterialization for the treatment of post resection acute liver failure in the rat. <i>Transplantation Proceedings</i> , 2006 , 38, 1185-6	1.1	8
41	Technical aspects of portal vein arterialization for acute liver failure: from rat lab to man. <i>Transplantation Proceedings</i> , 2006 , 38, 1195-7	1.1	10

40	Cell proliferation in breast cancer is a major determinant of clinical outcome in node-positive but not in node-negative patients. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006 , 14, 314-23	1.9	9
39	A conjugate of doxorubicin with lactosaminated albumin enhances the drug concentrations in all the forms of rat hepatocellular carcinomas independently of their differentiation grade. <i>Liver International</i> , 2006 , 26, 726-33	7.9	23
38	Notch3 intracellular domain accumulates in HepG2 cell line. <i>Anticancer Research</i> , 2006 , 26, 2123-7	2.3	28
37	High thymidylate synthase expression in colorectal cancer with microsatellite instability: implications for chemotherapeutic strategies. <i>Clinical Cancer Research</i> , 2005 , 11, 4234-40	12.9	54
36	A novel sodium overload test predicting ascites decompensation in rats with CCl4-induced cirrhosis. <i>Journal of Hepatology</i> , 2005 , 43, 92-7	13.4	10
35	Doxorubicin coupled to lactosaminated albumin inhibits the growth of hepatocellular carcinomas induced in rats by diethylnitrosamine. <i>Journal of Hepatology</i> , 2005 , 43, 645-52	13.4	47
34	GADD45-alpha expression in cirrhosis and hepatocellular carcinoma: relationship with DNA repair and proliferation. <i>Human Pathology</i> , 2005 , 36, 1154-62	3.7	25
33	Enhanced uptake of lactosaminated human albumin by rat hepatocarcinomas: implications for an improved chemotherapy of primary liver tumors. <i>Liver International</i> , 2005 , 25, 854-60	7.9	20
32	P53 Expression, Dna Ploidy and Mitotic Index as Prognostic Factors in Patients with Epithelial Ovarian Carcinoma. <i>Tumori</i> , 2004 , 90, 600-606	1.7	5
31	Bioactivation, toxicokinetics and acute effects of chloroform in Fisher 344 and Osborne Mendel male rats. <i>Journal of Applied Toxicology</i> , 2004 , 24, 203-10	4.1	7
30	Increased expression of p21 (WAF1/CIP1) cyclin-dependent kinase (CDK) inhibitor gene in chronic allograft nephropathy correlates with the number of acute rejection episodes. <i>Transplant International</i> , 2003 , 16, 502-6	3	5
29	Increased expression of p16(INK4a) and p27(Kip1) cyclin-dependent kinase inhibitor genes in aging human kidney and chronic allograft nephropathy. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 1303-13	7.4	89
28	Increased expression of P21((WAF1/CIP1)) CDKI gene in chronic allograft nephropathy correlating with the number of acute rejection episodes. <i>Transplantation Proceedings</i> , 2003 , 35, 655-8	1.1	7
27	In human hepatocellular carcinoma in cirrhosis proliferating cell nuclear antigen (PCNA) is involved in cell proliferation and cooperates with P21 in DNA repair. <i>Journal of Hepatology</i> , 2003 , 39, 997-1003	13.4	37
26	Antioxidant vitamins for prevention of cardiovascular disease. <i>Lancet, The</i> , 2003 , 362, 920; author reply 921	40	14
25	Quantitative p21(waf-1)/p53 immunohistochemical analysis defines groups of primary invasive breast carcinomas with different prognostic indicators. <i>International Journal of Cancer</i> , 2001 , 95, 128-34	7.5	27
24	Telomerase activity in touch-imprint cell preparations from fresh prostate needle biopsy specimens. <i>European Urology</i> , 2001 , 40, 666-72	10.2	11
23	Nucleolar size indicates the rapidity of cell proliferation in cancer tissues. <i>Journal of Pathology</i> , 2000 , 191, 181-6	9.4	176

22	Imbalance of IL-1 beta and IL-1 receptor antagonist mRNA in liver tissue from hepatitis C virus (HCV)-related chronic hepatitis. <i>Clinical and Experimental Immunology</i> , 1999 , 115, 515-20	6.2	25
21	Immunohistochemical expression of internal and external ErbB-2 domains in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 1999 , 58, 107-14	4.4	8
20	The Feulgen reaction 75 years on. <i>Histochemistry and Cell Biology</i> , 1999 , 111, 345-58	2.4	72
19	Aberrant dipeptidyl peptidase IV (DPP IV/CD26) expression in human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 1997 , 27, 337-45	13.4	55
18	Basic strategies for valid cytometry using image analysis. <i>The Histochemical Journal</i> , 1997 , 29, 347-64		33
17	Alteration of DNA ploidy and cell nuclearity in human hepatocellular carcinoma associated with HBV infection. <i>Journal of Hepatology</i> , 1996 , 25, 848-53	13.4	7
16	In vivo CHCl ₃ bioactivation, toxicokinetics, toxicity, and induced compensatory cell proliferation in B6C3F1 male mice. <i>Toxicology and Applied Pharmacology</i> , 1996 , 141, 394-402	4.6	21
15	Enzymatic cytochemistry, DNA ploidy and AgNOR quantitation in hepatocellular nodules of uncertain malignant potential in liver cirrhosis. <i>Digestive Diseases and Sciences</i> , 1996 , 41, 800-8	4	8
14	Cytochemical detection of a class 3 aldehyde dehydrogenase in human hepatocellular carcinoma. <i>Liver</i> , 1995 , 15, 87-92		5
13	A user's guide for avoiding errors in absorbance image cytometry: a review with original experimental observations. <i>The Histochemical Journal</i> , 1994 , 26, 1-19		79
12	Diagnostic and prognostic value of DNA ploidy and cell nuclearity in ultrasound-guided liver biopsies. <i>Cancer</i> , 1994 , 74, 1713-9	6.4	19
11	Interphase AgNOR quantity is not related to DNA content in 11 established human cancer cell lines. <i>Experimental Cell Research</i> , 1994 , 211, 282-5	4.2	7
10	Ploidy and nuclearity of rat hepatocytes after compensatory regeneration or mitogen-induced liver growth. <i>Carcinogenesis</i> , 1993 , 14, 1825-30	4.6	51
9	Ploidy disturbances as an early indicator of intrinsic malignancy in endometrial carcinoma. <i>Cancer</i> , 1993 , 72, 165-72	6.4	17
8	A rapid and simple staining method, using Toluidine Blue, for analysing mitotic figures in tissue sections. <i>The Histochemical Journal</i> , 1993 , 25, 569-577		17
7	A multifaced DNA ploidy analysis to determine ovarian carcinoma aggressiveness. <i>Cancer</i> , 1991 , 67, 1878-85		12
6	"Desmoplastic" versus "classic" medulloblastoma: comparison of DNA content, histopathology and differentiation. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1991 , 418, 207-14		24
5	Carcinogenicity Study of Doxepin Administered in the Diet to Sprague-Dawley Rats. <i>Toxicological Sciences</i> , 1990 , 15, 82-92	4.4	1

4	Carcinogenicity study of doxefazepam administered in the diet to Sprague-Dawley rats. <i>Fundamental and Applied Toxicology</i> , 1990 , 15, 82-92		4
3	Comparison of cytologic composition with microfluorometric DNA analysis of the glioblastoma multiforme and anaplastic astrocytoma. <i>Cancer</i> , 1987 , 60, 59-65	6.4	30
2	Improvement in soluble dehydrogenase histochemistry by nitroblue tetrazolium preuptake in sections: a qualitative and quantitative study. <i>Biotechnic & Histochemistry</i> , 1984 , 59, 201-11		7
1	Effect of administrative vehicle on oral 1,1-dichloroethylene toxicity. <i>Toxicology and Applied Pharmacology</i> , 1981 , 57, 146-55	4.6	34