

# Ning Li Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6670320/publications.pdf>

Version: 2024-02-01

148  
papers

5,147  
citations

147566

31  
h-index

133063

59  
g-index

152  
all docs

152  
docs citations

152  
times ranked

3599  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cerebrospinal Fluid Pressure in Glaucoma. <i>Ophthalmology</i> , 2010, 117, 259-266.	2.5	462
2	Prevalence of Diabetic Retinopathy in Rural China: The Handan Eye Study. <i>Ophthalmology</i> , 2009, 116, 461-467.	2.5	210
3	Prevalence and Causes of Low Vision and Blindness in a Rural Chinese Adult Population. <i>Ophthalmology</i> , 2008, 115, 1965-1972.e1.	2.5	206
4	Development and Validation of a Deep Learning System to Detect Glaucomatous Optic Neuropathy Using Fundus Photographs. <i>JAMA Ophthalmology</i> , 2019, 137, 1353.	1.4	188
5	Refractive Errors in a Rural Chinese Adult Population The Handan Eye Study. <i>Ophthalmology</i> , 2009, 116, 2119-2127.	2.5	176
6	Orbital Cerebrospinal Fluid Space in Glaucoma: The Beijing Intracranial and Intraocular Pressure (iCOP) Study. <i>Ophthalmology</i> , 2012, 119, 2065-2073.e1.	2.5	136
7	Prevalence of Primary Open Angle Glaucoma in a Rural Adult Chinese Population: The Handan Eye Study. , 2011, 52, 8250.		134
8	Near Work Related Parameters and Myopia in Chinese Children: the Anyang Childhood Eye Study. <i>PLoS ONE</i> , 2015, 10, e0134514.	1.1	131
9	Prevalence and Characteristics of Primary Angle-Closure Diseases in a Rural Adult Chinese Population: The Handan Eye Study. , 2011, 52, 8672.		125
10	Optic Neuropathy Induced by Experimentally Reduced Cerebrospinal Fluid Pressure in Monkeys. , 2014, 55, 3067.		113
11	Trans-lamina cribrosa pressure difference correlated with neuroretinal rim area in glaucoma. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 1057-1063.	1.0	110
12	Cerebrospinal fluid pressure in ocular hypertension. <i>Acta Ophthalmologica</i> , 2011, 89, e142-e148.	0.6	108
13	Facts and myths of cerebrospinal fluid pressure for the physiology of the eye. <i>Progress in Retinal and Eye Research</i> , 2015, 46, 67-83.	7.3	108
14	Rationale, Design, Methodology, and Baseline Data of a Population-Based Study in Rural China: The Handan Eye Study. <i>Ophthalmic Epidemiology</i> , 2009, 16, 115-127.	0.8	106
15	Noninvasive intracranial pressure estimation by orbital subarachnoid space measurement: the Beijing Intracranial and Intraocular Pressure (iCOP) study. <i>Critical Care</i> , 2013, 17, R162.	2.5	102
16	Relative Peripheral Hyperopia Does Not Predict Development and Progression of Myopia in Children. , 2015, 56, 6162.		101
17	Time Outdoors and Myopia Progression Over 2 Years in Chinese Children: The Anyang Childhood Eye Study. , 2015, 56, 4734.		94
18	Safety and Efficacy of Low-Dose Atropine Eyedrops for the Treatment of Myopia Progression in Chinese Children. <i>JAMA Ophthalmology</i> , 2020, 138, 1178.	1.4	93

#	ARTICLE	IF	CITATIONS
19	Primary angle closure glaucoma in Chinese and Western populations. Chinese Medical Journal, 2002, 115, 1706-15.	0.9	80
20	Prevalence of Age-Related Macular Degeneration in a Rural Chinese Population: The Handan Eye Study. Ophthalmology, 2011, 118, 1395-1401.	2.5	68
21	Trans-Lamina Cribrosa Pressure Difference and Open-Angle Glaucoma. The Central India Eye and Medical Study. PLoS ONE, 2013, 8, e82284.	1.1	67
22	Significance of Outdoor Time for Myopia Prevention: A Systematic Review and Meta-Analysis Based on Randomized Controlled Trials. Ophthalmic Research, 2020, 63, 97-105.	1.0	67
23	Cerebrospinal fluid pressure correlated with body mass index. Graefe's Archive for Clinical and Experimental Ophthalmology, 2012, 250, 445-446.	1.0	63
24	Retinal Nerve Fiber Layer Thickness in a Population of 12-Year-Old Children in Central China Measured by iVue-100 Spectral-Domain Optical Coherence Tomography: The Anyang Childhood Eye Study. , 2013, 54, 8104.		57
25	Intracranial pressure (ICP) and optic nerve subarachnoid space pressure (ONSP) correlation in the optic nerve chamber: the Beijing Intracranial and Intraocular Pressure (iCOP) study. Brain Research, 2016, 1635, 201-208.	1.1	56
26	Estimated trans-lamina cribrosa pressure difference versus intraocular pressure as biomarker for open-angle glaucoma. The Beijing Eye Study 2011. Acta Ophthalmologica, 2015, 93, e7-e13.	0.6	52
27	Near work, outdoor activity, and myopia in children in rural China: the Handan offspring myopia study. BMC Ophthalmology, 2017, 17, 203.	0.6	52
28	Prevalence and Causes of Amblyopia in a Rural Adult Population of Chinese. Ophthalmology, 2011, 118, 279-283.	2.5	50
29	Progression of myopia in a natural cohort of Chinese children during COVID-19 pandemic. Graefe's Archive for Clinical and Experimental Ophthalmology, 2021, 259, 2813-2820.	1.0	49
30	Laser Peripheral Iridotomy With and Without Iridoplasty for Primary Angle-Closure Glaucoma: 1-Year Results of a Randomized Pilot Study. American Journal of Ophthalmology, 2010, 150, 68-73.	1.7	48
31	The influence of near work on myopic refractive change in urban students in Beijing: a three-year follow-up report. Graefe's Archive for Clinical and Experimental Ophthalmology, 2016, 254, 2247-2255.	1.0	48
32	Acute Peripapillary Retinal Pigment Epithelium Changes Associated with Acute Intraocular Pressure Elevation. Ophthalmology, 2015, 122, 2022-2028.	2.5	47
33	Distribution of Ocular Biometry in 7- and 14-Year-Old Chinese Children. Optometry and Vision Science, 2015, 92, 566-572.	0.6	43
34	Sleep Duration, Bedtime, and Myopia Progression in a 4-Year Follow-up of Chinese Children: The Anyang Childhood Eye Study. , 2020, 61, 37.		42
35	A Population-Based Assessment of 24-Hour Intraocular Pressure among Subjects with Primary Open-Angle Glaucoma: The Handan Eye Study. , 2011, 52, 7817.		41
36	Prevalence of Normal-Tension Glaucoma in the Chinese Population: A Systematic Review and Meta-Analysis. American Journal of Ophthalmology, 2019, 199, 101-110.	1.7	39

#	ARTICLE	IF	CITATIONS
37	Subfoveal Choroidal Thickness and Cerebrospinal Fluid Pressure: The Beijing Eye Study 2011. , 2014, 55, 1292.		37
38	Retinopathy in Persons without Diabetes. <i>Ophthalmology</i> , 2010, 117, 531-537.e2.	2.5	36
39	Dynamic Iris Changes as a Risk Factor in Primary Angle Closure Disease. , 2016, 57, 218.		36
40	Microcatheter-assisted trabeculotomy versus rigid probe trabeculotomy in childhood glaucoma. <i>British Journal of Ophthalmology</i> , 2016, 100, 1257-1262.	2.1	36
41	Prevalence and causes of vision loss in East Asia in 2015: magnitude, temporal trends and projections. <i>British Journal of Ophthalmology</i> , 2020, 104, 616-622.	2.1	36
42	Refractive Errors in University Students in Central China: The Anyang University Students Eye Study. , 2018, 59, 4691.		34
43	Quantitative Analysis of Iris Changes Following Mydriasis in Subjects With Different Mechanisms of Angle Closure. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 563-570.	3.3	33
44	Evaluation of optic nerve head and retinal nerve fiber layer in early and advance glaucoma using frequency-domain optical coherence tomography. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 429-434.	1.0	32
45	OCT Study of Mechanical Properties Associated with Trabecular Meshwork and Collector Channel Motion in Human Eyes. <i>PLoS ONE</i> , 2016, 11, e0162048.	1.1	32
46	Measurement and Associations of the Optic Nerve Subarachnoid Space in Normal Tension and Primary Open-Angle Glaucoma. <i>American Journal of Ophthalmology</i> , 2018, 186, 128-137.	1.7	32
47	Prospective evaluation of changes in anterior segment morphology after laser iridotomy in Chinese eyes by rotating Scheimpflug camera imaging. <i>Clinical and Experimental Ophthalmology</i> , 2010, 38, 10-14.	1.3	31
48	Peripapillary retinal nerve fibre layer thickness and its association with refractive error in Chinese children: the Anyang Childhood Eye Study. <i>Clinical and Experimental Ophthalmology</i> , 2016, 44, 701-709.	1.3	31
49	Symptomatic COVID-19 in Eye Professionals in Wuhan, China. <i>Ophthalmology</i> , 2020, 127, 1268-1270.	2.5	31
50	Generational Difference of Refractive Error and Risk Factors in the Handan Offspring Myopia Study. , 2014, 55, 5711.		30
51	Corneal Power, Anterior Segment Length and Lens Power in 14-year-old Chinese Children: the Anyang Childhood Eye Study. <i>Scientific Reports</i> , 2016, 6, 20243.	1.6	30
52	Quantification of Pulse-Dependent Trabecular Meshwork Motion in Normal Humans Using Phase-Sensitive OCT. , 2018, 59, 3675.		30
53	Five-year incidence and progression of myopic maculopathy in a rural Chinese adult population: the Handan Eye Study. <i>Ophthalmic and Physiological Optics</i> , 2018, 38, 337-345.	1.0	29
54	Quantitative Analysis of Iris Changes After Physiologic and Pharmacologic Mydriasis in a Rural Chinese Population. , 2014, 55, 4405.		27

#	ARTICLE	IF	CITATIONS
55	Retinotopic Changes in the Gray Matter Volume and Cerebral Blood Flow in the Primary Visual Cortex of Patients With Primary Open-Angle Glaucoma. , 2015, 56, 6171.		27
56	Ocular Hypertension: General Characteristics and Estimated Cerebrospinal Fluid Pressure. The Beijing Eye Study 2011. PLoS ONE, 2014, 9, e100533.	1.1	27
57	Peripheral refraction in 7- and 14-year-old children in central China: the Anyang Childhood Eye Study. British Journal of Ophthalmology, 2015, 99, 674-679.	2.1	26
58	Outcomes of gonioscopy-assisted transluminal trabeculotomy in juvenile-onset primary open-angle glaucoma. Eye, 2021, 35, 2848-2854.	1.1	26
59	Diabetic Retinopathy and Estimated Cerebrospinal Fluid Pressure. The Beijing Eye Study 2011. PLoS ONE, 2014, 9, e96273.	1.1	25
60	Age-related changes in and determinants of macular ganglion cell inner plexiform layer thickness in normal Chinese adults. Clinical and Experimental Ophthalmology, 2018, 46, 400-406.	1.3	23
61	The role of Piezo1 in conventional aqueous humor outflow dynamics. IScience, 2021, 24, 102042.	1.9	23
62	Baseline Characteristics of Nearwork-Induced Transient Myopia. Optometry and Vision Science, 2012, 89, 1725-1733.	0.6	22
63	A Prospective Study of Intraocular Pressure Spike and Failure After Gonioscopy-Assisted Transluminal Trabeculotomy in Juvenile Open-Angle Glaucoma. American Journal of Ophthalmology, 2022, 236, 79-88.	1.7	21
64	The difference between cycloplegic and non-cycloplegic autorefractometry and its association with progression of refractive error in Beijing urban children. Ophthalmic and Physiological Optics, 2017, 37, 489-497.	1.0	20
65	The Handan Eye Study: Comparison of Screening Methods for Primary Angle Closure Suspects in a Rural Chinese Population. Ophthalmic Epidemiology, 2014, 21, 268-275.	0.8	19
66	A hierarchical deep learning approach with transparency and interpretability based on small samples for glaucoma diagnosis. Npj Digital Medicine, 2021, 4, 48.	5.7	19
67	The Impact of Study-at-Home During the COVID-19 Pandemic on Myopia Progression in Chinese Children. Frontiers in Public Health, 2021, 9, 720514.	1.3	19
68	Dynein, kinesin and morphological changes in optic nerve axons in a rat model with cerebrospinal fluid pressure reduction: the Beijing Intracranial and Intraocular Pressure (iCOP) study. Acta Ophthalmologica, 2016, 94, 266-275.	0.6	18
69	Current Evidence of 2019 Novel Coronavirus Disease (COVID-19) Ocular Transmission: A Systematic Review and Meta-Analysis. BioMed Research International, 2020, 2020, 1-8.	0.9	18
70	Reduced Cerebrovascular Reactivity in Posterior Cerebral Arteries in Patients with Primary Open-Angle Glaucoma. Ophthalmology, 2013, 120, 2501-2507.	2.5	17
71	Macular vessel density versus ganglion cell complex thickness for detection of early primary open-angle glaucoma. BMC Ophthalmology, 2020, 20, 17.	0.6	17
72	Progression of Primary Angle Closure Suspect to Primary Angle Closure and Associated Risk Factors: The Handan Eye Study. , 2021, 62, 2.		17

#	ARTICLE	IF	CITATIONS
73	Mechanism of the reconstruction of aqueous outflow drainage. <i>Science China Life Sciences</i> , 2018, 61, 534-540.	2.3	16
74	Machine Learning to Determine Risk Factors for Myopia Progression in Primary School Children: The Anyang Childhood Eye Study. <i>Ophthalmology and Therapy</i> , 2022, 11, 573-585.	1.0	16
75	Stem Cell-Based Regeneration and Restoration for Retinal Ganglion Cell: Recent Advancements and Current Challenges. <i>Biomolecules</i> , 2021, 11, 987.	1.8	15
76	Ocular Trauma in a Rural Population of North China: The Handan Eye Study. <i>Biomedical and Environmental Sciences</i> , 2015, 28, 495-501.	0.2	15
77	Prevalence and risk factors of pseudomyopia in a Chinese children population: the Anyang Childhood Eye Study. <i>British Journal of Ophthalmology</i> , 2021, 105, 1216-1221.	2.1	14
78	Early Efficacy and Complications of Releasable Sutures for Trabeculectomy in Primary Angle-closure Glaucoma. <i>Journal of Glaucoma</i> , 2014, 23, 136-141.	0.8	13
79	Correlation Between Trabeculodysgenesis Assessed by Ultrasound Biomicroscopy and Surgical Outcomes in Primary Congenital Glaucoma. <i>American Journal of Ophthalmology</i> , 2018, 196, 57-64.	1.7	13
80	The Relationship Between Nailfold Microcirculation and Retinal Microcirculation in Healthy Subjects. <i>Frontiers in Physiology</i> , 2020, 11, 880.	1.3	13
81	Towards stem cell-based neuronal regeneration for glaucoma. <i>Progress in Brain Research</i> , 2020, 257, 99-118.	0.9	13
82	Disease-related and age-related changes of anterior chamber angle structures in patients with primary congenital glaucoma: An in vivo high-frequency ultrasound biomicroscopy-based study. <i>PLoS ONE</i> , 2020, 15, e0227602.	1.1	13
83	iPSC-Derived Trabecular Meshwork Cells Stimulate Endogenous TM Cell Division Through Gap Junction in a Mouse Model of Glaucoma. , 2021, 62, 28.		13
84	Retinal vessel oxygen saturation and vessel diameter in healthy individuals during high-altitude exposure. <i>Acta Ophthalmologica</i> , 2019, 97, 279-286.	0.6	12
85	Factors associated with blindness three months following treatment for acute primary angle glaucoma. <i>British Journal of Ophthalmology</i> , 2021, 105, 502-506.	2.1	12
86	Distribution and associations of intraocular pressure in 7- and 12-year-old Chinese children: The Anyang Childhood Eye Study. <i>PLoS ONE</i> , 2017, 12, e0181922.	1.1	12
87	Ab interno vs ab externo microcatheter-assisted trabeculectomy for primary congenital glaucoma with clear cornea. <i>Clinical and Experimental Ophthalmology</i> , 2020, 48, 1201-1209.	1.3	11
88	Modified Canaloplasty: A New, Effective, and Safe Option for Glaucoma Patients With a Disrupted Schlemm Canal Wall. <i>Journal of Glaucoma</i> , 2016, 25, 798-801.	0.8	10
89	Visual Impairment and Spectacle Use in University Students in Central China: The Anyang University Students Eye Study. <i>American Journal of Ophthalmology</i> , 2019, 206, 168-175.	1.7	10
90	Association Between Arterial Blood Gas Variation and Intraocular Pressure in Healthy Subjects Exposed to Acute Short-Term Hypobaric Hypoxia. <i>Translational Vision Science and Technology</i> , 2019, 8, 22.	1.1	10

#	ARTICLE	IF	CITATIONS
91	Establishment and Comparison of Algorithms for Detection of Primary Angle Closure Suspect Based on Static and Dynamic Anterior Segment Parameters. <i>Translational Vision Science and Technology</i> , 2020, 9, 16.	1.1	10
92	Pulsatile Trabecular Meshwork Motion: An Indicator of Intraocular Pressure Control in Primary Open-Angle Glaucoma. <i>Journal of Clinical Medicine</i> , 2022, 11, 2696.	1.0	10
93	Noninvasive evaluation of cerebrospinal fluid pressure in ocular hypertension: a preliminary study. <i>Acta Ophthalmologica</i> , 2018, 96, e570-e576.	0.6	9
94	Five-year refractive changes in a rural Chinese adult population and its related factors: the Handan Eye Study. <i>Clinical and Experimental Ophthalmology</i> , 2018, 46, 873-881.	1.3	9
95	Association of intraocular pressure-related factors and retinal vessel diameter with optic disc rim area in subjects with and without primary open angle glaucoma. <i>Clinical and Experimental Ophthalmology</i> , 2018, 46, 389-399.	1.3	9
96	Pathogenic role of the vitreous in angle-closure glaucoma with autosomal recessive bestrophinopathy: a case report. <i>BMC Ophthalmology</i> , 2020, 20, 271.	0.6	9
97	Distribution of ocular biometry in young Chinese eyes: The Anyang University Students Eye Study. <i>Acta Ophthalmologica</i> , 2021, 99, 621-627.	0.6	9
98	Development of angle closure and associated risk factors: The Handan eye study. <i>Acta Ophthalmologica</i> , 2022, 100, .	0.6	9
99	Effect of reading with a mobile phone and text on accommodation in young adults. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 1281-1288.	1.0	9
100	Retinal nerve fibre layer thickness measured with SD-OCT in a population-based study: the Handan Eye Study. <i>British Journal of Ophthalmology</i> , 2023, 107, 1156-1164.	2.1	9
101	Trabecular Meshwork Motion Profile from Pulsatile Pressure Transients: A New Platform to Simulate Transitory Responses in Humans and Nonhuman Primates. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 11.	1.3	9
102	One-year interim comparison of canaloplasty in primary open-angle glaucoma following failed filtering surgery with primary canaloplasty. <i>British Journal of Ophthalmology</i> , 2016, 100, 1692-1696.	2.1	8
103	Pupil Size Associated with the Largest Iris Volume in Normal Chinese Eyes. <i>Journal of Ophthalmology</i> , 2018, 2018, 1-6.	0.6	8
104	Minimally Invasive Glaucoma Surgery: What Do We Know? Where Should We Go?. <i>Translational Vision Science and Technology</i> , 2020, 9, 15.	1.1	8
105	Burden of visual impairment in mainland China: the Handan Eye Study and Beijing Eye Study. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 3501-3509.	1.0	8
106	Retinal Nerve Fiber Layer Thickness and Rim Area Profiles in Asians. <i>Ophthalmology</i> , 2022, 129, 552-561.	2.5	8
107	Intermediate outcomes of ab externo circumferential trabeculotomy and canaloplasty in POAG patients with prior incisional glaucoma surgery. <i>BMC Ophthalmology</i> , 2020, 20, 389.	0.6	7
108	Superficial macular vessel density in eyes with mild, moderate, and severe primary open-angle glaucoma. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 1955-1963.	1.0	7

#	ARTICLE	IF	CITATIONS
109	Association of serum retinol concentration with normal-tension glaucoma. <i>Eye</i> , 2022, 36, 1820-1825.	1.1	7
110	Controlling the number of melanopsin-containing retinal ganglion cells by early light exposure. <i>Experimental Eye Research</i> , 2013, 111, 17-26.	1.2	6
111	A Population-based Investigation of Circadian Rhythm of Intraocular Pressure in Habitual Position Among Healthy Subjects: The Handan Eye Study. <i>Journal of Glaucoma</i> , 2016, 25, 584-589.	0.8	6
112	Regulation of Reentrainment Function Is Dependent on a Certain Minimal Number of Intact Functional ipRGCs in rd Mice. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-8.	0.6	6
113	Selective Early Glial Reactivity in the Visual Pathway Precedes Axonal Loss, Following Short-Term Cerebrospinal Fluid Pressure Reduction. , 2018, 59, 3394.		6
114	Intraocular Pressure Changes of Healthy Lowlanders at Different Altitude Levels: A Systematic Review and Meta-Analysis. <i>Frontiers in Physiology</i> , 2019, 10, 1366.	1.3	6
115	The value of cycloplegia in optometric refraction of adults in a population study. <i>Acta Ophthalmologica</i> , 2019, 97, e484-e486.	0.6	6
116	Effects of Schlemm's Canal Expansion: Biomechanics and MIGS Implications. <i>Life</i> , 2021, 11, 176.	1.1	6
117	New loci for refractive errors and ocular biometric parameters in young Chinese Han adults. <i>Science China Life Sciences</i> , 2022, 65, 2050-2061.	2.3	6
118	Gonioscopy-assisted Transluminal Trabeculotomy (GATT) combined phacoemulsification surgery: Outcomes at a 2-year follow-up. <i>Eye</i> , 2023, 37, 1258-1263.	1.1	6
119	The effect of atropine 0.01% eyedrops on relative peripheral refraction in myopic children. <i>Eye</i> , 2023, 37, 356-361.	1.1	5
120	The Association between Maternal Reproductive Age and Progression of Refractive Error in Urban Students in Beijing. <i>PLoS ONE</i> , 2015, 10, e0139383.	1.1	4
121	Normative Values of Retinal Oxygen Saturation in Rhesus Monkeys: The Beijing Intracranial and Intraocular Pressure (iCOP) Study. <i>PLoS ONE</i> , 2016, 11, e0150072.	1.1	4
122	Myopigenic Activity Change and Its Risk Factors in Urban Students in Beijing: Three-Year Report of Beijing Myopia Progression Study. <i>Ophthalmic Epidemiology</i> , 2017, 24, 388-393.	0.8	4
123	Protection of retinal ganglion cells against glaucomatous neuropathy by neurotrophin-producing, genetically modified neural progenitor cells in a rat model. <i>Chinese Medical Journal</i> , 2002, 115, 1394-400.	0.9	4
124	Characteristics of optic disc parameters and its association in normal Chinese population: the Handan Eye Study. <i>Chinese Medical Journal</i> , 2014, 127, 1702-9.	0.9	4
125	Current challenges of retinal ganglion cell regeneration. <i>Regenerative Medicine</i> , 2022, 17, 199-201.	0.8	4
126	Lacrimal Gland, Ocular Surface, and Dry Eye. <i>Journal of Ophthalmology</i> , 2016, 2016, 1-2.	0.6	3



#	ARTICLE	IF	CITATIONS
127	Laser Peripheral Iridotomy versus Trabeculectomy as an Initial Treatment for Primary Angle-Closure Glaucoma. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-6.	0.6	3
128	Detection of primary angleclosure suspect with different mechanisms of angle closure using multivariate prediction models. <i>Acta Ophthalmologica</i> , 2021, 99, e576-e586.	0.6	3
129	Intereye Comparison of Focal Lamina Cribrosa Defect in Normal-Tension Glaucoma Patients with Asymmetric Visual Field Loss. <i>Ophthalmic Research</i> , 2021, 64, 447-457.	1.0	3
130	Comparison of Peripapillary Retinal Nerve Fiber Layer Thickness, Functional Subzones, and Macular Ganglion Cell-Inner Plexiform Layer in Differentiating Patients With Mild, Moderate, and Severe Open-angle Glaucoma. <i>Journal of Glaucoma</i> , 2020, 29, 761-766.	0.8	3
131	Low-dose transscleral cyclophotocoagulation with subsequent phacoemulsification in the treatment of prolonged acute primary angle closure. <i>British Journal of Ophthalmology</i> , 2023, 107, 221-226.	2.1	3
132	Intraocular Pressure, Age, and Central Corneal Thickness in a Healthy Chinese Children Population: The Handan Offspring Myopia Study. <i>Ophthalmic Epidemiology</i> , 2022, 29, 499-506.	0.8	3
133	Ab Interno vs. Ab Externo Microcatheter-Assisted Circumferential Trabeculotomy in Treating Patients With Primary Open-Angle Glaucoma. <i>Frontiers in Medicine</i> , 2021, 8, 795172.	1.2	3
134	Determinants of maximum cup depth in non-glaucoma and primary open-angle glaucoma subjects: a population-based study. <i>Eye</i> , 2020, 34, 892-900.	1.1	2
135	<scp>Fiveâ€year</scp> incidence of primary glaucoma and related risk factors â€“ The Handan eye study. <i>Acta Ophthalmologica</i> , 0, , .	0.6	2
136	Re: LindÃ©n etÃ¢l.: Normal-tension glaucoma has normal intracranial pressure: a prospective study of intracranial pressure and intraocular pressure in different body positions ( <i>Ophthalmology</i> .) <i>Tj ETQq0 0 0 rgBT /Overlok 10 Tf150 377 Td</i>		
137	Relationship between corneal stiffness parameters and lamina cribrosa curvature in normal tension glaucoma. <i>European Journal of Ophthalmology</i> , 2020, 31, 112067212098252.	0.7	1
138	Association of Hypertriglyceridemia and Incident Glaucoma in a Rural Chinese Population: The Handan Eye Study. <i>Translational Vision Science and Technology</i> , 2021, 10, 25.	1.1	1
139	Management of Acute Primary Angle Closure. , 2021, , 121-129.		1
140	Intraocular Pressure-Related Factors, Retinal Vessel Diameter, and Optic Disc Rim Area. <i>Advances in Visual Science and Eye Diseases</i> , 2019, , 239-244.	0.1	0
141	Applications of electronic devices basedâ€on smartphones in ophthalmic diagnosis and treatment activities. <i>Clinical and Experimental Ophthalmology</i> , 2022, , .	1.3	0
142	Cost-Utility Analysis of Screening for Diabetic Retinopathy in China. <i>Health Data Science</i> , 2022, 2022, .	1.1	0
143	Title is missing!. , 2020, 15, e0227602.		0
144	Title is missing!. , 2020, 15, e0227602.		0

#	ARTICLE	IF	CITATIONS
145	Title is missing!. , 2020, 15, e0227602.		0
146	Title is missing!. , 2020, 15, e0227602.		0
147	Title is missing!. , 2020, 15, e0227602.		0
148	Title is missing!. , 2020, 15, e0227602.		0