Chong Gao

List of Publications by Citations

Source: https://exaly.com/author-pdf/6670667/chong-gao-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64 716 13 25 g-index

82 1,017 5 avg, IF L-index

#	Paper	IF	Citations
64	Oncofetal gene SALL4 in aggressive hepatocellular carcinoma. <i>New England Journal of Medicine</i> , 2013 , 368, 2266-76	59.2	166
63	SALL4 is a key regulator of survival and apoptosis in human leukemic cells. <i>Blood</i> , 2008 , 112, 805-13	2.2	108
62	Targeting transcription factor SALL4 in acute myeloid leukemia by interrupting its interaction with an epigenetic complex. <i>Blood</i> , 2013 , 121, 1413-21	2.2	47
61	Short-term and low-dose IL-2 therapy restores the Th17/Treg balance in the peripheral blood of patients with primary Sjgren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1838-1840	2.4	46
60	Levels of peripheral Th17 cells and serum Th17-related cytokines in patients with multiple sclerosis: A meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2017 , 18, 20-25	4	36
59	SALL4 is a key transcription regulator in normal human hematopoiesis. <i>Transfusion</i> , 2013 , 53, 1037-49	2.9	33
58	The role of stem cell factor SALL4 in leukemogenesis. <i>Critical Reviews in Oncogenesis</i> , 2011 , 16, 117-27	1.3	24
57	T-Follicular Regulatory Cells: Potential Therapeutic Targets in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2019 , 10, 2709	8.4	16
56	The numbers of peripheral regulatory T cells are reduced in patients with psoriatic arthritis and are restored by low-dose interleukin-2. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 20406223209160)14 ⁹	15
55	Reduced activated regulatory T cells and imbalance of Th17/activated Treg cells marks renal involvement in ANCA-associated vasculitis. <i>Molecular Immunology</i> , 2020 , 118, 19-29	4.3	15
54	Low-dose Interleukin-2: Biology and therapeutic prospects in rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102645	13.6	14
53	Absolute reduction of regulatory T cells and regulatory effect of short-term and low-dose IL-2 in polymyositis or dermatomyositis. <i>International Immunopharmacology</i> , 2019 , 77, 105912	5.8	13
52	The proportion of peripheral regulatory T cells in patients with Multiple Sclerosis: A meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 28, 75-80	4	13
51	Lessons learned from early compassionate use of convalescent plasma on critically ill patients with Covid-19. <i>Transfusion</i> , 2020 , 60, 2210-2216	2.9	12
50	Metformin attenuates bleomycin-induced scleroderma by regulating the balance of Treg/Teff cells and reducing spleen germinal center formation. <i>Molecular Immunology</i> , 2019 , 114, 72-80	4.3	11
49	Imbalance between Th17 and regulatory T cells in patients with systemic lupus erythematosus combined EBV/CMV viraemia. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 864-873	2.2	11
48	The Gut Microbiota and Its Relevance to Peripheral Lymphocyte Subpopulations and Cytokines in Patients with Rheumatoid Arthritis. <i>Journal of Immunology Research</i> , 2021 , 2021, 6665563	4.5	9

(2019-2020)

47	Sirolimus selectively increases circulating Treg cell numbers and restores the Th17/Treg balance in rheumatoid arthritis patients with low disease activity or in DAS28 remission who previously received conventional disease-modifying anti-rheumatic drugs. Clinical and Experimental	2.2	8
46	High-Performance Liquid Chromatography (HPLC) Quantification of Liposome-Delivered Doxorubicin in Arthritic Joints of Collagen-Induced Arthritis Rats. <i>Medical Science Monitor Basic Research</i> , 2017 , 23, 150-158	3.2	7
45	Methotrexate Combined with 4-Hydroperoxycyclophosphamide Downregulates Multidrug-Resistance P-Glycoprotein Expression Induced by Methotrexate in Rheumatoid Arthritis Fibroblast-Like Synoviocytes via the JAK2/STAT3 Pathway. <i>Journal of Immunology Research</i> , 2018 , 2018, 3619320	4.5	7
44	New Insights From Single-Cell Sequencing Data: Synovial Fibroblasts and Synovial Macrophages in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021 , 12, 709178	8.4	7
43	Increases in tumor markers are associated with primary Sjgren's syndrome-associated interstitial lung disease. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622320944802	4.9	6
42	Th17/Treg cell level and clinical characteristics of peripheral blood of patients with Sjogren's syndrome complicated with primary biliary cirrhosis. <i>Medicine (United States)</i> , 2019 , 98, e15952	1.8	6
41	The Proportion of Regulatory T Cells in Patients with Ankylosing Spondylitis: A Meta-Analysis. Journal of Immunology Research, 2019 , 2019, 1058738	4.5	6
40	The absolute counts of peripheral T lymphocyte subsets in patient with ankylosing spondylitis and the effect of low-dose interleukin-2. <i>Medicine (United States)</i> , 2019 , 98, e15094	1.8	6
39	Bone Marrow Mesenchymal Stem Cells Decrease the Expression of RANKL in Collagen-Induced Arthritis Rats via Reducing the Levels of IL-22. <i>Journal of Immunology Research</i> , 2019 , 2019, 8459281	4.5	6
38	Reduction of peripheral natural killer cells in patients with SAPHO syndrome. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 12-18	2.2	6
37	Increased Serum Interleukin-2 Levels Are Associated with Abnormal Peripheral Blood Natural Killer Cell Levels in Patients with Active Rheumatoid Arthritis. <i>Mediators of Inflammation</i> , 2020 , 2020, 610834	2 ^{4.3}	5
36	Low-Dose Sirolimus Immunoregulation Therapy in Patients with Active Rheumatoid Arthritis: A 24-Week Follow-Up of the Randomized, Open-Label, Parallel-Controlled Trial. <i>Journal of Immunology Research</i> , 2019 , 2019, 7684352	4.5	5
35	The level of peripheral regulatory T cells is linked to changes in gut commensal microflora in patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e177	2.4	5
34	Low-dose IL-2 therapy limits the reduction in absolute numbers of circulating regulatory T cells in rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211011370	3.8	5
33	Pharmacomicrobiology of Methotrexate in Rheumatoid Arthritis: Gut Microbiome as Predictor of Therapeutic Response <i>Frontiers in Immunology</i> , 2021 , 12, 789334	8.4	5
32	Characteristics of and reference ranges for peripheral blood lymphocytes and CD4 T cell subsets in healthy adults in Shanxi Province, North China. <i>Journal of International Medical Research</i> , 2020 , 48, 3000	 060520)9 ³ 13149
31	Identification of novel hub genes associated with gastric cancer using integrated bioinformatics analysis. <i>BMC Cancer</i> , 2021 , 21, 697	4.8	3
30	Risk Factors and Changes of Peripheral NK and T Cells in Pulmonary Interstitial Fibrosis of Patients with Rheumatoid Arthritis. <i>Canadian Respiratory Journal</i> , 2019 , 2019, 7262065	2.1	3

29	Altered Distribution of Circulating T Follicular Helper-Like Cell Subsets in Rheumatoid Arthritis Patients. <i>Frontiers in Medicine</i> , 2021 , 8, 690100	4.9	3
28	Maintenance and enhancement of human peripheral blood mobilized stem/progenitor cell engraftment after ex vivo culture via an HDACi/SALL4 axis (3465). Experimental Hematology, 2019 , 75, 53-63.e11	3.1	2
27	SALL4 Is a Key Factor in HDAC Inhibitor Mediated Ex Vivo Expansion of Human Peripheral Blood Mobilized Stem/Progenitor CD34+CD90+ Cells. <i>Blood</i> , 2014 , 124, 1566-1566	2.2	2
26	Targeting an Inducible SALL4-Mediated Cancer Vulnerability with Sequential Therapy. <i>Cancer Research</i> , 2021 , 81, 6018-6028	10.1	2
25	Pseudogene-mediated DNA demethylation leads to oncogene activation. <i>Science Advances</i> , 2021 , 7, e	ab g 1 ,69	5 2
24	IL-17A upregulates P-glycoprotein expression in peripheral blood lymphocytes of patients with rheumatoid arthritis through TAK1. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 299-305	2.2	2
23	Sall4, a Stem Cell Factor, Promotes Chemoresistance by Regulates the Side Population Cell Phenotype <i>Blood</i> , 2009 , 114, 3093-3093	2.2	1
22	Double-negative T cells are absolutely elevated in patients with antineutrophil cytoplasmic autoantibody-associated vasculitis. <i>Molecular Immunology</i> , 2021 , 132, 250-259	4.3	1
21	Decreased Serum 25-(OH)-D Level Associated With Muscle Enzyme and Myositis Specific Autoantibodies in Patients With Idiopathic Inflammatory Myopathy. <i>Frontiers in Immunology</i> , 2021 , 12, 642070	8.4	1
20	AB0073 RELATIONSHIPS BETWEEN CYTOKINE PROFILES AND TH17/TREG BALANCE IN PATIENTS WITH RHEUMATOID ARTHRITIS 2019 ,		1
19	Primary myelofibrosis but not autoimmune myelofibrosis accompanied by Sjgren's syndrome and primary biliary cirrhosis in a patient with trisomy 8 mosaic: a case report and literature review. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 112, 234-236	2.2	1
18	Absolute reduction of peripheral regulatory T cell in patients with relapsing polychondritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 487-493	2.2	1
17	Low-dose IL-2 effectively restored decreased regulatory T cells in patients with Beh dt's disease. Clinical and Experimental Rheumatology, 2021, 39, 746-752	2.2	1
16	Metabolism Characteristics of Th17 and Regulatory T Cells in Autoimmune Diseases <i>Frontiers in Immunology</i> , 2022 , 13, 828191	8.4	1
15	Reduction of peripheral regulatory T cells in active rheumatoid arthritis patients with coronary artery disease <i>BMC Immunology</i> , 2021 , 22, 76	3.7	1
14	Decreased Absolute Number of Circulating Regulatory T Cells in Patients With Takayasu's Arteritis <i>Frontiers in Immunology</i> , 2021 , 12, 768244	8.4	O
13	Elevated Peripheral T Helper Cells Are Associated With Atrial Fibrillation in Patients With Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021 , 12, 744254	8.4	О
12	Comprehensive analysis of multiple cytokines and blood parameters for the diagnosis of bacterial infections in rheumatoid arthritis. <i>Cytokine</i> , 2020 , 136, 155251	4	O

LIST OF PUBLICATIONS

11	Efficacy of Belimumab for refractory systemic lupus erythematosus (SLE) involving the central nervous system. <i>European Journal of Internal Medicine</i> , 2021 , 92, 117-120	3.9	O	
10	Altered Fecal Metabolomics and Potential Biomarkers of Psoriatic Arthritis Differing From Rheumatoid Arthritis <i>Frontiers in Immunology</i> , 2022 , 13, 812996	8.4	O	
9	Low-Dose Interleukin-2 Altered Gut Microbiota and Ameliorated Collagen-Induced Arthritis <i>Journal of Inflammation Research</i> , 2022 , 15, 1365-1379	4.8	0	
8	Altered levels of circulating CD8CXCR5PD-1T follicular cytotoxic cells in primary Sjਊren's syndrome <i>Clinical Rheumatology</i> , 2022 , 1	3.9	O	
7	Low-dose IL-2 therapy limits the reduction in absolute numbers of peripheral lymphocytes in systemic lupus erythematosus patients with infection <i>Current Medical Research and Opinion</i> , 2022 , 1-	23 ^{2.5}	О	
6	Sirolimus therapy restores the PD-1+ICOS+Tfh:CD45RA-Foxp3 activated Tfr cell balance in primary Sjgren's syndrome <i>Molecular Immunology</i> , 2022 , 147, 90-100	4.3	Ο	
5	Identification of biomarkers by machine learning classifiers to assist diagnose rheumatoid arthritis-associated interstitial lung disease <i>Arthritis Research and Therapy</i> , 2022 , 24, 115	5.7	О	
4	A novel peptide with a potential to enhance sorafenib therapeutic effects in hepatocellular carcinoma <i>Journal of Clinical Oncology</i> , 2012 , 30, e13505-e13505	2.2		
3	A Novel Approach in Expanding CD34+CD90+ and CD34+CD38-CD90+ Cells Associated with Enhanced in Vivo Repopulating potential <i>Blood</i> , 2012 , 120, 2337-2337	2.2		
2	Evaluation of a novel latex enhanced turbidimetric immunoassay for detecting autoantibody against extractable nuclear antigens. <i>European Journal of Inflammation</i> , 2020 , 18, 205873922096118	0.3		
1	Non-coding RNA LEVER sequestration of PRC2 can mediate long range gene regulation <i>Communications Biology</i> , 2022 , 5, 343	6.7		