

Donghui Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6670999/publications.pdf>

Version: 2024-02-01

94
papers

4,461
citations

87888

38
h-index

110387

64
g-index

95
all docs

95
docs citations

95
times ranked

4423
citing authors

#	ARTICLE	IF	CITATIONS
1	Microbial Metabolite Inspired α -Peptide Polymers Displaying Potent and Selective Antifungal Activity. <i>Advanced Science</i> , 2022, 9, e2104871.	11.2	19
2	1,1,3,3-Tetramethylguanidine-Mediated Zwitterionic Ring-Opening Polymerization of Sarcosine-Derived α -Thiocarboxyanhydride toward Well-Defined Polysarcosine. <i>Macromolecules</i> , 2022, 55, 2509-2516.	4.8	6
3	Antifouling zwitterionic poly- β -peptides. <i>Applied Materials Today</i> , 2022, 27, 101511.	4.3	6
4	Unraveling the Role of Charge Patterning in the Micellar Structure of Sequence-Defined Amphiphilic Peptoid Oligomers by Molecular Dynamics Simulations. <i>Macromolecules</i> , 2022, 55, 5197-5212.	4.8	8
5	Dealing with the Foreign-Body Response to Implanted Biomaterials: Strategies and Applications of New Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2007226.	14.9	114
6	Controlled ring-opening polymerization of α -(3- <i>tert</i> -butoxy-3-oxopropyl) glycine derived α -carboxyanhydrides towards well-defined peptoid-based polyacids. <i>Polymer Chemistry</i> , 2021, 12, 1540-1548.	3.9	7
7	Foreign-Body Responses: Dealing with the Foreign-Body Response to Implanted Biomaterials: Strategies and Applications of New Materials (<i>Adv. Funct. Mater.</i> 6/2021). <i>Advanced Functional Materials</i> , 2021, 31, 2170040.	14.9	3
8	Hydrophobe Containing Polypeptoids Complex with Lipids and Induce Fusogenesis of Lipid Vesicles. <i>Journal of Physical Chemistry B</i> , 2021, 125, 3145-3152.	2.6	5
9	Modulating the Molecular Geometry and Solution Self-Assembly of Amphiphilic Polypeptoid Block Copolymers by Side Chain Branching Pattern. <i>Journal of the American Chemical Society</i> , 2021, 143, 5890-5902.	13.7	46
10	The impact of antifouling layers in fabricating bioactive surfaces. <i>Acta Biomaterialia</i> , 2021, 126, 45-62.	8.3	25
11	Solution Self-Assembly of Coil-Crystalline Diblock Copolypeptoids Bearing Alkyl Side Chains. <i>Polymers</i> , 2021, 13, 3131.	4.5	9
12	Bio-inspired poly-DL-serine materials resist the foreign-body response. <i>Nature Communications</i> , 2021, 12, 5327.	12.8	33
13	Dual mechanism β -amino acid polymers promoting cell adhesion. <i>Nature Communications</i> , 2021, 12, 562.	12.8	54
14	A sandcastle worm-inspired strategy to functionalize wet hydrogels. <i>Nature Communications</i> , 2021, 12, 6331.	12.8	27
15	Targeted and Stimulus-Responsive Delivery of Surfactant to the Oil-Water Interface for Applications in Oil Spill Remediation. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1840-1849.	8.0	33
16	Clay Nanotube Liquid Marbles Enhanced with Inner Biofilm Formation for the Encapsulation and Storage of Bacteria at Room Temperature. <i>ACS Applied Nano Materials</i> , 2020, 3, 1263-1271.	5.0	27
17	Cyclic Topology Enhancing Structural Ordering and Stability of Comb-Shaped Polypeptoid Thin Films against Melt-Induced Dewetting. <i>Macromolecules</i> , 2020, 53, 7601-7612.	4.8	10
18	Silk-Inspired α -Peptide Materials Resist Fouling and the Foreign-Body Response. <i>Angewandte Chemie</i> , 2020, 132, 9673-9680.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Silk-Inspired Peptide Materials Resist Fouling and the Foreign-Body Response. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9586-9593.	13.8	56
20	Water-Insensitive Synthesis of Poly- α -Peptides with Defined Architecture. <i>Angewandte Chemie</i> , 2020, 132, 7307-7311.	2.0	3
21	Water-Insensitive Synthesis of Poly- α -Peptides with Defined Architecture. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 7240-7244.	13.8	50
22	Investigation of Amphiphilic Polypeptoid-Functionalized Halloysite Nanotubes as Emulsion Stabilizer for Oil Spill Remediation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27944-27953.	8.0	54
23	Impact of Antifouling PEG Layer on the Performance of Functional Peptides in Regulating Cell Behaviors. <i>Journal of the American Chemical Society</i> , 2019, 141, 16772-16780.	13.7	133
24	Stoppers and Skins on Clay Nanotubes Help Stabilize Oil-in-Water Emulsions and Modulate the Release of Encapsulated Surfactants. <i>ACS Applied Nano Materials</i> , 2019, 2, 3490-3500.	5.0	19
25	Thermoresponsive Behavior of Polypeptoid Nanostructures Investigated with Heated Atomic Force Microscopy: Implications toward the Development of Smart Coatings for Surface-Based Sensors. <i>ACS Applied Nano Materials</i> , 2019, 2, 7617-7625.	5.0	6
26	Amphiphilic Polypeptoids Rupture Vesicle Bilayers To Form Peptoid-Lipid Fragments Effective in Enhancing Hydrophobic Drug Delivery. <i>Langmuir</i> , 2019, 35, 15335-15343.	3.5	12
27	Crystallization-Driven Self-Assembly of Coil-Comb-Shaped Polypeptoid Block Copolymers: Solution Morphology and Self-Assembly Pathways. <i>Macromolecules</i> , 2019, 52, 8867-8877.	4.8	42
28	Investigation of Secondary Amine-Derived Aminal Bond Exchange toward the Development of Covalent Adaptable Networks. <i>Macromolecules</i> , 2019, 52, 495-503.	4.8	38
29	Solution Self-Assemblies of Sequence-Defined Ionic Peptoid Block Copolymers. <i>Journal of the American Chemical Society</i> , 2018, 140, 4100-4109.	13.7	72
30	Bacterial proliferation on clay nanotube Pickering emulsions for oil spill bioremediation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 164, 27-33.	5.0	71
31	Polypeptoid polymers: Synthesis, characterization, and properties. <i>Biopolymers</i> , 2018, 109, e23070.	2.4	67
32	Organic Acid Promoted Controlled Ring-Opening Polymerization of α -Amino Acid-Derived α -thiocarboxyanhydrides (NTAs) toward Well-defined Polypeptides. <i>ACS Macro Letters</i> , 2018, 7, 1272-1277.	4.8	26
33	Engineered Clays as Sustainable Oil Dispersants in the Presence of Model Hydrocarbon Degrading Bacteria: The Role of Bacterial Sequestration and Biofilm Formation. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14143-14153.	6.7	29
34	Synthesis and Characterization of Well-Defined PEGylated Polypeptoids as Protein-Resistant Polymers. <i>Biomacromolecules</i> , 2017, 18, 951-964.	5.4	46
35	Amphiphilic Polypeptoids Serve as the Connective Glue to Transform Liposomes into Multilamellar Structures with Closely Spaced Bilayers. <i>Langmuir</i> , 2017, 33, 2780-2789.	3.5	16
36	Unusual molecular mechanism behind the thermal response of polypeptoids in aqueous solutions. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 10878-10888.	2.8	11

#	ARTICLE	IF	CITATIONS
37	Aggregation of cyclic polypeptoids bearing zwitterionic end-groups with attractive dipole-dipole and solvophobic interactions: a study by small-angle neutron scattering and molecular dynamics simulation. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 14388-14400.	2.8	10
38	Interfacial Ring-Opening Polymerization of Amino-Acid-Derived α -Thiocarboxyanhydrides Toward Well-Defined Polypeptides. <i>ACS Macro Letters</i> , 2017, 6, 836-840.	4.8	41
39	Cationic Polypeptoids with Optimized Molecular Characteristics toward Efficient Nonviral Gene Delivery. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23476-23486.	8.0	24
40	1,1,3,3-Tetramethylguanidine-Promoted Ring-Opening Polymerization of N-Butyl N-Carboxyanhydride Using Alcohol Initiators. <i>Macromolecules</i> , 2016, 49, 2002-2012.	4.8	44
41	Pronounced Dielectric and Hydration/Dehydration Behaviors of Monopolar Poly(α -alkylglycine)s in Aqueous Solution. <i>Journal of Physical Chemistry B</i> , 2016, 120, 9978-9986.	2.6	2
42	Dynamic Covalent Polymer Networks Based on Degenerative Imine Bond Exchange: Tuning the Malleability and Self-Healing Properties by Solvent. <i>Macromolecules</i> , 2016, 49, 6277-6284.	4.8	310
43	Synthesis and Characterization of Cleavable Core-Cross-Linked Micelles Based on Amphiphilic Block Copolypeptoids as Smart Drug Carriers. <i>Biomacromolecules</i> , 2016, 17, 852-861.	5.4	53
44	Amidine-Mediated Zwitterionic Ring-Opening Polymerization of α -Alkyl α -Carboxyanhydride: Mechanism, Kinetics, and Architecture Elucidation. <i>Macromolecules</i> , 2016, 49, 1163-1171.	4.8	49
45	Directed Growth of Polymer Nanorods Using Surface-Initiated Ring-Opening Polymerization of α -Allyl α -Carboxyanhydride. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 4014-4022.	8.0	15
46	Colorful Polyelectrolytes: An Atom Transfer Radical Polymerization Route to Fluorescent Polystyrene Sulfonate. <i>Journal of Fluorescence</i> , 2016, 26, 609-615.	2.5	4
47	Sample stage designed for force modulation microscopy using a tip-mounted AFM scanner. <i>Analyst</i> , 2016, 141, 1753-1760.	3.5	4
48	Thermoreversible and Injectable ABC Polypeptoid Hydrogels: Controlling the Hydrogel Properties through Molecular Design. <i>Chemistry of Materials</i> , 2016, 28, 727-737.	6.7	70
49	Chemical approaches for nanoscale patterning based on particle lithography with proteins and organic thin films. <i>Nanotechnology Reviews</i> , 2015, 4, 129-143.	5.8	11
50	Non-ionic water-soluble α -helical polypeptides: synthesis, characterization and side chain modification. <i>Polymer Chemistry</i> , 2015, 6, 1226-1229.	3.9	17
51	Special issue "Cyclic polymers: New developments". <i>Reactive and Functional Polymers</i> , 2014, 80, 1-2.	4.1	10
52	First Investigation of the Kinetic Hydrate Inhibitor Performance of Poly(α -alkylglycine)s. <i>Energy & Fuels</i> , 2014, 28, 6889-6896.	5.1	37
53	Synthesis and solid-state self-assembly of poly(ethylene glycol)-b-poly(β -benzyl-L-glutamate)s and single-walled carbon nanotubes. <i>Journal of Polymer Science Part A</i> , 2014, 52, 1905-1915.	2.3	3
54	Synthesis and characterization of thermo-responsive polypeptoid bottlebrushes. <i>Polymer Chemistry</i> , 2014, 5, 1418-1426.	3.9	37

#	ARTICLE	IF	CITATIONS
55	Crystallization and Melting Behaviors of Cyclic and Linear Polypeptoids with Alkyl Side Chains. <i>Macromolecules</i> , 2013, 46, 8213-8223.	4.8	77
56	Crystallization-Driven Thermoreversible Gelation of Coil-Crystalline Cyclic and Linear Diblock Copolypeptoids. <i>ACS Macro Letters</i> , 2013, 2, 436-440.	4.8	53
57	Solid state self-assembly of the single-walled carbon nanotubes and poly(β -benzyl-L-glutamate)s with different conformations. <i>Journal of Polymer Science Part A</i> , 2013, 51, 4489-4497.	2.3	6
58	α -Heterocyclic Carbene-Mediated Zwitterionic Polymerization of N-Substituted α -Carboxyanhydrides toward Poly(β -peptoid)s: Kinetic, Mechanism, and Architectural Control. <i>Journal of the American Chemical Society</i> , 2012, 134, 9163-9171.	13.7	149
59	Thermoresponsive Poly(β -peptoid)s: Tuning the Cloud Point Temperatures by Composition and Architecture. <i>ACS Macro Letters</i> , 2012, 1, 580-584.	4.8	117
60	Polypeptoid Materials: Current Status and Future Perspectives. <i>Macromolecules</i> , 2012, 45, 5833-5841.	4.8	160
61	Core-Shell Molecular Bottlebrushes with Helical Polypeptide Backbone: Synthesis, Characterization, and Solution Conformations. <i>Macromolecules</i> , 2011, 44, 1491-1499.	4.8	91
62	Multi-functionalization of helical block copoly(β -peptide)s by orthogonal chemistry. <i>Polymer Chemistry</i> , 2011, 2, 1542.	3.9	68
63	Synthesis and Characterization of Cyclic Brush-Like Polymers by α -Heterocyclic Carbene-Mediated Zwitterionic Polymerization of α -Propargyl α -Carboxyanhydride and the Grafting-to Approach. <i>Macromolecules</i> , 2011, 44, 9063-9074.	4.8	99
64	Top-Down Multidimensional Mass Spectrometry Methods for Synthetic Polymer Analysis. <i>Macromolecules</i> , 2011, 44, 4555-4564.	4.8	65
65	Synthesis and Characterization of Amphiphilic Cyclic Diblock Copolypeptoids from α -Heterocyclic Carbene-Mediated Zwitterionic Polymerization of α -Substituted α -Carboxyanhydride. <i>Macromolecules</i> , 2011, 44, 9574-9585.	4.8	118
66	Electrical transport measurements of highly conductive nitrogen-doped multiwalled carbon nanotubes/poly(bisphenol A carbonate) composites. <i>Journal of Materials Research</i> , 2011, 26, 2854-2859.	2.6	10
67	Synthesis and Characterization of Helix-Coil Block Copoly(β -peptoid)s. <i>ACS Symposium Series</i> , 2011, , 71-79.	0.5	5
68	Thermoreversible gelation of helical polypeptide/single-walled carbon nanotubes and their solid-state structures. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3228-3238.	2.3	13
69	Synthesis and characterization of cyclic and linear helical poly(β -peptoid)s by α -heterocyclic carbene-mediated ring-opening polymerizations of α -substituted α -carboxyanhydrides. <i>Biopolymers</i> , 2011, 96, 596-603.	2.4	59
70	A resonance Raman study of carboxyl induced defects in single-walled carbon nanotubes. <i>Physica B: Condensed Matter</i> , 2010, 405, 4570-4573.	2.7	19
71	Poly(β -benzyl-L-glutamate)-functionalized single-walled carbon nanotubes from surface-initiated ring-opening polymerizations of α -carboxyanhydride. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2340-2350.	2.3	24
72	Formation of highly conductive composite coatings and their applications to broadband antennas and mechanical transducers. <i>Journal of Materials Research</i> , 2010, 25, 1741-1747.	2.6	11

#	ARTICLE	IF	CITATIONS
73	General Route toward Side-Chain-Functionalized α -Helical Polypeptides. <i>Biomacromolecules</i> , 2010, 11, 1585-1592.	5.4	129
74	Cyclic Poly(α -peptoid)s and Their Block Copolymers from N-Heterocyclic Carbene-Mediated Ring-Opening Polymerizations of N-Substituted α -Carboxylanhydrides. <i>Journal of the American Chemical Society</i> , 2009, 131, 18072-18074.	13.7	246
75	Electrical transport measurements of highly conductive carbon nanotube/poly(bisphenol A) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	2.5	41
76	Formation of Tellurium Nanocrystals during Anaerobic Growth of Bacteria That Use Te Oxyanions as Respiratory Electron Acceptors. <i>Applied and Environmental Microbiology</i> , 2007, 73, 2135-2143.	3.1	200
77	Poly(L-lactide) (PLLA)/Multiwalled Carbon Nanotube (MWCNT) Composite: α Characterization and Biocompatibility Evaluation. <i>Journal of Physical Chemistry B</i> , 2006, 110, 12910-12915.	2.6	220
78	Dynamic electrical properties of polymer-carbon nanotube composites: Enhancement through covalent bonding. <i>Journal of Materials Research</i> , 2006, 21, 1071-1077.	2.6	53
79	Doping Properties of Polydithienylmethine: α A Study on the Correlation between Polymer Chain Length, Spectroscopy, and Transport. <i>Journal of Physical Chemistry B</i> , 2006, 110, 3924-3929.	2.6	5
80	Synthesis and Structural Characterization of (Perfluoroalkyl)fluoroiridium(III) and (Perfluoroalkyl)methyliridium(III) Compounds. <i>Organometallics</i> , 2006, 25, 3474-3480.	2.3	28
81	Spectroscopic studies of CSA-doped poly[C-hydroxyl-(4-N-dimethylamino)phenyl]dithienylmethine and doping effects on ionic conductivity. <i>Synthetic Metals</i> , 2006, 156, 482-487.	3.9	3
82	Functionalization of multi-walled carbon nanotubes: Direct proof of sidewall thiolation. <i>Physica Status Solidi (B): Basic Research</i> , 2006, 243, 3221-3225.	1.5	35
83	Thiolation of carbon nanotubes and sidewall functionalization. <i>Journal of Materials Research</i> , 2006, 21, 1012-1018.	2.6	37
84	Tethering Carbon Nanotubes. <i>AIP Conference Proceedings</i> , 2005, , .	0.4	0
85	New Polymer Nanotube Design from Graft Polymerization. <i>AIP Conference Proceedings</i> , 2005, , .	0.4	0
86	Carbon-Fluorine Bond Activation Coupled with Carbon-Hydrogen Bond Formation α to Iridium: α Kinetics, Mechanism, and Diastereoselectivity. <i>Journal of the American Chemical Society</i> , 2005, 127, 15585-15594.	13.7	41
87	Catalytic Polymerization of a Cyclic Ester Derived from a α -Natural Precursor. <i>Biomacromolecules</i> , 2005, 6, 2091-2095.	5.4	96
88	Isotactic Polymers with Alternating Lactic Acid and Oxetane Subunits from the Endoentropic Polymerization of a 14-Membered Ring. <i>Macromolecules</i> , 2004, 37, 5274-5281.	4.8	24
89	Conformational Analysis and Assignments of Relative Stereocenter Configurations in Fluoroalkyl-Iridium Complexes Using $^{19}\text{F}\{^1\text{H}\}$ HOESY Experiments. Comparison with Solid-State X-ray Structural Results. <i>Journal of the American Chemical Society</i> , 2004, 126, 6169-6178.	13.7	27
90	A New Synthetic Route to Poly[3-hydroxypropionic acid] (P[3-HP]): α Ring-Opening Polymerization of 3-HP Macrocylic Esters. <i>Macromolecules</i> , 2004, 37, 8198-8200.	4.8	55

#	ARTICLE	IF	CITATIONS
91	Selective Protonation at a C-F Bond in the Presence of an Iridium-Methyl Bond Gives Diastereoselective Carbon-Fluorine Bond Activation and Carbon-Carbon Bond Formation. A New Path to Carbon Stereocenters Bearing Fluorine Atoms. <i>Organometallics</i> , 2002, 21, 4902-4904.	2.3	28
92	Carbon-Fluorine Bond Hydrogenolysis in Perfluoroethyl-Iridium Complexes To Give HFC-134a Involves Heterolytic Activation of H ₂ . <i>Organometallics</i> , 2002, 21, 3085-3087.	2.3	38
93	Water, water, everywhere. Synthesis and structures of perfluoroalkyl rhodium and iridium(III) compounds containing water ligands. <i>Dalton Transactions RSC</i> , 2001, , 2270-2278.	2.3	30
94	Unusual Reactivity of a Proton Sponge as a Hydride Donor to Transition Metals: Synthesis and Structural Characterization of Fluoroalkyl(hydrido) Complexes of Iridium(III) and Rhodium(III). <i>Organometallics</i> , 2001, 20, 3190-3197.	2.3	50