Torsten Christ

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6671325/torsten-christ-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85 3,028 30 53 h-index g-index citations papers 3,606 4.66 6.7 92 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
85	Are atrial human pluripotent stem cell-derived cardiomyocytes ready to identify drugs that beat atrial fibrillation?. <i>Nature Communications</i> , 2021 , 12, 1725	17.4	6
84	Human Engineered Heart Tissue Patches Remuscularize the Injured Heart in a Dose-Dependent Manner. <i>Circulation</i> , 2021 , 143, 1991-2006	16.7	18
83	Regulation of basal and norepinephrine-induced cAMP and I in hiPSC-cardiomyocytes: Effects of culture conditions and comparison to adult human atrial cardiomyocytes. <i>Cellular Signalling</i> , 2021 , 82, 109970	4.9	2
82	No impact of sex and age on beta-adrenoceptor-mediated inotropy in human right atrial trabeculae. <i>Acta Physiologica</i> , 2021 , 231, e13564	5.6	1
81	Impact of phosphodiesterases PDE3 and PDE4 on 5-hydroxytryptamine receptor4-mediated increase of cAMP in human atrial fibrillation. <i>Naunyn-Schmiedeberg& Archives of Pharmacology</i> , 2021 , 394, 291-298	3.4	5
80	Blunted beta-adrenoceptor-mediated inotropy in valvular cardiomyopathy: another piece of the puzzle in human aortic valve disease. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 60, 56-63	3	2
79	Translational investigation of electrophysiology in hypertrophic cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 157, 77-89	5.8	2
78	Ca currents in cardiomyocytes: How to improve interpretation of patch clamp data?. <i>Progress in Biophysics and Molecular Biology</i> , 2020 , 157, 33-39	4.7	3
77	Inhibition of Adenosine Pathway Alters Atrial Electrophysiology and Prevents Atrial Fibrillation. <i>Frontiers in Physiology</i> , 2020 , 11, 493	4.6	6
76	Regulation of I and force by PDEs in human-induced pluripotent stem cell-derived cardiomyocytes. <i>British Journal of Pharmacology</i> , 2020 , 177, 3036-3045	8.6	6
75	Case Report on: Very Early Afterdepolarizations in HiPSC-Cardiomyocytes-An Artifact by Big Conductance Calcium Activated Potassium Current (I). <i>Cells</i> , 2020 , 9,	7.9	5
74	Intermittent Optogenetic Tachypacing of Atrial Engineered Heart Tissue Induces Only Limited Electrical Remodelling. <i>Journal of Cardiovascular Pharmacology</i> , 2020 , 77, 291-299	3.1	3
73	Chronic intermittent tachypacing by an optogenetic approach induces arrhythmia vulnerability in human engineered heart tissue. <i>Cardiovascular Research</i> , 2020 , 116, 1487-1499	9.9	24
72	Cardiac glial cells release neurotrophic S100B upon catheter-based treatment of atrial fibrillation. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	27
71	Divergent off-target effects of RSK N-terminal and C-terminal kinase inhibitors in cardiac myocytes. <i>Cellular Signalling</i> , 2019 , 63, 109362	4.9	3
70	Disease modeling of a mutation in Eactinin 2 guides clinical therapy in hypertrophic cardiomyopathy. <i>EMBO Molecular Medicine</i> , 2019 , 11, e11115	12	49
69	DPP10 is a new regulator of Nav1.5 channels in human heart. <i>International Journal of Cardiology</i> , 2019 , 284, 68-73	3.2	2

68	Mechanistic role of the CREB-regulated transcription coactivator 1 in cardiac hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 127, 31-43	5.8	4
67	German Cardiac Society Working Group on Cellular Electrophysiology state-of-the-art paper: impact of molecular mechanisms on clinical arrhythmia management. <i>Clinical Research in Cardiology</i> , 2019 , 108, 577-599	6.1	11
66	Low Resting Membrane Potential and Low Inward Rectifier Potassium Currents Are Not Inherent Features of hiPSC-Derived Cardiomyocytes. <i>Stem Cell Reports</i> , 2018 , 10, 822-833	8	51
65	In Vitro Negative Inotropic Effect of Low Concentrations of Bupivacaine Relates to Diminished Ca2+ Sensitivity but Not to Ca2+ Handling or FAdrenoceptor Signaling. <i>Anesthesiology</i> , 2018 , 128, 1175-	14.86	1
64	Human Induced Pluripotent Stem Cell-Derived Engineered Heart Tissue as a Sensitive Test System for QT Prolongation and Arrhythmic Triggers. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e006035	6.4	50
63	Inhibition of Small Conductance Calcium-Activated Potassium (SK) Channels Prevents Arrhythmias in Rat Atria During EAdrenergic and Muscarinic Receptor Activation. <i>Frontiers in Physiology</i> , 2018 , 9, 510	4.6	13
62	Atrial-like Engineered Heart Tissue: An In Ditro Model of the Human Atrium. Stem Cell Reports, 2018 , 11, 1378-1390	8	74
61	Rat atrial engineered heart tissue: a new in vitro model to study atrial biology. <i>Basic Research in Cardiology</i> , 2018 , 113, 41	11.8	33
60	Blinded Contractility Analysis in hiPSC-Cardiomyocytes in Engineered Heart Tissue Format: Comparison With Human Atrial Trabeculae. <i>Toxicological Sciences</i> , 2017 , 158, 164-175	4.4	36
59	Human iPSC-derived cardiomyocytes cultured in 3D engineered heart tissue show physiological upstroke velocity and sodium current density. <i>Scientific Reports</i> , 2017 , 7, 5464	4.9	99
58	Cafedrine/Theodrenaline (20:1) Is an Established Alternative for the Management of Arterial Hypotension in Germany-a Review Based on a Systematic Literature Search. <i>Frontiers in Pharmacology</i> , 2017 , 8, 68	5.6	10
57	Akrinor, a Cafedrine/ Theodrenaline Mixture (20:1), Increases Force of Contraction of Human Atrial Myocardium But Does Not Constrict Internal Mammary Artery. <i>Frontiers in Pharmacology</i> , 2017 , 8, 272	5.6	3
56	Block of Na(+)/Ca(2+) exchanger by SEA0400 in human right atrial preparations from patients in sinus rhythm and in atrial fibrillation. <i>European Journal of Pharmacology</i> , 2016 , 788, 286-293	5.3	10
55	Human Engineered Heart Tissue: Analysis of Contractile Force. Stem Cell Reports, 2016 , 7, 29-42	8	217
54	Ranolazine antagonizes catecholamine-induced dysfunction in isolated cardiomyocytes, but lacks long-term therapeutic effects in vivo in a mouse model of hypertrophic cardiomyopathy. <i>Cardiovascular Research</i> , 2016 , 109, 90-102	9.9	28
53	Ca(2+)-Currents in Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes Effects of Two Different Culture Conditions. <i>Frontiers in Pharmacology</i> , 2016 , 7, 300	5.6	35
52	In permanent atrial fibrillation, PDE3 reduces force responses to 5-HT, but PDE3 and PDE4 do not cause the blunting of atrial arrhythmias. <i>British Journal of Pharmacology</i> , 2016 , 173, 2478-89	8.6	13
51	Refractoriness in human atria: Time and voltage dependence of sodium channel availability. <i>Journal of Molecular and Cellular Cardiology</i> , 2016 , 101, 26-34	5.8	19

50	Prolonged action potentials in HCM-derived iPSCbiology or artefact?. <i>Cardiovascular Research</i> , 2015 , 106, 6	9.9	2
49	Treatment of Atrial Fibrillation and Atrial Flutter 2015 , 1059-1079		
48	LQT1-phenotypes in hiPSC: Are we measuring the right thing?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E1968	11.5	12
47	Application of the RIMARC algorithm to a large data set of action potentials and clinical parameters for risk prediction of atrial fibrillation. <i>Medical and Biological Engineering and Computing</i> , 2015 , 53, 263-	-73 ^{:1}	16
46	☐ Adrenoceptor antagonistic effects of the supposedly selective ☐ adrenoceptor antagonist ICI 118,551 on the positive inotropic effect of adrenaline in murine hearts. <i>Pharmacology Research and Perspectives</i> , 2015 , 3, e00168	3.1	2
45	Cardiac Arrhythmias: Introduction, Electrophysiology of the Heart, Action Potential and Membrane Currents 2015 , 977-1002		1
44	Carvedilol induces greater control of 🛭- than 🖺 -adrenoceptor-mediated inotropic and lusitropic effects by PDE3, while PDE4 has no effect in human failing myocardium. <i>Naunyn-Schmiedebergus Archives of Pharmacology</i> , 2014 , 387, 629-40	3.4	7
43	Arrhythmias, elicited by catecholamines and serotonin, vanish in human chronic atrial fibrillation. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 11193-8	11.5	61
42	Effects of proarrhythmic drugs on relaxation time and beating pattern in rat engineered heart tissue. <i>Basic Research in Cardiology</i> , 2014 , 109, 436	11.8	27
41	Attenuated response of L-type calcium current to nitric oxide in atrial fibrillation. <i>Cardiovascular Research</i> , 2014 , 101, 533-42	9.9	17
40	Small-conductance calcium-activated potassium (SK) channels contribute to action potential repolarization in human atria. <i>Cardiovascular Research</i> , 2014 , 103, 156-67	9.9	122
39	Atrial-selective antiarrhythmic activity by vernakalant fact or fiction?. <i>Journal of Cardiovascular Pharmacology</i> , 2014 , 63, 23-4	3.1	1
38	Prostaglandin E2 does not attenuate adrenergic-induced cardiac contractile response. <i>Naunyn-Schmiedebergus Archives of Pharmacology</i> , 2014 , 387, 963-8	3.4	1
37	Myocardial accumulation of bupivacaine and ropivacaine is associated with reversible effects on mitochondria and reduced myocardial function. <i>Anesthesia and Analgesia</i> , 2013 , 116, 83-92	3.9	14
36	PDE3, but not PDE4, reduces 🛘 and 🖾 drenoceptor-mediated inotropic and lusitropic effects in failing ventricle from metoprolol-treated patients. <i>British Journal of Pharmacology</i> , 2013 , 169, 528-38	8.6	38
35	The new antiarrhythmic drug vernakalant: ex vivo study of human atrial tissue from sinus rhythm and chronic atrial fibrillation. <i>Cardiovascular Research</i> , 2013 , 98, 145-54	9.9	64
34	Human electrophysiological and pharmacological properties of XEN-D0101: a novel atrial-selective Kv1.5/IKur inhibitor. <i>Journal of Cardiovascular Pharmacology</i> , 2013 , 61, 408-15	3.1	36
33	Sphingosine-1-phosphate induces contraction of valvular interstitial cells from porcine aortic valves. <i>Cardiovascular Research</i> , 2012 , 93, 490-7	9.9	17

(2006-2011)

32	Skeletal muscle stem cells propagated as myospheres display electrophysiological properties modulated by culture conditions. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 50, 357-66	5.8	9
31	Human atrial [I1L)-adrenoceptor but not Endrenoceptor activation increases force and Ca(2+) current at physiological temperature. <i>British Journal of Pharmacology</i> , 2011 , 162, 823-39	8.6	22
30	Adult zebrafish heart as a model for human heart? An electrophysiological study. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 161-71	5.8	143
29	Inhibition of IK,ACh current may contribute to clinical efficacy of class I and class III antiarrhythmic drugs in patients with atrial fibrillation. <i>Naunyn-Schmiedebergus Archives of Pharmacology</i> , 2010 , 381, 251-9	3.4	38
28	Tissue slices from adult mammalian hearts as a model for pharmacological drug testing. <i>Cellular Physiology and Biochemistry</i> , 2009 , 24, 527-36	3.9	47
27	Inotropy and L-type Ca2+ current, activated by beta1- and beta2-adrenoceptors, are differently controlled by phosphodiesterases 3 and 4 in rat heart. <i>British Journal of Pharmacology</i> , 2009 , 156, 62-83	8.6	42
26	Adipocyte fatty acid-binding protein suppresses cardiomyocyte contraction: a new link between obesity and heart disease. <i>Circulation Research</i> , 2009 , 105, 326-34	15.7	149
25	Effects of three metabolites of propiverine on voltage-dependent L-type calcium currents in human atrial myocytes. <i>European Journal of Pharmacology</i> , 2008 , 598, 94-7	5.3	4
24	Chelerythrine treatment influences the balance of pro- and anti-apoptotic signaling pathways in the remote myocardium after infarction. <i>Molecular and Cellular Biochemistry</i> , 2008 , 310, 119-28	4.2	12
23	Electrophysiological profile of propiverinerelationship to cardiac risk. <i>Naunyn-Schmiedebergus Archives of Pharmacology</i> , 2008 , 376, 431-40	3.4	15
22	Differential phosphorylation-dependent regulation of constitutively active and muscarinic receptor-activated IK,ACh channels in patients with chronic atrial fibrillation. <i>Cardiovascular Research</i> , 2007 , 74, 426-37	9.9	91
21	The effects of levosimendan on myocardial function in ropivacaine toxicity in isolated guinea pig heart preparations. <i>Anesthesia and Analgesia</i> , 2007 , 105, 641-7	3.9	12
20	Novel anti-arrhythmic agents for the treatment of atrial fibrillation. <i>Current Opinion in Pharmacology</i> , 2007 , 7, 214-8	5.1	11
19	Carvedilol blocks beta2- more than beta1-adrenoceptors in human heart. <i>Cardiovascular Research</i> , 2006 , 69, 128-39	9.9	25
18	Biophysical characterization of the new human ether-a-go-go-related gene channel opener NS3623 [N-(4-bromo-2-(1H-tetrazol-5-yl)-phenyl)-NQ(3Qtrifluoromethylphenyl)urea]. <i>Molecular Pharmacology</i> , 2006 , 70, 1319-29	4.3	60
17	Activation of human ether-a-go-go-related gene potassium channels by the diphenylurea 1,3-bis-(2-hydroxy-5-trifluoromethyl-phenyl)-urea (NS1643). <i>Molecular Pharmacology</i> , 2006 , 69, 266-77	4.3	122
16	Letter by Christ et al regarding article, "Angiotensin II potentiates the slow component of delayed rectifier K+ current via the AT1 receptor in guinea pig atrial myocytes". <i>Circulation</i> , 2006 , 114, e565; author reply e566	16.7	2
15	Interaction between autoantibodies against the beta1-adrenoceptor and isoprenaline in enhancing L-type Ca2+ current in rat ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2006 , 41, 716-23	5.8	18

14	A new toxin from the sea anemone Condylactis gigantea with effect on sodium channel inactivation. <i>Toxicon</i> , 2006 , 48, 211-20	2.8	38
13	5-Azacytidine induces changes in electrophysiological properties of human mesenchymal stem cells. <i>Cell Research</i> , 2006 , 16, 949-60	24.7	66
12	Pharmacodynamics of propiverine and three of its main metabolites on detrusor contraction. British Journal of Pharmacology, 2005 , 145, 608-19	8.6	38
11	Effects of Immunoglobulin G from Patients with Dilated Cardiomyopathy on Rat Cardiomyocytes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005 , 96, 445-452	3.1	8
10	Risperidone-induced action potential prolongation is attenuated by increased repolarization reserve due to concomitant block of I(Ca,L). <i>Naunyn-Schmiedebergus Archives of Pharmacology</i> , 2005 , 371, 393-400	3.4	16
9	Human atrial ion channel and transporter subunit gene-expression remodeling associated with valvular heart disease and atrial fibrillation. <i>Circulation</i> , 2005 , 112, 471-81	16.7	188
8	Muscarinic subtype-2 receptor autoantibodies: actors or bystanders in human atrial fibrillation?. <i>European Heart Journal</i> , 2004 , 25, 1091-2	9.5	7
7	Role of IKur in controlling action potential shape and contractility in the human atrium: influence of chronic atrial fibrillation. <i>Circulation</i> , 2004 , 110, 2299-306	16.7	219
6	Recording atrial monophasic action potentials using standard pacemaker leads: an alternative way to study electrophysiology properties of the human atrium in vivo?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004 , 27, 1632-7	1.6	1
5	Electrophysiological properties of human mesenchymal stem cells. <i>Journal of Physiology</i> , 2004 , 554, 65	9 <i>-3</i> .3j	163
4	An aqueous extract of the marine sponge Ectyoplasia ferox stimulates L-type Ca2+-current by direct interaction with the Cav1.2 subunit. <i>Naunyn-Schmiedebergus Archives of Pharmacology</i> , 2004 , 370, 474-83	3.4	7
3	Decreased ATP-sensitive K(+) current density during chronic human atrial fibrillation. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 1399-405	5.8	34
2	Rate-adaptive pacing using intracardiac impedance shows no evidence for positive feedback during dobutamine stress test. <i>Europace</i> , 2002 , 4, 311-5	3.9	2
1	Autoantibodies against the beta1 adrenoceptor from patients with dilated cardiomyopathy prolong action potential duration and enhance contractility in isolated cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> 2001 33 1515-25	5.8	99