

Steven A Rosenberg

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6673424/steven-a-rosenberg-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185
papers

30,605
citations

77
h-index

174
g-index

193
ext. papers

35,793
ext. citations

12.4
avg, IF

7.29
L-index

#	Paper	IF	Citations
185	Breast Cancers Are Immunogenic: Immunologic Analyses and a Phase II Pilot Clinical Trial Using Mutation-Reactive Autologous Lymphocytes.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2102170	2.2	6
184	Molecular signatures of antitumor neoantigen-reactive T cells from metastatic human cancers.. <i>Science</i> , 2022 , 375, eabl5447	33.3	9
183	Neoantigen T-Cell Receptor Gene Therapy in Pancreatic Cancer. <i>New England Journal of Medicine</i> , 2022 , 386, 2112-2119	59.2	13
182	Treatment of Patients with T Cells Expressing a Fully-Human Anti-BCMA CAR with a Heavy-Chain Antigen-Recognition Domain Caused High Rates of Sustained Complete Responses and Relatively Mild Toxicity. <i>Blood</i> , 2021 , 138, 3837-3837	2.2	1
181	Combined presentation and immunogenicity analysis reveals a recurrent RAS.Q61K neoantigen in melanoma. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	4
180	A machine learning model for ranking candidate HLA class I neoantigens based on known neopeptides from multiple human tumor types.. <i>Nature Cancer</i> , 2021 , 2, 563-574	15.4	2
179	Identification and Validation of T-cell Receptors Targeting Hotspot Mutations in Human Cancers for Use in Cell-based Immunotherapy. <i>Clinical Cancer Research</i> , 2021 , 27, 5084-5095	12.9	4
178	Rapid Identification and Evaluation of Neoantigen-reactive T-Cell Receptors From Single Cells. <i>Journal of Immunotherapy</i> , 2021 , 44, 1-8	5	8
177	Direct identification of neoantigen-specific TCRs from tumor specimens by high-throughput single-cell sequencing 2021 , 9,		8
176	Identification of neoantigen-reactive T lymphocytes in the peripheral blood of a patient with glioblastoma 2021 , 9,		1
175	Impact of Prior Treatment on the Efficacy of Adoptive Transfer of Tumor-Infiltrating Lymphocytes in Patients with Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2021 ,	12.9	9
174	Stem-like CD8 T cells mediate response of adoptive cell immunotherapy against human cancer. <i>Science</i> , 2020 , 370, 1328-1334	33.3	88
173	High-affinity oligoclonal TCRs define effective adoptive T cell therapy targeting mutant KRAS-G12D. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 12826-12835	11.5	28
172	Impact of Cysteine Residues on MHC Binding Predictions and Recognition by Tumor-Reactive T Cells. <i>Journal of Immunology</i> , 2020 , 205, 539-549	5.3	4
171	Enhanced efficacy and limited systemic cytokine exposure with membrane-anchored interleukin-12 T-cell therapy in murine tumor models 2020 , 8,		15
170	Immunoproteasome expression is associated with better prognosis and response to checkpoint therapies in melanoma. <i>Nature Communications</i> , 2020 , 11, 896	17.4	40
169	Antigen Experienced T Cells from Peripheral Blood Recognize p53 Neoantigens. <i>Clinical Cancer Research</i> , 2020 , 26, 1267-1276	12.9	33

168	mRNA vaccine-induced neoantigen-specific T cell immunity in patients with gastrointestinal cancer. <i>Journal of Clinical Investigation</i> , 2020 , 130, 5976-5988	15.9	60
167	Deep and Durable Remissions of Relapsed Multiple Myeloma on a First-in-Humans Clinical Trial of T Cells Expressing an Anti-B-Cell Maturation Antigen (BCMA) Chimeric Antigen Receptor (CAR) with a Fully-Human Heavy-Chain-Only Antigen Recognition Domain. <i>Blood</i> , 2020 , 136, 50-51	2.2	6
166	Long-Term Follow-Up of Anti-CD19 Chimeric Antigen Receptor T-Cell Therapy. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3805-3815	2.2	48
165	Defining best practices for tissue procurement in immuno-oncology clinical trials: consensus statement from the Society for Immunotherapy of Cancer Surgery Committee 2020 , 8,		6
164	Identifying and Targeting Human Tumor Antigens for T Cell-Based Immunotherapy of Solid Tumors. <i>Cancer Cell</i> , 2020 , 38, 454-472	24.3	53
163	Single-Cell Transcriptome Analysis Reveals Gene Signatures Associated with T-cell Persistence Following Adoptive Cell Therapy. <i>Cancer Immunology Research</i> , 2019 , 7, 1824-1836	12.5	18
162	Memory T cells targeting oncogenic mutations detected in peripheral blood of epithelial cancer patients. <i>Nature Communications</i> , 2019 , 10, 449	17.4	65
161	Immunologic Recognition of a Shared p53 Mutated Neoantigen in a Patient with Metastatic Colorectal Cancer. <i>Cancer Immunology Research</i> , 2019 , 7, 534-543	12.5	62
160	Unique Neoantigens Arise from Somatic Mutations in Patients with Gastrointestinal Cancers. <i>Cancer Discovery</i> , 2019 , 9, 1022-1035	24.4	92
159	Identification of Neoantigen-Reactive Tumor-Infiltrating Lymphocytes in Primary Bladder Cancer. <i>Journal of Immunology</i> , 2019 , 202, 3458-3467	5.3	23
158	BRAF Inhibition: Bridge or Boost to T-cell Therapy?. <i>Clinical Cancer Research</i> , 2019 , 25, 2682-2684	12.9	2
157	Exome Sequencing of ABCB5 Identifies Recurrent Melanoma Mutations that Result in Increased Proliferative and Invasive Capacities. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 1985-1992.e10	4.3	1
156	Neoantigen screening identifies broad TP53 mutant immunogenicity in patients with epithelial cancers. <i>Journal of Clinical Investigation</i> , 2019 , 129, 1109-1114	15.9	119
155	Recognition of human gastrointestinal cancer neoantigens by circulating PD-1+ lymphocytes. <i>Journal of Clinical Investigation</i> , 2019 , 129, 4992-5004	15.9	63
154	Tumor-infiltrating human CD4 regulatory T cells display a distinct TCR repertoire and exhibit tumor and neoantigen reactivity. <i>Science Immunology</i> , 2019 , 4,	28	84
153	Outcomes of Adoptive Cell Transfer With Tumor-infiltrating Lymphocytes for Metastatic Melanoma Patients With and Without Brain Metastases. <i>Journal of Immunotherapy</i> , 2018 , 41, 241-247	5	25
152	Immune recognition of somatic mutations leading to complete durable regression in metastatic breast cancer. <i>Nature Medicine</i> , 2018 , 24, 724-730	50.5	406
151	An Efficient Single-Cell RNA-Seq Approach to Identify Neoantigen-Specific T Cell Receptors. <i>Molecular Therapy</i> , 2018 , 26, 379-389	11.7	59

150	Enhanced detection of neoantigen-reactive T cells targeting unique and shared oncogenes for personalized cancer immunotherapy. <i>JCI Insight</i> , 2018 , 3,	9.9	108
149	Engineered T cells targeting E7 mediate regression of human papillomavirus cancers in a murine model. <i>JCI Insight</i> , 2018 , 3,	9.9	61
148	Screening Clinical Cell Products for Replication Competent Retrovirus: The National Gene Vector Biorepository Experience. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018 , 10, 371-378	6.4	15
147	T-cell Responses to "Hotspot" Mutations and Unique Neoantigens Expressed by Human Ovarian Cancers. <i>Clinical Cancer Research</i> , 2018 , 24, 5562-5573	12.9	76
146	LIGHT Elevation Enhances Immune Eradication of Colon Cancer Metastases. <i>Cancer Research</i> , 2017 , 77, 1880-1891	10.1	28
145	Routine Computer Tomography Imaging for the Detection of Recurrences in High-Risk Melanoma Patients. <i>Annals of Surgical Oncology</i> , 2017 , 24, 947-951	3.1	19
144	Final common pathway of human cancer immunotherapy: targeting random somatic mutations. <i>Nature Immunology</i> , 2017 , 18, 255-262	19.1	260
143	Landscape of immunogenic tumor antigens in successful immunotherapy of virally induced epithelial cancer. <i>Science</i> , 2017 , 356, 200-205	33.3	231
142	Treatment of metastatic uveal melanoma with adoptive transfer of tumour-infiltrating lymphocytes: a single-centre, two-stage, single-arm, phase 2 study. <i>Lancet Oncology</i> , 2017 , 18, 792-802	21.7	136
141	A Pilot Trial of the Combination of Vemurafenib with Adoptive Cell Therapy in Patients with Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2017 , 23, 351-362	12.9	44
140	Treatment of Patients With Metastatic Cancer Using a Major Histocompatibility Complex Class II-Restricted T-Cell Receptor Targeting the Cancer Germline Antigen MAGE-A3. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3322-3329	2.2	126
139	Long-Duration Complete Remissions of Diffuse Large B Cell Lymphoma after Anti-CD19 Chimeric Antigen Receptor T-Cell Therapy. <i>Molecular Therapy</i> , 2017 , 25, 2245-2253	11.7	171
138	Isolation of T-Cell Receptors Specifically Reactive with Mutated Tumor-Associated Antigens from Tumor-Infiltrating Lymphocytes Based on CD137 Expression. <i>Clinical Cancer Research</i> , 2017 , 23, 2491-2505	12.9	108
137	Metastasectomy Following Immunotherapy with Adoptive Cell Transfer for Patients with Advanced Melanoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 135-141	3.1	22
136	Durable Complete Response from Metastatic Melanoma after Transfer of Autologous T Cells Recognizing 10 Mutated Tumor Antigens. <i>Cancer Immunology Research</i> , 2016 , 4, 669-78	12.5	85
135	Tumor- and Neoantigen-Reactive T-cell Receptors Can Be Identified Based on Their Frequency in Fresh Tumor. <i>Cancer Immunology Research</i> , 2016 , 4, 734-43	12.5	124
134	Prospective identification of neoantigen-specific lymphocytes in the peripheral blood of melanoma patients. <i>Nature Medicine</i> , 2016 , 22, 433-8	50.5	531
133	Stable, Nonviral Expression of Mutated Tumor Neoantigen-specific T-cell Receptors Using the Sleeping Beauty Transposon/Transposase System. <i>Molecular Therapy</i> , 2016 , 24, 1078-1089	11.7	43

132	Long-Term Outcomes Following CD19 CAR T Cell Therapy for B-ALL Are Superior in Patients Receiving a Fludarabine/Cyclophosphamide Preparative Regimen and Post-CAR Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2016 , 128, 218-218	2.2	79
131	A Rapid Cell Expansion Process for Production of Engineered Autologous CAR-T Cell Therapies. <i>Human Gene Therapy Methods</i> , 2016 , 27, 209-218	4.9	34
130	T-Cell Transfer Therapy Targeting Mutant KRAS in Cancer. <i>New England Journal of Medicine</i> , 2016 , 375, 2255-2262	59.2	681
129	Randomized, Prospective Evaluation Comparing Intensity of Lymphodepletion Before Adoptive Transfer of Tumor-Infiltrating Lymphocytes for Patients With Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2389-97	2.2	220
128	Circulating Tumor DNA as an Early Indicator of Response to T-cell Transfer Immunotherapy in Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2016 , 22, 5480-5486	12.9	70
127	A pilot trial using lymphocytes genetically engineered with an NY-ESO-1-reactive T-cell receptor: long-term follow-up and correlates with response. <i>Clinical Cancer Research</i> , 2015 , 21, 1019-27	12.9	494
126	Adoptive Cell Therapy--Tumor-Infiltrating Lymphocytes, T-Cell Receptors, and Chimeric Antigen Receptors. <i>Seminars in Oncology</i> , 2015 , 42, 626-39	5.5	64
125	Adoptive cell transfer as personalized immunotherapy for human cancer. <i>Science</i> , 2015 , 348, 62-8	33.3	1420
124	Clinical Scale Zinc Finger Nuclease-mediated Gene Editing of PD-1 in Tumor Infiltrating Lymphocytes for the Treatment of Metastatic Melanoma. <i>Molecular Therapy</i> , 2015 , 23, 1380-1390	11.7	67
123	Immunogenicity of somatic mutations in human gastrointestinal cancers. <i>Science</i> , 2015 , 350, 1387-90	33.3	465
122	Targeting of HPV-16+ Epithelial Cancer Cells by TCR Gene Engineered T Cells Directed against E6. <i>Clinical Cancer Research</i> , 2015 , 21, 4431-9	12.9	109
121	Persistence of CTL clones targeting melanocyte differentiation antigens was insufficient to mediate significant melanoma regression in humans. <i>Clinical Cancer Research</i> , 2015 , 21, 534-43	12.9	36
120	Isolation of neoantigen-specific T cells from tumor and peripheral lymphocytes. <i>Journal of Clinical Investigation</i> , 2015 , 125, 3981-91	15.9	257
119	Tumor-infiltrating lymphocytes genetically engineered with an inducible gene encoding interleukin-12 for the immunotherapy of metastatic melanoma. <i>Clinical Cancer Research</i> , 2015 , 21, 2278-88	12.9	214
118	Novel CD4-Based Bispecific Chimeric Antigen Receptor Designed for Enhanced Anti-HIV Potency and Absence of HIV Entry Receptor Activity. <i>Journal of Virology</i> , 2015 , 89, 6685-94	6.6	68
117	Pharmacodynamic Profile and Clinical Response in Patients with B-Cell Malignancies of Anti-CD19 CAR T-Cell Therapy. <i>Blood</i> , 2015 , 126, 2042-2042	2.2	3
116	Cyclophosphamide and Fludarabine Conditioning Chemotherapy Induces a Key Homeostatic Cytokine Profile in Patients Prior to CAR T Cell Therapy. <i>Blood</i> , 2015 , 126, 4426-4426	2.2	9
115	Safety and Response of Incorporating CD19 Chimeric Antigen Receptor T Cell Therapy in Typical Salvage Regimens for Children and Young Adults with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2015 , 126, 684-684	2.2	27

114	Allogeneic T-Cells Expressing an Anti-CD19 Chimeric Antigen Receptor Cause Remissions of B-Cell Malignancies after Allogeneic Hematopoietic Stem Cell Transplantation without Causing Graft-Versus-Host Disease. <i>Blood</i> , 2015 , 126, 99-99	2.2	4
113	Cancer immunotherapy based on mutation-specific CD4+ T cells in a patient with epithelial cancer. <i>Science</i> , 2014 , 344, 641-5	33.3	1097
112	Efficient identification of mutated cancer antigens recognized by T cells associated with durable tumor regressions. <i>Clinical Cancer Research</i> , 2014 , 20, 3401-10	12.9	289
111	Expression of New York esophageal squamous cell carcinoma-1 in primary and metastatic melanoma. <i>Human Pathology</i> , 2014 , 45, 259-67	3.7	24
110	IL-2: the first effective immunotherapy for human cancer. <i>Journal of Immunology</i> , 2014 , 192, 5451-8	5.3	660
109	PD-1 identifies the patient-specific CD8+ tumor-reactive repertoire infiltrating human tumors. <i>Journal of Clinical Investigation</i> , 2014 , 124, 2246-59	15.9	664
108	Somatic mutation of GRIN2A in malignant melanoma results in loss of tumor suppressor activity via aberrant NMDAR complex formation. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2390-2398	4.3	18
107	Melanoma: Why is sentinel lymph node biopsy standard of care for melanoma?. <i>Nature Reviews Clinical Oncology</i> , 2014 , 11, 245-6	19.4	15
106	Multiple chimeric antigen receptors successfully target chondroitin sulfate proteoglycan 4 in several different cancer histologies and cancer stem cells 2014 , 2, 25		82
105	Pancreatic cancer: Hurdles in the engineering of CAR-based immunotherapies. <i>Oncotarget</i> , 2014 , 3, e29194	7.2	9
104	Somatic mutations in MAP3K5 attenuate its proapoptotic function in melanoma through increased binding to thioredoxin. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 452-460	4.3	14
103	Anti-CD19 CAR T Cells Administered after Low-Dose Chemotherapy Can Induce Remissions of Chemotherapy-Refractory Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2014 , 124, 550-550	2.2	23
102	HPV-targeted tumor-infiltrating lymphocytes for cervical cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, LBA3008-LBA3008	2.2	6
101	HPV-targeted tumor-infiltrating lymphocytes for cervical cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, LBA3008-LBA3008	2.2	6
100	Development of a T cell receptor targeting an HLA-A*0201 restricted epitope from the cancer-testis antigen SSX2 for adoptive immunotherapy of cancer. <i>PLoS ONE</i> , 2014 , 9, e93321	3.7	18
99	Rapid cell expansion (RACE) technology for production of engineered autologous T-cell therapy: Path toward manageable multicenter clinical trials in aggressive NHL with anti-CD19 CAR.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3079-3079	2.2	
98	Mutated PPP1R3B is recognized by T cells used to treat a melanoma patient who experienced a durable complete tumor regression. <i>Journal of Immunology</i> , 2013 , 190, 6034-42	5.3	118
97	Mining exomic sequencing data to identify mutated antigens recognized by adoptively transferred tumor-reactive T cells. <i>Nature Medicine</i> , 2013 , 19, 747-52	50.5	799

96	Expression profiling of TCR-engineered T cells demonstrates overexpression of multiple inhibitory receptors in persisting lymphocytes. <i>Blood</i> , 2013 , 122, 1399-410	2.2	64
95	Autologous-collected anti-CD19 chimeric antigen receptor T cells (19CARTs) for pediatric acute lymphocytic leukemia (ALL) and non-Hodgkin lymphoma (NHL): Clinical activity and cytokine release without graft versus host disease (GVHD) after allogeneic hematopoietic stem cell transplantation (HSCT). <i>Journal of Clinical Oncology</i> , 2013 , 31, 10008-10008	2.2	
94	Raising the bar: the curative potential of human cancer immunotherapy. <i>Science Translational Medicine</i> , 2012 , 4, 127ps8	17.5	189
93	Simplified method of the growth of human tumor infiltrating lymphocytes in gas-permeable flasks to numbers needed for patient treatment. <i>Journal of Immunotherapy</i> , 2012 , 35, 283-92	5	87
92	Evaluation of chemokine-ligand pathways in pretreatment tumor biopsies as predictive biomarker of response to adoptive therapy in metastatic melanoma patients.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 8576-8576	2.2	1
91	Study of tumor-infiltrating T-cell reactivity to metastatic gastrointestinal cancers.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14179-e14179	2.2	
90	Cell transfer immunotherapy for metastatic solid cancer--what clinicians need to know. <i>Nature Reviews Clinical Oncology</i> , 2011 , 8, 577-85	19.4	256
89	Durable complete responses in heavily pretreated patients with metastatic melanoma using T-cell transfer immunotherapy. <i>Clinical Cancer Research</i> , 2011 , 17, 4550-7	12.9	1434
88	Personalized cell transfer immunotherapy for B-cell malignancies and solid cancers. <i>Molecular Therapy</i> , 2011 , 19, 1928-30	11.7	9
87	Determinants of successful CD8+ T-cell adoptive immunotherapy for large established tumors in mice. <i>Clinical Cancer Research</i> , 2011 , 17, 5343-52	12.9	204
86	Tumor regression in patients with metastatic synovial cell sarcoma and melanoma using genetically engineered lymphocytes reactive with NY-ESO-1. <i>Journal of Clinical Oncology</i> , 2011 , 29, 917-24	2.2	1185
85	T cells targeting carcinoembryonic antigen can mediate regression of metastatic colorectal cancer but induce severe transient colitis. <i>Molecular Therapy</i> , 2011 , 19, 620-6	11.7	693
84	CD8+ enriched "young" tumor infiltrating lymphocytes can mediate regression of metastatic melanoma. <i>Clinical Cancer Research</i> , 2010 , 16, 6122-31	12.9	231
83	Of mice, not men: no evidence for graft-versus-host disease in humans receiving T-cell receptor-transduced autologous T cells. <i>Molecular Therapy</i> , 2010 , 18, 1744-5	11.7	53
82	Case report of a serious adverse event following the administration of T cells transduced with a chimeric antigen receptor recognizing ERBB2. <i>Molecular Therapy</i> , 2010 , 18, 843-51	11.7	1628
81	Different adjuvanticity of incomplete freund® adjuvant derived from beef or vegetable components in melanoma patients immunized with a peptide vaccine. <i>Journal of Immunotherapy</i> , 2010 , 33, 626-9	5	22
80	Adoptive transfer of syngeneic T cells transduced with a chimeric antigen receptor that recognizes murine CD19 can eradicate lymphoma and normal B cells. <i>Blood</i> , 2010 , 116, 3875-86	2.2	239
79	Adoptive cell therapy for the treatment of patients with metastatic melanoma. <i>Current Opinion in Immunology</i> , 2009 , 21, 233-40	7.8	466

78	Adoptive cell transfer: a clinical path to effective cancer immunotherapy. <i>Nature Reviews Cancer</i> , 2008 , 8, 299-308	31.3	1179
77	Overcoming obstacles to the effective immunotherapy of human cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 12643-4	11.5	39
76	Minimally cultured tumor-infiltrating lymphocytes display optimal characteristics for adoptive cell therapy. <i>Journal of Immunotherapy</i> , 2008 , 31, 742-51	5	193
75	Construction and Pre-Clinical Evaluation of An Anti-CD19 Chimeric Antigen Receptor. <i>Blood</i> , 2008 , 112, 4623-4623	2.2	1
74	Cancer regression in patients after transfer of genetically engineered lymphocytes. <i>Science</i> , 2006 , 314, 126-9	33.3	2001
73	IL-7 administration to humans leads to expansion of CD8+ and CD4+ cells but a relative decrease of CD4+ T-regulatory cells. <i>Journal of Immunotherapy</i> , 2006 , 29, 313-9	5	341
72	Altered CD8(+) T-cell responses when immunizing with multiepitope peptide vaccines. <i>Journal of Immunotherapy</i> , 2006 , 29, 224-31	5	28
71	Persistence of multiple tumor-specific T-cell clones is associated with complete tumor regression in a melanoma patient receiving adoptive cell transfer therapy. <i>Journal of Immunotherapy</i> , 2005 , 28, 53-62	5	167
70	Tumor progression can occur despite the induction of very high levels of self/tumor antigen-specific CD8+ T cells in patients with melanoma. <i>Journal of Immunology</i> , 2005 , 175, 6169-76	5.3	391
69	T cells associated with tumor regression recognize frameshifted products of the CDKN2A tumor suppressor gene locus and a mutated HLA class I gene product. <i>Journal of Immunology</i> , 2004 , 172, 6057-64	5.3	89
68	Cutting edge: persistence of transferred lymphocyte clonotypes correlates with cancer regression in patients receiving cell transfer therapy. <i>Journal of Immunology</i> , 2004 , 173, 7125-30	5.3	402
67	Cancer regression in patients with metastatic melanoma after the transfer of autologous antitumor lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101 Suppl 2, 14639-45	11.5	289
66	Reply to "Cancer vaccines: pessimism in check". <i>Nature Medicine</i> , 2004 , 10, 1279-1280	50.5	15
65	Development of effective immunotherapy for the treatment of patients with cancer. <i>Journal of the American College of Surgeons</i> , 2004 , 198, 685-96	4.4	42
64	Inability to immunize patients with metastatic melanoma using plasmid DNA encoding the gp100 melanoma-melanocyte antigen. <i>Human Gene Therapy</i> , 2003 , 14, 709-14	4.8	99
63	Generation of tumor-infiltrating lymphocyte cultures for use in adoptive transfer therapy for melanoma patients. <i>Journal of Immunotherapy</i> , 2003 , 26, 332-42	5	510
62	Cell transfer therapy for cancer: lessons from sequential treatments of a patient with metastatic melanoma. <i>Journal of Immunotherapy</i> , 2003 , 26, 385-93	5	53
61	Recombinant fowlpox viruses encoding the anchor-modified gp100 melanoma antigen can generate antitumor immune responses in patients with metastatic melanoma. <i>Clinical Cancer Research</i> , 2003 , 9, 2973-80	12.9	68

60	Impact of the number of treatment courses on the clinical response of patients who receive high-dose bolus interleukin-2. <i>Journal of Clinical Oncology</i> , 2000 , 18, 1954-9	2.2	34
59	Threshold levels of gene expression of the melanoma antigen gp100 correlate with tumor cell recognition by cytotoxic T lymphocytes. <i>International Journal of Cancer</i> , 2000 , 86, 818-26	7.5	50
58	Expansion and characterization of T cells transduced with a chimeric receptor against ovarian cancer. <i>Human Gene Therapy</i> , 2000 , 11, 2377-87	4.8	49
57	Real-time quantitative polymerase chain reaction assessment of immune reactivity in melanoma patients after tumor peptide vaccination. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 1336-44	9.7	91
56	Threshold levels of gene expression of the melanoma antigen gp100 correlate with tumor cell recognition by cytotoxic T lymphocytes 2000 , 86, 818		3
55	Identification of a novel major histocompatibility complex class II-restricted tumor antigen resulting from a chromosomal rearrangement recognized by CD4(+) T cells. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1659-68	16.6	113
54	Human tumor antigens for cancer vaccine development. <i>Immunological Reviews</i> , 1999 , 170, 85-100	11.3	237
53	Cloning genes encoding MHC class II-restricted antigens: mutated CDC27 as a tumor antigen. <i>Science</i> , 1999 , 284, 1351-4	33.3	262
52	A T cell-independent antitumor response in mice with bone marrow cells retrovirally transduced with an antibody/Fc-gamma chain chimeric receptor gene recognizing a human ovarian cancer antigen. <i>Nature Medicine</i> , 1998 , 4, 168-72	50.5	57
51	Immunologic and therapeutic evaluation of a synthetic peptide vaccine for the treatment of patients with metastatic melanoma. <i>Nature Medicine</i> , 1998 , 4, 321-7	50.5	1539
50	Trends in the safety of high dose bolus interleukin-2 administration in patients with metastatic cancer. <i>Cancer</i> , 1998 , 83, 797-805	6.4	147
49	Heterogeneous expression of melanoma-associated antigens and HLA-A2 in metastatic melanoma in vivo. <i>International Journal of Cancer</i> , 1998 , 75, 517-24	7.5	133
48	Use of recombinant poxviruses to stimulate anti-melanoma T cell reactivity. <i>Annals of Surgical Oncology</i> , 1998 , 5, 64-76	3.1	26
47	Trends in the safety of high dose bolus interleukin-2 administration in patients with metastatic cancer 1998 , 83, 797		1
46	Enhancing efficacy of recombinant anticancer vaccines with prime/boost regimens that use two different vectors. <i>Journal of the National Cancer Institute</i> , 1997 , 89, 1595-601	9.7	133
45	Immunobiology of human melanoma antigens MART-1 and gp100 and their use for immuno-gene therapy. <i>International Reviews of Immunology</i> , 1997 , 14, 173-92	4.6	81
44	Human tumor antigens recognized by T-cells. <i>Immunologic Research</i> , 1997 , 16, 313-39	4.3	108
43	Human tumor antigens recognized by T lymphocytes: implications for cancer therapy. <i>Journal of Leukocyte Biology</i> , 1996 , 60, 296-309	6.5	37

42	Adoptive cellular immunotherapy of cancer in mice using allogeneic T-cells. <i>Annals of Surgical Oncology</i> , 1996 , 3, 67-73	3.1	10
41	T-cell recognition of self peptides as tumor rejection antigens. <i>Immunologic Research</i> , 1996 , 15, 179-90	4.3	44
40	Transfer of HIV-1-specific cytotoxic T lymphocytes to an AIDS patient leads to selection for mutant HIV variants and subsequent disease progression. <i>Nature Medicine</i> , 1995 , 1, 330-6	50.5	337
39	The hematologic toxicity of interleukin-2 in patients with metastatic melanoma and renal cell carcinoma. <i>Cancer</i> , 1995 , 75, 1030-7	6.4	43
38	The use of polyethylene glycol-modified interleukin-2 (PEG-IL-2) in the treatment of patients with metastatic renal cell carcinoma and melanoma. A phase I study and a randomized prospective study comparing IL-2 alone versus IL-2 combined with PEG-IL-2. <i>Cancer</i> , 1995 , 76, 687-94	6.4	65
37	The use of polyethylene glycol-modified interleukin-2 (PEG-IL-2) in the treatment of patients with metastatic renal cell carcinoma and melanoma 1995 , 76, 687		1
36	Localization of 111indium-labeled tumor infiltrating lymphocytes to tumor in patients receiving adoptive immunotherapy. Augmentation with cyclophosphamide and correlation with response. <i>Cancer</i> , 1994 , 73, 1731-7	6.4	186
35	Cardiopulmonary toxicity of treatment with high dose interleukin-2 in 199 consecutive patients with metastatic melanoma or renal cell carcinoma. <i>Cancer</i> , 1994 , 74, 3212-22	6.4	90
34	Melanoma-specific CD4+ T lymphocytes recognize human melanoma antigens processed and presented by Epstein-Barr virus-transformed B cells. <i>International Journal of Cancer</i> , 1994 , 58, 69-79	7.5	69
33	Generation of specific anti-melanoma reactivity by stimulation of human tumor-infiltrating lymphocytes with MAGE-1 synthetic peptide 1994 , 39, 105		2
32	Localization of 111Indium-labeled tumor infiltrating lymphocytes to tumor in patients receiving adoptive immunotherapy. Augmentation with cyclophosphamide and correlation with response 1994 , 73, 1731		1
31	Propagation of mouse and human T cells with defined antigen specificity and function. <i>Novartis Foundation Symposium</i> , 1994 , 187, 179-93; discussion 194-7		3
30	Regression of metastatic renal cell carcinoma after cytoreductive nephrectomy. <i>Journal of Urology</i> , 1993 , 150, 463-6	2.5	104
29	Surgical resection of metastatic renal cell carcinoma and melanoma after response to interleukin-2-based immunotherapy. <i>Cancer</i> , 1992 , 69, 1850-5	6.4	53
28	Thyroid dysfunction associated with immunotherapy for patients with cancer. <i>Cancer</i> , 1991 , 68, 2384-90	6.4	61
27	Preparative cytoreductive surgery in patients with metastatic renal cell carcinoma treated with adoptive immunotherapy with interleukin-2 or interleukin-2 plus lymphokine activated killer cells. <i>Journal of Urology</i> , 1990 , 144, 614-7; discussion 617-8	2.5	80
26	Myocarditis or acute myocardial infarction associated with interleukin-2 therapy for cancer. <i>Cancer</i> , 1990 , 66, 1513-6	6.4	42
25	Extremity soft tissue sarcomas: analysis of prognostic variables in 300 cases and evaluation of tumor necrosis as a factor in stratifying higher-grade sarcomas. <i>Journal of Surgical Oncology</i> , 1989 , 41, 263-73	2.8	54

24	Overview of interleukin-2 as an immunotherapeutic agent. <i>Journal of Surgical Oncology</i> , 1989 , 5, 385-90		38
23	In vivo distribution of adoptively transferred indium-111-labeled tumor infiltrating lymphocytes and peripheral blood lymphocytes in patients with metastatic melanoma. <i>Journal of the National Cancer Institute</i> , 1989 , 81, 1709-17	9.7	151
22	Colonic perforation. An unusual complication of therapy with high-dose interleukin-2. <i>Cancer</i> , 1988 , 62, 2350-3	6.4	26
21	Cross linking of anti-B16 melanoma monoclonal antibodies to lymphokine activated killer (LAK) cells: possible role in the therapy of B16 melanoma. <i>Clinical and Experimental Metastasis</i> , 1988 , 6, 387-400	4.7	2
20	High-grade soft tissue sarcomas of the extremities. <i>Cancer</i> , 1986 , 58, 190-205	6.4	247
19	A phase II study of ifosfamide in the treatment of recurrent sarcomas in young people. <i>Cancer Chemotherapy and Pharmacology</i> , 1986 , 18 Suppl 2, S25-8	3.5	52
18	A randomized, prospective trial of adjuvant chemotherapy in adults with soft tissue sarcomas of the head and neck, breast, and trunk. <i>Cancer</i> , 1985 , 55, 1206-14	6.4	124
17	Lymphokine-activated killer (LAK) cells. Analysis of factors relevant to the immunotherapy of human cancer. <i>Cancer</i> , 1985 , 55, 1327-33	6.4	104
16	Differing determinants of prognosis following resection of pulmonary metastases from osteogenic and soft tissue sarcoma patients. <i>Cancer</i> , 1985 , 55, 1361-6	6.4	128
15	A large scale method of separating multiple lymphokines secreted by the murine EL-4 thymoma. <i>Immunopharmacology and Immunotoxicology</i> , 1985 , 7, 17-31		2
14	Phase I study of the adoptive immunotherapy of human cancer with lectin activated autologous mononuclear cells. <i>Cancer</i> , 1984 , 53, 896-905	6.4	99
13	The significance of bone scan abnormalities in patients with primary osteogenic sarcoma. <i>Journal of Surgical Oncology</i> , 1984 , 26, 122-9	2.8	7
12	Prospective randomized evaluation of adjuvant chemotherapy in adults with soft tissue sarcomas of the extremities. <i>Cancer</i> , 1983 , 52, 424-34	6.4	171
11	A prospective evaluation of delta-9-tetrahydrocannabinol as an antiemetic in patients receiving adriamycin and cytoxan chemotherapy. <i>Cancer</i> , 1981 , 47, 1746-51	6.4	60
10	The effects of postoperative adjuvant chemotherapy and radiotherapy on testicular function in men undergoing treatment for soft tissue sarcoma. <i>Cancer</i> , 1981 , 47, 2368-74	6.4	70
9	Evaluation of computed tomography in the detection of pulmonary metastases: a prospective study. <i>Cancer</i> , 1979 , 43, 913-6	6.4	162
8	Prognostic significance of alkaline phosphatase measurements in patients with osteogenic sarcoma receiving chemotherapy. <i>Cancer</i> , 1979 , 43, 2178-81	6.4	47
7	Alkaline phosphatase levels in osteosarcoma tissue are related to prognosis. <i>Cancer</i> , 1979 , 44, 2291-3	6.4	39

6	Anaphylactoid type reactions in two patients receiving high dose intravenous methotrexate. <i>Cancer</i> , 1978 , 41, 52-5	6.4	45
5	Severe thrombocytopenia following intralesional BCG therapy. <i>Cancer</i> , 1978 , 41, 820-6	6.4	14
4	Clinical and immunologic studies of disseminated BCG infection. <i>Cancer</i> , 1978 , 41, 1771-80	6.4	38
3	Clinical course and management of accidental adriamycin extravasation. <i>Cancer</i> , 1977 , 40, 2053-6	6.4	104
2	Future prospects for immunotherapy. <i>Cancer</i> , 1975 , 36, 821-4	6.4	5
1	Internal checkpoint regulates T cell neoantigen reactivity and susceptibility to PD1 blockade		4