

Carsten Bindslev-Jensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6673488/carsten-bindslev-jensen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

17,812
citations

66
h-index

127
g-index

267
ext. papers

21,074
ext. citations

5.9
avg, IF

6.13
L-index

#	Paper	IF	Citations
253	Allergen immunotherapy and/or biologicals for IgE-mediated food allergy: systematic review and meta-analysis.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 ,	9.3	4
252	Allergy to polyethylene glycol and polysorbates in a patient cohort: Diagnostic work-up and decision points for vaccination during the COVID-19 pandemic.. <i>Clinical and Translational Allergy</i> , 2022 , 12, e12111	5.2	7
251	Detection of Circulating Peanut Components in Serum after Ingestion.. <i>International Archives of Allergy and Immunology</i> , 2022 , 1-8	3.7	0
250	EGal present on both glycolipids and glycoproteins contributes to immune response in meat-allergic patients.. <i>Journal of Allergy and Clinical Immunology</i> , 2022 ,	11.5	3
249	High-dose non-sedating antihistamines are used insufficiently in chronic urticaria patients treated with omalizumab.. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12085	5.2	0
248	Proposal of 0.5 mg of protein/100 g of processed food as threshold for voluntary declaration of food allergen traces in processed food-A first step in an initiative to better inform patients and avoid fatal allergic reactions: A GALEN position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	2
247	Delayed reaction in alpha-gal allergy is reflected in serum levels after ingestion of pork kidney, and absorption is dependent on food processing. <i>Clinical and Experimental Allergy</i> , 2021 ,	4.1	2
246	Skin Tests for Immediate Hypersensitivity 2021 , 609-617		2
245	A novel method for quantifying ingested food allergens in human sera. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 972-975	4.1	1
244	When and how to evaluate for immediate type food allergy in children with atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3845-3848	9.3	0
243	COVID-19 Vaccination in Mastocytosis: Recommendations of the European Competence Network on Mastocytosis (ECNM) and American Initiative in Mast Cell Diseases (AIM). <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 2139-2144	5.4	17
242	ARIA-EAACI care pathways for allergen immunotherapy in respiratory allergy. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12014	5.2	4
241	Patients with suspected allergic reactions to COVID-19 vaccines can be safely revaccinated after diagnostic work-up. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12044	5.2	11
240	Placebo effects in allergen immunotherapy-An EAACI Task Force Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 629-647	9.3	19
239	ARIA digital anamorphosis: Digital transformation of health and care in airway diseases from research to practice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 168-190	9.3	21
238	Genome-wide association study identifies novel susceptibility loci for KIT D816V positive mastocytosis. <i>American Journal of Human Genetics</i> , 2021 , 108, 284-294	11	6
237	Management of anaphylaxis due to COVID-19 vaccines in the elderly. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2952-2964	9.3	7

236	The international EAACI/GA \bar{L} EN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	50
235	Validity, reliability, and responsiveness of daily monitoring visual analog scales in MASK-air \bar{r} . <i>Clinical and Translational Allergy</i> , 2021 , 11, e12062	5.2	9
234	Does treatment with antidepressants, antipsychotics, or benzodiazepines hamper allergy skin testing?. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12060	5.2	2
233	EAACI guideline: Anaphylaxis (2021 update). <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	31
232	Correlation between work impairment, scores of rhinitis severity and asthma using the MASK-air App. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1672-1688	9.3	15
231	Definition, aims, and implementation of GA LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2115-2123	9.3	10
230	Skin Tests for Immediate Hypersensitivity 2020 , 1-9		0
229	The quest for ingested peanut protein in human serum. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1721-1729	9.3	7
228	Homologous tropomyosins from vertebrate and invertebrate: Recombinant calibrator proteins in functional biological assays for tropomyosin allergenicity assessment of novel animal foods. <i>Clinical and Experimental Allergy</i> , 2020 , 50, 105-116	4.1	21
227	Clinical validation of a new commercial highly sensitive KIT D816V mutation analysis in mastocytosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1489-1491	9.3	4
226	IgE-Mediated Peanut Allergy: Current and Novel Predictive Biomarkers for Clinical Phenotypes Using Multi-Omics Approaches. <i>Frontiers in Immunology</i> , 2020 , 11, 594350	8.4	4
225	Next-generation ARIA care pathways for rhinitis and asthma: a model for multimorbid chronic diseases. <i>Clinical and Translational Allergy</i> , 2019 , 9, 44	5.2	53
224	Clinical and serological follow-up of patients with WDEIA. <i>Clinical and Translational Allergy</i> , 2019 , 9, 26	5.2	7
223	Biomarkers and clinical characteristics of autoimmune chronic spontaneous urticaria: Results of the PURIST Study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 2427-2436	9.3	61
222	Mobile technology offers novel insights into the control and treatment of allergic rhinitis: The MASK study. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 135-143.e6	11.5	57
221	Guidance to 2018 good practice: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma. <i>Clinical and Translational Allergy</i> , 2019 , 9, 16	5.2	49
220	It looks like childhood eczema but is it?. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 744-753	4.1	6
219	Towards rational diagnostics in mastocytosis: clinical validation of sensitive KIT D816V mutation analysis of unfractionated whole-blood. <i>Leukemia and Lymphoma</i> , 2019 , 60, 268-270	1.9	2

218	Wheat-Dependent Cofactor-Augmented Anaphylaxis: A Prospective Study of Exercise, Aspirin, and Alcohol Efficacy as Cofactors. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 114-121	5.4	40
217	Adherence to adrenaline autoinjector prescriptions in patients with anaphylaxis. <i>Clinical and Translational Allergy</i> , 2019 , 9, 59	5.2	4
216	ARIA pharmacy 2018 "Allergic rhinitis care pathways for community pharmacy": AIRWAYS ICPS initiative (European Innovation Partnership on Active and Healthy Ageing, DG CONNECT and DG Sant) POLLAR (Impact of Air POLLution on Asthma and Rhinitis) GARD Demonstration project. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1219-1236	9.3	31
215	Adherence to treatment in allergic rhinitis using mobile technology. The MASK Study. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 442-460	4.1	37
214	Exercise-induced anaphylaxis: causes, consequences, and management recommendations. <i>Expert Review of Clinical Immunology</i> , 2019 , 15, 265-273	5.1	16
213	Comparison of regulatory B cells in asthma and allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 815-818	9.3	15
212	Allergic Rhinitis and its Impact on Asthma (ARIA) Phase 4 (2018): Change management in allergic rhinitis and asthma multimorbidity using mobile technology. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 864-879	11.5	70
211	Integrating Clinical and Epidemiologic Data on Allergic Diseases Across Birth Cohorts: A Harmonization Study in the Mechanisms of the Development of Allergy Project. <i>American Journal of Epidemiology</i> , 2019 , 188, 408-417	3.8	6
210	Atopic diseases and type I sensitization from adolescence to adulthood in an unselected population (TOACS) with focus on predictors for allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 308-317	9.3	10
209	Everyday life and mastocytosis from a patient perspective-a qualitative study. <i>Journal of Clinical Nursing</i> , 2019 , 28, 1114-1124	3.2	7
208	Ratios of specific IgG over IgE antibodies do not improve prediction of peanut allergy nor of its severity compared to specific IgE alone. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 216-226	4.1	21
207	Venom anaphylaxis can mimic other serious conditions and disclose important underlying disease. <i>Annals of Allergy, Asthma and Immunology</i> , 2018 , 120, 338-339	3.2	1
206	Daily allergic multimorbidity in rhinitis using mobile technology: A novel concept of the MASK study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1622-1631	9.3	42
205	Food-dependent exercise-induced anaphylaxis due to almond in a PR-10-sensitized patient. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 683-684	5.4	8
204	The EAACI/GALEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1393-1414	9.3	68
203	Treatment of allergic rhinitis using mobile technology with real-world data: The MASK observational pilot study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1763-1774	9.3	56
202	Cow's milk allergic children-Can component-resolved diagnostics predict duration and severity?. <i>Pediatric Allergy and Immunology</i> , 2018 , 29, 194-199	4.2	17
201	The urgent need for a harmonized severity scoring system for acute allergic reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1792-1800	9.3	52

200	Exercise Lowers Threshold and Increases Severity, but Wheat-Dependent, Exercise-Induced Anaphylaxis Can Be Elicited at Rest. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 514-520	5.4	40
199	Transfer of innovation on allergic rhinitis and asthma multimorbidity in the elderly (MACVIA-ARIA) - EIP on AHA Twinning Reference Site (GARD research demonstration project). <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 77-92	9.3	34
198	Omalizumab prevents anaphylaxis and improves symptoms in systemic mastocytosis: Efficacy and safety observations. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 230-238	9.3	59
197	Clinical relevance of sensitization to hydrolyzed wheat protein in wheat-sensitized subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 802-805.e1	11.5	7
196	The Allergic Rhinitis and its Impact on Asthma (ARIA) score of allergic rhinitis using mobile technology correlates with quality of life: The MASK study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 505-510	9.3	55
195	Geolocation with respect to personal privacy for the Allergy Diary app - a MASK study. <i>World Allergy Organization Journal</i> , 2018 , 11, 15	5.2	18
194	MI (2-methyl-4-isothiazolin-3-one) contained in detergents is not detectable in machine washed textiles. <i>Clinical and Translational Allergy</i> , 2018 , 8, 1	5.2	20
193	Reply. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1434-1435	5.4	
192	Assessing severity of anaphylaxis: a data-driven comparison of 23 instruments. <i>Clinical and Translational Allergy</i> , 2018 , 8, 29	5.2	26
191	Pediatric Expression of Mast Cell Activation Disorders. <i>Immunology and Allergy Clinics of North America</i> , 2018 , 38, 365-377	3.3	8
190	Concomitant sensitization to legumin, Fag e 2 and Fag e 5 predicts buckwheat allergy. <i>Clinical and Experimental Allergy</i> , 2018 , 48, 217-224	4.1	13
189	EAACI Guidelines on allergen immunotherapy: IgE-mediated food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 799-815	9.3	241
188	EAACI/GA2LEN/EDF/WAO-Leitlinie für die Definition, Klassifikation, Diagnose und das Management der Urtikaria [konsentiert, deutschsprachige Übersetzung. <i>Allergo Journal</i> , 2018 , 27, 41-69	0	2
187	AR101 Oral Immunotherapy for Peanut Allergy. <i>New England Journal of Medicine</i> , 2018 , 379, 1991-2001	59.2	291
186	Insulin allergy can be successfully managed by a systematic approach. <i>Clinical and Translational Allergy</i> , 2018 , 8, 35	5.2	5
185	MASK 2017: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma multimorbidity using real-world-evidence. <i>Clinical and Translational Allergy</i> , 2018 , 8, 45	5.2	72
184	Allergen immunotherapy for IgE-mediated food allergy: a systematic review and meta-analysis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1133-1147	9.3	229
183	Precision medicine in allergic disease-food allergy, drug allergy, and anaphylaxis-PRACTALL document of the European Academy of Allergy and Clinical Immunology and the American Academy of Allergy, Asthma and Immunology. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1006-1021	9.3	105

182	Dose-time-response relationship in peanut allergy using a human model of passive cutaneous anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 2015-2016.e4	11.5	5
181	Mechanisms of the Development of Allergy (MeDALL): Introducing novel concepts in allergy phenotypes. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 388-399	11.5	103
180	Advances in the Classification and Treatment of Mastocytosis: Current Status and Outlook toward the Future. <i>Cancer Research</i> , 2017 , 77, 1261-1270	10.1	162
179	Prospective evaluation of the diagnostic value of sensitive KIT D816V mutation analysis of blood in adults with suspected systemic mastocytosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1737-1743	9.3	24
178	Work productivity in rhinitis using cell phones: The MASK pilot study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1475-1484	9.3	50
177	Glutathione Primes T Cell Metabolism for Inflammation. <i>Immunity</i> , 2017 , 46, 675-689	32.3	182
176	Early childhood risk factors for rhinoconjunctivitis in adolescence: a prospective birth cohort study. <i>Clinical and Translational Allergy</i> , 2017 , 7, 9	5.2	5
175	Positive Skin Test or Specific IgE to Penicillin Does Not Reliably Predict Penicillin Allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 676-683	5.4	20
174	Patterns of anaphylaxis after diagnostic workup: A follow-up study of 226 patients with suspected anaphylaxis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1944-1952	9.3	25
173	SCIT-treatment With a Chemically Modified, Aluminum Hydroxide Adsorbed Peanut Extract (HAL-MPE1) Was Generally Safe And Well Tolerated And Showed Immunological Changes In Peanut Allergic Patients. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, AB191	11.5	12
172	An Examination of the Food Allergy Quality of Life Questionnaire Performance in a Countrywide American Sample of Children: Cross-Cultural Differences in Age and Impact in the United States and Europe. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 363-368.e2	5.4	38
171	Peanut allergy as a family project: social relations and transitions in adolescence. <i>Journal of Clinical Nursing</i> , 2017 , 26, 3371-3381	3.2	18
170	Early-life sensitization to henß egg predicts asthma and rhinoconjunctivitis at 14 years of age. <i>Pediatric Allergy and Immunology</i> , 2017 , 28, 776-783	4.2	7
169	Anaphylaxis in an emergency care setting: a one year prospective study in children and adults. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 111	3.6	19
168	Peak nasal inspiratory flow as outcome for provocation studies in allergen exposure chambers: a GALEN study. <i>Clinical and Translational Allergy</i> , 2017 , 7, 33	5.2	10
167	Is a positive intracutaneous test induced by penicillin mediated by histamine? A cutaneous microdialysis study in penicillin-allergic patients. <i>Clinical and Translational Allergy</i> , 2017 , 7, 40	5.2	10
166	Pre-hospital treatment of bee and wasp induced anaphylactic reactions: a retrospective study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 4	3.6	8
165	Three cases of anaphylaxis following injection of a depot corticosteroid with evidence of IgE sensitization to macrogols rather than the active steroid. <i>Clinical and Translational Allergy</i> , 2017 , 7, 2	5.2	11

164	Quality of life in childhood, adolescence and adult food allergy: Patient and parent perspectives. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 530-539	4.1	49
163	Successful treatment with omalizumab in challenge confirmed exercise-induced anaphylaxis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 204-206	5.4	15
162	Comparison of gDNA-based versus mRNA-based KIT D816V mutation analysis reveals large differences between blood and bone marrow in systemic mastocytosis. <i>British Journal of Haematology</i> , 2017 , 178, 330-332	4.5	5
161	Validation of the Global Allergy and Asthma European Network (GALEN) chamber for trials in allergy: Innovation of a mobile allergen exposure chamber. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1158-1166	11.5	22
160	Green, Yellow, and Red risk perception in everyday life - a communication tool. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1114-1122	9.3	5
159	CHRODIS criteria applied to the MASK (MACVIA-ARIA Sentinel Network) Good Practice in allergic rhinitis: a SUNFRAIL report. <i>Clinical and Translational Allergy</i> , 2017 , 7, 37	5.2	24
158	Relationship between specific IgE to egg components and natural history of egg allergy in Danish children. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 825-830	4.2	10
157	Scaling up strategies of the chronic respiratory disease programme of the European Innovation Partnership on Active and Healthy Ageing (Action Plan B3: Area 5). <i>Clinical and Translational Allergy</i> , 2016 , 6, 29	5.2	34
156	The reproducibility of nickel, cobalt and chromate sensitization in patients tested at least twice in the period 1992-2014 with TRUE Test [®] . <i>Contact Dermatitis</i> , 2016 , 75, 111-3	2.7	18
155	Risk of solid cancer, cardiovascular disease, anaphylaxis, osteoporosis and fractures in patients with systemic mastocytosis: A nationwide population-based study. <i>American Journal of Hematology</i> , 2016 , 91, 1069-1075	7.1	40
154	Cor a 14 is the superior serological marker for hazelnut allergy in children, independent of concomitant peanut allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 556-623	8.3	38
153	Targeted ultradeep next-generation sequencing as a method for KIT D816V mutation analysis in mastocytosis. <i>European Journal of Haematology</i> , 2016 , 96, 381-8	3.8	8
152	Multidisciplinary Management of Mastocytosis: Nordic Expert Group Consensus. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 602-12	2.2	11
151	Respiratory hypersensitivity reactions to NSAIDs in Europe: the global allergy and asthma network (GALEN) survey. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1603-1611	9.3	27
150	Low patch test reactivity to nickel in unselected adolescents tested repeatedly with nickel in infancy. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 636-9	4.2	5
149	Definition, aims, and implementation of GA(2) LEN Urticaria Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1210-8	9.3	65
148	Allergen immunotherapy for IgE-mediated food allergy: protocol for a systematic review. <i>Clinical and Translational Allergy</i> , 2016 , 6, 24	5.2	12
147	ARIA 2016: Care pathways implementing emerging technologies for predictive medicine in rhinitis and asthma across the life cycle. <i>Clinical and Translational Allergy</i> , 2016 , 6, 47	5.2	95

146	MACVIA clinical decision algorithm in adolescents and adults with allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 367-374.e2	11.5	95
145	The prevalence of atopic diseases and the patterns of sensitization in adolescence. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 847-853	4.2	23
144	Platelet-activating factor decreases skin keratinocyte tight junction barrier integrity. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 1725-1728.e3	11.5	4
143	Paving the way of systems biology and precision medicine in allergic diseases: the MeDALL success story: Mechanisms of the Development of ALLergy; EU FP7-CP-IP; Project No: 261357; 2010-2015. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1513-1525	9.3	63
142	A child with mastocytosis and lymphomatoid papulosis. <i>Clinical Case Reports (discontinued)</i> , 2016 , 4, 517-9.7		3
141	Hypersensitivity to non-steroidal anti-inflammatory drugs (NSAIDs): classification of a Danish patient cohort according to EAACI/ENDA guidelines. <i>Clinical and Translational Allergy</i> , 2015 , 5, 10	5.2	17
140	Phenotyping asthma, rhinitis and eczema in MeDALL population-based birth cohorts: an allergic comorbidity cluster. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 973-84	9.3	61
139	Development of a hypoallergenic recombinant parvalbumin for first-in-man subcutaneous immunotherapy of fish allergy. <i>International Archives of Allergy and Immunology</i> , 2015 , 166, 41-51	3.7	71
138	Efficacy and safety of omalizumab in patients with chronic idiopathic/spontaneous urticaria who remain symptomatic on H1 antihistamines: a randomized, placebo-controlled study. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 67-75	4.3	203
137	MACVIA-ARIA Sentinel Network for allergic rhinitis (MASK-rhinitis): the new generation guideline implementation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 1372-92	9.3	123
136	Intracutaneous injection of autologous serum with specific IgE against penicillin followed by intracutaneous test with penicillin, does not elicit a positive intracutaneous test. <i>Clinical and Translational Allergy</i> , 2015 , 5, 010	5.2	78
135	A study of the mechanisms of Anaphylaxis through passive transfer of IgE-mediated cutaneous reactivity. <i>Clinical and Translational Allergy</i> , 2015 , 5, 09	5.2	78
134	Atopic dermatitis from adolescence to adulthood in the TOACS cohort: prevalence, persistence and comorbidities. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 836-45	9.3	145
133	Decrease in the rate of sensitization and clinical allergy to natural rubber latex. <i>Contact Dermatitis</i> , 2015 , 73, 21-8	2.7	35
132	Recall bias in childhood atopic diseases among adults in the Odense Adolescence Cohort Study. <i>Acta Dermato-Venereologica</i> , 2015 , 95, 968-72	2.2	16
131	The EAACI/GA2LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. <i>Przegląd Dermatologiczny</i> , 2015 , 2, 155-179	0.4	3
130	Are allergic multimorbidities and IgE polysensitization associated with the persistence or re-occurrence of foetal type 2 signalling? The MeDALL hypothesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 1062-78	9.3	66
129	Recognizing mastocytosis in patients with anaphylaxis: value of KIT D816V mutation analysis of peripheral blood. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 262-4	11.5	44

128	The EAACI/GA(2) LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 868-87	9.3	715
127	An algorithm for treating chronic urticaria with omalizumab: dose interval should be individualized. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 914-5.e2	11.5	51
126	Sensitive KIT D816V mutation analysis of blood as a diagnostic test in mastocytosis. <i>American Journal of Hematology</i> , 2014 , 89, 493-8	7.1	72
125	Anaphylaxis: guidelines from the European Academy of Allergy and Clinical Immunology. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1026-45	9.3	589
124	Methods report on the development of the 2013 revision and update of the EAACI/GA2 LEN/EDF/WAO guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, e1-29	9.3	59
123	PD40 - A successful desensitisation to cat in a child with anaphylaxis. <i>Clinical and Translational Allergy</i> , 2014 , 4, P40	5.2	78
122	Integrated care pathways for airway diseases (AIRWAYS-ICPs). <i>European Respiratory Journal</i> , 2014 , 44, 304-23	13.6	112
121	EAACI food allergy and anaphylaxis guidelines: diagnosis and management of food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1008-25	9.3	680
120	Treatment strategies in mastocytosis. <i>Immunology and Allergy Clinics of North America</i> , 2014 , 34, 433-47	3.3	43
119	Comorbidity of eczema, rhinitis, and asthma in IgE-sensitised and non-IgE-sensitised children in MeDALL: a population-based cohort study. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 131-40	35.1	194
118	Clinical relevance is associated with allergen-specific wheal size in skin prick testing. <i>Clinical and Experimental Allergy</i> , 2014 , 44, 407-16	4.1	53
117	Epidemiology of systemic mastocytosis in Denmark. <i>British Journal of Haematology</i> , 2014 , 166, 521-8	4.5	104
116	Hand eczema in The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS): prevalence, incidence and risk factors from adolescence to adulthood. <i>British Journal of Dermatology</i> , 2014 , 171, 313-23	4	56
115	Positive serum specific IgE has a short half-life in patients with penicillin allergy and reversal does not always indicate tolerance. <i>Clinical and Translational Allergy</i> , 2014 , 4, 34	5.2	21
114	Patterns of suspected wheat-related allergy: a retrospective single-centre case note review in 156 patients. <i>Clinical and Translational Allergy</i> , 2014 , 4, 39	5.2	12
113	The development of the MeDALL Core Questionnaires for a harmonized follow-up assessment of eleven European birth cohorts on asthma and allergies. <i>International Archives of Allergy and Immunology</i> , 2014 , 163, 215-24	3.7	26
112	Diagnosis of penicillin allergy revisited: the value of case history, skin testing, specific IgE and prolonged challenge. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1057-64	9.3	74
111	Body mass index trajectory classes and incident asthma in childhood: results from 8 European Birth Cohorts--a Global Allergy and Asthma European Network initiative. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 1528-36	11.5	103

110	Clinical value of component-resolved diagnostics in peanut-allergic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 190-4	9.3	104
109	Reply: To PMID 23195525. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 502-3	11.5	
108	Prevalence, incidence rates and persistence of contact allergy and allergic contact dermatitis in The Odense Adolescence Cohort Study: a 15-year follow-up. <i>British Journal of Dermatology</i> , 2013 , 168, 318-24	4	35
107	Positive nickel patch tests in infants are of low clinical relevance and rarely reproducible. <i>Pediatric Allergy and Immunology</i> , 2013 , 24, 84-7	4.2	24
106	IgE-mediated basophil tumour necrosis factor alpha induces matrix metalloproteinase-9 from monocytes. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 614-20	9.3	17
105	KIT D816V mutation burden does not correlate to clinical manifestations of indolent systemic mastocytosis. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 723-728	11.5	36
104	Chronic idiopathic urticaria (CIU) is no longer idiopathic: time for an update. <i>British Journal of Dermatology</i> , 2013 , 168, 455-6	4	26
103	Pooling birth cohorts in allergy and asthma: European Union-funded initiatives - a MeDALL, CHICOS, ENRIECO, and GALEN joint paper. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 1-10	3.7	38
102	Over-reliance on assays for specific IgE in diagnostics of penicillin allergy?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1626-7	9.3	1
101	Serum tryptase correlates with the KIT D816V mutation burden in adults with indolent systemic mastocytosis. <i>European Journal of Haematology</i> , 2013 , 91, 106-11	3.8	45
100	Nickel allergy from adolescence to adulthood in the TOACS cohort. <i>Contact Dermatitis</i> , 2013 , 68, 348-56	2.7	32
99	KIT D816V mutation-positive cell fractions in lesional skin biopsies from adults with systemic mastocytosis. <i>Dermatology</i> , 2013 , 226, 233-7	4.4	8
98	Circulating KIT D816V mutation-positive non-mast cells in peripheral blood are characteristic of indolent systemic mastocytosis. <i>European Journal of Haematology</i> , 2012 , 89, 42-6	3.8	38
97	How not to miss autoinflammatory diseases masquerading as urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 1465-74	9.3	45
96	FAST: towards safe and effective subcutaneous immunotherapy of persistent life-threatening food allergies. <i>Clinical and Translational Allergy</i> , 2012 , 2, 5	5.2	46
95	Adult-onset systemic mastocytosis in monozygotic twins with KIT D816V and JAK2 V617F mutations. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 806-8	11.5	22
94	Allergic Rhinitis and its Impact on Asthma (ARIA): achievements in 10 years and future needs. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 1049-62	11.5	383
93	Standardizing double-blind, placebo-controlled oral food challenges: American Academy of Allergy, Asthma & Immunology-European Academy of Allergy and Clinical Immunology PRACTALL consensus report. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 1260-74	11.5	433

92	Clinical thresholds to egg, hazelnut, milk and peanut: results from a single-center study using standardized challenges. <i>Annals of Allergy, Asthma and Immunology</i> , 2012 , 108, 332-6	3.2	52
91	Severe chronic allergic (and related) diseases: a uniform approach--a MeDALL--GA2LEN--ARIA position paper. <i>International Archives of Allergy and Immunology</i> , 2012 , 158, 216-31	3.7	71
90	Does pet ownership in infancy lead to asthma or allergy at school age? Pooled analysis of individual participant data from 11 European birth cohorts. <i>PLoS ONE</i> , 2012 , 7, e43214	3.7	156
89	Practical guide to skin prick tests in allergy to aeroallergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 18-24	9.3	347
88	One-week oral challenge with penicillin in diagnosis of penicillin allergy. <i>Acta Dermato-Venereologica</i> , 2012 , 92, 307-12	2.2	45
87	Cold urticaria patients exhibit normal skin levels of functional mast cells and histamine after tolerance induction. <i>Dermatology</i> , 2012 , 224, 101-5	4.4	20
86	Angioedema--assessment and treatment. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012 , 132, 2391-5	3.5	14
85	Full-course drug challenge test in the diagnosis of delayed allergic reactions to penicillin. <i>International Archives of Allergy and Immunology</i> , 2011 , 155, 271-4	3.7	26
84	Unmet clinical needs in chronic spontaneous urticaria. A GALEN task force report. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 317-30	9.3	443
83	MeDALL (Mechanisms of the Development of ALLergy): an integrated approach from phenotypes to systems medicine. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 596-604	9.3	115
82	Recommendations for assessing patient-reported outcomes and health-related quality of life in patients with urticaria: a GA(2) LEN taskforce position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 840-4	9.3	58
81	Meta-analysis of mould and dampness exposure on asthma and allergy in eight European birth cohorts: an ENRIECO initiative. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1570-9	9.3	112
80	Effects of a Novel GA(2)LEN Training Program on Urticaria on the Knowledge of General Practitioners in Saudi-Arabia. <i>World Allergy Organization Journal</i> , 2011 , 4, 45-6	5.2	2
79	Effects of antihistamines on innate immune responses to severe bacterial infection in mice. <i>International Archives of Allergy and Immunology</i> , 2011 , 155, 355-60	3.7	16
78	Skin Tests for Immediate Hypersensitivity 2011 , 511-517		7
77	Efficacy of omalizumab in delayed pressure urticaria: a case report. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 138-9	9.3	63
76	Risk of first-generation H(1)-antihistamines: a GA(2)LEN position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 459-66	9.3	295
75	Development of atopic dermatitis in the DARC birth cohort. <i>Pediatric Allergy and Immunology</i> , 2010 , 21, 307-14	4.2	55

74	Efficacy of desloratadine in persistent allergic rhinitis - a GALEN study. <i>International Archives of Allergy and Immunology</i> , 2010 , 153, 395-402	3.7	48
73	Occupational asthma caused by the predatory beneficial mites <i>Amblyseius californicus</i> and <i>Amblyseius cucumeris</i> . <i>Occupational and Environmental Medicine</i> , 2010 , 67, 287	2.1	6
72	Eosinophilic oesophagitis in infants and children in the region of southern Denmark: a prospective study of prevalence and clinical presentation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51, 280-2	2.8	42
71	Heat and Cold Urticaria 2010 , 63-71		
70	Food allergy and food sensitization in early childhood: results from the DARC cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1023-9	9.3	104
69	GA2LEN (Global Allergy and Asthma European Network) addresses the allergy and asthma epidemic? <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 969-77	9.3	73
68	GA(2)LEN skin test study II: clinical relevance of inhalant allergen sensitizations in Europe. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1507-1515	9.3	181
67	GA(2)LEN skin test study I: GA(2)LEN harmonization of skin prick testing: novel sensitization patterns for inhalant allergens in Europe. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1498-1506	9.3	231
66	GA2LEN skin test study III: minimum battery of test inhalent allergens needed in epidemiological studies in patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1656-62	9.3	63
65	EAACI/GA(2)LEN/EDF/WAO guideline: management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1427-1443	9.3	424
64	EAACI/GA(2)LEN/EDF/WAO guideline: definition, classification and diagnosis of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1417-1426	9.3	467
63	The prevalence of food hypersensitivity in young adults. <i>Pediatric Allergy and Immunology</i> , 2009 , 20, 686-92	9.2	77
62	The association between early sensitization patterns and subsequent allergic disease. The DARC birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2009 , 20, 726-34	4.2	59
61	Soybean (<i>Glycine max</i>) allergy in Europe: Gly m 5 (beta-conglycinin) and Gly m 6 (glycinin) are potential diagnostic markers for severe allergic reactions to soy. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 452-8	11.5	223
60	The prevalence of allergic diseases in an unselected group of 6-year-old children. The DARC birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2008 , 19, 737-45	4.2	61
59	Peanut cross-reacting allergens in seeds and sprouts of a range of legumes. <i>Clinical and Experimental Allergy</i> , 2008 , 38, 1969-77	4.1	35
58	Risk assessment of clinical reactions to legumes in peanut-allergic children. <i>World Allergy Organization Journal</i> , 2008 , 1, 162-7	5.2	3
57	Spirometry in an unselected group of 6-year-old children: the DARC birth cohort study. <i>Pediatric Pulmonology</i> , 2008 , 43, 806-14	3.5	7

56	Soybean allergen detection methods--a comparison study. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 1486-96	5.9	52
55	Clinical characteristics of soybean allergy in Europe: a double-blind, placebo-controlled food challenge study. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 119, 1489-96	11.5	138
54	Wheat IgE-mediated food allergy in European patients: alpha-amylase inhibitors, lipid transfer proteins and low-molecular-weight glutenins. Allergenic molecules recognized by double-blind, placebo-controlled food challenge. <i>International Archives of Allergy and Immunology</i> , 2007 , 144, 10-22	3.7	163
53	Practical application of allergenic risk assessment of proteins 2007 , 251-261		
52	Lack of immunogenicity of ice structuring protein type III HPLC12 preparation administered by the oral route to human volunteers. <i>Food and Chemical Toxicology</i> , 2007 , 45, 79-87	4.7	12
51	Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial. <i>Journal of the American Academy of Dermatology</i> , 2007 , 56, 228-35	4.5	15
50	The prevalence of acute cutaneous drug reactions in a Scandinavian university hospital. <i>Acta Dermato-Venereologica</i> , 2006 , 86, 518-22	2.2	29
49	Cutaneous adverse drug reactions seen at a university hospital department of dermatology. <i>Acta Dermato-Venereologica</i> , 2006 , 86, 523-7	2.2	15
48	Eosinophilia in the upper gastrointestinal tract is not a characteristic feature in cow's milk sensitive gastro-oesophageal reflux disease. Measurement by two methodologies. <i>Journal of Clinical Pathology</i> , 2006 , 59, 89-94	3.9	16
47	Wheat allergy: a double-blind, placebo-controlled study in adults. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 117, 433-9	11.5	75
46	Diagnosis and treatment of atopic dermatitis in children and adults: European Academy of Allergology and Clinical Immunology/American Academy of Allergy, Asthma and Immunology/PRACTALL Consensus Report. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 152-69	11.5	371
45	Investigation on possible allergenicity of 19 different commercial enzymes used in the food industry. <i>Food and Chemical Toxicology</i> , 2006 , 44, 1909-15	4.7	31
44	Specific, semi-quantitative detection of the soybean allergen Gly m Bd 30K DNA by PCR. <i>Food Control</i> , 2006 , 17, 30-36	6.2	17
43	The hairless guinea-pig as a model for treatment of cumulative irritation in humans. <i>Skin Research and Technology</i> , 2006 , 12, 60-7	1.9	15
42	The hairless guinea-pig as a model for treatment of acute irritation in humans. <i>Skin Research and Technology</i> , 2006 , 12, 183-9	1.9	11
41	EAACI/GA2LEN/EDF guideline: management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 321-31	9.3	185
40	EAACI/GA2LEN/EDF guideline: definition, classification and diagnosis of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 316-20	9.3	192
39	European birth cohort studies on asthma and atopic diseases: I. Comparison of study designs -- a GALEN initiative. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 221-8	9.3	47

38	Diagnosis and treatment of atopic dermatitis in children and adults: European Academy of Allergology and Clinical Immunology/American Academy of Allergy, Asthma and Immunology/PRACTALL Consensus Report. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 969-87	9.3	303
37	European birth cohort studies on asthma and atopic diseases: II. Comparison of outcomes and exposures--a GA2LEN initiative. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 1104-11	9.3	47
36	Anti-irritants I: Dose-response in acute irritation. <i>Contact Dermatitis</i> , 2006 , 55, 148-54	2.7	26
35	Anti-irritants II: Efficacy against cumulative irritation. <i>Contact Dermatitis</i> , 2006 , 55, 155-9	2.7	20
34	The prevalence of suspected and challenge-verified penicillin allergy in a university hospital population. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006 , 98, 357-62	3.1	91
33	COMPARISON OF THE RESPONSE TO TOPICAL IRRITANTS IN HAIRLESS GUINEA PIGS AND HUMAN VOLUNTEERS. <i>Cutaneous and Ocular Toxicology</i> , 2005 , 24, 31-43	1.8	6
32	Does absorption across the buccal mucosa explain early onset of food-induced allergic systemic reactions?. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 115, 1321-3	11.5	40
31	Hypersensitivity to local anaesthetics. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 262-4	9.3	16
30	The clinical relevance of sensitization to pollen-related fruits and vegetables in unselected pollen-sensitized adults. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 218-25	9.3	69
29	Standard skin prick testing and sensitization to inhalant allergens across Europe--a survey from the GALEN network. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 1287-300	9.3	170
28	The prevalence of food hypersensitivity in an unselected population of children and adults. <i>Pediatric Allergy and Immunology</i> , 2005 , 16, 567-73	4.2	264
27	The prevalence of peanut sensitization and the association to pollen sensitization in a cohort of unselected adolescents--The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS). <i>Pediatric Allergy and Immunology</i> , 2005 , 16, 501-6	4.2	27
26	A comparison between criteria for diagnosing atopic eczema in infants. <i>British Journal of Dermatology</i> , 2005 , 153, 352-8	4	69
25	Phenylephrine and acute periorbital dermatitis. <i>Contact Dermatitis</i> , 2005 , 53, 298-9	2.7	10
24	Reported case of severe hepatotoxicity likely due to fluconazole and not desloratadine. <i>Acta Haematologica</i> , 2004 , 112, 177-8	2.7	2
23	Cross-reactivity to eel, eelpout and ocean pout in codfish-allergic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2004 , 59, 1173-80	9.3	27
22	An evaluation of the diagnostic value of different skin tests with egg in clinically egg-allergic children having atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2004 , 15, 428-34	4.2	28
21	A consensus protocol for the determination of the threshold doses for allergenic foods: how much is too much?. <i>Clinical and Experimental Allergy</i> , 2004 , 34, 689-95	4.1	161

20	A comparative study of the allergenic potency of wild-type and glyphosate-tolerant gene-modified soybean cultivars. <i>Apmis</i> , 2004 , 112, 21-8	3.4	46
19	Evaluation of the potential allergenicity of the enzyme microbial transglutaminase using the 2001 FAO/WHO Decision Tree. <i>Molecular Nutrition and Food Research</i> , 2004 , 48, 434-40	5.9	23
18	Food allergy to apple and specific immunotherapy with birch pollen. <i>Molecular Nutrition and Food Research</i> , 2004 , 48, 441-8	5.9	82
17	A randomized, double-blinded, placebo-controlled oral challenge study to evaluate the allergenicity of commercial, food-grade fish gelatin. <i>Food and Chemical Toxicology</i> , 2004 , 42, 2037-44	4.7	56
16	The diagnostic accuracy of the atopy patch test in diagnosing hypersensitivity to cow's milk and hen's egg in unselected children with and without atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2004 , 51, 556-62	4.5	46
15	Type I sensitization in adolescents: prevalence and association with atopic dermatitis. The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS). <i>Acta Dermato-Venereologica</i> , 2003 , 83, 194-201	2.2	19
14	Threshold levels in food challenge and specific IgE in patients with egg allergy: is there a relationship?. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 112, 196-201	11.5	109
13	Contact allergy and allergic contact dermatitis in adolescents: prevalence measures and associations. The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS). <i>Acta Dermato-Venereologica</i> , 2002 , 82, 352-8	2.2	91
12	Nickel sensitization in adolescents and association with ear piercing, use of dental braces and hand eczema. The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS). <i>Acta Dermato-Venereologica</i> , 2002 , 82, 359-64	2.2	119
11	Factors affecting the determination of threshold doses for allergenic foods: how much is too much?. <i>Journal of Allergy and Clinical Immunology</i> , 2002 , 109, 24-30	11.5	302
10	Seasonal variation in food allergy to apple. <i>Biomedical Applications</i> , 2001 , 756, 19-32		15
9	Allergens from fish and egg. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001 , 56 Suppl 67, 39-42	9.3	58
8	Statistical model for assessing the proportion of subjects with subjective sensitisations in adverse reactions to foods. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001 , 56 Suppl 67, 83-5	9.3	33
7	Standardization of double-blind, placebo-controlled food challenges. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001 , 56 Suppl 67, 75-7	9.3	59
6	Chronic urticaria: diagnostic recommendations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2000 , 14, 175-80	4.6	25
5	Hazelnut allergy: a double-blind, placebo-controlled food challenge multicenter study. <i>Journal of Allergy and Clinical Immunology</i> , 2000 , 105, 577-81	11.5	138
4	Codfish allergy in adults: IgE cross-reactivity among fish species. <i>Annals of Allergy, Asthma and Immunology</i> , 1997 , 78, 187-94	3.2	103
3	Inhibitory effect of calcium antagonists on histamine release from human leukocytes. In vivo and in vitro experiments. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1983 , 38, 233-7	9.3	29

2 Intrinsic asthma and bacterial histamine release via lectin effect. *Agents and Actions*, **1983**, 13, 210-2

17

1 Other IgE- and Non-IgE-Mediated Reactions of the Skin 124-132