

Hernan Jara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/667535/publications.pdf>

Version: 2024-02-01

50
papers

1,550
citations

304743

22
h-index

315739

38
g-index

50
all docs

50
docs citations

50
times ranked

2575
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychiatric Outcomes, Functioning, and Participation in Extremely Low Gestational Age Newborns at Age 15 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 892-904.e2.	0.5	7
2	Quantitative MRI Characterization of the Extremely Preterm Brain at Adolescence: Atypical versus Neurotypical Developmental Pathways. <i>Radiology</i> , 2022, , 210385.	7.3	4
3	Neonatal Cranial Ultrasound Findings among Infants Born Extremely Preterm: Associations with Neurodevelopmental Outcomes at 10 Years of Age. <i>Journal of Pediatrics</i> , 2021, 237, 197-205.e4.	1.8	16
4	Nonhomogeneous Gadolinium Retention in the Cerebral Cortex after Intravenous Administration of Gadolinium-based Contrast Agent in Rats and Humans. <i>Radiology</i> , 2020, 294, 377-385.	7.3	19
5	Perihematomal edema surrounding spontaneous intracerebral hemorrhage by CT. <i>Medicine (United States)</i> , 2019, 98, 1717-1722.	1.0	5
6	Primary Central Nervous System Lymphoma: Lessons and Opportunities from 2 Decades of CT and PET/CT. <i>Radiology</i> , 2019, 292, 447-448.	7.3	2
7	Association of Circulating Proinflammatory and Anti-inflammatory Protein Biomarkers in Extremely Preterm Born Children with Subsequent Brain Magnetic Resonance Imaging Volumes and Cognitive Function at Age 10 Years. <i>Journal of Pediatrics</i> , 2019, 210, 81-90.e3.	1.8	17
8	Co-occurrence and Severity of Neurodevelopmental Burden (Cognitive Impairment, Cerebral Palsy, etc.) in Extremely Preterm Born Children. <i>Pediatric Neurology</i> , 2018, 79, 45-52.	2.1	51
9	Accuracy of the Bayley-II mental development index at 2 years as a predictor of cognitive impairment at school age among children born extremely preterm. <i>Journal of Perinatology</i> , 2018, 38, 908-916.	2.0	20
10	Among Children Born Extremely Preterm a Higher Level of Circulating Neurotrophins Is Associated with Lower Risk of Cognitive Impairment at School Age. <i>Journal of Pediatrics</i> , 2018, 201, 40-48.e4.	1.8	13
11	Application of texture analysis on parametric T1 and T2 maps for detection of hepatic fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 250-259.	3.4	25
12	Quantitative MR imaging of intra-orbital structures: Tissue-specific measurements and age dependency compared to extra-orbital structures using multispectral quantitative MR imaging. <i>Orbit</i> , 2017, 36, 189-196.	0.8	6
13	Evaluation of T1/T2 ratios in a pilot study as a potential biomarker of biopsy: proven benign and malignant breast lesions in correlation with histopathological disease stage. <i>Future Science OA</i> , 2017, 3, FSO197.	1.9	3
14	Principles of Quantitative MR Imaging with Illustrated Review of Applicable Modular Pulse Diagrams. <i>Radiographics</i> , 2017, 37, 2083-2105.	3.3	14
15	Global and Regional Brain Assessment with Quantitative MR Imaging in Patients with Prior Exposure to Linear Gadolinium-based Contrast Agents. <i>Radiology</i> , 2017, 283, 195-204.	7.3	40
16	Enhanced Liver textures: A potential MRI surrogate marker of hepatic fibrosis in a murine model. <i>Magnetic Resonance Imaging</i> , 2017, 37, 33-40.	1.8	8
17	Circulating Inflammatory-Associated Proteins in the First Month of Life and Cognitive Impairment at Age 10 Years in Children Born Extremely Preterm. <i>Journal of Pediatrics</i> , 2017, 180, 116-123.e1.	1.8	68
18	Normal saline as a natural intravascular contrast agent for dynamic perfusion-weighted MRI of the brain: Proof of concept at 1.5T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1580-1591.	3.4	4

#	ARTICLE	IF	CITATIONS
19	Neurocognitive and Academic Outcomes at Age 10 Years of Extremely Preterm Newborns. <i>Pediatrics</i> , 2016, 137, .	2.1	111
20	Girls and Boys Born before 28 Weeks Gestation: Risks of Cognitive, Behavioral, and Neurologic Outcomes at Age 10 Years. <i>Journal of Pediatrics</i> , 2016, 173, 69-75.e1.	1.8	78
21	Utility of texture analysis for quantifying hepatic fibrosis on proton density MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1259-1265.	3.4	38
22	Testosterone Dose-Response Relationships With Cardiovascular Risk Markers in Androgen-Deficient Women: A Randomized, Placebo-Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1287-E1293.	3.6	21
23	Characterizing non-Gaussian, high b-value diffusion in liver fibrosis: Stretched exponential and diffusional kurtosis modeling. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 827-834.	3.4	58
24	Quantifying liver fibrosis through the application of texture analysis to diffusion weighted imaging. <i>Magnetic Resonance Imaging</i> , 2014, 32, 84-90.	1.8	59
25	Quantitative Magnetic Resonance Imaging Analysis of the Lacrimal Gland in Sickle Cell Disease. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 674-680.	0.9	8
26	Improved T_2 mapping accuracy with dual-echo turbo spin echo: Effect of phase encoding profile orders. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 137-143.	3.0	11
27	Multiexponential T_2 analyses in a murine model of hepatic fibrosis at 11.7 T MRI. <i>NMR in Biomedicine</i> , 2013, 26, 83-90.	2.8	5
28	Application of Basic Principles of Physics to Head and Neck MR Angiography: Troubleshooting for Artifacts. <i>Radiographics</i> , 2013, 33, E113-E123.	3.3	29
29	qMRI relaxometry of mandibular bone marrow: A monomodal distribution in sickle cell disease. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 1182-1188.	3.4	9
30	Age-related Apparent Diffusion Coefficient Changes in the Normal Brain. <i>Radiology</i> , 2013, 266, 575-582.	7.3	37
31	Effect of Testosterone Administration on Liver Fat in Older Men With Mobility Limitation: Results From a Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 954-959.	3.6	22
32	Effect of Testosterone Supplementation With and Without a Dual 5 α -Reductase Inhibitor on Fat-Free Mass in Men With Suppressed Testosterone Production. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 931-9.	7.4	131
33	Quantifying hepatic fibrosis using a biexponential model of diffusion weighted imaging in ex vivo liver specimens. <i>Magnetic Resonance Imaging</i> , 2012, 30, 1475-1482.	1.8	12
34	Effect of disease progression on liver apparent diffusion coefficient and T_2 values in a murine model of hepatic fibrosis at 11.7 Tesla MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 140-146.	3.4	31
35	Quantitative MR Imaging: Physical Principles and Sequence Design in Abdominal Imaging. <i>Radiographics</i> , 2011, 31, 867-880.	3.3	48
36	Accurate brain volumetry with diffusion-weighted spin-echo single-shot echo-planar imaging and dual-clustering segmentation: Comparison with volumetry-validated quantitative magnetic resonance imaging. <i>Medical Physics</i> , 2010, 37, 1183-1190.	3.0	5

#	ARTICLE	IF	CITATIONS
37	The Relationship of Ectopic Lipid Accumulation to Cardiac and Vascular Function in Obesity and Metabolic Syndrome. <i>Obesity</i> , 2010, 18, 1116-1121.	3.0	35
38	Whole brain quantitative T2 MRI across multiple scanners with dual echo FSE: Applications to AD, MCI, and normal aging. <i>NeuroImage</i> , 2010, 52, 508-514.	4.2	37
39	Relaxo-volumetric multispectral quantitative magnetic resonance imaging of the brain over the human lifespan: global and regional aging patterns. <i>Magnetic Resonance Imaging</i> , 2009, 27, 895-906.	1.8	65
40	Multispectral Quantitative Magnetic Resonance Imaging of Brain Iron Stores. <i>Topics in Magnetic Resonance Imaging</i> , 2006, 17, 19-30.	1.2	27
41	Combined volumetric T1, T2 and secular-T2 quantitative MRI of the brain: age-related global changes (preliminary results). <i>Magnetic Resonance Imaging</i> , 2006, 24, 877-887.	1.8	47
42	Liver and Spleen Volumetry with Quantitative MR Imaging and Dual-Space Clustering Segmentation. <i>Radiology</i> , 2005, 237, 322-328.	7.3	66
43	MR cholangiopancreatography techniques. <i>Seminars in Ultrasound, CT and MRI</i> , 1999, 20, 281-293.	1.5	2
44	BLACK-BLOOD MR ANGIOGRAPHY. <i>Magnetic Resonance Imaging Clinics of North America</i> , 1999, 7, 303-317.	1.1	20
45	Black-blood MR angiography with grase: Measurement of flow-induced signal attenuation. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 1334-1337.	3.4	6
46	T2-weighted MR imaging of the liver: Optimization of hybrid-rare sequences. <i>Magnetic Resonance Imaging</i> , 1997, 15, 267-273.	1.8	3
47	Multislice T1-weighted hybrid rare in CNS imaging: Assessment of magnetization transfer effects and artifacts. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 903-908.	3.4	11
48	MultisectionT1-weighted hybrid-rare: A pulse sequence for MR imaging of the entire liver during suspended respiration. <i>Magnetic Resonance in Medicine</i> , 1996, 36, 767-774.	3.0	2
49	Determination of Background Gradients with Diffusion MR Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1994, 4, 787-797.	3.4	39
50	MRI characterization of diffusion coefficients in a rat spinal cord injury model. <i>Magnetic Resonance in Medicine</i> , 1994, 31, 488-494.	3.0	155