

# Shigeto Okada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6675537/publications.pdf>

Version: 2024-02-01

101  
papers

3,869  
citations

186209

28  
h-index

123376

61  
g-index

104  
all docs

104  
docs citations

104  
times ranked

4414  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tin phosphide-carbon composite as a high-performance anode active material for sodium-ion batteries with high energy density. <i>Journal of Energy Chemistry</i> , 2022, 64, 463-474.	7.1	23
2	Effect of Na <sub>3</sub> BO <sub>3</sub> ; Addition into Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> ; Single-Phase All-Solid-State Batteries (Vol. 89, No. 3, 244-249). <i>Electrochemistry</i> , 2022, 90, 019001-019001.	0.6	0
3	Development of electrically conductive ZrO <sub>2</sub> -CaO-Fe <sub>2</sub> O <sub>3</sub> -V <sub>2</sub> O <sub>5</sub> glass and glass-ceramics as a new cathode active material for Na-ion batteries with high performance. <i>Journal of Alloys and Compounds</i> , 2022, 899, 163309.	2.8	4
4	Exploring the Sodium Storage Mechanism of Nanosized Disodium Rhodizonate as the Anode Active Material. <i>Advanced Sustainable Systems</i> , 2022, 6, .	2.7	0
5	High capacity all-solid-state lithium battery enabled by <i>in situ</i> formation of an ionic conduction path by lithiation of MgH <sub>2</sub> . <i>RSC Advances</i> , 2022, 12, 10749-10754.	1.7	10
6	A Bicontinuous Nanostructure Induced in Lithiated Iron Fluoride Electrodes of Lithium-ion Batteries Investigated by Small-Angle X-ray Scattering. <i>Electrochemistry</i> , 2022, 90, 077007-077007.	0.6	2
7	Eldfellite-type cathode material, NaV(SO <sub>4</sub> ) <sub>2</sub> , for Na-ion batteries. <i>Materials Advances</i> , 2022, 3, 6993-7001.	2.6	1
8	Cathode properties of FeF <sub>3</sub> -V <sub>2</sub> O <sub>5</sub> Glass/C for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2021, 856, 157449.	2.8	7
9	Effect of Na <sub>3</sub> BO <sub>3</sub> ; Addition into Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> ; Single-Phase All-Solid-State Batteries. <i>Electrochemistry</i> , 2021, 89, 244-249.	0.6	4
10	Hydrogenated Anatase and Rutile TiO <sub>2</sub> for Sodium-Ion Battery Anodes. <i>ACS Applied Energy Materials</i> , 2021, 4, 5738-5746.	2.5	22
11	A Trifluoroacetate-based Concentrated Electrolyte for Symmetrical Aqueous Sodium-ion Battery with NASICON-type Na <sub>2</sub> VTi(PO <sub>4</sub> ) <sub>3</sub> ; Electrodes. <i>Electrochemistry</i> , 2021, 89, 415-419.	0.6	10
12	All-Solid-State Chloride-Ion Battery with Inorganic Solid Electrolyte. <i>ChemElectroChem</i> , 2021, 8, 4441-4444.	1.7	12
13	Synthesis of bimetallic sulfide FeCoS <sub>4</sub> @carbon nanotube graphene hybrid as a high-performance anode material for sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2021, 423, 130070.	6.6	23
14	The <i>in situ</i> formation of an electrolyte <i>via</i> the lithiation of Mg(BH <sub>4</sub> ) <sub>2</sub> in an all-solid-state lithium battery. <i>Chemical Communications</i> , 2021, 57, 2605-2608.	2.2	6
15	Enhanced high voltage performance of LiNi <sub>0.5</sub> Mn <sub>0.3</sub> Co <sub>0.2</sub> O <sub>2</sub> cathode <i>via</i> the synergistic effect of LiPO <sub>2</sub> F and FEC in fluorinated electrolyte for lithium-ion batteries. <i>RSC Advances</i> , 2021, 11, 7886-7895.	1.7	6
16	Enhanced electrochemical performance of Li <sub>2.72</sub> Na <sub>0.31</sub> MnPO <sub>4</sub> CO <sub>3</sub> as a cathode material in <i>water-in-salt</i> electrolytes. <i>Chemical Communications</i> , 2021, 57, 12840-12843.	2.2	2
17	Thermal risk evaluation of concentrated electrolytes for Li-ion batteries. <i>Journal of Power Sources Advances</i> , 2021, 12, 100079.	2.6	2
18	Effects of Mn Doping on the Structural and Electrochemical Properties of Na <sub>3</sub> Ni <sub>2</sub> SbO <sub>6</sub> for Sodium-Ion Battery.. <i>Batteries and Supercaps</i> , 2020, 3, 402-408.	2.4	6

#	ARTICLE	IF	CITATIONS
19	Local structure of a highly concentrated NaClO <sub>4</sub> aqueous solution-type electrolyte for sodium ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 26452-26458.	1.3	18
20	An experimental and first-principle investigation of the Ca-substitution effect on P3-type layered Na <sub>x</sub> Co <sub>2</sub> . <i>Chemical Communications</i> , 2020, 56, 8107-8110.	2.2	4
21	Improved Electrochemical Properties of LiCoO <sub>2</sub> via Ni, Mn Co-doping from LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> for Rechargeable Lithium-ion Batteries. <i>Electrochemistry</i> , 2020, 88, 295-299.		3
22	Cathode Properties of Na <sub>3</sub> FePO <sub>4</sub> CO <sub>3</sub> Prepared by the Mechanical Ball Milling Method for Na-ion Batteries. <i>Scientific Reports</i> , 2020, 10, 3278.	1.6	15
23	Metal-Organic Framework of [Cu <sub>2</sub> (BIPAC)(DMA) <sub>2</sub> ] <sub>n</sub> : A Promising Anode Material for Lithium-ion Battery. <i>ChemistrySelect</i> , 2020, 5, 4160-4164.	0.7	13
24	High-Voltage Cathode Properties of Cr-Containing Fluorophosphate Materials for Sodium-Ion Batteries. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 525-525.	0.0	0
25	An Aqueous Symmetrical Sodium-Ion Battery Using New Concentrated Sodium Trifluoroacetate Electrolyte. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 524-524.	0.0	0
26	Hydrothermal Synthesis and the Cathode Properties of Na <sub>3</sub> MPO <sub>4</sub> CO <sub>3</sub> (M = Fe, Mn, Ni, Co) with Highly Concentrated Aqueous Electrolyte. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 62-62.	0.0	0
27	Synthesis and the Cathode Properties of Na <sub>3</sub> Fe <sub>3</sub> (PO <sub>4</sub> ) <sub>4</sub> for Sodium-Ion Battery. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 93-93.	0.0	0
28	Effect of Na <sub>3</sub> BO <sub>3</sub> Addition to Nasicon-Type Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> single-Phase All-Solid-State Battery. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3498-3498.	0.0	0
29	All-Solid-State Lithium Battery Using Mg(BH <sub>4</sub> ) <sub>2</sub> As an Electrode. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3499-3499.	0.0	0
30	Aqueous Na-Ion/ K-Ion Battery with Cyano-Bridged MOF Cathode and Bis(pyrazolate)-Bridged MOF Anode. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3497-3497.	0.0	0
31	Amorphous NaF-FeSO <sub>4</sub> Systems (1 at% to 2) with Excellent Cathode Properties for Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019, 2, 5968-5974.	2.5	12
32	From Information Technology to Energy Technology. <i>Electrochemistry</i> , 2019, 87, 246-246.	0.6	1
33	Evaluation of $\hat{\Gamma}^{\pm}$ -LiVOPO <sub>4</sub> , $\hat{\Gamma}^2$ -LiVOPO <sub>4</sub> , and $\hat{\Gamma}^{\pm}$ -LiVOPO <sub>4</sub> Synthesized from a Same Precursor by Hydrothermal Method. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3731-A3738.	1.3	8
34	Tavorite LiFePO <sub>4</sub> OH hydroxyphosphate as an anode for aqueous lithium-ion batteries. <i>Journal of Power Sources</i> , 2019, 429, 17-21.	4.0	18
35	Prussian Blue-type Electrodes: Over 2 V Aqueous Sodium-ion Battery with Prussian Blue-type Electrodes (Small Methods 4/2019). <i>Small Methods</i> , 2019, 3, 1970010.	4.6	2
36	Suppression Mechanism for Dissolution of Conversion-Type CuCl <sub>2</sub> Electrode in LiPF <sub>6</sub> /methyl Difluoroacetate Electrolyte. <i>Journal of the Electrochemical Society</i> , 2019, 166, A568-A573.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Electrochemical properties of titanium fluoride with high rate capability for lithium-ion batteries. <i>Journal of Power Sources</i> , 2019, 419, 1-5.	4.0	11
38	Cathode Properties of Na <sub>3</sub> MnPO <sub>4</sub> CO <sub>3</sub> Prepared by the Mechanical Ball Milling Method for Na-Ion Batteries. <i>Energies</i> , 2019, 12, 4534.	1.6	8
39	Over 2 V Aqueous Sodium-Ion Battery with Prussian Blue-Type Electrodes. <i>Small Methods</i> , 2019, 3, 1800220.	4.6	94
40	Na <sub>2</sub> FePO <sub>4</sub> F Fluorophosphate as Positive Insertion Material for Aqueous Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2019, 6, 444-449.	1.7	27
41	Effect of Li <sub>3</sub> BO <sub>3</sub> addition to NASICON-type single-phase all-solid-state lithium battery based on Li <sub>1.5</sub> Cr <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> . <i>Journal of the Ceramic Society of Japan</i> , 2019, 127, 18-21.	0.5	4
42	A single-phase all-solid-state lithium battery based on Li <sub>1.5</sub> Cr <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> for high rate capability and low temperature operation. <i>Chemical Communications</i> , 2018, 54, 3178-3181.	2.2	14
43	Electrochemical Performance and Thermal Stability of Iron Oxyfluoride (FeOF) for Sodium-Ion Batteries. <i>Batteries</i> , 2018, 4, 68.	2.1	4
44	Amorphous xLiF-FeSO <sub>4</sub> (1-x) composites as a cathode material for lithium ion batteries. <i>Solid State Ionics</i> , 2018, 326, 48-51.	1.3	14
45	Single-phase All-solid-state Silver Battery using Ag <sub>1.5</sub> Cr <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> as Anode, Cathode, and Electrolyte. <i>ChemistrySelect</i> , 2018, 3, 9965-9968.	0.7	3
46	SnSb Alloy Blended with Hard Carbon as Anode for Na-Ion Batteries. <i>Energies</i> , 2018, 11, 1614.	1.6	13
47	Enabling the Electrochemical Activity in Sodium Iron Metaphosphate [NaFe(PO <sub>3</sub> ) <sub>3</sub> ] Sodium Battery Insertion Material: Structural and Electrochemical Insights. <i>Inorganic Chemistry</i> , 2017, 56, 5918-5929.	1.9	29
48	Cathode Properties of Perovskite-type NaMF <sub>3</sub> (M= Fe, Mn, and Co) Prepared by Mechanical Ball Milling for Sodium-ion Battery. <i>Electrochimica Acta</i> , 2017, 245, 424-429.	2.6	24
49	A Single-phase, All-solid-state Sodium Battery Using Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> as the Cathode, Anode, and Electrolyte. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600942.	1.3	13
50	Single-phase All-solid-state Lithium-Ion Battery Using Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> as the Cathode, Anode, and Electrolyte. <i>ChemistrySelect</i> , 2017, 2, 7925-7929.	0.7	12
51	Improvement in the Energy Density of Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> by Mg Substitution. <i>ChemElectroChem</i> , 2017, 4, 2755-2759.	1.7	46
52	Proton-Driven Intercalation and Ion Substitution Utilizing Solid-State Electrochemical Reaction. <i>Journal of the American Chemical Society</i> , 2017, 139, 17987-17993.	6.6	13
53	Synthesis and Electrochemical Properties of Fe<sub>3</sub>-C-carbon Composite as an Anode Material for Lithium-ion Batteries. <i>Electrochemistry</i> , 2017, 85, 630-633.	0.6	10
54	Effect of Concentrated Electrolyte on Aqueous Sodium-ion Battery with Sodium Manganese Hexacyanoferrate Cathode. <i>Electrochemistry</i> , 2017, 85, 179-185.	0.6	106

#	ARTICLE	IF	CITATIONS
55	Discharge and Charge Reaction of Perovskite-type $\text{M}_x\text{F}_{3-x}\text{M}'_{1-x}\text{Ti}_x\text{O}_3$ Cathodes for Lithium-ion Batteries. <i>Electrochemistry</i> , 2017, 85, 472-477.	0.6	17
56	Thermal Characteristics of Conversion-Type FeOF Cathode in Li-ion Batteries. <i>Batteries</i> , 2017, 3, 33.	2.1	3
57	Electrochemical Properties and Thermal Stability of Silicon Monoxide Anode for Rechargeable Lithium-ion Batteries. <i>Electrochemistry</i> , 2016, 84, 574-577.	0.6	9
58	Improvement of Cathode Properties by Lithium Excess in Disordered Rocksalt $\text{Li}_{2+x}\text{Mn}_{1-x}\text{Ti}_{1-x}\text{O}_3$ . <i>Electrochemistry</i> , 2016, 84, 597-600.	0.6	3
59	Insight into Mg-doping effects on $\text{Na}_3\text{Ni}_2\text{SbO}_6$ cathode host for Na-ion batteries. <i>Materials Letters</i> , 2016, 183, 187-190.	1.3	11
60	Electrolyte dependence of the performance of a $\text{Na}_2\text{FeP}_2\text{O}_7/\text{NaTi}_2(\text{PO}_4)_3$ rechargeable aqueous sodium-ion battery. <i>Journal of Power Sources</i> , 2016, 327, 327-332.	4.0	72
61	In situ crosslinked PVA-PEI polymer binder for long-cycle silicon anodes in Li-ion batteries. <i>RSC Advances</i> , 2016, 6, 68371-68378.	1.7	77
62	Investigation of Al-doping effects on the $\text{NaFe}_{0.5}\text{Mn}_{0.5}\text{O}_2$ cathode for Na-ion batteries. <i>Ionics</i> , 2016, 22, 2245-2248.	1.2	26
63	Investigation of metastable $\text{Na}_2\text{FeSiO}_4$ as a cathode material for Na-ion secondary battery. <i>Materials Chemistry and Physics</i> , 2016, 171, 45-49.	2.0	44
64	Synthesis of sub-10 nm copper sulphide rods as high-performance anode for long-cycle life Li-ion batteries. <i>Journal of Power Sources</i> , 2016, 306, 408-412.	4.0	51
65	Capacity improvement by deficit of transition metals in inverse spinel $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{VO}_4$ cathodes. <i>Journal of Power Sources</i> , 2016, 302, 240-246.	4.0	3
66	Reconversion Reaction of LiF/Fe Composite Thin Film Cathodes for Lithium-ion Battery. <i>Electrochemistry</i> , 2015, 83, 909-913.	0.6	7
67	Enhanced Performance of Yolk-Shell Structured Si-PPy Composite as an Anode for Lithium Ion Batteries. <i>Electrochemistry</i> , 2015, 83, 1067-1070.	0.6	5
68	Electrochemical Performance of a Novel Cathode material "LiFeOF" for Li-ion Batteries. <i>Electrochemistry</i> , 2015, 83, 885-888.	0.6	19
69	Discharge Reaction Mechanisms in $\text{Na}/\text{FeS}_2$ Batteries: First-Principles Calculations. <i>Journal of the Physical Society of Japan</i> , 2015, 84, 124709.	0.7	11
70	Structural and electrochemical properties of Fe- and Al-doped $\text{Li}_3\text{V}_2(\text{PO}_4)_3$ for all-solid-state symmetric lithium ion batteries prepared by spray-drying-assisted carbothermal method. <i>Solid State Ionics</i> , 2015, 272, 138-143.	1.3	33
71	Energy-savvy solid-state and sonochemical synthesis of lithium sodium titanate as an anode active material for Li-ion batteries. <i>Journal of Power Sources</i> , 2015, 296, 276-281.	4.0	30
72	Insight into the limited electrochemical activity of $\text{NaVP}_2\text{O}_7$ . <i>RSC Advances</i> , 2015, 5, 64991-64996.	1.7	48

#	ARTICLE	IF	CITATIONS
73	Lithium metal borate (LiMBO <sub>3</sub> ) family of insertion materials for Li-ion batteries: a sneak peak. <i>Ionics</i> , 2015, 21, 1801-1812.	1.2	30
74	Improved electrochemical performance of tin-sulfide anodes for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 16971-16977.	5.2	83
75	Orthorhombic Lithium Titanium Phosphate as an Anode Material for Li-ion Rechargeable Battery. <i>Electrochimica Acta</i> , 2015, 174, 516-520.	2.6	14
76	Mössbauer study of new vanadate glass with large charge-discharge capacity. <i>Hyperfine Interactions</i> , 2014, 226, 765-770.	0.2	5
77	Discharge/charge reaction mechanism of a pyrite-type FeS <sub>2</sub> cathode for sodium secondary batteries. <i>Journal of Power Sources</i> , 2014, 247, 391-395.	4.0	145
78	Cathode properties of Mn-doped inverse spinels for Li-ion battery. <i>Journal of Power Sources</i> , 2013, 244, 658-662.	4.0	7
79	What determines the critical size for phase separation in LiFePO <sub>4</sub> in lithium ion batteries?. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14532.	5.2	18
80	Cathode properties of Na <sub>2</sub> C <sub>6</sub> O <sub>6</sub> for sodium-ion batteries. <i>Electrochimica Acta</i> , 2013, 110, 240-246.	2.6	112
81	Synthesis of FeOF using roll-quenching method and the cathode properties for lithium-ion battery. <i>Journal of Power Sources</i> , 2013, 243, 494-498.	4.0	44
82	Fabrication and performances of all solid-state symmetric sodium battery based on NASICON-related compounds. <i>Electrochimica Acta</i> , 2013, 101, 59-65.	2.6	221
83	Electrochemical and Thermal Properties of $\text{NaFeO}_2$ Cathode for Na-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A3077-A3081.	1.3	236
84	Thermal stability of silicon negative electrode for Li-ion batteries. <i>Journal of Power Sources</i> , 2012, 203, 78-83.	4.0	20
85	Electrochemical Properties of NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Anode for Rechargeable Aqueous Sodium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2011, 158, A1067.	1.3	336
86	Thermal characteristics of a FeF <sub>3</sub> cathode via conversion reaction in comparison with LiFePO <sub>4</sub> . <i>Journal of Power Sources</i> , 2011, 196, 8110-8115.	4.0	26
87	Electrochemical Properties of Trirutile-type Li <sub>2</sub> TiF <sub>6</sub> as Cathode Active Material in Li-ion Batteries. <i>Electrochemistry</i> , 2010, 78, 471-474.	0.6	17
88	Thermal stability of FeF <sub>3</sub> cathode for Li-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 4952-4956.	4.0	54
89	Performance of NASICON Symmetric Cell with Ionic Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , 2010, 157, A536.	1.3	236
90	Cathode properties of metal trifluorides in Li and Na secondary batteries. <i>Journal of Power Sources</i> , 2009, 190, 558-562.	4.0	157

#	ARTICLE	IF	CITATIONS
91	Thermal characteristics of nongraphitizable carbon negative electrodes with electrolyte in Li-ion batteries. <i>Electrochimica Acta</i> , 2009, 55, 125-130.	2.6	13
92	Electrochemical properties of rechargeable aqueous lithium ion batteries with an olivine-type cathode and a Nasicon-type anode. <i>Journal of Power Sources</i> , 2009, 189, 706-710.	4.0	98
93	<sup>57</sup> Fe Moessbauer and DTA study of R <sub>2</sub> O 2FeO V <sub>2</sub> O <sub>5</sub> P <sub>2</sub> O <sub>5</sub> glasses (R = Li, Na). <i>Journal of the Ceramic Society of Japan</i> , 2008, 116, 637-640.	0.5	1
94	Thermal Stability of Electrolytes with Mixtures of LiPF <sub>6</sub> and LiBF <sub>4</sub> Used in Lithium-Ion Cells. <i>Journal of the Electrochemical Society</i> , 2004, 151, A1836.	1.3	40
95	Electrochemical Alkali Metal Intercalation into the 3D-framework of MP <sub>2</sub> O <sub>7</sub> (M = Mo, W). <i>Electrochemistry</i> , 2003, 71, 308-312.	0.6	9
96	Improvement of the Stability of LiPF <sub>6</sub> Electrolytes toward Water by the Addition of LiCl. <i>Electrochemistry</i> , 2003, 71, 1139-1141.	0.6	9
97	The Effect of Additives in Room Temperature Molten Salt - based Lithium Battery Electrolytes. <i>Electrochemistry</i> , 2003, 71, 1114-1116.	0.6	27
98	Thermal Stability of Methyl Difluoroacetate as a Novel Electrolyte Solvent for Lithium Batteries Electrolytes. <i>Electrochemistry</i> , 2003, 71, 1154-1156.	0.6	8
99	Thermal stability of Li <sub>x</sub> CoO <sub>2</sub> cathode for lithium ion battery. <i>Solid State Ionics</i> , 2002, 148, 311-316.	1.3	225
100	Thermal behavior of Li <sup>1-y</sup> NiO <sub>2</sub> and the decomposition mechanism. <i>Solid State Ionics</i> , 1998, 109, 295-302.	1.3	256
101	Cathode performance and voltage estimation of metal trihalides. <i>Journal of Power Sources</i> , 1997, 68, 716-719.	4.0	211