

Huey Hoon Hng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6678290/huey-hoon-hng-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236
papers

17,285
citations

67
h-index

125
g-index

248
ext. papers

18,408
ext. citations

7.3
avg, IF

6.58
L-index

#	Paper	IF	Citations
236	A Defect Engineered Electrocatalyst that Promotes High-Efficiency Urea Synthesis under Ambient Conditions.. <i>ACS Nano</i> , 2022 ,	16.7	12
235	Nanothermite composites with a novel cast curable fluoropolymer. <i>Chemical Engineering Journal</i> , 2021 , 414, 128786	14.7	9
234	Multiple doped ZnO with enhanced thermoelectric properties. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 4182-4188	6	5
233	Accurate machine learning models based on small dataset of energetic materials through spatial matrix featurization methods. <i>Journal of Energy Chemistry</i> , 2021 , 63, 364-364	12	0
232	Decomposition and Energy-Enhancement Mechanism of the Energetic Binder Glycidyl Azide Polymer at Explosive Detonation Temperatures. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 5542-5554	2.8	3
231	Combustion of fluoropolymer coated Al and Al/Mg alloy powders. <i>Combustion and Flame</i> , 2020 , 220, 394-406	5.3	8
230	Reactivity of Al/CuO Nanothermite Composites with Fluoropolymers. <i>Combustion Science and Technology</i> , 2020 , 1-17	1.5	4
229	Combustion Characteristics of Fluoropolymer Coated Boron Powders. <i>Combustion Science and Technology</i> , 2020 , 1-16	1.5	10
228	Superior wide-temperature lithium storage in a porous cobalt vanadate. <i>Nano Research</i> , 2020 , 13, 1867-1874	18.74	13
227	Theoretical studies on the structures, material properties, and IR spectra of polymorphs of 3,4-bis(1H-5-tetrazolyl)furoxan. <i>Journal of Molecular Modeling</i> , 2019 , 25, 51	2	1
226	Anomalous Behavior of Anion Exchange Membrane during Operation of a Vanadium Redox Flow Battery. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1712-1719	6.1	9
225	Vanadium redox flow battery with slotted porous electrodes and automatic rebalancing demonstrated on a 1 kW system level. <i>Applied Energy</i> , 2019 , 236, 437-443	10.7	25
224	Improved densification and thermoelectric performance of In ₅ SnSbO ₁₂ via Ga doping. <i>Journal of Materials Science</i> , 2018 , 53, 6741-6751	4.3	0
223	The improvement of thermoelectric property of bulk ZnO via ZnS addition: Influence of intrinsic defects. <i>Ceramics International</i> , 2018 , 44, 6461-6465	5.1	16
222	3-Amino-1,2,4(4H)-oxadiazol-5-one (AOD) and its nitrogen-rich salts: a class of insensitive energetic materials. <i>New Journal of Chemistry</i> , 2018 , 42, 1840-1844	3.6	5
221	Combustion Studies of 4-Nitramino-1,2,4-Triazole (4-NRTZ) and Its Salts: High Impulse Nitrogenous Fuels for Propellant Composite Materials. <i>ChemistrySelect</i> , 2018 , 3, 12544-12551	1.8	2
220	Novel Approaches for Solving the Capacity Fade Problem during Operation of a Vanadium Redox Flow Battery. <i>Batteries</i> , 2018 , 4, 48	5.7	16

219	Enhancement of electrochemical properties of Ca ₃ Co ₄ O ₉ as anode materials for lithium-ion batteries by transition metal doping. <i>Ionics</i> , 2017 , 23, 395-403	2.7	3
218	Mechanically Durable and Flexible Thermoelectric Films from PEDOT:PSS/PVA/Bi _{0.5} Sb _{1.5} Te ₃ Nanocomposites. <i>Advanced Electronic Materials</i> , 2017 , 3, 1600554	6.4	57
217	Study of flow behavior in all-vanadium redox flow battery using spatially resolved voltage distribution. <i>Journal of Power Sources</i> , 2017 , 360, 443-452	8.9	20
216	2D Black Phosphorus for Energy Storage and Thermoelectric Applications. <i>Small</i> , 2017 , 13, 1700661	11	113
215	Advanced porous electrodes with flow channels for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2017 , 341, 83-90	8.9	57
214	Designing hybrid architectures for advanced thermoelectric materials. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 2457-2473	7.8	30
213	Multifunctional 0D/2D Ni ₂ P Nanocrystals/Black Phosphorus Heterostructure. <i>Advanced Energy Materials</i> , 2017 , 7, 1601285	21.8	114
212	Highly active and stable heterogeneous catalysts based on the entrapment of noble metal nanoparticles in 3D ordered porous carbon. <i>Carbon</i> , 2016 , 96, 75-82	10.4	28
211	Nitrogen doped carbon nanotubes encapsulated MnO nanoparticles derived from metal coordination polymer towards high performance Lithium-ion Battery Anodes. <i>Electrochimica Acta</i> , 2016 , 187, 406-412	6.7	38
210	Achieving Site-Specificity in Multistep Colloidal Synthesis. <i>Journal of the American Chemical Society</i> , 2015 , 137, 7624-7	16.4	66
209	One-pot solvothermal synthesis of Co _{1-x} Mn _x C ₂ O ₄ and their application as anode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2015 , 638, 324-333	5.7	27
208	General Approach for MOF-Derived Porous Spinel AFe ₂ O ₄ Hollow Structures and Their Superior Lithium Storage Properties. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 26751-7	9.5	108
207	Green synthesis of highly reduced graphene oxide by compressed hydrogen gas towards energy storage devices. <i>Journal of Power Sources</i> , 2015 , 274, 310-317	8.9	14
206	Multifunctional Architectures Constructing of PANI Nanoneedle Arrays on MoS ₂ Thin Nanosheets for High-Energy Supercapacitors. <i>Small</i> , 2015 , 11, 4123-9	11	141
205	Operando X-ray Studies of Crystalline Ge Anodes with Different Conductive Additives. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 22772-22777	3.8	19
204	Storage Capacity and Cycling Stability in Ge Anodes: Relationship of Anode Structure and Cycling Rate. <i>Advanced Energy Materials</i> , 2015 , 5, 1500599	21.8	45
203	Vanadium Pentoxide-Based Cathode Materials for Lithium-Ion Batteries: Morphology Control, Carbon Hybridization, and Cation Doping. <i>Particle and Particle Systems Characterization</i> , 2015 , 32, 276-294	3.1	50
202	Improvement of electrochemical properties of Ca ₃ Co ₄ O ₉ as anode materials for lithium-ion batteries by Cr doping. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 1197-1202	2.6	3

201	Aqueous-based chemical route toward ambient preparation of multicomponent core-shell nanotubes. <i>ACS Nano</i> , 2014 , 8, 4004-14	16.7	36
200	Fabrication of flexible thermoelectric thin film devices by inkjet printing. <i>Small</i> , 2014 , 10, 3551-4	11	177
199	Lithium-Ion Batteries: Ultrahigh Rate Capabilities of Lithium-Ion Batteries from 3D Ordered Hierarchically Porous Electrodes with Entrapped Active Nanoparticles Configuration (Adv. Mater. 8/2014). <i>Advanced Materials</i> , 2014 , 26, 1295-1295	24	4
198	Gas flow induced by ultrasonic cavitation bubble clouds and surface capillary wave. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2014 , 61, 1042-6	3.2	0
197	Solvothermal synthesis of pyrite FeS ₂ nanocubes and their superior high rate lithium storage properties. <i>RSC Advances</i> , 2014 , 4, 48770-48776	3.7	40
196	Compressed hydrogen gas-induced synthesis of AuPt core-shell nanoparticle chains towards high-performance catalysts for LiO ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10676-10681	13	32
195	Integrated Charge Transfer in Colloidal CuMnO Heterostructures for High-Performance Lithium Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 17452-17460	3.8	12
194	Carbon Nanotube-Encapsulated Noble Metal Nanoparticle Hybrid as a Cathode Material for Li-Oxygen Batteries. <i>Advanced Functional Materials</i> , 2014 , 24, 6516-6523	15.6	143
193	Synthesis of two-dimensional transition-metal phosphates with highly ordered mesoporous structures for lithium-ion battery applications. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 9352-9354	16.4	113
192	Fe-based metallopolymer nanowall-based composites for Li-O ₂ battery cathode. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 7164-70	9.5	9
191	n-Type carbon nanotubes/silver telluride nanohybrid buckypaper with a high-thermoelectric figure of merit. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 4940-6	9.5	50
190	Synthesis of Two-Dimensional Transition-Metal Phosphates with Highly Ordered Mesoporous Structures for Lithium-Ion Battery Applications. <i>Angewandte Chemie</i> , 2014 , 126, 9506-9509	3.6	24
189	Enhanced thermoelectric properties of n-type Bi ₂ Te _{2.7} Se _{0.3} thin films through the introduction of Pt nano-inclusions by pulsed laser deposition. <i>Nano Energy</i> , 2014 , 8, 223-230	17.1	33
188	Study on effect of poly (ethylene oxide) addition and in-situ porosity generation on poly (vinylidene fluoride)-glass ceramic composite membranes for lithium polymer batteries. <i>Journal of Power Sources</i> , 2014 , 267, 48-57	8.9	32
187	Facile precipitation of two phase alloys in SnTe _{0.75} Se _{0.25} with improved power factor. <i>Journal of Alloys and Compounds</i> , 2014 , 587, 420-427	5.7	16
186	Waste Thermal Energy Harvesting (III): Storage with Phase Change Materials. <i>Lecture Notes in Energy</i> , 2014 , 481-592	0.4	1
185	Waste Energy Harvesting. <i>Lecture Notes in Energy</i> , 2014 ,	0.4	35
184	Ultrahigh rate capabilities of lithium-ion batteries from 3D ordered hierarchically porous electrodes with entrapped active nanoparticles configuration. <i>Advanced Materials</i> , 2014 , 26, 1296-303	24	127

183	Waste Thermal Energy Harvesting (I): Thermoelectric Effect. <i>Lecture Notes in Energy</i> , 2014 , 263-403	0.4	2
182	Growth of Si nanowires in porous carbon with enhanced cycling stability for Li-ion storage. <i>Journal of Power Sources</i> , 2014 , 250, 160-165	8.9	17
181	Effect of poly(ethylene oxide) on ionic conductivity and electrochemical properties of poly(vinylidene fluoride) based polymer gel electrolytes prepared by electrospinning for lithium ion batteries. <i>Journal of Power Sources</i> , 2014 , 245, 283-291	8.9	121
180	Waste Mechanical Energy Harvesting (I): Piezoelectric Effect. <i>Lecture Notes in Energy</i> , 2014 , 19-133	0.4	13
179	Waste Mechanical Energy Harvesting (II): Nanopiezoelectric Effect. <i>Lecture Notes in Energy</i> , 2014 , 135-262	0.4	4
178	Waste Thermal Energy Harvesting (II): Pyroelectric Effect and Others. <i>Lecture Notes in Energy</i> , 2014 , 405-480	0.4	5
177	Binder-free graphene foams for O ₂ electrodes of Li-O ₂ batteries. <i>Nanoscale</i> , 2013 , 5, 9651-8	7.7	97
176	Functionalized single-walled carbon nanotubes with enhanced electrocatalytic activity for . <i>Carbon</i> , 2013 , 64, 464-471	10.4	34
175	Carbon buffered-transition metal oxidenanoparticle-graphene hybrid nanosheets as high-performance anode materials for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 6901-6907	13	27
174	Mesoporous Cobalt Oxalate Nanostructures as High-Performance Anode Materials for Lithium-Ion Batteries: Ex Situ Electrochemical Mechanistic Study. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 16316-16325	13.8	40
173	Synthesis of cobalt phosphides and their application as anodes for lithium ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 1093-9	9.5	154
172	Bio-inspired antireflective hetero-nanojunctions with enhanced photoactivity. <i>Nanoscale</i> , 2013 , 5, 12383-7	7.7	39
171	Aqueous solution synthesis of (Sb, Bi) ₂ (Te, Se) ₃ nanocrystals with controllable composition and morphology. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6271	7.1	15
170	Immobilization of plant polyphenol stabilized-Sn nanoparticles onto carbon nanotubes and their application in rechargeable lithium ion batteries. <i>RSC Advances</i> , 2013 , 3, 5310	3.7	9
169	Rapid fabrication of a novel SnTe alloy: structure-property relationship and its enhanced lithium storage properties. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14577	13	42
168	Template-free synthesis of urchin-like Co ₃ O ₄ hollow spheres with good lithium storage properties. <i>Journal of Power Sources</i> , 2013 , 222, 97-102	8.9	116
167	Facile synthesis of Cu ₇ Te ₄ nanorods and the enhanced thermoelectric properties of Cu ₇ Te ₄ Bi _{0.4} Sb _{1.6} Te ₃ nanocomposites. <i>Nano Energy</i> , 2013 , 2, 4-11	17.1	31
166	Vanadium pentoxide cathode materials for high-performance lithium-ion batteries enabled by a hierarchical nanoflower structure via an electrochemical process. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 82-88	13	126

165	Ultrathin V ₂ O ₅ nanosheet cathodes: realizing ultrafast reversible lithium storage. <i>Nanoscale</i> , 2013 , 5, 556-60	7.7	207
164	Effect of nano-clay on ionic conductivity and electrochemical properties of poly(vinylidene fluoride) based nanocomposite porous polymer membranes and their application as polymer electrolyte in lithium ion batteries. <i>European Polymer Journal</i> , 2013 , 49, 307-318	5.2	85
163	A simple process to prepare nitrogen-modified few-layer graphene for a supercapacitor electrode. <i>Carbon</i> , 2013 , 57, 184-190	10.4	72
162	Facile preparation of ordered porous graphene-metal oxide@C binder-free electrodes with high Li storage performance. <i>Small</i> , 2013 , 9, 3390-7	11	61
161	Highly stretchable, integrated supercapacitors based on single-walled carbon nanotube films with continuous reticulate architecture. <i>Advanced Materials</i> , 2013 , 25, 1058-64	24	440
160	Visible photoresponse of single-layer graphene decorated with TiO ₂ nanoparticles. <i>Small</i> , 2013 , 9, 2076-80	11	55
159	Three-dimensional CdS-titanate composite nanomaterials for enhanced visible-light-driven hydrogen evolution. <i>Small</i> , 2013 , 9, 996-1002	11	118
158	Oriented molecular attachments through sol-gel chemistry for synthesis of ultrathin hydrated vanadium pentoxide nanosheets and their applications. <i>Small</i> , 2013 , 9, 716-21	11	57
157	Synthesis of Single-Crystalline LiMn ₂ O ₄ and LiMn _{1.5} Ni _{0.5} O ₄ Nanocrystals and Their Lithium Storage Properties. <i>ChemPlusChem</i> , 2013 , 78, 218-221	2.8	12
156	Olivine-type nanosheets for lithium ion battery cathodes. <i>ACS Nano</i> , 2013 , 7, 5637-46	16.7	193
155	Template-Assisted Formation of Rattle-type V ₂ O ₅ Hollow Microspheres with Enhanced Lithium Storage Properties. <i>Advanced Functional Materials</i> , 2013 , 23, 5669-5674	15.6	140
154	Coaxial Fe ₃ O ₄ /CuO hybrid nanowires as ultra fast charge/discharge lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 8672	13	66
153	Hierarchical hollow spheres composed of ultrathin Fe ₂ O ₃ nanosheets for lithium storage and photocatalytic water oxidation. <i>Energy and Environmental Science</i> , 2013 , 6, 987	35.4	384
152	Embedding sulfur in MOF-derived microporous carbon polyhedrons for lithium-sulfur batteries. <i>Chemistry - A European Journal</i> , 2013 , 19, 10804-8	4.8	327
151	Cu doped V ₂ O ₅ flowers as cathode material for high-performance lithium ion batteries. <i>Nanoscale</i> , 2013 , 5, 4937-43	7.7	138
150	Controlled synthesis of double-wall α -FePO ₄ nanotubes and their LIB cathode properties. <i>Small</i> , 2013 , 9, 1036-41	11	19
149	Dual phase polymer gel electrolyte based on non-woven poly(vinylidene fluoride-co-hexafluoropropylene) layered clay nanocomposite fibrous membranes for lithium ion batteries. <i>Materials Research Bulletin</i> , 2013 , 48, 526-537	5.1	36
148	Facile synthesis and electrochemical properties of alpha-phase ferric oxide hematite cocoons and rods as high-performance anodes for lithium-ion batteries. <i>Journal of Materials Research</i> , 2013 , 28, 824-831	2.5	5

147	Carbon inverse opal entrapped with electrode active nanoparticles as high-performance anode for lithium-ion batteries. <i>Scientific Reports</i> , 2013 , 3, 2317	4.9	71
146	In situ growth of Si nanowires on graphene sheets for Li-ion storage. <i>Electrochimica Acta</i> , 2012 , 74, 176-181	4.8	31
145	Cooperative enhancement of capacities in nanostructured SnSb/carbon nanotube network nanocomposite as anode for lithium ion batteries. <i>Journal of Power Sources</i> , 2012 , 201, 288-293	8.9	37
144	Germanium nanowires-based carbon composite as anodes for lithium-ion batteries. <i>Journal of Power Sources</i> , 2012 , 206, 253-258	8.9	95
143	Synthesis of uniform layered protonated titanate hierarchical spheres and their transformation to anatase TiO ₂ for lithium-ion batteries. <i>Chemistry - A European Journal</i> , 2012 , 18, 2094-9	4.8	66
142	Titania nanosheets hierarchically assembled on carbon nanotubes as high-rate anodes for lithium-ion batteries. <i>Chemistry - A European Journal</i> , 2012 , 18, 3132-5	4.8	42
141	Sign changes of seebeck coefficients due to extrinsic-to-intrinsic transition for PbTe nanocrystals. <i>World Journal of Engineering</i> , 2012 , 9, 391-398	1.8	2
140	A carbon monoxide gas sensor using oxygen plasma modified carbon nanotubes. <i>Nanotechnology</i> , 2012 , 23, 425502	3.4	26
139	Formation of Fe ₂ O ₃ microboxes with hierarchical shell structures from metal-organic frameworks and their lithium storage properties. <i>Journal of the American Chemical Society</i> , 2012 , 134, 17388-91	16.4	841
138	Nanostructured metal oxide-based materials as advanced anodes for lithium-ion batteries. <i>Nanoscale</i> , 2012 , 4, 2526-42	7.7	915
137	Oxidation-etching preparation of MnO ₂ tubular nanostructures for high-performance supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2769-74	9.5	129
136	In situ formation of new organic ligands to construct two novel self-charge-transfer Pb(II)-based frameworks. <i>CrystEngComm</i> , 2012 , 14, 75-78	3.3	22
135	Direct growth of FeVO ₄ nanosheet arrays on stainless steel foil as high-performance binder-free Li ion battery anode. <i>RSC Advances</i> , 2012 , 2, 3630	3.7	80
134	One-pot synthesis of carbon-coated VO ₂ (B) nanobelts for high-rate lithium storage. <i>RSC Advances</i> , 2012 , 2, 1174-1180	3.7	73
133	Fe ₂ O ₃ nanocluster-decorated graphene as O ₂ electrode for high energy LiO ₂ batteries. <i>RSC Advances</i> , 2012 , 2, 8508	3.7	59
132	Kinetically controlled assembly of a spirocyclic aromatic hydrocarbon into polyhedral micro/nanocrystals. <i>ACS Nano</i> , 2012 , 6, 5309-19	16.7	72
131	Controlled growth of SnO ₂ @Fe ₂ O ₃ double-sided nanocombs as anodes for lithium-ion batteries. <i>Nanoscale</i> , 2012 , 4, 4459-63	7.7	56
130	Preparation and thermoelectric properties of sulfur doped Ag ₂ Te nanoparticles via solvothermal methods. <i>Nanoscale</i> , 2012 , 4, 3926-31	7.7	35

129	Flexible carbon nanotube papers with improved thermoelectric properties. <i>Energy and Environmental Science</i> , 2012 , 5, 5364-5369	35.4	143
128	Effect of Ag-doping on crystal structure and high temperature thermoelectric properties of c-axis oriented Ca ₃ Co ₄ O ₉ thin films by pulsed laser deposition. <i>Journal of Alloys and Compounds</i> , 2012 , 511, 133-138	5.7	14
127	Li ₃ V ₂ (PO ₄) ₃ nanocrystals embedded in a nanoporous carbon matrix supported on reduced graphene oxide sheets: Binder-free and high rate cathode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2012 , 214, 171-177	8.9	106
126	An Effective Method for the Fabrication of Few-Layer-Thick Inorganic Nanosheets. <i>Angewandte Chemie</i> , 2012 , 124, 9186-9190	3.6	31
125	An effective method for the fabrication of few-layer-thick inorganic nanosheets. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 9052-6	16.4	453
124	Synthesis, crystal structure, and optical properties of a three-dimensional quaternary Hg-In-S-Cl chalcogenide: Hg ₇ In ₆ Cl ₅ . <i>Inorganic Chemistry</i> , 2012 , 51, 4414-6	5.1	35
123	Controlled soft-template synthesis of ultrathin C@FeS nanosheets with high-Li-storage performance. <i>ACS Nano</i> , 2012 , 6, 4713-21	16.7	269
122	Peroxide induced tin oxide coating of graphene oxide at room temperature and its application for lithium ion batteries. <i>Nanotechnology</i> , 2012 , 23, 485601	3.4	36
121	Synthesis of hexagonal-symmetry Iron oxyhydroxide crystals using reduced graphene oxide as a surfactant and their Li storage properties. <i>CrystEngComm</i> , 2012 , 14, 147-153	3.3	46
120	A facile approach toward transition metal oxide hierarchical structures and their lithium storage properties. <i>Nanoscale</i> , 2012 , 4, 3718-24	7.7	53
119	One-step electrochemical preparation of graphene-based heterostructures for Li storage. <i>Journal of Materials Chemistry</i> , 2012 , 22, 8455		67
118	Controlled synthesis of carbon-coated cobalt sulfide nanostructures in oil phase with enhanced li storage performances. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2999-3006	9.5	125
117	A facile approach to nanoarchitected three-dimensional graphene-based Li-Mn-O composite as high-power cathodes for Li-ion batteries. <i>Beilstein Journal of Nanotechnology</i> , 2012 , 3, 513-23	3	24
116	Electrophoretic build-up of alternately multilayered films and micropatterns based on graphene sheets and nanoparticles and their applications in flexible supercapacitors. <i>Small</i> , 2012 , 8, 3201-8	11	61
115	Photo-modulable molecular transport junctions based on organometallic molecular wires. <i>Chemical Science</i> , 2012 , 3, 3113	9.4	90
114	A leavening strategy to prepare reduced graphene oxide foams. <i>Advanced Materials</i> , 2012 , 24, 4144-50	24	701
113	Direct synthesis of anatase TiO ₂ nanowires with enhanced photocatalytic activity. <i>Advanced Materials</i> , 2012 , 24, 2567-71	24	256
112	Making Graphene Bread – A Leavening Strategy to Prepare Reduced Graphene Oxide Foams (Adv. Mater. 30/2012). <i>Advanced Materials</i> , 2012 , 24, 4143-4143	24	3

111	One-step solvothermal synthesis of single-crystalline TiOF ₂ nanotubes with high lithium-ion battery performance. <i>Chemistry - A European Journal</i> , 2012 , 18, 4026-30	4.8	30
110	Synthesis of Cu _x S/Cu Nanotubes and Their Lithium Storage Properties. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 12468-12474	3.8	82
109	Achieving high specific charge capacitances in Fe ₃ O ₄ /reduced graphene oxide nanocomposites. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3422		378
108	Cobalt Oxide Nanowall Arrays on Reduced Graphene Oxide Sheets with Controlled Phase, Grain Size, and Porosity for Li-Ion Battery Electrodes. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 8400-8406	3.8	181
107	Facile synthesis of metal oxide/reduced graphene oxide hybrids with high lithium storage capacity and stable cyclability. <i>Nanoscale</i> , 2011 , 3, 1084-9	7.7	330
106	Synthesis of Ultrathin Silicon Nanosheets by Using Graphene Oxide as Template. <i>Chemistry of Materials</i> , 2011 , 23, 5293-5295	9.6	151
105	Enhanced thermopower of graphene films with oxygen plasma treatment. <i>ACS Nano</i> , 2011 , 5, 2749-55	16.7	162
104	Synthesis of SnO ₂ Hierarchical Structures Assembled from Nanosheets and Their Lithium Storage Properties. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 24605-24610	3.8	181
103	Facile preparation of hydrated vanadium pentoxide nanobelts based bulky paper as flexible binder-free cathodes for high-performance lithium ion batteries. <i>RSC Advances</i> , 2011 , 1, 117	3.7	75
102	Effect of intermolecular dipole-dipole interactions on interfacial supramolecular structures of C ₃ -symmetric hexa-peri-hexabenzocoronene derivatives. <i>Langmuir</i> , 2011 , 27, 1314-8	4	25
101	Reduced graphene oxide supported highly porous V ₂ O ₅ spheres as a high-power cathode material for lithium ion batteries. <i>Nanoscale</i> , 2011 , 3, 4752-8	7.7	143
100	High-power and high-energy-density flexible pseudocapacitor electrodes made from porous CuO nanobelts and single-walled carbon nanotubes. <i>ACS Nano</i> , 2011 , 5, 2013-9	16.7	304
99	Bulk and interfacial effects in Co-Cr ₂ O ₃ nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 2700-3	1.3	1
98	Cosintering of a Bimodal Pore Distribution Layered Structure: Constitutive Models and Experiments. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 1528-1535	3.8	7
97	Influence of Nano-inclusions on Thermoelectric Properties of n-Type Bi ₂ Te ₃ Nanocomposites. <i>Journal of Electronic Materials</i> , 2011 , 40, 1018-1023	1.9	38
96	Protein-based memristive nanodevices. <i>Small</i> , 2011 , 7, 3016-20	11	59
95	Bottom-up preparation of porous metal-oxide ultrathin sheets with adjustable composition/phases and their applications. <i>Small</i> , 2011 , 7, 3458-64	11	51
94	Epitaxial Growth of Branched Fe ₂ O ₃ /SnO ₂ Nano-Heterostructures with Improved Lithium-Ion Battery Performance. <i>Advanced Functional Materials</i> , 2011 , 21, 2439-2445	15.6	408

93	Controlled synthesis of Ag/Ag/C hybrid nanostructures and their surface-enhanced Raman scattering properties. <i>Chemistry - A European Journal</i> , 2011 , 17, 13386-90	4.8	8
92	Asymmetric anatase TiO ₂ nanocrystals with exposed high-index facets and their excellent lithium storage properties. <i>Nanoscale</i> , 2011 , 3, 4082-4	7.7	55
91	Power Factor Enhancement for Few-Layered Graphene Films by Molecular Attachments. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 1780-1785	3.8	32
90	Enhanced electrochemical catalytic activity of new nickel hydroxide nanostructures with (100) facet. <i>CrystEngComm</i> , 2011 , 13, 188-192	3.3	25
89	Synergetic approach to achieve enhanced lithium ion storage performance in ternary phased SnO ₂ /Fe ₂ O ₃ /rGO composite nanostructures. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12770		76
88	Template-Free Electrochemical Deposition of Interconnected ZnSb Nanoflakes for Li-Ion Battery Anodes. <i>Chemistry of Materials</i> , 2011 , 23, 1032-1038	9.6	61
87	Template free electrochemical deposition of ZnSb nanotubes for Li ion battery anodes. <i>Chemical Communications</i> , 2011 , 47, 9849-51	5.8	33
86	Nanohybridization of ferrocene clusters and reduced graphene oxides with enhanced lithium storage capability. <i>Chemical Communications</i> , 2011 , 47, 10383-5	5.8	31
85	Solution heteroepitaxial growth of dendritic SnO ₂ /TiO ₂ hybrid nanowires. <i>Journal of Materials Research</i> , 2011 , 26, 2254-2260	2.5	29
84	Controlled CVD growth of Cu-Sb alloy nanostructures. <i>Nanotechnology</i> , 2011 , 22, 325602	3.4	10
83	Growth of dandelion-shaped CuInSe ₂ nanostructures by a two-step solvothermal process. <i>Nanotechnology</i> , 2011 , 22, 195607	3.4	21
82	Enhanced high temperature thermoelectric properties of Bi-doped c-axis oriented Ca ₃ Co ₄ O ₉ thin films by pulsed laser deposition. <i>Journal of Applied Physics</i> , 2010 , 108, 083709	2.5	39
81	Sb ₂ Te ₃ Nanoparticles with Enhanced Seebeck Coefficient and Low Thermal Conductivity. <i>Chemistry of Materials</i> , 2010 , 22, 3086-3092	9.6	77
80	Generation of dual patterns of metal oxide nanomaterials based on seed-mediated selective growth. <i>Langmuir</i> , 2010 , 26, 4616-9	4	11
79	Reducing the symmetry of bimetallic Au@Ag nanoparticles by exploiting eccentric polymer shells. <i>Journal of the American Chemical Society</i> , 2010 , 132, 9537-9	16.4	117
78	Biomolecule-assisted hydrothermal synthesis and self-assembly of Bi ₂ Te ₃ nanostring-cluster hierarchical structure. <i>ACS Nano</i> , 2010 , 4, 2523-30	16.7	86
77	Tuning the shape and thermoelectric property of PbTe nanocrystals by bismuth doping. <i>Nanoscale</i> , 2010 , 2, 1256-9	7.7	40
76	Controlled Synthesis of Sb Nanostructures and Their Conversion to CoSb ₃ Nanoparticle Chains for Li-Ion Battery Electrodes. <i>Chemistry of Materials</i> , 2010 , 22, 5333-5339	9.6	57

75	p-type Bi _{0.4} Sb _{1.6} Te ₃ nanocomposites with enhanced figure of merit. <i>Applied Physics Letters</i> , 2010 , 96, 182104	3.4	121
74	Synthesis of porous NiO nanocrystals with controllable surface area and their application as supercapacitor electrodes. <i>Nano Research</i> , 2010 , 3, 643-652	10	472
73	Effects of Pulsed Laser Deposition Conditions on the Microstructure of Ca ₃ Co ₄ O ₉ Thin Films. <i>Journal of Electronic Materials</i> , 2010 , 39, 1611-1615	1.9	14
72	Effects of Co:Sb Molar Ratio on Synthesis and Properties of Undoped CoSb ₃ Prepared via a Polyol Method. <i>Journal of Electronic Materials</i> , 2010 , 39, 1543-1548	1.9	1
71	Densification of porous 8 mol% yttria-stabilized zirconia component: modelling and experimental studies. <i>Journal of Materials Science</i> , 2010 , 45, 575-581	4.3	7
70	Synthesis and characterization of self-assembled nanoenergetic AlFe ₂ O ₃ thermite system. <i>Journal of Physics and Chemistry of Solids</i> , 2010 , 71, 90-94	3.9	66
69	Kinetic study of thermal- and impact-initiated reactions in AlFe ₂ O ₃ nanothermite. <i>Combustion and Flame</i> , 2010 , 157, 2241-2249	5.3	77
68	Thermoelectric properties of p-type CoSb ₃ nanocomposites with dispersed CoSb ₃ nanoparticles. <i>Journal of Applied Physics</i> , 2009 , 106, 013705	2.5	24
67	High-temperature lasing characteristics of randomly assembled SnO ₂ backbone nanowires coated with ZnO nanofins. <i>Journal of Applied Physics</i> , 2009 , 106, 123105	2.5	12
66	Improved thermal properties of Al powders coated with submicron-sized hollow nickel particles. <i>Journal of Materials Research</i> , 2009 , 24, 3220-3225	2.5	4
65	Synthesis and high temperature thermoelectric properties of calcium and cerium double-filled skutterudites Ca _{0.1} Ce _x Co ₄ Sb ₁₂ . <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 105408	3	21
64	Deposition of nickel nanoparticles onto aluminum powders using a modified polyol process. <i>Materials Research Bulletin</i> , 2009 , 44, 95-99	5.1	20
63	Binary-Phased Nanoparticles for Enhanced Thermoelectric Properties. <i>Advanced Materials</i> , 2009 , 21, 3196-3200	24	61
62	The grain refinement of Al-6061 via ECAE processing: Deformation behavior, microstructure and property. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 526, 84-92	5.3	37
61	Influence of pulsed laser deposition rate on the microstructure and thermoelectric properties of Ca ₃ Co ₄ O ₉ thin films. <i>Journal of Crystal Growth</i> , 2009 , 311, 4123-4128	1.6	35
60	Cr ₂ O ₃ doping in ZnO-5 mol% V ₂ O ₅ varistor ceramics. <i>Ceramics International</i> , 2009 , 35, 409-413	5.1	40
59	Characterization of Al-doped ZnO thermoelectric materials prepared by RF plasma powder processing and hot press sintering. <i>Ceramics International</i> , 2009 , 35, 3067-3072	5.1	78
58	Synthesis and thermoelectric properties of double-filled skutterudites Ce _y Yb _{0.5} Fe _{1.5} Co _{2.5} Sb ₁₂ . <i>Journal of Alloys and Compounds</i> , 2009 , 467, 528-532	5.7	24

57	Effects of Nb doping on thermoelectric properties of Zn ₄ Sb ₃ at high temperatures. <i>Journal of Materials Research</i> , 2009 , 24, 430-435	2.5	34
56	Fabrication of CoreShell Structure of (M=Se, Au, Ag ₂ Se) and Transformation to YolkShell Structure by Electron Beam Irradiation or Vacuum Annealing. <i>Chemistry of Materials</i> , 2009 , 21, 3848-3852	9.6	53
55	Synthesis of CoSb ₃ by a modified polyol process. <i>Materials Letters</i> , 2008 , 62, 2483-2485	3.3	22
54	A Simple Chemical Approach for PbTe Nanowires with Enhanced Thermoelectric Properties. <i>Chemistry of Materials</i> , 2008 , 20, 6298-6300	9.6	91
53	Effect of various deposition parameters on the co-deposition behavior of cobalt antimony in citric-based solution. <i>Journal of Materials Research</i> , 2008 , 23, 3013-3020	2.5	8
52	A Study on the Electrodeposition Behavior of Cobalt Antimonides in Citric Based Solutions. <i>Solid State Phenomena</i> , 2008 , 136, 75-82	0.4	4
51	Synthesis of Nano-Sized Co-Sb Compounds through Solvothermal Routes. <i>Solid State Phenomena</i> , 2008 , 136, 57-62	0.4	
50	Electrical transport and thermoelectric properties of double filled compounds Ca _{0.1} Ce _x Co ₄ Sb ₁₂ at low temperatures. <i>Journal of Applied Physics</i> , 2008 , 104, 103720	2.5	15
49	Effects of MgO doping in ZnO _{0.5} mol% V ₂ O ₅ varistors. <i>Ceramics International</i> , 2008 , 34, 1153-1157	5.1	21
48	Synthesis of sub-micron nickel particles coated onto aluminum powders via a modified polyol process. <i>Metals and Materials International</i> , 2008 , 14, 583-587	2.4	3
47	Study of deformation homogeneity in the multi-pass equal channel angular extrusion process. <i>Journal of Materials Processing Technology</i> , 2007 , 192-193, 121-127	5.3	19
46	Bulk nanostructured processing of aluminum alloy. <i>Journal of Materials Processing Technology</i> , 2007 , 192-193, 575-581	5.3	40
45	Microstructure and Properties of Al-6061 Alloy by Equal Channel Angular Extrusion for 16 Passes. <i>Materials and Manufacturing Processes</i> , 2007 , 22, 819-824	4.1	38
44	Deformation Behavior Study of Multi-Pass ECAE Process for Fabrication of Ultrafine or Nanostructured Bulk Materials. <i>Materials and Manufacturing Processes</i> , 2006 , 21, 507-512	4.1	19
43	Formation conditions of random laser cavities in annealed ZnO epilayers. <i>IEEE Journal of Quantum Electronics</i> , 2005 , 41, 970-973	2	12
42	Laser action in ZnO nanoneedles selectively grown on silicon and plastic substrates. <i>Applied Physics Letters</i> , 2005 , 87, 013104	3.4	68
41	Low-loss and directional output ZnO thin-film ridge waveguide random lasers with MgO capped layer. <i>Applied Physics Letters</i> , 2005 , 86, 031112	3.4	41
40	Field emission from zinc oxide nanoneedles on plastic substrates. <i>Nanotechnology</i> , 2005 , 16, 1300-1303	3.4	48

39	Flexible ultraviolet random lasers based on nanoparticles. <i>Small</i> , 2005 , 1, 956-9	11	41
38	PRODUCTION AND GRAIN STABILITY OF NANOCRYSTALLINE Fe-Si POWDERS AND THE EFFECTS OF ALUMINIUM ADDITION. <i>International Journal of Nanoscience</i> , 2005 , 04, 667-676	0.6	
37	Microstructure and Current-Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2455-2462	3.8	64
36	Zinc Vanadates in Vanadium Oxide-Doped Zinc Oxide Varistors. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 435-41	3.8	15
35	Internal stress and surface morphology of zinc oxide thin films deposited by filtered cathodic vacuum arc technique. <i>Thin Solid Films</i> , 2004 , 458, 15-19	2.2	41
34	Structural, electrical and optical properties of Al-doped ZnO thin films prepared by filtered cathodic vacuum arc technique. <i>Journal of Crystal Growth</i> , 2004 , 268, 596-601	1.6	131
33	Production and annealing of nanocrystalline Fe ₃ Si and Fe ₃ Si/Al alloy powders. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 371, 210-216	5.3	48
32	Effects of addition of Pb(Y ₁ /2Nb ₁ /2)O ₃ (PYN) on microstructure and piezoelectric properties of Pb(Zr _{0.53} Ti _{0.47})O ₃ . <i>Ceramics International</i> , 2004 , 30, 2171-2176	5.1	10
31	Microstructure and properties of PZT _{53/47} thick films derived from sols with submicron-sized PZT particle. <i>Ceramics International</i> , 2004 , 30, 1925-1927	5.1	15
30	ZnO thin films produced by filtered cathodic vacuum arc technique. <i>Ceramics International</i> , 2004 , 30, 1669-1674	5.1	18
29	Microstructure and current-voltage characteristics of ZnO/V ₂ O ₅ /MnO ₂ varistor system. <i>Ceramics International</i> , 2004 , 30, 1647-1653	5.1	43
28	Synthesis and characterization of high-energy ball milled Ni ₁₅ Fe ₈ Mo. <i>Journal of Alloys and Compounds</i> , 2004 , 379, 266-271	5.7	36
27	Formation kinetics of Ni ₁₅ Fe ₈ Mo during ball milling. <i>Materials Letters</i> , 2004 , 58, 2824-2828	3.3	24
26	Nanoparticles of polystyrene latexes by semicontinuous microemulsion polymerization using mixed surfactants. <i>Journal of Nanoscience and Nanotechnology</i> , 2003 , 3, 235-40	1.3	17
25	Grain growth of ZnO in binary ZnO-V ₂ O ₅ ceramics. <i>Journal of Materials Science</i> , 2003 , 38, 2367-2372	4.3	12
24	Enhancement of near-band-edge photoluminescence from ZnO films by face-to-face annealing. <i>Journal of Crystal Growth</i> , 2003 , 259, 335-342	1.6	116
23	Evolution of visible luminescence in ZnO by thermal oxidation of zinc films. <i>Chemical Physics Letters</i> , 2003 , 375, 113-118	2.5	69
22	Observations of nitrogen-related photoluminescence bands from nitrogen-doped ZnO films. <i>Journal of Crystal Growth</i> , 2003 , 252, 265-269	1.6	44

21	The ferroelectric-antiferroelectric transition in $\text{Pb}[\text{Zr}_{0.9}(\text{Ce}_{\text{x}}\text{Ti}_{1-\text{x}})_{0.1}]\text{O}_3$ due to Ce^{4+} doping. <i>Solid State Communications</i> , 2003 , 125, 297-300	1.6	8
20	Photoluminescence study of ZnO films prepared by thermal oxidation of Zn metallic films in air. <i>Journal of Applied Physics</i> , 2003 , 94, 354-358	2.5	356
19	Microstructural Features of Solid-State Diffusion Bonded Incoloy MA 956. <i>Materials and Manufacturing Processes</i> , 2003 , 18, 599-608	4.1	2
18	Grain growth in sintered ZnO-x mol% V ₂ O ₅ ceramics. <i>Materials Letters</i> , 2003 , 57, 1411-1416	3.3	49
17	Comprehensive study of ZnO films prepared by filtered cathodic vacuum arc at room temperature. <i>Journal of Applied Physics</i> , 2003 , 94, 1597-1604	2.5	191
16	F spots and domain patterns in rhombohedral $\text{PbZr}_{0.90}\text{Ti}_{0.10}\text{O}_3$. <i>Applied Physics Letters</i> , 2003 , 83, 3692-3694	3.1	15
15	Effects of MnO ₂ doping in V ₂ O ₅ -doped ZnO varistor system. <i>Materials Chemistry and Physics</i> , 2002 , 75, 61-66	4.4	63
14	Effects of dopants on the microstructure and properties of PZT ceramics. <i>Materials Chemistry and Physics</i> , 2002 , 75, 151-156	4.4	38
13	Microstructure and current-voltage characteristics of praseodymium-doped zinc oxide varistors containing MnO ₂ , Sb ₂ O ₃ and Co ₃ O ₄ . <i>Journal of Materials Science</i> , 2002 , 37, 1143-1154	4.3	27
12	High thermal conductivity ceramic layered system substrates for microelectronic applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2002 , 13, 461-464	2.1	7
11	Low Temperature Processing of Nanocrystalline Lead Zirconate Titanate (PZT) Thick Films and Ceramics by a Modified Sol-Gel Route. <i>Japanese Journal of Applied Physics</i> , 2002 , 41, 6969-6975	1.4	40
10	Sol-Gel Derived PZT Thick Films with Nano-Sized Microstructure. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 748, 1		1
9	Characterisation of Zn ₃ (VO ₄) ₂ phases in V ₂ O ₅ -doped ZnO varistors. <i>Journal of the European Ceramic Society</i> , 1999 , 19, 721-726	6	61
8	Glass forming ability of bulk glass forming alloys. <i>Scripta Materialia</i> , 1997 , 36, 783-787	5.6	92
7	Critical cooling rates for glass formation in Zr-Al-Cu-Ni alloys. <i>Journal of Non-Crystalline Solids</i> , 1996 , 208, 127-138	3.9	36
6	Critical cooling rates of glass formation in Mg-based Mg-Ni-Nd alloys. <i>Journal of Materials Science Letters</i> , 1995 , 14, 988-990		8
5	XPS and SIMS studies of MBE-grown CdTe/InSb(001) heterostructures. <i>Journal of Physics Condensed Matter</i> , 1995 , 7, 4359-4369	1.8	12
4	Surface chemical states on 3C-SiC/Si epilayers. <i>Applied Surface Science</i> , 1994 , 81, 377-385	6.7	19

3	XPS and Sims Studies of CVD-GROWN Cubic SiC Films on Si(100). <i>Materials Research Society Symposia Proceedings</i> , 1994 , 339, 411		2
2	Synthesis of PbTe Nanowires with Enhanced Seebeck Coefficient. <i>Ceramic Transactions</i> , 147-153	0.1	
1	Synthesis and characterization of a novel azido fluoroalkyl oligoether energetic plasticizer. <i>Journal of Materials Research</i> , 1	2.5	0