

Edward Roddy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6680478/edward-roddy-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

2,763
citations

28
h-index

49
g-index

128
ext. papers

3,529
ext. citations

4.1
avg, IF

5.57
L-index

#	Paper	IF	Citations
101	Structural Characteristics Associated With Radiographic Severity of First Metatarsophalangeal Joint Osteoarthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 1023-1030	4.7	0
100	Defining Symptomatic Radiographic Foot Osteoarthritis: Comment on the Article by Golightly and Gates. <i>Arthritis Care and Research</i> , 2021 , 73, 1697-1698	4.7	
99	Onset of comorbidities and flare patterns within pre-existing morbidity clusters in people with gout: 5-year primary care cohort study. <i>Rheumatology</i> , 2021 ,	3.9	3
98	Self-management advice, exercise and foot orthoses for plantar heel pain: the TREADON pilot and feasibility randomised trial. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 92	1.9	2
97	Improving outcomes for patients hospitalised with gout: a systematic review. <i>Rheumatology</i> , 2021 ,	3.9	1
96	Response to: Open-label randomised pragmatic trial (CONTACT) comparing naproxen and low-dose colchicine for the treatment of gout flares in primary care Sby Parperis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e203	2.4	1
95	Optimising outcomes of exercise and corticosteroid injection in patients with subacromial pain (impingement) syndrome: a factorial randomised trial. <i>British Journal of Sports Medicine</i> , 2021 , 55, 262-271	10.3	11
94	The cost-effectiveness of different approaches to exercise and corticosteroid injection for subacromial pain (impingement) syndrome. <i>Rheumatology</i> , 2021 , 60, 4175-4184	3.9	1
93	Predicting pain and function outcomes in people consulting with shoulder pain: the PANDA-S clinical cohort and qualitative study protocol. <i>BMJ Open</i> , 2021 , 11, e052758	3	0
92	Reply to Dr. Lai regarding Allopurinol Hypersensitivity Syndrome in patients of Asian ancestry. <i>Arthritis Care and Research</i> , 2021 ,	4.7	
91	It's just a great muddle when it comes to food's a qualitative exploration of patient decision-making around diet and gout. <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkab055	1.1	
90	Measures of Foot Pain, Foot Function, and General Foot Health. <i>Arthritis Care and Research</i> , 2020 , 72 Suppl 10, 294-320	4.7	1
89	Global epidemiology of gout: prevalence, incidence, treatment patterns and risk factors. <i>Nature Reviews Rheumatology</i> , 2020 , 16, 380-390	8.1	165
88	Open-label randomised pragmatic trial (CONTACT) comparing naproxen and low-dose colchicine for the treatment of gout flares in primary care. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 276-284	2.4	20
87	Associations Between Calcaneal Enthesophytes and Osteoarthritis of the Hands and Feet. <i>Arthritis Care and Research</i> , 2020 , 72, 1343-1348	4.7	
86	Latent Class Growth Analysis of Gout Flare Trajectories: A Three-Year Prospective Cohort Study in Primary Care. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1928-1935	9.5	3
85	Comparative Responsiveness of Outcome Measures for the Assessment of Pain and Function in Osteoarthritis of the First Metatarsophalangeal Joint. <i>Arthritis Care and Research</i> , 2020 , 72, 679-684	4.7	5

84	Predictors of the effects of treatment for shoulder pain: protocol of an individual participant data meta-analysis. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 15	5.5	4
83	Gout, Hyperuricaemia and Crystal-Associated Disease Network (G-CAN) consensus statement regarding labels and definitions of disease states of gout. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1592-1600	2.4	45
82	Foot structure, pain and functional ability in people with gout in primary care: cross-sectional findings from the Clinical Assessment Study of the Foot. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 8	3.2	4
81	Gender-specific risk factors for gout: a systematic review of cohort studies. <i>Advances in Rheumatology</i> , 2019 , 59, 24	3	4
80	Venous thromboembolism in patients with gout and the impact of hospital admission, disease duration and urate-lowering therapy. <i>Cmaj</i> , 2019 , 191, E597-E603	3.5	6
79	Gout, Hyperuricemia, and Crystal-Associated Disease Network Consensus Statement Regarding Labels and Definitions for Disease Elements in Gout. <i>Arthritis Care and Research</i> , 2019 , 71, 427-434	4.7	39
78	Comparative effectiveness of treatment options for plantar heel pain: a systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2019 , 53, 182-194	10.3	41
77	Plantar heel pain in middle-aged and older adults: population prevalence, associations with health status and lifestyle factors, and frequency of healthcare use. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 337	2.8	20
76	Primary Care Diagnosis of Gout Compared to a Primary Care Diagnostic Rule for Gout and to Classification Criteria. <i>Journal of Rheumatology</i> , 2019 , 46, 1542	4.1	1
75	The Risk of Gout Among Patients With Sleep Apnea: A Matched Cohort Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 154-160	9.5	10
74	Coexistence of plantar calcaneal spurs and plantar fascial thickening in individuals with plantar heel pain. <i>Rheumatology</i> , 2019 , 58, 237-245	3.9	10
73	Prevalence of Foot Pain Across an International Consortium of Population-Based Cohorts. <i>Arthritis Care and Research</i> , 2019 , 71, 661-670	4.7	11
72	Comorbidity clusters in people with gout: an observational cohort study with linked medical record review. <i>Rheumatology</i> , 2018 , 57, 1358-1363	3.9	24
71	Gout Severity, Socioeconomic Status, and Work Absence: A Cross-Sectional Study in Primary Care. <i>Arthritis Care and Research</i> , 2018 , 70, 1822-1828	4.7	4
70	Management of gout by UK rheumatologists: a British Society for Rheumatology national audit. <i>Rheumatology</i> , 2018 , 57, 826-830	3.9	16
69	Foot osteoarthritis: latest evidence and developments. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2018 , 10, 91-103	3.8	28
68	Health-related quality of life in gout in primary care: Baseline findings from a cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 61-69	5.3	18
67	Symptomatic Course of Foot Osteoarthritis Phenotypes: An 18-Month Prospective Analysis of Community-Dwelling Older Adults. <i>Arthritis Care and Research</i> , 2018 , 70, 1107-1112	4.7	7

66	Population prevalence and distribution of ankle pain and symptomatic radiographic ankle osteoarthritis in community dwelling older adults: A systematic review and cross-sectional study. <i>PLoS ONE</i> , 2018 , 13, e0193662	3.7	40
65	Obesity, hypertension and diuretic use as risk factors for incident gout: a systematic review and meta-analysis of cohort studies. <i>Arthritis Research and Therapy</i> , 2018 , 20, 136	5.7	32
64	Risk of fracture among patients with polymyalgia rheumatica and giant cell arteritis: a population-based study. <i>BMC Medicine</i> , 2018 , 16, 4	11.4	31
63	The clinical and cost-effectiveness of corticosteroid injection versus night splints for carpal tunnel syndrome (INSTINCTS trial): an open-label, parallel group, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 1423-1433	40	40
62	Risk of chronic kidney disease in patients with gout and the impact of urate lowering therapy: a population-based cohort study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 243	5.7	25
61	A randomised controlled trial of the clinical and cost-effectiveness of ultrasound-guided intra-articular corticosteroid and local anaesthetic injections: the hip injection trial (HIT) protocol. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 218	2.8	6
60	Risk of fragility fracture among patients with gout and the effect of urate-lowering therapy. <i>Cmaj</i> , 2018 , 190, E581-E587	3.5	9
59	Colchicine in overdose. <i>British Journal of General Practice</i> , 2017 , 67, 61	1.6	2
58	Shoe-stiffening inserts for first metatarsophalangeal joint osteoarthritis (the SIMPLE trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 198	2.8	6
57	Predictors of response to prefabricated foot orthoses or rocker-sole footwear in individuals with first metatarsophalangeal joint osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 185	2.8	6
56	The British Society for Rheumatology Guideline for the Management of Gout. <i>Rheumatology</i> , 2017 , 56, e1-e20	3.9	104
55	The British Society for Rheumatology Guideline for the Management of Gout. <i>Rheumatology</i> , 2017 , 56, 1056-1059	3.9	41
54	Improving management of gout in primary care: a new UK management guideline. <i>British Journal of General Practice</i> , 2017 , 67, 284-285	1.6	2
53	Development and delivery of a physiotherapist-led exercise intervention in a randomised controlled trial for subacromial impingement syndrome (the SUPPORT trial). <i>Physiotherapy</i> , 2017 , 103, 379-386	3	7
52	Content and Evaluation of the Benefits of Effective Exercise for Older Adults With Knee Pain Trial Physiotherapist Training Program. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 866-873	2.8	5
51	Feasibility randomised multicentre, double-blind, double-dummy controlled trial of anakinra, an interleukin-1 receptor antagonist versus intramuscular methylprednisolone for acute gout attacks in patients with chronic kidney disease (ASGARD): protocol study. <i>BMJ Open</i> , 2017 , 7, e017121	3	6
50	Incident acute pseudogout and prior bisphosphonate use: Matched case-control study in the UK-Clinical Practice Research Datalink. <i>Medicine (United States)</i> , 2017 , 96, e6177	1.8	10
49	Management of shoulder pain by UK general practitioners (GPs): a national survey. <i>BMJ Open</i> , 2017 , 7, e015711	3	23

48	Gout and subsequent erectile dysfunction: a population-based cohort study from England. <i>Arthritis Research and Therapy</i> , 2017 , 19, 123	5.7	10
47	GPs Attitudes, beliefs and behaviours regarding exercise for chronic knee pain: a questionnaire survey. <i>BMJ Open</i> , 2017 , 7, e014999	3	23
46	Factors Influencing Allopurinol Initiation in Primary Care. <i>Annals of Family Medicine</i> , 2017 , 15, 557-560	2.9	6
45	Reconsultation, self-reported health status and costs following treatment at a musculoskeletal Clinical Assessment and Treatment Service (CATS): a 12-month prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e011735	3	1
44	What influences general practitioners' use of exercise for patients with chronic knee pain? Results from a national survey. <i>BMC Family Practice</i> , 2016 , 17, 172	2.6	16
43	Illness perceptions of gout patients and the use of allopurinol in primary care: baseline findings from a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 394	2.8	7
42	The association between gout and radiographic hand, knee and foot osteoarthritis: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 169	2.8	16
41	Foot orthoses in the treatment of symptomatic midfoot osteoarthritis using clinical and biomechanical outcomes: a randomised feasibility study. <i>Clinical Rheumatology</i> , 2016 , 35, 987-96	3.9	26
40	"You want to get on with the rest of your life": a qualitative study of health-related quality of life in gout. <i>Clinical Rheumatology</i> , 2016 , 35, 1197-205	3.9	41
39	Investigations of Potential Phenotypes of Foot Osteoarthritis: Cross-Sectional Analysis From the Clinical Assessment Study of the Foot. <i>Arthritis Care and Research</i> , 2016 , 68, 217-27	4.7	20
38	A joint effort over a period of time: factors affecting use of urate-lowering therapy for long-term treatment of gout. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 249	2.8	10
37	The clinical and cost effectiveness of steroid injection compared with night splints for carpal tunnel syndrome: the INSTINCTS randomised clinical trial study protocol. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 415	2.8	6
36	Epidemiology of Shoe Wearing Patterns Over Time in Older Women: Associations With Foot Pain and Hallux Valgus. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1682-1687	6.4	42
35	Gout characteristics associate with depression, but not anxiety, in primary care: Baseline findings from a prospective cohort study. <i>Joint Bone Spine</i> , 2016 , 83, 553-8	2.9	13
34	Effectiveness of Foot Orthoses Versus Rocker-Sole Footwear for First Metatarsophalangeal Joint Osteoarthritis: Randomized Trial. <i>Arthritis Care and Research</i> , 2016 , 68, 581-9	4.7	36
33	Response to: Risk of vascular disease with gout: overadjustment of the statistical analyses? Sby van Durme et al. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e10	2.4	
32	Epidemiology of posterior heel pain in the general population: cross-sectional findings from the clinical assessment study of the foot. <i>Arthritis Care and Research</i> , 2015 , 67, 996-1003	4.7	15
31	Increased risk of vascular disease associated with gout: a retrospective, matched cohort study in the UK clinical practice research datalink. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 642-7	2.4	68

30	Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 77	2.8	24
29	The epidemiology of symptomatic midfoot osteoarthritis in community-dwelling older adults: cross-sectional findings from the Clinical Assessment Study of the Foot. <i>Arthritis Research and Therapy</i> , 2015 , 17, 178	5.7	31
28	The population prevalence of symptomatic radiographic foot osteoarthritis in community-dwelling older adults: cross-sectional findings from the clinical assessment study of the foot. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 156-63	2.4	98
27	Foot problems in people with gout in primary care: baseline findings from a prospective cohort study. <i>Journal of Foot and Ankle Research</i> , 2015 , 8, 31	3.2	27
26	Mapping patients' experiences from initial symptoms to gout diagnosis: a qualitative exploration. <i>BMJ Open</i> , 2015 , 5, e008323	3	24
25	"Why me? I don't fit the mould - I am a freak of nature": a qualitative study of women's experience of gout. <i>BMC Women's Health</i> , 2015 , 15, 122	2.9	20
24	Sleep Apnea and the Risk of Incident Gout: A Population-Based, Body Mass Index-Matched Cohort Study. <i>Arthritis and Rheumatology</i> , 2015 , 67, 3298-302	9.5	16
23	Gout and risk of chronic kidney disease and nephrolithiasis: meta-analysis of observational studies. <i>Arthritis Research and Therapy</i> , 2015 , 17, 90	5.7	83
22	Evaluation of the measurement properties of the Manchester foot pain and disability index. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 276	2.8	7
21	Epidemiology of gout. <i>Rheumatic Disease Clinics of North America</i> , 2014 , 40, 155-75	2.4	207
20	188. The Epidemiology of Midfoot Pain and Symptomatic Midfoot Osteoarthritis: Cross-Sectional Findings from the Clinical Assessment Study of the Foot. <i>Rheumatology</i> , 2014 , 53, i129-i130	3.9	3
19	191. Factors Associated with Radiographic Severity of First Metatarsophalangeal Joint Osteoarthritis: Findings from the Clinical Assessment Study of the Foot. <i>Rheumatology</i> , 2014 , 53, i131-i139	3.9	3
18	Subacromial impingement syndrome and pain: protocol for a randomised controlled trial of exercise and corticosteroid injection (the SUPPORT trial). <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 81	2.8	28
17	Rocker-sole footwear versus prefabricated foot orthoses for the treatment of pain associated with first metatarsophalangeal joint osteoarthritis: study protocol for a randomised trial. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 86	2.8	13
16	The association of gout with sleep disorders: a cross-sectional study in primary care. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 119	2.8	14
15	Improvement in the management of gout is vital and overdue: an audit from a UK primary care medical practice. <i>BMC Family Practice</i> , 2013 , 14, 170	2.6	54
14	Gout. <i>BMJ, The</i> , 2013 , 347, f5648	5.9	49
13	Serum urate levels are unchanged with continuous positive airway pressure therapy for obstructive sleep apnea: a randomized controlled trial. <i>Sleep Medicine</i> , 2013 , 14, 1419-21	4.6	17

12	Treatment of hyperuricaemia and gout. <i>Clinical Medicine</i> , 2013 , 13, 400-3	1.9	12
11	Health-related quality of life in gout: a systematic review. <i>Rheumatology</i> , 2013 , 52, 2031-40	3.9	78
10	Inter and intra-rater repeatability of the scoring of foot pain drawings. <i>Journal of Foot and Ankle Research</i> , 2013 , 6, 44	3.2	25
9	Musculoskeletal clinical assessment and treatment services at the primary-secondary care interface: an observational study. <i>British Journal of General Practice</i> , 2013 , 63, e141-8	1.6	15
8	Prospective observational cohort study of Health Related Quality of Life (HRQOL), chronic foot problems and their determinants in gout: a research protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 219	2.8	16
7	The population prevalence of foot and ankle pain in middle and old age: a systematic review. <i>Pain</i> , 2011 , 152, 2870-2880	8	171
6	Prescription and comorbidity screening following consultation for acute gout in primary care. <i>Rheumatology</i> , 2010 , 49, 105-11	3.9	49
5	Characteristics of primary care consultations for musculoskeletal foot and ankle problems in the UK. <i>Rheumatology</i> , 2010 , 49, 1391-8	3.9	80
4	Defining disabling foot pain in older adults: further examination of the Manchester Foot Pain and Disability Index. <i>Rheumatology</i> , 2009 , 48, 992-6	3.9	39
3	A rasch analysis of the Manchester foot pain and disability index. <i>Journal of Foot and Ankle Research</i> , 2009 , 2, 29	3.2	21
2	Are joints affected by gout also affected by osteoarthritis?. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1374-7	2.4	96
1	Concordance of the management of chronic gout in a UK primary-care population with the EULAR gout recommendations. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1311-5	2.4	149