Eric Assenat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6682166/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	FOLFIRINOX versus Gemcitabine for Metastatic Pancreatic Cancer. New England Journal of Medicine, 2011, 364, 1817-1825.	27.0	6,140
2	FOLFIRINOX or Gemcitabine as Adjuvant Therapy for Pancreatic Cancer. New England Journal of Medicine, 2018, 379, 2395-2406.	27.0	1,931
3	Ramucirumab after sorafenib in patients with advanced hepatocellular carcinoma and increased α-fetoprotein concentrations (REACH-2): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Oncology, The, 2019, 20, 282-296.	10.7	1,202
4	Efficacy and safety of selective internal radiotherapy with yttrium-90 resin microspheres compared with sorafenib in locally advanced and inoperable hepatocellular carcinoma (SARAH): an open-label randomised controlled phase 3 trial. Lancet Oncology, The, 2017, 18, 1624-1636.	10.7	595
5	Nivolumab versus sorafenib in advanced hepatocellular carcinoma (CheckMate 459): a randomised, multicentre, open-label, phase 3 trial. Lancet Oncology, The, 2022, 23, 77-90.	10.7	526
6	Effect of Everolimus on Survival in Advanced Hepatocellular Carcinoma After Failure of Sorafenib. JAMA - Journal of the American Medical Association, 2014, 312, 57.	7.4	515
7	2019 international clinical practice guidelines for the treatment and prophylaxis of venous thromboembolism in patients with cancer. Lancet Oncology, The, 2019, 20, e566-e581.	10.7	458
8	Gemcitabine and oxaliplatin with or without cetuximab in advanced biliary-tract cancer (BINGO): a randomised, open-label, non-comparative phase 2 trial. Lancet Oncology, The, 2014, 15, 819-828.	10.7	345
9	Establishment and Characterization of a Cell Line from Human Circulating Colon Cancer Cells. Cancer Research, 2015, 75, 892-901.	0.9	321
10	Personalised versus standard dosimetry approach of selective internal radiation therapy in patients with locally advanced hepatocellular carcinoma (DOSISPHERE-01): a randomised, multicentre, open-label phase 2 trial. The Lancet Gastroenterology and Hepatology, 2021, 6, 17-29.	8.1	307
11	Tivantinib for second-line treatment of MET-high, advanced hepatocellular carcinoma (METIV-HCC): a final analysis of a phase 3, randomised, placebo-controlled study. Lancet Oncology, The, 2018, 19, 682-693.	10.7	285
12	Objective response by mRECIST as a predictor and potential surrogate end-point of overall survival in advanced HCC. Journal of Hepatology, 2017, 66, 1166-1172.	3.7	178
13	Interleukin 1? inhibits CAR-induced expression of hepatic genes involved in drug and bilirubin clearance. Hepatology, 2004, 40, 951-960.	7.3	146
14	Intravoxel Incoherent Motion–derived Histogram Metrics for Assessment of Response after Combined Chemotherapy and Radiation Therapy in Rectal Cancer: Initial Experience and Comparison between Single-Section and Volumetric Analyses. Radiology, 2016, 280, 446-454.	7.3	136
15	KRAS G12D Mutation Subtype Is A Prognostic Factor for Advanced Pancreatic Adenocarcinoma. Clinical and Translational Gastroenterology, 2016, 7, e157.	2.5	135
16	Lean body mass as an independent determinant of doseâ€ŀimiting toxicity and neuropathy in patients with colon cancer treated with FOLFOX regimens. Cancer Medicine, 2016, 5, 607-616.	2.8	119
17	Excessive alcohol consumption after liver transplantation impacts on long-term survival, whatever the primary indication. Journal of Hepatology, 2012, 57, 306-312.	3.7	118
18	Nutritional support during oncologic treatment of patients with gastrointestinal cancer: Who could benefit?. Cancer Treatment Reviews, 2008, 34, 568-575.	7.7	106

Eric Assenat

#	Article	IF	CITATIONS
19	MR Volumetric Measurement of Low Rectal Cancer Helps Predict Tumor Response and Outcome after Combined Chemotherapy and Radiation Therapy. Radiology, 2012, 263, 409-418.	7.3	95
20	A Randomized Phase II Trial of Three Intensified Chemotherapy Regimens in First-Line Treatment of Colorectal Cancer Patients with Initially Unresectable or Not Optimally Resectable Liver Metastases. The METHEP Trial. Annals of Surgical Oncology, 2013, 20, 4289-4297.	1.5	80
21	Cetuximab Plus FOLFIRINOX (ERBIRINOX) as First-Line Treatment for Unresectable Metastatic Colorectal Cancer: A Phase II Trial. Oncologist, 2011, 16, 1557-1564.	3.7	74
22	Molecular Portrait of Metastasis-Competent Circulating Tumor Cells in Colon Cancer Reveals the Crucial Role of Genes Regulating Energy Metabolism and DNA Repair. Clinical Chemistry, 2017, 63, 700-713.	3.2	67
23	Pathophysiological Factors Affecting CAR Gene Expression. Drug Metabolism Reviews, 2003, 35, 255-268.	3.6	63
24	Dual targeting of HER1/EGFR and HER2 with cetuximab and trastuzumab in patients with metastatic pancreatic cancer after gemcitabine failure: results of the "THERAPYâ€phase 1-2 trial. Oncotarget, 2015, 6, 12796-12808.	1.8	56
25	Prophylactic Percutaneous Endoscopic Gastrostomy in Patients With Advanced Head and Neck Tumors Treated by Combined Chemoradiotherapy. Journal of Pain and Symptom Management, 2011, 42, 548-556.	1.2	53
26	Sorafenib Overcomes Irinotecan Resistance in Colorectal Cancer by Inhibiting the ABCG2 Drug-Efflux Pump. Molecular Cancer Therapeutics, 2013, 12, 2121-2134.	4.1	48
27	Incidence of solid organ cancers after liver transplantation: comparison with regional cancer incidence rates and risk factors. Liver International, 2015, 35, 1748-1755.	3.9	47
28	Sorafenib alone vs. sorafenib plus GEMOX as 1st-line treatment for advanced HCC: the phase II randomised PRODIGE 10 trial. British Journal of Cancer, 2019, 120, 896-902.	6.4	42
29	NOD1 Participates in the Innate Immune Response Triggered by Hepatitis C Virus Polymerase. Journal of Virology, 2016, 90, 6022-6035.	3.4	39
30	Serum alpha-fetoprotein and clinical outcomes in patients with advanced hepatocellular carcinoma treated with ramucirumab. British Journal of Cancer, 2021, 124, 1388-1397.	6.4	39
31	Differential regulation of constitutive androstane receptor expression by hepatocyte nuclear factor41± isoforms. Hepatology, 2007, 45, 1146-1153.	7.3	35
32	KRAS genotyping in rectal adenocarcinoma specimens with low tumor cellularity after neoadjuvant treatment. Modern Pathology, 2012, 25, 731-739.	5.5	33
33	Targeting the Wnt Pathway and Cancer Stem Cells with Anti-progastrin Humanized Antibodies as a Potential Treatment for K-RAS-Mutated Colorectal Cancer. Clinical Cancer Research, 2017, 23, 5267-5280.	7.0	32
34	Immunonutrition before and during radiochemotherapy: improvement of inflammatory parameters in head and neck cancer patients. Supportive Care in Cancer, 2012, 20, 3129-3135.	2.2	31
35	Idarubicin-loaded Beads for Chemoembolization of Hepatocellular Carcinoma: The IDASPHERE II Single-Arm Phase II Trial. Radiology, 2019, 291, 801-808.	7.3	31
36	Effect of ramucirumab on ALBI grade in patients with advanced HCC: Results from REACH and REACH-2. JHEP Reports, 2021, 3, 100215.	4.9	31

ERIC ASSENAT

#	Article	IF	CITATIONS
37	Ramucirumab in elderly patients with hepatocellular carcinoma and elevated alphaâ€fetoprotein after sorafenib in REACH and REACHâ€2. Liver International, 2020, 40, 2008-2020.	3.9	26
38	Phase 1b/2 trial of tepotinib in sorafenib pretreated advanced hepatocellular carcinoma with MET overexpression. British Journal of Cancer, 2021, 125, 190-199.	6.4	26
39	Bone metastases in gastrointestinal cancer. Clinical and Experimental Metastasis, 2015, 32, 7-14.	3.3	24
40	Hepatitis C viral proteins perturb metabolic liver zonation. Journal of Hepatology, 2015, 62, 278-285.	3.7	23
41	Phase <scp>II</scp> study evaluating the association of gemcitabine, trastuzumab and erlotinib as firstâ€line treatment in patients with metastatic pancreatic adenocarcinoma (<scp>GATE</scp> 1). International Journal of Cancer, 2021, 148, 682-691.	5.1	23
42	The p53 isoform delta133p53ß regulates cancer cell apoptosis in a RhoB-dependent manner. PLoS ONE, 2017, 12, e0172125.	2.5	23
43	Quantification of HER Expression and Dimerization in Patients' Tumor Samples Using Time-Resolved Förster Resonance Energy Transfer. PLoS ONE, 2012, 7, e37065.	2.5	21
44	SBRT planning for liver metastases: A focus on immobilization, motion management and planning imaging techniques. Reports of Practical Oncology and Radiotherapy, 2017, 22, 103-110.	0.6	21
45	Percutaneous thermal ablation of hepatocellular carcinomas located in the hepatic dome using artificial carbon dioxide pneumothorax: retrospective evaluation of safety and efficacy. International Journal of Hyperthermia, 2018, 35, 90-96.	2.5	21
46	Association of COVID-19 Lockdown With the Tumor Burden in Patients With Newly Diagnosed Metastatic Colorectal Cancer. JAMA Network Open, 2021, 4, e2124483.	5.9	21
47	Machine Learningâ€Assisted Evaluation of Circulating DNA Quantitative Analysis for Cancer Screening. Advanced Science, 2020, 7, 2000486.	11.2	19
48	Small cell carcinoma with concomitant adenocarcinoma arising in a Barrett's oesophagus: report of a case with a favourable behaviour. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008, 452, 103-107.	2.8	18
49	<i>EGFR</i> and <i>HER3</i> mRNA expression levels predict distant metastases in locally advanced rectal cancer. International Journal of Cancer, 2011, 128, 2938-2946.	5.1	18
50	Evaluating bevacizumab in combination with FOLFIRI after the failure of platinum-etoposide regimen in patients with advanced poorly differentiated neuroendocrine carcinoma: The PRODIGE 41–BEVANEC randomized phase II study. Digestive and Liver Disease, 2018, 50, 195-198.	0.9	17
51	Second-line therapy for gemcitabine-pretreated advanced or metastatic pancreatic cancer. World Journal of Gastroenterology, 2012, 18, 1357.	3.3	17
52	Characterization of a novel PXR isoform with potential dominant-negative properties. Journal of Hepatology, 2014, 61, 609-616.	3.7	15
53	Regional Differences in Efficacy, Safety, and Biomarkers for Second-Line Axitinib in Patients with Advanced Hepatocellular Carcinoma: From a Randomized Phase II Study. Liver Cancer, 2018, 7, 148-164.	7.7	12
54	Is chronic hepatitis C virus infection a risk factor for breast cancer?. World Journal of Gastroenterology, 2010, 16, 3687.	3.3	12

Eric Assenat

#	Article	IF	CITATIONS
55	The oncogenic and druggable hPG80 (Progastrin) is overexpressed in multiple cancers and detected in the blood of patients. EBioMedicine, 2020, 51, 102574.	6.1	10
56	Validation of an appropriate reference gene for normalization of reverse transcription–quantitative polymerase chain reaction data from rectal cancer biopsies. Analytical Biochemistry, 2009, 388, 348-350.	2.4	9
57	Identification of proteomic changes during human liver development by 2D-DIGE and mass spectrometry. Journal of Hepatology, 2009, 51, 114-126.	3.7	9
58	Interventional oncology for hepatocellular carcinoma. Clinics and Research in Hepatology and Gastroenterology, 2016, 40, 530-537.	1.5	9
59	Sequential first-line treatment with nab-paclitaxel/gemcitabine and FOLFIRINOX in metastatic pancreatic adenocarcinoma: GABRINOX phase Ib-II controlled clinical trial. ESMO Open, 2021, 6, 100318.	4.5	9
60	Small Steatotic HCC: A Radiological Variant Associated With Improved Outcome After Ablation. Hepatology Communications, 2021, 5, 689-700.	4.3	8
61	A phase III study evaluating oral glutamine and transforming growth factor-beta 2 on chemotherapy-induced toxicity in patients with digestive neoplasm. Digestive and Liver Disease, 2016, 48, 327-332.	0.9	7
62	Progression of AFP SCORE is a Preoperative Predictive Factor of Microvascular Invasion in Selected Patients Meeting Liver Transplantation Criteria for Hepatocellular Carcinoma. Transplant International, 2022, 35, 10412.	1.6	7
63	MR imaging of locally advanced low rectal cancer: Relationships between imaging findings and the pathological tumor regression grade. Journal of Magnetic Resonance Imaging, 2015, 42, 421-426.	3.4	6
64	Anticancer Drugs for Intra-Arterial Treatment of Colorectal Cancer Liver Metastases: In-Vitro Screening after Short Exposure Time. Pharmaceuticals, 2021, 14, 639.	3.8	6
65	Doxorubicin for the treatment of hepatocellular carcinoma: GAME OVER!. Annals of Translational Medicine, 2020, 8, 1693-1693.	1.7	6
66	Outcome after pancreatectomy for neuroendocrine neoplams according to the WHO 2017 grading system: A retrospective multicentric analysis of 138 consecutive patients. Clinics and Research in Hepatology and Gastroenterology, 2020, 44, 286-294.	1.5	4
67	Cost-Utility Analysis of Transarterial Radioembolization With Yttrium-90 Resin Microspheres Compared With Sorafenib in Locally Advanced and Inoperable Hepatocellular Carcinoma. Clinical Therapeutics, 2021, 43, 1201-1212.	2.5	4
68	FOLFIRINOX for the treatment of colorectal cancer: latest evidence from clinical trials. Colorectal Cancer, 2012, 1, 181-184.	0.8	2
69	Quantitative evaluation of liver metastases density on computed tomography: A new tool to evaluate early response to bevacizumab-containing chemotherapy. Digestive and Liver Disease, 2019, 51, 1185-1191.	0.9	2
70	Initial endoscopic description of esophageal squamous cell carcinomas. Gastroenterologie Clinique Et Biologique, 2006, 30, 1365-1370.	0.9	1
71	Multimodal treatment including surgery for esophageal adenocarcinoma with liver oligo-metastases: a pathological complete response but early brain metastasis. Clinical Journal of Gastroenterology, 2020, 13, 713-716.	0.8	1
72	Reply to: "Arginase 1: a potential marker of a common pattern of liver steatosis in HCV and NAFLD children― Journal of Hepatology, 2015, 62, 1208-1209.	3.7	0