

Yanjun Dong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/668248/publications.pdf>

Version: 2024-02-01

26
papers

2,012
citations

758635

12
h-index

676716

22
g-index

26
all docs

26
docs citations

26
times ranked

5000
citing authors

#	ARTICLE	IF	CITATIONS
1	CD11c+ CD8+ T Cells Reduce Renal Fibrosis Following Ureteric Obstruction by Inducing Fibroblast Apoptosis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1.	1.8	1,271
2	Inhibition of myostatin in mice improves insulin sensitivity via irisin-mediated cross talk between muscle and adipose tissues. <i>International Journal of Obesity</i> , 2016, 40, 434-442.	1.6	155
3	<sc>IL-17A</sc> produced by both <i>T</i> and Th17 cells promotes renal fibrosis via <sc>RANTES</sc>-mediated leukocyte infiltration after renal obstruction. <i>Journal of Pathology</i> , 2015, 235, 79-89.	2.1	99
4	The Notch β -secretase inhibitor ameliorates kidney fibrosis via inhibition of TGF- β /Smad2/3 signaling pathway activation. <i>International Journal of Biochemistry and Cell Biology</i> , 2014, 55, 65-71.	1.2	64
5	CX3CL1-CX3CR1 Interaction Increases the Population of Ly6C ⁺ CX3CR1 ^{hi} Macrophages Contributing to Unilateral Ureteral Obstruction-Induced Fibrosis. <i>Journal of Immunology</i> , 2015, 195, 2797-2805.	0.4	59
6	Glucocorticoids increase adipocytes in muscle by affecting IL-4 regulated FAP activity. <i>FASEB Journal</i> , 2014, 28, 4123-4132.	0.2	51
7	The pathway to muscle fibrosis depends on myostatin stimulating the differentiation of fibro/adipogenic progenitor cells in chronic kidney disease. <i>Kidney International</i> , 2017, 91, 119-128.	2.6	49
8	Exosomal miRNA derived from keratinocytes regulates pigmentation in melanocytes. <i>Journal of Dermatological Science</i> , 2019, 93, 159-167.	1.0	48
9	Myostatin Suppression of Akirin1 Mediates Glucocorticoid-Induced Satellite Cell Dysfunction. <i>PLoS ONE</i> , 2013, 8, e58554.	1.1	42
10	Interactions between p-Akt and Smad3 in injured muscles initiate myogenesis or fibrogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 305, E367-E375.	1.8	35
11	MMP-9-positive neutrophils are essential for establishing profibrotic microenvironment in the obstructed kidney of UUO mice. <i>Acta Physiologica</i> , 2019, 227, e13317.	1.8	34
12	Depletion of CD8+ T Cells Exacerbates CD4+ T Cell-Induced Monocyte-to-Fibroblast Transition in Renal Fibrosis. <i>Journal of Immunology</i> , 2016, 196, 1874-1881.	0.4	33
13	Incorporation of a skeletal muscle-specific enhancer in the regulatory region of Igf1 upregulates IGF1 expression and induces skeletal muscle hypertrophy. <i>Scientific Reports</i> , 2018, 8, 2781.	1.6	12
14	Comparative analysis of genomic characteristics, fitness and virulence of MRSA ST398 and ST9 isolated from China and Germany. <i>Emerging Microbes and Infections</i> , 2021, 10, 1481-1494.	3.0	11
15	Mobile Colistin Resistance Enzyme MCR-3 Facilitates Bacterial Evasion of Host Phagocytosis. <i>Advanced Science</i> , 2021, 8, e2101336.	5.6	11
16	TRP-2 mediates coat color pigmentation in sheep skin. <i>Molecular Medicine Reports</i> , 2018, 17, 5869-5877.	1.1	10
17	The Mechanism of CD8+ T Cells for Reducing Myofibroblasts Accumulation during Renal Fibrosis. <i>Biomolecules</i> , 2021, 11, 990.	1.8	8
18	FOXO1 Is a Critical Switch Molecule for Autophagy and Apoptosis of Sow Endometrial Epithelial Cells Caused by Oxidative Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-24.	1.9	7

#	ARTICLE	IF	CITATIONS
19	Two identified subsets of CD8 T cells in obstructed kidneys play different roles in inflammation and fibrosis. <i>Aging</i> , 2020, 12, 17528-17540.	1.4	6
20	Stimulation of melanin synthesis by UVB is mediated by NO/cGMP/PKG cascade targeting PAK4 in vitro. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2021, 57, 280-289.	0.7	3
21	Mst1/2 Is Necessary for Satellite Cell Differentiation to Promote Muscle Regeneration. <i>Stem Cells</i> , 2022, 40, 74-87.	1.4	3
22	Vitellogenin 2 promotes muscle development and stimulates the browning of white fat. <i>Aging</i> , 2021, 13, 22985-23003.	1.4	1
23	Myostatin inhibition improves insulin signaling in muscles of mice with high fat diet-induced diabetes. <i>FASEB Journal</i> , 2013, 27, 874.18.	0.2	0
24	Akirin1 expression blocks dexamethosone induced satellite cell dysfunction. <i>FASEB Journal</i> , 2013, 27, 940.12.	0.2	0
25	A new therapeutical approach to block cancer cachexia: focusing inhibition of STAT3. <i>FASEB Journal</i> , 2013, 27, 793.4.	0.2	0
26	MST1/2 in PDGFR ⁺ cells negatively regulates TGF- β 2-induced myofibroblast accumulation in renal fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, F512-F526.	1.3	0