

Joris Van Acker

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6683457/joris-van-acker-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

2,568
citations

27
h-index

43
g-index

130
ext. papers

3,009
ext. citations

3.7
avg, IF

4.89
L-index

#	Paper	IF	Citations
126	Assessment of the tensile properties of coir, bamboo and jute fibre. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010 , 41, 588-595	8.4	183
125	Strength properties of thermally modified softwoods and its relation to polymeric structural wood constituents. <i>Annals of Forest Science</i> , 2007 , 64, 679-690	3.1	166
124	Optimisation of a two-stage heat treatment process: durability aspects. <i>Wood Science and Technology</i> , 2007 , 41, 31-57	2.5	107
123	Recent micro-CT scanner developments at UGCT. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2014 , 324, 35-40	1.2	100
122	Provenancing Baltic timber from art historical objects: success and limitations. <i>Journal of Archaeological Science</i> , 2005 , 32, 261-271	2.9	78
121	The 600 yr eruptive history of Villarrica Volcano (Chile) revealed by annually laminated lake sediments. <i>Bulletin of the Geological Society of America</i> , 2014 , 126, 481-498	3.9	53
120	Biological durability of wood in relation to end-use. <i>European Journal of Wood and Wood Products</i> , 2003 , 61, 35-45	2.1	53
119	Scientific Merits and Analytical Challenges of Tree-Ring Densitometry. <i>Reviews of Geophysics</i> , 2019 , 57, 1224-1264	23.1	50
118	Fluctuations of cambial activity in relation to precipitation result in annual rings and intra-annual growth zones of xylem and phloem in teak (<i>Tectona grandis</i>) in Ivory Coast. <i>Annals of Botany</i> , 2012 , 110, 861-73	4.1	50
117	Thermal behaviour of cork and cork components. <i>Thermochimica Acta</i> , 2014 , 582, 94-100	2.9	48
116	X-ray tomography as a tool for detailed anatomical analysis. <i>Annals of Forest Science</i> , 2009 , 66, 508-508	3.1	48
115	Three-dimensional x-ray imaging and analysis of fungi on and in wood. <i>Microscopy and Microanalysis</i> , 2009 , 15, 395-402	0.5	42
114	3D tree-ring analysis using helical X-ray tomography. <i>Dendrochronologia</i> , 2014 , 32, 39-46	2.8	39
113	High-resolution proxies for wood density variations in <i>Terminalia superba</i> . <i>Annals of Botany</i> , 2011 , 107, 293-302	4.1	39
112	Strong gradients in nitrogen and carbon stocks at temperate forest edges. <i>Forest Ecology and Management</i> , 2016 , 376, 45-58	3.9	38
111	Species-Specific Growth Responses to Climate Variations in Understory Trees of a Central African Rain Forest. <i>Biotropica</i> , 2010 , 42, 503-511	2.3	38
110	An experimental set-up for real-time continuous moisture measurements of plywood exposed to outdoor climate. <i>Building and Environment</i> , 2009 , 44, 2368-2377	6.5	35

109	A tree-ring based comparison of <i>Terminalia superba</i> climate-growth relationships in West and Central Africa. <i>Trees - Structure and Function</i> , 2013 , 27, 1225-1238	2.6	34
108	Three-dimensional imaging and analysis of infested coated wood with X-ray submicron CT. <i>International Biodeterioration and Biodegradation</i> , 2008 , 61, 278-286	4.8	33
107	Detection and distribution analysis of organosilicon compounds in wood by means of SEM-EDX and micro-CT. <i>Materials Characterization</i> , 2006 , 56, 39-48	3.9	33
106	MICROSTRUCTURAL AND PHYSICAL ASPECTS OF HEAT TREATED WOOD: PART 2. HARDWOODS. <i>Maderas: Ciencia Y Tecnologia</i> , 2006 , 8, 209	1	33
105	Fungal decay resistance and durability of organosilicon-treated wood. <i>International Biodeterioration and Biodegradation</i> , 2009 , 63, 130-134	4.8	32
104	Wood Specific Gravity Variations and Biomass of Central African Tree Species: The Simple Choice of the Outer Wood. <i>PLoS ONE</i> , 2015 , 10, e0142146	3.7	31
103	Distinct growth responses to drought for oak and beech in temperate mixed forests. <i>Science of the Total Environment</i> , 2019 , 650, 3017-3026	10.2	30
102	Moisture dynamics and fungal susceptibility of plywood. <i>International Biodeterioration and Biodegradation</i> , 2011 , 65, 708-716	4.8	28
101	Moisture dynamics of WPC and the impact on fungal testing. <i>International Biodeterioration and Biodegradation</i> , 2010 , 64, 65-72	4.8	28
100	A field-to-desktop toolchain for X-ray CT densitometry enables tree ring analysis. <i>Annals of Botany</i> , 2016 , 117, 1187-96	4.1	28
99	Charcoal identification in species-rich biomes: A protocol for Central Africa optimised for the Mayumbe forest. <i>Review of Palaeobotany and Palynology</i> , 2012 , 171, 164-178	1.7	27
98	Tree-ring analysis of an African long-lived pioneer species as a tool for sustainable forest management. <i>Forest Ecology and Management</i> , 2013 , 304, 417-426	3.9	27
97	X-RAY SUB-MICRON TOMOGRAPHY AS A TOOL FOR THE STUDY OF ARCHAEOLOGICAL WOOD PRESERVED THROUGH THE CORROSION OF METAL OBJECTS. <i>Archaeometry</i> , 2012 , 54, 893-905	1.6	27
96	The Significance of Accelerated Laboratory Testing Methods Determining the Natural Durability of Wood. <i>Holzforschung</i> , 1999 , 53, 449-458	2	27
95	Plant fibers for renewable growing media: Potential of defibration, acidification or inoculation with biocontrol fungi to reduce the N drawdown and plant pathogens. <i>Journal of Cleaner Production</i> , 2018 , 203, 1143-1154	10.3	26
94	Dendrochronology in suboptimal conditions: tree rings from medieval oak from Flanders (Belgium) as dating tools and archives of past forest management. <i>Vegetation History and Archaeobotany</i> , 2006 , 15, 137-144	2.6	26
93	Quantitative measurement of the penetration of water-borne coatings in wood with confocal laser microscopy and image analysis. <i>European Journal of Wood and Wood Products</i> , 2003 , 61, 304-310	2.1	26
92	Impact of organosilicon treatments on the wood-water relationship of solid wood. <i>Holzforschung</i> , 2010 , 64,	2	24

91	Impact of internal structure on water-resistance of plywood studied using neutron radiography and X-ray tomography. <i>Construction and Building Materials</i> , 2014 , 73, 171-179	6.7	23
90	Toxic hazard of leachates from furfurylated wood: comparison between two different aquatic organisms. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 1067-71	3.8	23
89	Experimental and theoretical behavior of exterior wood coatings subjected to artificial weathering 2008 , 5, 221-231		23
88	Charcoal-inferred Holocene fire and vegetation history linked to drought periods in the Democratic Republic of Congo. <i>Global Change Biology</i> , 2015 , 21, 2296-308	11.4	21
87	Outdoor weathering performance parameters of exterior wood coating systems on tropical hardwood substrates. <i>European Journal of Wood and Wood Products</i> , 2014 , 72, 261-272	2.1	20
86	Variability in fibre and parenchyma cell walls of temperate and tropical bamboo culms of different ages. <i>Wood Science and Technology</i> , 2006 , 40, 477-492	2.5	20
85	The persistence of carbon in the African forest understory. <i>Nature Plants</i> , 2019 , 5, 133-140	11.5	19
84	Ancient charcoal as a natural archive for paleofire regime and vegetation change in the Mayumbe, Democratic Republic of the Congo. <i>Quaternary Research</i> , 2013 , 80, 326-340	1.9	19
83	Nondestructive research on wooden musical instruments: From macro- to microscale imaging with lab-based X-ray CT systems. <i>Journal of Cultural Heritage</i> , 2017 , 27, S78-S87	2.9	19
82	End-use related physical and mechanical properties of selected fast-growing poplar hybrids (<i>Populus trichocarpa</i> P. <i>deltoides</i>). <i>Annals of Forest Science</i> , 2007 , 64, 621-630	3.1	19
81	Combining electrical resistance and 3-D X-ray computed tomography for moisture distribution measurements in wood products exposed in dynamic moisture conditions. <i>Building and Environment</i> , 2013 , 67, 250-259	6.5	18
80	Methodology to assess both the efficacy and ecotoxicology of preservative-treated and modified wood. <i>Annals of Forest Science</i> , 2008 , 65, 504-504	3.1	18
79	Enrichment of enzymatically mineralized gellan gum hydrogels with phlorotannin-rich <i>Ecklonia cava</i> extract Seanol() to endow antibacterial properties and promote mineralization. <i>Biomedical Materials (Bristol)</i> , 2016 , 11, 045015	3.5	18
78	Advanced X-ray CT scanning can boost tree ring research for earth system sciences. <i>Annals of Botany</i> , 2019 , 124, 837-847	4.1	17
77	Automated classification of wood transverse cross-section micro-imagery from 77 commercial Central-African timber species. <i>Annals of Forest Science</i> , 2017 , 74, 1	3.1	16
76	Comparison of species classification models of mass spectrometry data: Kernel Discriminant Analysis vs Random Forest; A case study of <i>Afromosia</i> (<i>Pericopsis elata</i> (Harms) Meeuwen). <i>Rapid Communications in Mass Spectrometry</i> , 2017 , 31, 1582-1588	2.2	16
75	Potential of X-ray computed tomography for 3D anatomical analysis and microdensitometrical assessment in wood research with focus on wood modification. <i>International Wood Products Journal</i> , 2013 , 4, 183-190	0.9	15
74	High-resolution X-ray imaging and analysis of coatings on and in wood 2010 , 7, 271-277		15

73	Effect of a two-stage heat treatment process on the mechanical properties of full construction timber. <i>Wood Material Science and Engineering</i> , 2007 , 2, 138-146	1.9	15
72	Wood Density Profiles and Their Corresponding Tissue Fractions in Tropical Angiosperm Trees. <i>Forests</i> , 2018 , 9, 763	2.8	15
71	X-ray computed microtomography characterizes the wound effect that causes sap flow underestimation by thermal dissipation sensors. <i>Tree Physiology</i> , 2018 , 38, 287-301	4.2	14
70	The stability enigma of hydraulic vulnerability curves: addressing the link between hydraulic conductivity and drought-induced embolism. <i>Tree Physiology</i> , 2019 , 39, 1646-1664	4.2	14
69	Forest structure and soil fertility determine internal stem morphology of Pedunculate oak: a modelling approach using boosted regression trees. <i>European Journal of Forest Research</i> , 2012 , 131, 609-622	2.7	14
68	Investigation on wax-impregnated wood. Part 2: Study of void spaces filled with air by He pycnometry, Hg intrusion porosimetry, and 3D X-ray imaging. <i>Holzforschung</i> , 2010 , 64,	2	14
67	Investigation on wax-impregnated wood. Part 1: Microscopic observations and 2D X-ray imaging of distinct wax types. <i>Holzforschung</i> , 2010 , 64,	2	14
66	Evaluating the robustness of three ring-width measurement methods for growth release reconstruction. <i>Dendrochronologia</i> , 2017 , 46, 67-76	2.8	13
65	Dendrochronological Potential in a Semi-Deciduous Rainforest: The Case of <i>Pericopsis elata</i> in Central Africa. <i>Forests</i> , 2014 , 5, 3087-3106	2.8	13
64	Complementary Imaging Techniques for Charcoal Examination and Identification. <i>IAWA Journal</i> , 2013 , 34, 147-168	2.3	13
63	Potential contribution of organosilicon compounds to reduced leaching of biocides in wood protection. <i>Annals of Forest Science</i> , 2009 , 66, 209-209	3.1	13
62	How Tightly Linked Are <i>Pericopsis elata</i> (Fabaceae) Patches to Anthropogenic Disturbances in Southeastern Cameroon?. <i>Forests</i> , 2015 , 6, 293-310	2.8	12
61	Preventive action of organosilicon treatments against disfigurement of wood under laboratory and outdoor conditions. <i>International Biodeterioration and Biodegradation</i> , 2009 , 63, 1093-1101	4.8	12
60	Image processing as a tool for assessment and analysis of blue stain discolouration of coated wood. <i>International Biodeterioration and Biodegradation</i> , 2005 , 56, 178-187	4.8	12
59	Penetration and Effectiveness of Micronized Copper in Refractory Wood Species. <i>PLoS ONE</i> , 2016 , 11, e0163124	3.7	12
58	Ca:Mg:Zn:CO and Ca:Mg:CO-tri- and bi-elemental carbonate microparticles for novel injectable self-gelling hydrogel-microparticle composites for tissue regeneration. <i>Biomedical Materials (Bristol)</i> , 2017 , 12, 025015	3.5	11
57	Microstructure of chemically modified wood using X-ray computed tomography in relation to wetting properties. <i>Holzforschung</i> , 2017 , 71, 119-128	2	11
56	Using X-ray CT based tree-ring width data for tree growth trend analysis. <i>Dendrochronologia</i> , 2017 , 44, 66-75	2.8	11

55	Fast pyrolysis of mannan-rich ivory nut (<i>Phytelephas aequatorialis</i>) to valuable biorefinery products. <i>Chemical Engineering Journal</i> , 2019 , 373, 446-457	14.7	11
54	Hierarchical structure of juvenile hybrid aspen xylem revealed using X-ray scattering and microtomography. <i>Trees - Structure and Function</i> , 2012 , 26, 1793-1804	2.6	11
53	Composition, distribution and supposed origin of mineral inclusions in sessile oak wood □ consequences for microdensitometrical analysis. <i>Annals of Forest Science</i> , 2007 , 64, 11-19	3.1	11
52	Assessment of blue-stain resistance according to the EN 152 and a reverse test method using visual and computer-aided techniques. <i>International Biodeterioration and Biodegradation</i> , 2006 , 57, 229-238	4.8	11
51	A protocol for automated timber species identification using metabolome profiling. <i>Wood Science and Technology</i> , 2019 , 53, 953-965	2.5	10
50	Investigating the interaction between internal structural changes and water sorption of MDF and OSB using X-ray computed tomography. <i>Wood Science and Technology</i> , 2018 , 52, 701-716	2.5	10
49	The effect of water sorption/desorption on fatigue deflection of OSB. <i>Construction and Building Materials</i> , 2019 , 223, 1196-1203	6.7	10
48	Cork structural discontinuities studied with X-ray microtomography. <i>Holzforschung</i> , 2016 , 70, 87-94	2	9
47	Moisture behavior and structural changes of plywood during outdoor exposure. <i>European Journal of Wood and Wood Products</i> , 2016 , 74, 211-221	2.1	9
46	Influence of <i>Quercus petraea</i> Liebl. wood structure on the permeation of oxygen through wine barrel staves. <i>Holzforschung</i> , 2019 , 73, 859-870	2	9
45	On the drying potential of cavity ventilation behind brick veneer cladding: A detailed field study. <i>Building and Environment</i> , 2017 , 123, 133-145	6.5	9
44	Characterisation of steroids in wooden crates of veal calves by accelerated solvent extraction (ASE) and ultra-high performance liquid chromatography coupled to triple quadrupole mass spectrometry (U-HPLC-QqQ-MS-MS). <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 345-355	4.4	9
43	Combined evaluation of durability and ecotoxicity: A case study on furfurylated wood. <i>Wood Material Science and Engineering</i> , 2009 , 4, 30-36	1.9	8
42	Biological durability of wood in relation to end-use Part 2: The use of an accelerated outdoor L-joint performance test. <i>European Journal of Wood and Wood Products</i> , 2003 , 61, 125-132	2.1	8
41	Wood anatomy variability under contrasted environmental conditions of common deciduous and evergreen species from central African forests. <i>Trees - Structure and Function</i> , 2019 , 33, 893-909	2.6	7
40	Rate of forest recovery after fire exclusion on anthropogenic savannas in the Democratic Republic of Congo. <i>Biological Conservation</i> , 2019 , 233, 118-130	6.2	7
39	Modelling moisture conditions behind brick veneer cladding: Verification of common approaches by field measurements. <i>Journal of Building Physics</i> , 2020 , 44, 95-120	2.6	7
38	Cambial pinning relates wood anatomy to ecophysiology in the African tropical tree <i>Maesopsis eminii</i> . <i>Tree Physiology</i> , 2018 , 38, 232-242	4.2	7

37	Classification of uncoated plywood based on moisture dynamics. <i>Construction and Building Materials</i> , 2018 , 158, 814-822	6.7	7
36	Exploring life growth patterns in birch (<i>Betula pendula</i>). <i>Scandinavian Journal of Forest Research</i> , 2016 , 31, 561-567	1.7	7
35	Durability and efficiency of ink-jet printed TiO ₂ coatings: Influence of processing temperature. <i>Thin Solid Films</i> , 2014 , 556, 160-167	2.2	7
34	Cambial activity in the understory of the Mayombe forest, DR Congo. <i>Trees - Structure and Function</i> , 2017 , 31, 49-61	2.6	7
33	Wood natural durability testing under laboratory conditions: results from a round-robin test. <i>European Journal of Wood and Wood Products</i> , 2014 , 72, 129-133	2.1	7
32	Investigating water transport in MDF and OSB using a gantry-based X-ray CT scanning system. <i>Wood Science and Technology</i> , 2016 , 50, 1197-1211	2.5	6
31	Determining the effect of wind on the ballistic flight of fertiliser particles. <i>Biosystems Engineering</i> , 2016 , 151, 425-434	4.8	6
30	Density and density profile changes in birch and spruce caused by thermo-hydro treatment measured by X-ray computed tomography. <i>Wood Science and Technology</i> , 2019 , 53, 491-504	2.5	6
29	A generic platform for hyperspectral mapping of wood. <i>Wood Science and Technology</i> , 2017 , 51, 887-907	2.5	5
28	Analysis of spatio-temporal fungal growth dynamics under different environmental conditions. <i>IMA Fungus</i> , 2019 , 10, 7	6.8	5
27	Assessment of wood microstructural changes after one-stage thermo-hydro treatment (THT) by micro X-ray computed tomography. <i>Holzforschung</i> , 2016 , 70, 167-177	2	5
26	Bouldering: an alternative strategy to long-vertical climbing in root-climbing hortensias. <i>Journal of the Royal Society Interface</i> , 2014 , 11,	4.1	5
25	Hygrothermal behaviour of timber frame walls finished with a brick veneer cladding. <i>Energy Procedia</i> , 2017 , 132, 363-368	2.3	5
24	Laboratory testing and computer simulation of blue stain growth on and in wood coatings. <i>International Biodeterioration and Biodegradation</i> , 2007 , 59, 137-147	4.8	5
23	Treatment of wood with atmospheric plasma discharge: study of the treatment process, dynamic wettability and interactions with a waterborne coating. <i>Holzforschung</i> , 2021 , 75, 603-613	2	5
22	Asynchronous leaf and cambial phenology in a tree species of the Congo Basin requires space-time conversion of wood traits. <i>Annals of Botany</i> , 2019 , 124, 245-253	4.1	4
21	Assessing the natural durability of xylarium specimens: mini-block testing and chemical fingerprinting for small-sized samples. <i>Wood Science and Technology</i> , 2020 , 54, 981-1000	2.5	4
20	Chemical Fingerprinting of Wood Sampled along a Pith-to-Bark Gradient for Individual Comparison and Provenance Identification. <i>Forests</i> , 2020 , 11, 107	2.8	4

19	Envelope treatment of wood based materials with concentrated organosilicons. <i>European Journal of Wood and Wood Products</i> , 2011 , 69, 397-406	2.1	4
18	Modelling film formation and degradation of semi-transparent exterior wood coatings. <i>Progress in Organic Coatings</i> , 2007 , 58, 1-12	4.8	4
17	Cracking the code: real-time monitoring of wood drying and the occurrence of cracks. <i>Wood Science and Technology</i> , 2020 , 54, 1029-1049	2.5	3
16	Tree rings show a different climatic response in a managed and a non-managed plantation of teak (<i>Tectona grandis</i>) in West Africa. <i>IAWA Journal</i> , 2015 , 36, 409-427	2.3	3
15	A colour assessment methodology for oak wood. <i>Annals of Forest Science</i> , 2012 , 69, 939-946	3.1	3
14	The potential of plantations of <i>Terminalia superba</i> Engl. & Diels for wood and biomass production (Mayombe Forest, Democratic Republic of Congo). <i>Annals of Forest Science</i> , 2010 , 67, 501-501	3.1	3
13	Une forte saisonnalité du climat et de la phénologie reproductive dans la forêt du Mayombe : l'apport des données historiques de la Réserve de Luki en République démocratique du Congo. <i>Bois Et Forets Des Tropiques</i> , 341, 39		3
12	The effect of structural changes on the compressive strength of LVL. <i>Wood Science and Technology</i> , 2020 , 54, 1253-1267	2.5	3
11	Sleeping beauties in materials science: unlocking the value of xylarium specimens in the search for timbers of the future. <i>Holzforschung</i> , 2019 , 73, 889-897	2	2
10	Micro-CT measurements of within-ring variability in longitudinal hydraulic pathways in Norway spruce. <i>IAWA Journal</i> , 2020 , 41, 12-29	2.3	2
9	Modelling Cavity Ventilation Behind Brick Veneer Cladding: How Reliable are the Common Assumptions?. <i>Energy Procedia</i> , 2015 , 78, 1467-1477	2.3	2
8	Archaeological charcoals as archives for firewood preferences and vegetation composition during the late Holocene in the southern Mayombe, Democratic Republic of the Congo (DRC). <i>Vegetation History and Archaeobotany</i> , 2013 , 23, 591	2.6	2
7	Physicochemical monitoring of wood coating degradation related to fungal disfigurement. <i>International Biodeterioration and Biodegradation</i> , 2007 , 59, 125-136	4.8	2
6	Deep learning segmentation of wood fiber bundles in fiberboards. <i>Composites Science and Technology</i> , 2022 , 221, 109287	8.6	2
5	Relating MOE decrease and mass loss due to fungal decay in plywood and MDF using resonalyser and X-ray CT scanning. <i>International Biodeterioration and Biodegradation</i> , 2016 , 110, 113-120	4.8	2
4	Understanding the effect of growth ring orientation on the compressive strength perpendicular to the grain of thermally treated wood. <i>Wood Science and Technology</i> , 2021 , 55, 1439-1456	2.5	2
3	Investigating plywood behaviour in outdoor conditions. <i>International Wood Products Journal</i> , 2016 , 7, 220-224	0.9	1
2	Understanding the mechanical strength and dynamic structural changes of wood-based products using X-ray computed tomography. <i>Wood Material Science and Engineering</i> , 1-10	1.9	1

1	Understanding the impact of wood type and moisture on the bonding strength of glued wood. <i>Wood Material Science and Engineering</i> ,1-11	1.9	o
---	---	-----	---