## Thorsten B H Reusch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6683663/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Experimentally decomposing phytoplankton community change into ecological and evolutionary contributions. Functional Ecology, 2022, 36, 120-132.	3.6	7
2	From ecosystems to socio-economic benefits: A systematic review of coastal ecosystem services in the Baltic Sea. Science of the Total Environment, 2021, 755, 142565.	8.0	58
3	Modeling eelgrass spatial response to nutrient abatement measures in a changing climate. Ambio, 2021, 50, 400-412.	5.5	11
4	A novel metabarcoding primer pair for environmental DNA analysis of Cephalopoda (Mollusca) targeting the nuclear 18S rRNA region. Royal Society Open Science, 2021, 8, 201388.	2.4	12
5	Deep-sea predator niche segregation revealed by combined cetacean biologging and eDNA analysis of cephalopod prey. Science Advances, 2021, 7, .	10.3	29
6	Phenotypic plasticity under rapid global changes: The intrinsic force for future seagrasses survival. Evolutionary Applications, 2021, 14, 1181-1201.	3.1	58
7	Improved chromosome-level genome assembly and annotation of the seagrass, Zostera marina (eelgrass). F1000Research, 2021, 10, 289.	1.6	26
8	The blue carbon wealth of nations. Nature Climate Change, 2021, 11, 704-709.	18.8	97
9	Lower Vibrio spp. abundances in Zostera marina leaf canopies suggest a novel ecosystem function for temperate seagrass beds. Marine Biology, 2021, 168, 1.	1.5	21
10	Evolution via somatic genetic variation in modular species. Trends in Ecology and Evolution, 2021, 36, 1083-1092.	8.7	25
11	An Integrative Assessment Combining Deep-Sea Net Sampling, in situ Observations and Environmental DNA Analysis Identifies Cabo Verde as a Cephalopod Biodiversity Hotspot in the Atlantic Ocean. Frontiers in Marine Science, 2021, 8, .	2.5	10
12	Invasion genomics uncover contrasting scenarios of genetic diversity in a widespread marine invader. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	15
13	Cultivable microbiota associated with Aurelia aurita and Mnemiopsis leidyi. MicrobiologyOpen, 2020, 9, e1094.	3.0	10
14	The Native Microbiome is Crucial for Offspring Generation and Fitness of <i>Aurelia aurita</i> . MBio, 2020, 11, .	4.1	25
15	Eco-Evolutionary Interaction in Competing Phytoplankton: Nutrient Driven Genotype Sorting Likely Explains Dominance Shift and Species Responses to CO2. Frontiers in Marine Science, 2020, 7, .	2.5	9
16	Somatic genetic drift and multilevel selection in a clonal seagrass. Nature Ecology and Evolution, 2020, 4, 952-962.	7.8	86
17	Two different epigenetic information channels in wild three-spined sticklebacks are involved in salinity adaptation. Science Advances, 2020, 6, eaaz1138.	10.3	83
18	Evolution of male pregnancy associated with remodeling of canonical vertebrate immunity in seahorses and pipefishes. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 9431-9439.	7.1	93

#	Article	IF	CITATIONS
19	Differential gene expression patterns related to lipid metabolism in response to ocean acidification in larvae and juveniles of Atlantic cod. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2020, 247, 110740.	1.8	7
20	Genome-Wide Genotype-Expression Relationships Reveal Both Copy Number and Single Nucleotide Differentiation Contribute to Differential Gene Expression between Stickleback Ecotypes. Genome Biology and Evolution, 2019, 11, 2344-2359.	2.5	16
21	Assessing SNP-markers to study population mixing and ecological adaptation in Baltic cod. PLoS ONE, 2019, 14, e0218127.	2.5	24
22	Currency, Exchange, and Inheritance in the Evolution of Symbiosis. Trends in Microbiology, 2019, 27, 836-849.	7.7	29
23	Microbiota Differences of the Comb Jelly Mnemiopsis leidyi in Native and Invasive Sub-Populations. Frontiers in Marine Science, 2019, 6, .	2.5	8
24	Transcriptome profiling reveals exposure to predicted end-of-century ocean acidification as a stealth stressor for Atlantic cod larvae. Scientific Reports, 2019, 9, 16908.	3.3	7
25	Comparative analysis of amplicon and metagenomic sequencing methods reveals key features in the evolution of animal metaorganisms. Microbiome, 2019, 7, 133.	11.1	141
26	Modulation of the Eelgrass – Labyrinthula zosterae Interaction Under Predicted Ocean Warming, Salinity Change and Light Limitation. Frontiers in Marine Science, 2019, 6, .	2.5	25
27	Ecological-economic sustainability of the Baltic cod fisheries under ocean warming and acidification. Journal of Environmental Management, 2019, 238, 110-118.	7.8	26
28	Genetic analyses reveal complex dynamics within a marine fish management area. Evolutionary Applications, 2019, 12, 830-844.	3.1	46
29	Host-Microbe Interactions in the Chemosynthetic <i>Riftia pachyptila</i> Symbiosis. MBio, 2019, 10, .	4.1	38
30	Divergent responses of Atlantic cod to ocean acidification and food limitation. Global Change Biology, 2019, 25, 839-849.	9.5	28
31	Rapid evolution of highly variable competitive abilities in a key phytoplankton species. Nature Ecology and Evolution, 2018, 2, 611-613.	7.8	26
32	Formation and mosaicity of coccolith segment calcite of the marine algae <i>Emiliania huxleyi</i> . Journal of Phycology, 2018, 54, 85-104.	2.3	21
33	Ocean current connectivity propelling the secondary spread of a marine invasive comb jelly across western Eurasia. Global Ecology and Biogeography, 2018, 27, 814-827.	5.8	38
34	Effects of parental acclimation and energy limitation in response to high CO2 exposure in Atlantic cod. Scientific Reports, 2018, 8, 8348.	3.3	17
35	Transgenerational plasticity and selection shape the adaptive potential of sticklebacks to salinity change. Evolutionary Applications, 2018, 11, 1873-1885.	3.1	30
36	Climate Change Impacts on Seagrass Meadows and Macroalgal Forests: An Integrative Perspective on Acclimation and Adaptation Potential. Frontiers in Marine Science, 2018, 5, .	2.5	149

#	Article	IF	CITATIONS
37	Carrying Capacity and Colonization Dynamics of Curvibacter in the Hydra Host Habitat. Frontiers in Microbiology, 2018, 9, 443.	3.5	39
38	The Baltic Sea as a time machine for the future coastal ocean. Science Advances, 2018, 4, eaar8195.	10.3	339
39	Population genetic structure after 125Âyears of stocking in sea trout (Salmo trutta L.). Conservation Genetics, 2018, 19, 1123-1136.	1.5	13
40	Widespread introgression in deep-sea hydrothermal vent mussels. BMC Evolutionary Biology, 2017, 17, 13.	3.2	10
41	Inter- and intraspecific phenotypic plasticity of three phytoplankton species in response to ocean acidification. Biology Letters, 2017, 13, 20160774.	2.3	27
42	Microbial contributions to the persistence of coral reefs. ISME Journal, 2017, 11, 2167-2174.	9.8	173
43	Ocean Acidification Effects on Atlantic Cod Larval Survival and Recruitment to the Fished Population. PLoS ONE, 2016, 11, e0155448.	2.5	104
44	Host–parasite coevolution—rapid reciprocal adaptation and its genetic basis. Zoology, 2016, 119, 241-243.	1.2	16
45	Long-term dynamics of adaptive evolution in a globally important phytoplankton species to ocean acidification. Science Advances, 2016, 2, e1501660.	10.3	56
46	It is the economy, stupid! Projecting the fate of fish populations using ecological–economic modeling. Global Change Biology, 2016, 22, 264-270.	9.5	26
47	Transcriptome profiling of immune tissues reveals habitatâ€specific gene expression between lake and river sticklebacks. Molecular Ecology, 2016, 25, 943-958.	3.9	49
48	Phylogeographic differentiation versus transcriptomic adaptation to warm temperatures in <i>Zostera marina</i> , a globally important seagrass. Molecular Ecology, 2016, 25, 5396-5411.	3.9	64
49	Swift thermal reaction norm evolution in a key marine phytoplankton species. Evolutionary Applications, 2016, 9, 1156-1164.	3.1	62
50	Biophysical and Population Genetic Models Predict the Presence of "Phantom―Stepping Stones Connecting Mid-Atlantic Ridge Vent Ecosystems. Current Biology, 2016, 26, 2257-2267.	3.9	69
51	Trematodes on acid: editorial comment on the feature article by Guilloteau et al Marine Biology, 2016, 163, 1.	1.5	1
52	Comparative transcriptomics of stickleback immune gene responses upon infection by two helminth parasites, Diplostomum pseudospathaceum and Schistocephalus solidus. Zoology, 2016, 119, 307-313.	1.2	18
53	Effects of dietary purified rapeseed protein concentrate on hepatic gene expression in juvenile turbot ( <i>Psetta maxima</i> ). Aquaculture Nutrition, 2016, 22, 170-180.	2.7	21
54	The genome of the seagrass Zostera marina reveals angiosperm adaptation to the sea. Nature, 2016, 530, 331-335.	27.8	460

#	Article	IF	CITATIONS
55	Dietary β-glucan (MacroGard®) enhances survival of first feeding turbot (Scophthalmus maximus) larvae by altering immunity, metabolism and microbiota. Fish and Shellfish Immunology, 2016, 48, 94-104.	3.6	58
56	Immunity comes first: The effect of parasite genotypes on adaptive immunity and immunization in three-spined sticklebacks. Developmental and Comparative Immunology, 2016, 54, 137-144.	2.3	12
57	Abundant toxin-related genes in the genomes of beneficial symbionts from deep-sea hydrothermal vent mussels. ELife, 2015, 4, e07966.	6.0	50
58	Mapping and modeling eelgrass Zostera marina distribution in the western Baltic Sea. Marine Ecology - Progress Series, 2015, 522, 79-95.	1.9	35
59	Genomics of Divergence along a Continuum of Parapatric Population Differentiation. PLoS Genetics, 2015, 11, e1004966.	3.5	135
60	Experimental assessment of critical anthropogenic sediment burial in eelgrass Zostera marina. Marine Pollution Bulletin, 2015, 100, 144-153.	5.0	9
61	Genotype-specific responses to light stress in eelgrass Zostera marina, a marine foundation plant. Marine Ecology - Progress Series, 2015, 519, 129-140.	1.9	56
62	Specific Gene Expression Responses to Parasite Genotypes Reveal Redundancy of Innate Immunity in Vertebrates. PLoS ONE, 2014, 9, e108001.	2.5	23
63	Genotyping an <i>Emiliania huxleyi</i> (prymnesiophyceae) bloom event in the North Sea reveals evidence of asexual reproduction. Biogeosciences, 2014, 11, 5215-5234.	3.3	35
64	Extensive Copy-Number Variation of Young Genes across Stickleback Populations. PLoS Genetics, 2014, 10, e1004830.	3.5	70
65	Genome-wide transcriptomic responses of the seagrasses Zostera marina and Nanozostera noltii under a simulated heatwave confirm functional types. Marine Genomics, 2014, 15, 65-73.	1.1	68
66	InÂvitro leukocyte response of three-spined sticklebacks (Gasterosteus aculeatus) to helminth parasite antigens. Fish and Shellfish Immunology, 2014, 36, 130-140.	3.6	26
67	Climate change in the oceans: evolutionary versus phenotypically plastic responses of marine animals and plants. Evolutionary Applications, 2014, 7, 104-122.	3.1	276
68	Evolution in an acidifying ocean. Trends in Ecology and Evolution, 2014, 29, 117-125.	8.7	324
69	Gene expression changes in the coccolithophore <i>Emiliania huxleyi</i> after 500 generations of selection to ocean acidification. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20140003.	2.6	62
70	Adaptation of a globally important coccolithophore to ocean warming andÂacidification. Nature Climate Change, 2014, 4, 1024-1030.	18.8	209
71	Between―and withinâ€population variations in thermal reaction norms of the coccolithophore <i>Emiliania huxleyi</i> . Limnology and Oceanography, 2014, 59, 1570-1580.	3.1	35
72	Current European Labyrinthula zosterae Are Not Virulent and Modulate Seagrass (Zostera marina) Defense Gene Expression. PLoS ONE, 2014, 9, e92448.	2.5	53

#	Article	IF	CITATIONS
73	Genomeâ€wide patterns of standing genetic variation in a marine population of threeâ€spined sticklebacks. Molecular Ecology, 2013, 22, 635-649.	3.9	78
74	EXPERIMENTAL EVOLUTION MEETS MARINE PHYTOPLANKTON. Evolution; International Journal of Organic Evolution, 2013, 67, 1849-1859.	2.3	122
75	FUNCTIONAL GENETIC DIVERGENCE IN HIGH CO <sub>2</sub> ADAPTED <i>EMILIANIA HUXLEYI</i> POPULATIONS. Evolution; International Journal of Organic Evolution, 2013, 67, 1892-1900.	2.3	71
76	Genetic compatibilities, outcrossing rates and fitness consequences across life stages of the trematode Diplostomum pseudospathaceum. International Journal for Parasitology, 2013, 43, 485-491.	3.1	15
77	Population genetics of the invasive ctenophore Mnemiopsis leidyi in Europe reveal source–sink dynamics and secondary dispersal to the Mediterranean Sea. Marine Ecology - Progress Series, 2013, 485, 25-36.	1.9	35
78	lsotopic signatures of eelgrass (Zostera marina L) as bioindicator of anthropogenic nutrient input in the western Baltic Sea. Marine Pollution Bulletin, 2013, 72, 64-70.	5.0	38
79	Specific immune priming in the invasive ctenophore Mnemiopsis leidyi. Biology Letters, 2013, 9, 20130864.	2.3	14
80	Absence of major histocompatibility complex class II mediated immunity in pipefish, <i>Syngnathus typhle</i> : evidence from deep transcriptome sequencing. Biology Letters, 2013, 9, 20130044.	2.3	70
81	Quantitative PCR Reveals Strong Spatial and Temporal Variation of the Wasting Disease Pathogen, Labyrinthula zosterae in Northern European Eelgrass (Zostera marina) Beds. PLoS ONE, 2013, 8, e62169.	2.5	44
82	Salinity change impairs pipefish immune defence. Fish and Shellfish Immunology, 2012, 33, 1238-1248.	3.6	68
83	Identifying core features of adaptive metabolic mechanisms for chronic heat stress attenuation contributing to systems robustness. Integrative Biology (United Kingdom), 2012, 4, 480.	1.3	65
84	Male Pregnancy and Biparental Immune Priming. American Naturalist, 2012, 180, 802-814.	2.1	52
85	Severe tissue damage in Atlantic cod larvae under increasing ocean acidification. Nature Climate Change, 2012, 2, 42-46.	18.8	231
86	Adaptive evolution of a key phytoplankton species to ocean acidification. Nature Geoscience, 2012, 5, 346-351.	12.9	442
87	Consistent Pattern of Local Adaptation during an Experimental Heat Wave in a Pipefish-Trematode Host-Parasite System. PLoS ONE, 2012, 7, e30658.	2.5	28
88	Ctenophore population recruits entirely through larval reproduction in the central Baltic Sea. Biology Letters, 2012, 8, 809-812.	2.3	53
89	Population genetic dynamics of threeâ€spined sticklebacks ( <i>Gasterosteus aculeatus</i> ) in anthropogenic altered habitats. Ecology and Evolution, 2012, 2, 1122-1143.	1.9	10
90	HOSTS ARE AHEAD IN A MARINE HOST-PARASITE COEVOLUTIONARY ARMS RACE: INNATE IMMUNE SYSTEM ADAPTATION IN PIPEFISH SYNGNATHUS TYPHLE AGAINST VIBRIO PHYLOTYPES. Evolution; International Journal of Organic Evolution, 2012, 66, 2528-2539.	2.3	45

#	Article	IF	CITATIONS
91	Widespread occurrence of endophytic Labyrinthula spp. in northern European eelgrass Zostera marina beds. Marine Ecology - Progress Series, 2012, 445, 109-116.	1.9	33
92	Effects of a simulated heat wave on photophysiology and gene expression of high- and low-latitude populations of Zostera marina. Marine Ecology - Progress Series, 2011, 435, 83-95.	1.9	120
93	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 August 2010 – 30 September 2010. Molecular Ecology Resources, 2011, 11, 219-222.	4.8	48
94	A quantitative realâ€ŧime polymerase chain reaction assay for the seagrass pathogen <i>Labyrinthula zosterae</i> . Molecular Ecology Resources, 2011, 11, 1076-1081.	4.8	22
95	Bateman's principle and immunity in a sexâ€role reversed pipefish. Journal of Evolutionary Biology, 2011, 24, 1410-1420.	1.7	54
96	Widespread genetic mosaicism in the marine angiosperm Zostera marina is correlated with clonal reproduction. Evolutionary Ecology, 2011, 25, 899-913.	1.2	65
97	Back to the sea twice: identifying candidate plant genes for molecular evolution to marine life. BMC Evolutionary Biology, 2011, 11, 8.	3.2	88
98	Transcriptomic resilience to global warming in the seagrass <i>Zostera marina</i> , a marine foundation species. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 19276-19281.	7.1	184
99	New evidence for habitat-specific selection in Wadden Sea Zostera marina populations revealed by genome scanning using SNP and microsatellite markers. Marine Biology, 2010, 157, 81-89.	1.5	34
100	A summer heat wave decreases the immunocompetence of the mesograzer, Idotea baltica. Marine Biology, 2010, 157, 1605-1611.	1.5	44
101	Microsatellites reveal origin and genetic diversity of Eurasian invasions by one of the world's most notorious marine invader, <i>Mnemiopsis leidyi</i> (Ctenophora). Molecular Ecology, 2010, 19, 2690-2699.	3.9	93
102	Population-specificity of heat stress gene induction in northern and southern eelgrass Zostera marina populations under simulated global warming. Molecular Ecology, 2010, 19, 2870-2883.	3.9	101
103	Costly major histocompatibility complex signals produced only by reproductively active males, but not females, must be validated by a â€~maleness signal' in three-spined sticklebacks. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 391-398.	2.6	37
104	Dr. Zompo: an online data repository for Zostera marina and Posidonia oceanica ESTs. Database: the Journal of Biological Databases and Curation, 2009, 2009, bap009-bap009.	3.0	38
105	Lifetime reproductive success is maximized with optimal major histocompatibility complex diversity. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 925-934.	2.6	144
106	RSCA genotyping of MHC for high-throughput evolutionary studies in the model organism three-spined stickleback Gasterosteus aculeatus. BMC Evolutionary Biology, 2009, 9, 57.	3.2	39
107	Comparative Analysis of Expressed Sequence Tag (EST) Libraries in the Seagrass Zostera marina Subjected to Temperature Stress. Marine Biotechnology, 2008, 10, 297-309.	2.4	55
108	Small effective population sizes in two planktonic freshwater copepod species ( <i>Eudiaptomus</i> ) with apparently large census sizes. Journal of Evolutionary Biology, 2008, 21, 1755-1762.	1.7	8

#	Article	IF	CITATIONS
109	Mortality selection during the 2003 European heat wave in three-spined sticklebacks: effects of parasites and MHC genotype. BMC Evolutionary Biology, 2008, 8, 124.	3.2	96
110	Partitioning average competition and extremeâ€genotype effects in genetically diverse infections. Oikos, 2008, 117, 399-405.	2.7	21
111	Characterization of single nucleotide polymorphism markers for eelgrass ( <i>Zostera marina</i> ). Molecular Ecology Resources, 2008, 8, 1429-1435.	4.8	9
112	Comment on "Phytoplankton Calcification in a High-CO <sub>2</sub> World". Science, 2008, 322, 1466-1466.	12.6	58
113	Importance of genetic diversity in eelgrass Zostera marina for its resilience to global warming. Marine Ecology - Progress Series, 2008, 355, 1-7.	1.9	250
114	Individual MHC class I and MHC class IIBdiversities are associated with male and female reproductive traits in the three-spined stickleback. Journal of Evolutionary Biology, 2007, 20, 2005-2015.	1.7	36
115	Molecular ecology of global change. Molecular Ecology, 2007, 16, 3973-3992.	3.9	254
116	Genome scans detect consistent divergent selection among subtidal vs. intertidal populations of the marine angiosperm <i>Zostera marina</i> . Molecular Ecology, 2007, 16, 5156-5157.	3.9	68
117	Identification and characterization of 14 polymorphic EST-derived microsatellites in eelgrass (Zostera) Tj ETQq1 1	0,784314 1.7	rgBT /Overl
118	Contribution of genetics and genomics to seagrass biology and conservation. Journal of Experimental Marine Biology and Ecology, 2007, 350, 234-259.	1.5	165
119	Genetic sub-structure and intermediate optimal outcrossing distance in the marine angiosperm Zostera marina. Marine Biology, 2007, 152, 793-801.	1.5	35
120	Innate versus adaptive immunity in sticklebacks: evidence for trade-offs from a selection experiment. Evolutionary Ecology, 2007, 21, 473-483.	1.2	35
121	Seagrass Evolution, Ecology and Conservation: A Genetic Perspective. , 2007, , 25-50.		29
122	One day is enough: rapid and specific host–parasite interactions in a stickleback-trematode system. Biology Letters, 2006, 2, 382-384.	2.3	72
123	Housekeeping gene selection for quantitative real-time PCR assays in the seagrassZostera marinasubjected to heat stress. Limnology and Oceanography: Methods, 2006, 4, 367-373.	2.0	54
124	Genetic variation in MHC class II expression and interactions with MHC sequence polymorphism in threeâ€spined sticklebacks. Molecular Ecology, 2006, 15, 1153-1164.	3.9	58
125	The emerging role of genetic diversity for ecosystem functioning: Estuarine macrophytes as models. Estuaries and Coasts, 2006, 29, 159-164.	2.2	83
126	A comparative population genetic study on calanoid freshwater copepods: Investigation of isolation-by-distance in two <i>Eudiaptomus</i> species with a different potential for dispersal. Limnology and Oceanography, 2006, 51, 117-124.	3.1	28

#	Article	IF	CITATIONS
127	MHC genes and oxidative stress in sticklebacks: an immuno-ecological approach. Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 1407-1414.	2.6	63

## 128 Characterization and isolation of DNA microsatellite primers in Raja clavata L. (thornback ray,) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 702

129	Evolutionary divergence and possible incipient speciation in post-glacial populations of a cosmopolitan aquatic plant. Journal of Evolutionary Biology, 2005, 18, 19-26.	1.7	33
130	How a complex life cycle can improve a parasite's sex life. Journal of Evolutionary Biology, 2005, 18, 1069-1075.	1.7	111
131	Local genetic structure in a clonal dioecious angiosperm. Molecular Ecology, 2005, 14, 957-967.	3.9	50
132	Does disturbance enhance genotypic diversity in clonal organisms? A field test in the marine angiosperm Zostera marina. Molecular Ecology, 2005, 15, 277-286.	3.9	91
133	Inter- and Intralocus Recombination Drive MHC Class IIB Gene Diversification in a Teleost, the Three-Spined Stickleback Gasterosteus aculeatus. Journal of Molecular Evolution, 2005, 61, 531-541.	1.8	77
134	Salinity tolerance in Daphnia magna: characteristics of genotypes hatching from mixed sediments. Oecologia, 2005, 143, 509-516.	2.0	16
135	Mating System and Clonal Architecture: A Comparative Study in Two Marine Angiosperms. Evolutionary Ecology, 2005, 19, 487-499.	1.2	36
136	Ecosystem recovery after climatic extremes enhanced by genotypic diversity. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 2826-2831.	7.1	957
137	Mate choice decisions of stickleback females predictably modified by MHC peptide ligands. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4414-4418.	7.1	324
138	Major histocompatibility complex diversity influences parasite resistance and innate immunity in sticklebacks. Proceedings of the Royal Society B: Biological Sciences, 2004, 271, 197-204.	2.6	194
139	Response to Comment on "Parasite Selection for Immunogenetic Optimality". Science, 2004, 303, 957b-957.	12.6	13
140	North Atlantic phylogeography and large-scale population differentiation of the seagrass Zostera marina L. Molecular Ecology, 2004, 13, 1923-1941.	3.9	277
141	Identification and characterization of 10 microsatellite primers for the calanoid freshwater copepods Eudiaptomus gracilis and E. graciloides using enriched genomic libraries. Molecular Ecology Notes, 2004, 4, 355-357.	1.7	4
142	Polymorphic microsatellite loci for the marine angiosperm Cymodocea nodosa. Molecular Ecology Notes, 2004, 4, 512-514.	1.7	14
143	Characterization of microsatellite loci in the dwarf eelgrass Zostera noltii (Zosteraceae) and cross-reactivity with Z. japonica. Molecular Ecology Notes, 2004, 4, 497-499.	1.7	25
144	Nine polymorphic microsatellite loci for the fennel Pondweed Potamogeton pectinatus L Molecular Ecology Notes, 2004, 4, 563-565.	1.7	14

#	Article	IF	CITATIONS
145	Polymorphic microsatellite loci for the trematode Diplostomum pseudospathaceum. Molecular Ecology Notes, 2004, 4, 577-579.	1.7	22
146	Recent duplication and inter-locus gene conversion in major histocompatibility class II genes in a teleost, the three-spined stickleback. Immunogenetics, 2004, 56, 427-37.	2.4	65
147	Parasites and individual major histocompatibility complex diversity—an optimal choice?. Microbes and Infection, 2004, 6, 1110-1116.	1.9	48
148	Female sticklebacks Gasterosteus aculeatus use self-reference to optimize MHC allele number during mate selection. Behavioral Ecology and Sociobiology, 2003, 54, 119-126.	1.4	208
149	Sibling species or poecilogony in the polychaete Scoloplos armiger?. Marine Biology, 2003, 142, 937-947.	1.5	22
150	Multiple parasites are driving major histocompatibility complex polymorphism in the wild. Journal of Evolutionary Biology, 2003, 16, 224-232.	1.7	271
151	Flexible mating: cross-pollination affects sex-expression in a marine clonal plant. Journal of Evolutionary Biology, 2003, 16, 1096-1105.	1.7	17
152	Floral neighbourhoods in the sea: how floral density, opportunity for outcrossing and population fragmentation affect seed set in Zostera marina. Journal of Ecology, 2003, 91, 610-615.	4.0	70
153	Habitat differentiation vs. isolation-by-distance: the genetic population structure of Elymus athericus in European salt marshes. Molecular Ecology, 2003, 12, 505-515.	3.9	87
154	Inbreeding depression influences genet size distribution in a marine angiosperm. Molecular Ecology, 2003, 12, 619-629.	3.9	77
155	Genetic neighbourhood of clone structures in eelgrass meadows quantified by spatial autocorrelation of microsatellite markers. Heredity, 2003, 91, 448-455.	2.6	49
156	Parasite Selection for Immunogenetic Optimality. Science, 2003, 301, 1343-1343.	12.6	318
157	Is asexual reproduction more important at geographical limits? A genetic study of the seagrass Zostera marina in the Ria Formosa, Portugal. Marine Ecology - Progress Series, 2003, 265, 77-83.	1.9	78
158	Microsatellites reveal high population connectivity in eelgrass (Zostera marina ) in two contrasting coastal areas. Limnology and Oceanography, 2002, 47, 78-85.	3.1	95
159	Dispersion patterns of parasites in 0+ year three-spined sticklebacks: a cross population comparison. Journal of Fish Biology, 2002, 60, 1529-1542.	1.6	66
160	Dispersion patterns of parasites in 0+ year three-spined sticklebacks: a cross population comparison. Journal of Fish Biology, 2002, 60, 1529-1542.	1.6	7
161	Local adaptation and transplant dominance in genets of the marine clonal plant Zostera marina. Marine Ecology - Progress Series, 2002, 242, 111-118.	1.9	40
162	Rapid genetic divergence in postglacial populations of threespine stickleback (Gasterosteus) Tj ETQq0 0 0 rgBT / 2435-2445.	Overlock 1 3.9	LO Tf 50 67 To 142

#	Article	IF	CITATIONS
163	Fitness-consequences of geitonogamous selfing in a clonal marine angiosperm (Zostera marina). Journal of Evolutionary Biology, 2001, 14, 129-138.	1.7	91
164	SSCP analysis of Mhc class IIB genes in the threespine stickleback. Journal of Fish Biology, 2001, 58, 887-890.	1.6	31
165	Female sticklebacks count alleles in a strategy of sexual selection explaining MHC polymorphism. Nature, 2001, 414, 300-302.	27.8	438
166	New markers-old questions: population genetics of seagrasses. Marine Ecology - Progress Series, 2001, 211, 261-274.	1.9	69
167	Pollination in the marine realm: microsatellites reveal high outcrossing rates and multiple paternity in eelgrass Zostera marina. Heredity, 2000, 85, 459-464.	2.6	52
168	A microsatellite-based estimation of clonal diversity and population subdivision in Zostera marina, a marine flowering plant. Molecular Ecology, 2000, 9, 127-140.	3.9	165
169	Five microsatellite loci in eelgrass Zostera marina and a test of cross-species amplification in Z. noltii and Z. japonica. Molecular Ecology, 2000, 9, 371-373.	3.9	43
170	Isolation and characterization of microsatellite loci from the tapewormSchistocephalus solidus. Molecular Ecology, 2000, 9, 1926-1927.	3.9	22
171	Do nutrient availability and plant density limit seagrass colonization in the Baltic Sea?. Marine Ecology - Progress Series, 2000, 200, 159-166.	1.9	59
172	Differentiating between clonal growth and limited gene flow using spatial autocorrelation of microsatellites. Heredity, 1999, 83, 120-126.	2.6	62
173	Microsatellite loci in eelgrass Zostera marina reveal marked polymorphism within and among populations. Molecular Ecology, 1999, 8, 317-321.	3.9	87
174	Size and estimated age of genets in eelgrass, Zostera marina , assessed with microsatellite markers. Marine Biology, 1999, 133, 519-525.	1.5	75
175	Macrophyte Canopy Structure and the Success of an Invasive Marine Bivalve. Oikos, 1999, 84, 398.	2.7	75
176	Variable responses of native eelgrass Zostera marina to a non-indigenous bivalve Musculista senhousia. Oecologia, 1998, 113, 428-441.	2.0	101
177	Differing effects of eelgrass Zostera marina on recruitment and growth of associated blue mussels Mytilus edulis. Marine Ecology - Progress Series, 1998, 167, 149-153.	1.9	50
178	Native predators contribute to invasion resistance to the non-indigenous bivalve Musculista senhousia in southern California, USA. Marine Ecology - Progress Series, 1998, 170, 159-168.	1.9	77
179	PERSISTENCE AND SPACE OCCUPANCY BY SUBTIDALBLUE MUSSEL PATCHES. Ecological Monographs, 1997, 67, 65-87.	5.4	52
180	Factors influencing depth distribution of soft bottom inhabiting Laminaria saccharina (L.) Lamour. in Kiel Bay, Western Baltic. Hydrobiologia, 1996, 326-327, 117-123.	2.0	15

#	Article	IF	CITATIONS
181	Storm effects on eelgrass (Zostera marina L.) and blue mussel (Mytilus edulis L.) beds. Journal of Experimental Marine Biology and Ecology, 1995, 192, 257-271.	1.5	47
182	Chlorobiphenyls: Model Compounds for Metabolism in Food Chain Organisms and Their Potential Use as Ecotoxicological Stress Indicators by Application of the Metabolic Slope Concept. Environmental Science & Technology, 1995, 29, 1851-1859.	10.0	145
183	Genetic diversity and evolution in eukaryotic phytoplankton: revelations from population genetic studies. Journal of Plankton Research, 0, , .	1.8	23