

# Sylvain Dubucquoi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6684109/sylvain-dubucquoi-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,506

citations

23

h-index

37

g-index

66

ext. papers

1,767

ext. citations

6.1

avg, IF

3.72

L-index

#	Paper	IF	Citations
62	Passages in culture and stimulation conditions influence protein expression of primary fibroblasts. <i>Proteomics</i> , <b>2021</b> , e2100116	4.8	
61	Étude transversale des profils anticorps spécifiques et associés aux myosites dans la sclérodermie systémique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2021</b> , 88, 284-290	0.1	
60	Extended myositis-specific and -associated antibodies profile in systemic sclerosis: A cross-sectional study. <i>Joint Bone Spine</i> , <b>2021</b> , 88, 105048	2.9	4
59	Clinical significance of anti-Ro52 (TRIM21) antibodies in adult patients with connective tissue diseases. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 91, 45-52	3.9	4
58	Assessment of T-cell polarization on the basis of surface marker expression: Diagnosis and potential therapeutic implications in lymphocytic variant hypereosinophilic syndrome. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , <b>2020</b> , 8, 1110-1114.e2	5.4	4
57	The complex kinetics of blood endocan during the time course of sepsis and acute respiratory distress syndrome. <i>Critical Care</i> , <b>2019</b> , 23, 86	10.8	1
56	Impact of acute renal failure on plasmatic levels of cleaved endocan. <i>Critical Care</i> , <b>2019</b> , 23, 55	10.8	7
55	Decrease of the plasmatic endocan cleavage ratio is associated with the hyperinflammatory phenotype of acute respiratory distress syndrome. <i>Critical Care</i> , <b>2019</b> , 23, 252	10.8	4
54	Classical pathway activity C3c, C4 and C1-inhibitor protein reference intervals determination in EDTA plasma. <i>Biochemia Medica</i> , <b>2019</b> , 29, 030707	2.5	0
53	C-Reactive protein as a diagnostic tool in differential diagnosis of hypereosinophilic syndrome and antineutrophil cytoplasmic antibody-negative eosinophilic granulomatosis with polyangiitis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , <b>2019</b> , 7, 1347-1351.e3	5.4	15
52	Reply to Gilchrist et al. and to Musher. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 66, 637-638	11.6	
51	Altered B lymphocyte homeostasis and functions in systemic sclerosis. <i>Autoimmunity Reviews</i> , <b>2018</b> , 17, 244-255	13.6	31
50	Proinflammatory B-cell profile in the early phases of MS predicts an active disease. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2018</b> , 5, e431	9.1	18
49	Immunoglobulin G (IgG) and IgG subclass reference intervals in children, using Optilite <sup>®</sup> reagents. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 56, 1319-1327	5.9	5
48	Low endocan levels are predictive of Acute Respiratory Distress Syndrome in severe sepsis and septic shock. <i>Journal of Critical Care</i> , <b>2018</b> , 47, 121-126	4	16
47	Prevalence and Clinical Associations of Antiphospholipid Antibodies in Systemic Sclerosis: New Data From a French Cross-Sectional Study, Systematic Review, and Meta-Analysis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2457	8.4	11
46	Antiphospholipid Syndrome With Isolated Isotype M Anticardiolipin and/or Anti-B2GPI Antibody Is Associated With Stroke. <i>Stroke</i> , <b>2018</b> , 49, 2770-2772	6.7	7

45	Whole-Body Distribution and Clinical Association of Telangiectases in Systemic Sclerosis. <i>JAMA Dermatology</i> , <b>2018</b> , 154, 796-805	5.1	3
44	Intravenous immunoglobulins in systemic sclerosis: Data from a French nationwide cohort of 46 patients and review of the literature. <i>Autoimmunity Reviews</i> , <b>2017</b> , 16, 377-384	13.6	35
43	Endocan is a stable circulating molecule in ICU patients. <i>Clinical Biochemistry</i> , <b>2017</b> , 50, 870-877	3.5	12
42	Specific Polysaccharide Antibody Deficiency Revealed by Severe Bacterial Infections in Adulthood: A Report on 11 Cases. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 65, 328-331	11.6	10
41	B Cell Homeostasis and Functional Properties Are Altered in an Hypochlorous Acid-Induced Murine Model of Systemic Sclerosis. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 53	8.4	5
40	Value of the Overall Pneumococcal Polysaccharide Response in the Diagnosis of Primary Humoral Immunodeficiencies. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 1862	8.4	14
39	Diagnostic performance of a new vimentin-derived ACPA (CCP high sensitive) in patients with rheumatoid arthritis. <i>Immunologic Research</i> , <b>2016</b> , 64, 455-60	4.3	
38	Heterogeneous clinical spectrum of anti-SRP myositis and importance of the methods of detection of anti-SRP autoantibodies: a multicentric study. <i>Immunologic Research</i> , <b>2016</b> , 64, 677-86	4.3	26
37	Anti-Ephrin Type-B Receptor 2 (EphB2) and Anti-Three Prime Histone mRNA EXonuclease 1 (THEX1) Autoantibodies in Scleroderma and Lupus. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160283	3.7	0
36	Vaginal Mucosal Homeostatic Response May Determine Pregnancy Outcome in Women With Bacterial Vaginosis: A Pilot Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e2668	1.8	7
35	Antineutrophil Cytoplasmic Antibody-Positive Small-Vessel Vasculitis Associated with Antithyroid Drug Therapy: How Significant Is the Clinical Problem?. <i>Thyroid</i> , <b>2015</b> , 25, 1273-81	6.2	41
34	Serological proteome analysis reveals new specific biases in the IgM and IgG autoantibody repertoires in autoimmune polyendocrine syndrome type 1. <i>Autoimmunity</i> , <b>2015</b> , 48, 532-41	3	4
33	Humoral immunity links <i>Candida albicans</i> infection and celiac disease. <i>PLoS ONE</i> , <b>2015</b> , 10, e0121776	3.7	23
32	An Optimized Fluorescence-Based Bidimensional Immunoproteomic Approach for Accurate Screening of Autoantibodies. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132142	3.7	8
31	Seronegative polyarthritis revealing antisynthetase syndrome: a multicentre study of 40 patients. <i>Rheumatology</i> , <b>2015</b> , 54, 927-32	3.9	35
30	CD3-CD4+ lymphoid variant of hypereosinophilic syndrome: nodal and extranodal histopathological and immunophenotypic features of a peripheral indolent clonal T-cell lymphoproliferative disorder. <i>Haematologica</i> , <b>2015</b> , 100, 1086-95	6.6	24
29	Prevalence of anti-RNA polymerase III antibodies in systemic sclerosis: New data from a French cohort and a systematic review and meta-analysis. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 407-17	9.5	57
28	Serum free light chains of immunoglobulins as biomarkers for systemic sclerosis characteristics, activity and severity. <i>Autoimmunity Reviews</i> , <b>2014</b> , 13, 974-80	13.6	29

27	Soluble form of receptor for advanced glycation end-products (sRAGE): do sRAGE ligands or anti-sRAGE auto-antibodies interfere with sRAGE quantification?. <i>Annals of Clinical Biochemistry</i> , <b>2014</b> , 51, 248-57	2.2	4
26	Distinct immune response in two MERS-CoV-infected patients: can we go from bench to bedside?. <i>PLoS ONE</i> , <b>2014</b> , 9, e88716	3.7	180
25	The Spectrum of FIP1L1-PDGFR $\alpha$ -Associated Chronic Eosinophilic Leukemia: New Insights Based on a Survey of 44 Cases. <i>Medicine (United States)</i> , <b>2013</b> , 92, e1-e9	1.8	62
24	Effect of in vitro and in vivo anakinra on cytokines production in Schnitzler syndrome. <i>PLoS ONE</i> , <b>2013</b> , 8, e59327	3.7	28
23	Hierarchical cluster and survival analyses of antisynthetase syndrome: phenotype and outcome are correlated with anti-tRNA synthetase antibody specificity. <i>Autoimmunity Reviews</i> , <b>2012</b> , 12, 210-7	13.6	177
22	Are immunoglobulin A anti-gliadin antibodies helpful in diagnosing coeliac disease in children younger than 2 years?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2012</b> , 54, 110-2	2.8	5
21	B-cell subsets up-regulate $\alpha$ 5 $\beta$ 1 integrin and accumulate in the cerebrospinal fluid in clinically isolated syndrome suggestive of multiple sclerosis onset. <i>Neuroscience Letters</i> , <b>2011</b> , 487, 273-7	3.3	23
20	Primed status of transitional B cells associated with their presence in the cerebrospinal fluid in early phases of multiple sclerosis. <i>Clinical Immunology</i> , <b>2011</b> , 139, 12-20	9	17
19	Changes Related to Age in Natural and Acquired Systemic Self-IgG Responses in Malaria. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , <b>2011</b> , 2011, 462767	1.7	0
18	Endothelial dysfunction in systemic lupus patients with low disease activity: evaluation by quantification and characterization of circulating endothelial microparticles, role of anti-endothelial cell antibodies. <i>Rheumatology</i> , <b>2010</b> , 49, 1049-55	3.9	44
17	Clinical manifestations of anti-synthetase syndrome positive for anti-alanyl-tRNA synthetase (anti-PL12) antibodies: a retrospective study of 17 cases. <i>Rheumatology</i> , <b>2010</b> , 49, 972-6	3.9	60
16	Comparison of the Farr radioimmunoassay, 3 commercial enzyme immunoassays and Crithidia luciliae immunofluorescence test for diagnosis and activity assessment of systemic lupus erythematosus. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 959-64	6.2	26
15	Diluted Russell viper-venom time improves identification of antiphospholipid syndrome in a lupus anticoagulant-positive patient population. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 577-581	7	8
14	A functional haplotype of PADI4 gene in rheumatoid arthritis: positive correlation in a French population. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 881-6	4.1	23
13	Characterization of discriminant human brain antigenic targets in neuropsychiatric systemic lupus erythematosus using an immunoproteomic approach. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 3420-32		44
12	Diversified serum IgG response involving non-myelin CNS proteins during experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , <b>2006</b> , 179, 53-64	3.5	23
11	Significance of persistent antiphospholipid antibodies in the elderly. <i>Journal of Rheumatology</i> , <b>2006</b> , 33, 1559-62	4.1	7
10	New insights into cell responses involved in experimental autoimmune encephalomyelitis and multiple sclerosis. <i>Immunology Letters</i> , <b>2005</b> , 96, 11-26	4.1	56

9	Total soluble HLA class I and soluble HLA-G in multiple myeloma and monoclonal gammopathy of undetermined significance. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 7297-303	12.9	52
8	Distortion of the self-reactive IgG antibody repertoire in multiple sclerosis as a new diagnostic tool. <i>Journal of Immunology</i> , <b>2004</b> , 172, 669-78	5.3	41
7	New antigenic candidates in multiple sclerosis: identification by serological proteome analysis. <i>Proteomics</i> , <b>2004</b> , 4, 2184-94	4.8	60
6	Autoantibodies against alpha-fodrin in Sjögren's syndrome with neurological manifestations. <i>Journal of Rheumatology</i> , <b>2004</b> , 31, 500-3	4.1	16
5	Interleukin-10 promoter polymorphism in multiple sclerosis: association with disease progression. <i>European Cytokine Network</i> , <b>2002</b> , 13, 200-6	3.3	13
4	CD28+ intraepithelial lymphocytes with long telomeres are recruited within the inflamed ileal mucosa in Crohn disease. <i>Human Immunology</i> , <b>2001</b> , 62, 694-700	2.3	8
3	IgM-specific measles-virus antibody in families with a high frequency of Crohn's disease. <i>Lancet, The</i> , <b>1995</b> , 346, 967	4.0	9
2	Evidence for eosinophil activation in eosinophilic cystitis. <i>European Urology</i> , <b>1994</b> , 25, 254-8	10.2	25
1	Interleukin-5 messenger RNA and immunoreactive protein expression by activated eosinophils in lesional atopic dermatitis skin. <i>Journal of Investigative Dermatology</i> , <b>1994</b> , 103, 589-92	4.3	34