

# Carlo Ajm Gaillard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6684895/publications.pdf>

Version: 2024-02-01

134  
papers

6,296  
citations

61857

43  
h-index

71532

76  
g-index

137  
all docs

137  
docs citations

137  
times ranked

6406  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                           | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | The relationship between uremic toxins and symptoms in older men and women with advanced chronic kidney disease. CKJ: Clinical Kidney Journal, 2022, 15, 798-807.                                                                 | 1.4 | 5         |
| 2  | Associations between depressive symptoms and disease progression in older patients with chronic kidney disease: results of the EQUAL study. CKJ: Clinical Kidney Journal, 2022, 15, 786-797.                                      | 1.4 | 4         |
| 3  | Iron deficiency, with and without anaemia, across strata of kidney function in kidney transplant recipients. Nephrology Dialysis Transplantation, 2021, 36, 2342-2344.                                                            | 0.4 | 1         |
| 4  | Changes in cerebral oxygenation and cerebral blood flow during hemodialysis – A simultaneous near-infrared spectroscopy and positron emission tomography study. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 328-340. | 2.4 | 39        |
| 5  | Evaluation of diagnostic and therapeutic management of hypertensive crises in a Dutch emergency department. European Journal of Emergency Medicine, 2020, 27, 66-68.                                                              | 0.5 | 0         |
| 6  | Creatinine synthesis rate and muscle strength and self-reported physical health in dialysis patients. Clinical Nutrition, 2020, 39, 1600-1607.                                                                                    | 2.3 | 8         |
| 7  | Interplay of erythropoietin, fibroblast growth factor 23, and erythroferrone in patients with hereditary hemolytic anemia. Blood Advances, 2020, 4, 1678-1682.                                                                    | 2.5 | 13        |
| 8  | Prognostic biomarker soluble ST2 exhibits diurnal variation in chronic heart failure patients. ESC Heart Failure, 2020, 7, 1224-1233.                                                                                             | 1.4 | 20        |
| 9  | Iron Administration, Infection, and Anemia Management in CKD: Untangling the Effects of Intravenous Iron Therapy on Immunity and Infection Risk. Kidney Medicine, 2020, 2, 341-353.                                               | 1.0 | 24        |
| 10 | Effects of erythropoietin on fibroblast growth factor 23 in mice and humans. Nephrology Dialysis Transplantation, 2019, 34, 2057-2065.                                                                                            | 0.4 | 73        |
| 11 | Epoetin Beta and C-terminal Fibroblast Growth Factor 23 in Patients With Chronic Heart Failure and Chronic Kidney Disease. Journal of the American Heart Association, 2019, 8, e011130.                                           | 1.6 | 15        |
| 12 | Association Between Renal Function and Troponin T Over Time in Stable Chronic Kidney Disease Patients. Journal of the American Heart Association, 2019, 8, e013091.                                                               | 1.6 | 37        |
| 13 | Administration of Intravenous Iron Formulations Induces Complement Activation in-vivo. Frontiers in Immunology, 2019, 10, 1885.                                                                                                   | 2.2 | 8         |
| 14 | The Prevalence of Intradialytic Hypotension in Patients on Conventional Hemodialysis: A Systematic Review with Meta-Analysis. American Journal of Nephrology, 2019, 49, 497-506.                                                  | 1.4 | 77        |
| 15 | Iron deficiency, elevated erythropoietin, fibroblast growth factor 23, and mortality in the general population of the Netherlands: A cohort study. PLoS Medicine, 2019, 16, e1002818.                                             | 3.9 | 16        |
| 16 | The EPO-FGF23 Signaling Pathway in Erythroid Progenitor Cells: Opening a New Area of Research. Frontiers in Physiology, 2019, 10, 304.                                                                                            | 1.3 | 33        |
| 17 | Active smoking and macrocytosis in the general population: Two population-based cohort studies. American Journal of Hematology, 2019, 94, E45-E48.                                                                                | 2.0 | 5         |
| 18 | Erythropoietin Is Associated with a Decline in the iFGF23/cFGF23 Ratio in Patients with Various Hereditary Hemolytic Anemias. Blood, 2019, 134, 4793-4793.                                                                        | 0.6 | 0         |

| #  | ARTICLE                                                                                                                                                                                                              | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Hemodialysis Induces an Acute Decline in Cerebral Blood Flow in Elderly Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1317-1325.                                                  | 3.0 | 132       |
| 20 | Active Smoking and Hematocrit and Fasting Circulating Erythropoietin Concentrations in the General Population. <i>Mayo Clinic Proceedings</i> , 2018, 93, 337-343.                                                   | 1.4 | 16        |
| 21 | FP387IRON DEFICIENCY, ERYTHROPOIETIN, AND FIBROBLAST GROWTH FACTOR 23 IN THE GENERAL POPULATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i164-i164.                                                   | 0.4 | 0         |
| 22 | Kidney Function Reserve Capacity in Early and Later Stage Autosomal Dominant Polycystic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1680-1692.                  | 2.2 | 11        |
| 23 | SaO005ADMINISTRATION OF INTRAVENOUS IRON PREPARATIONS INDUCES COMPLEMENT ACTIVATION IN PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i316-i316.                                                   | 0.4 | 0         |
| 24 | Renal function in patients with non-dialysis chronic kidney disease receiving intravenous ferric carboxymaltose: an analysis of the randomized FIND-CKD trial. <i>BMC Nephrology</i> , 2017, 18, 24.                 | 0.8 | 13        |
| 25 | Targeting multiple pathways reduces renal and cardiac fibrosis in rats with subtotal nephrectomy followed by coronary ligation. <i>Acta Physiologica</i> , 2017, 220, 382-393.                                       | 1.8 | 10        |
| 26 | Urinary prednisolone excretion is a determinant of serum hepcidin levels in renal transplant recipients. <i>American Journal of Hematology</i> , 2017, 92, E173-E175.                                                | 2.0 | 2         |
| 27 | High Serum PCSK9 Is Associated With Increased Risk of New-Onset Diabetes After Transplantation in Renal Transplant Recipients. <i>Diabetes Care</i> , 2017, 40, 894-901.                                             | 4.3 | 27        |
| 28 | Safety of intravenous ferric carboxymaltose versus oral iron in patients with nondialysis-dependent CKD: an analysis of the 1-year FIND-CKD trial. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1530-1539. | 0.4 | 38        |
| 29 | The Effect of Renal Function and Hemodialysis Treatment on Plasma Vasopressin and Copeptin Levels. <i>Kidney International Reports</i> , 2017, 2, 410-419.                                                           | 0.4 | 24        |
| 30 | Low Urinary Creatinine Excretion Is Associated With Self-Reported Frailty in Patients With Advanced Chronic Kidney Disease. <i>Kidney International Reports</i> , 2017, 2, 676-685.                                  | 0.4 | 23        |
| 31 | High serum PCSK9 is associated with increased risk of new-onset diabetes after transplantation in renal transplant recipients. <i>Atherosclerosis</i> , 2017, 263, e254-e255.                                        | 0.4 | 0         |
| 32 | C-Terminal Fibroblast Growth Factor 23, Iron Deficiency, and Mortality in Renal Transplant Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3639-3646.                             | 3.0 | 46        |
| 33 | Distinct in vitro Complement Activation by Various Intravenous Iron Preparations. <i>American Journal of Nephrology</i> , 2017, 45, 49-59.                                                                           | 1.4 | 56        |
| 34 | Erythropoietic response to oral iron in patients with nondialysis-dependent chronic kidney disease in the FIND-CKD trial. <i>Clinical Nephrology</i> , 2017, 88, 301-310.                                            | 0.4 | 17        |
| 35 | Urine Concentrating Capacity, Vasopressin and Copeptin in ADPKD and IgA Nephropathy Patients with Renal Impairment. <i>PLoS ONE</i> , 2017, 12, e0169263.                                                            | 1.1 | 19        |
| 36 | Hepcidin Response to Iron Therapy in Patients with Non-Dialysis Dependent CKD: An Analysis of the FIND-CKD Trial. <i>PLoS ONE</i> , 2016, 11, e0157063.                                                              | 1.1 | 26        |

| #  | ARTICLE                                                                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Iron deficiency, anemia, and mortality in renal transplant recipients. <i>Transplant International</i> , 2016, 29, 1176-1183.                                                                                                                                                                           | 0.8 | 38        |
| 38 | Cardiac Hcpcidin Expression Associates with Injury Independent of Iron. <i>American Journal of Nephrology</i> , 2016, 44, 368-378.                                                                                                                                                                      | 1.4 | 18        |
| 39 | Urinary potassium excretion, renal ammoniogenesis, and risk of graft failure and mortality in renal transplant recipients. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1703-1711.                                                                                                        | 2.2 | 35        |
| 40 | Causes and Consequences of Interdialytic weight gain. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 710-720.                                                                                                                                                                                    | 0.9 | 33        |
| 41 | Association of hepcidin with survival after kidney transplantation. <i>European Journal of Clinical Investigation</i> , 2016, 46, 994-1001.                                                                                                                                                             | 1.7 | 6         |
| 42 | Feasibility of measuring renal blood flow by phase-contrast magnetic resonance imaging in patients with autosomal dominant polycystic kidney disease. <i>European Radiology</i> , 2016, 26, 683-692.                                                                                                    | 2.3 | 6         |
| 43 | Nutritional Status in Nocturnal Hemodialysis Patients – A Systematic Review with Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0157621.                                                                                                                                                                   | 1.1 | 9         |
| 44 | Neuronal Nitric Oxide Synthase-Dependent Amelioration of Diastolic Dysfunction in Rats with Chronic Renocardiac Syndrome. <i>CardioRenal Medicine</i> , 2015, 5, 69-78.                                                                                                                                 | 0.7 | 4         |
| 45 | Changes in Plasma Copeptin Levels during Hemodialysis: Are the Physiological Stimuli Active in Hemodialysis Patients?. <i>PLoS ONE</i> , 2015, 10, e0127116.                                                                                                                                            | 1.1 | 16        |
| 46 | Relation between Red Cell Distribution Width and Fibroblast Growth Factor 23 Cleaving in Patients with Chronic Kidney Disease and Heart Failure. <i>PLoS ONE</i> , 2015, 10, e0128994.                                                                                                                  | 1.1 | 15        |
| 47 | The Effects of Kidney Transplantation on Sleep, Melatonin, Circadian Rhythm and Quality of Life in Kidney Transplant Recipients and Living Donors. <i>Nephron</i> , 2015, 129, 6-15.                                                                                                                    | 0.9 | 30        |
| 48 | Effect of additive renin inhibition with aliskiren on renal blood flow in patients with Chronic Heart Failure and Renal Dysfunction (Additive Renin Inhibition with Aliskiren on renal blood flow and) <i>Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 302</i><br><i>Heart Journal</i> , 2015, 169, 693-701.e3. | 1.2 | 16        |
| 49 | An observational study on disturbed peripheral circadian rhythms in hemodialysis patients. <i>Chronobiology International</i> , 2015, 32, 848-857.                                                                                                                                                      | 0.9 | 21        |
| 50 | Urine and Plasma Osmolality in Patients with Autosomal Dominant Polycystic Kidney Disease: Reliable Indicators of Vasopressin Activity and Disease Prognosis?. <i>American Journal of Nephrology</i> , 2015, 41, 248-256.                                                                               | 1.4 | 15        |
| 51 | Estimation of Total Kidney Volume in Autosomal Dominant Polycystic Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2015, 66, 792-801.                                                                                                                                                      | 2.1 | 36        |
| 52 | FIND-CKD: a randomized trial of intravenous ferric carboxymaltose versus oral iron in patients with chronic kidney disease and iron deficiency anaemia. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2075-2084.                                                                               | 0.4 | 226       |
| 53 | The FIND-CKD study – a randomized controlled trial of intravenous iron versus oral iron in non-dialysis chronic kidney disease patients: background and rationale. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 843-850.                                                                      | 0.4 | 31        |
| 54 | Effect of Nocturnal Haemodialysis on Body Composition. <i>Nephron Clinical Practice</i> , 2014, 128, 171-177.                                                                                                                                                                                           | 2.3 | 7         |

| #  | ARTICLE                                                                                                                                                                                                                                                             | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Cardiorenal syndromeâ€”current understanding and future perspectives. <i>Nature Reviews Nephrology</i> , 2014, 10, 48-55.                                                                                                                                           | 4.1 | 114       |
| 56 | Response to letter by Balta et al.. <i>International Journal of Cardiology</i> , 2013, 169, 89.                                                                                                                                                                     | 0.8 | 2         |
| 57 | Red cell distribution width is associated with physical inactivity and heart failure, independent of established risk factors, inflammation or iron metabolism; the EPICâ€”Norfolk study. <i>International Journal of Cardiology</i> , 2013, 168, 3550-3555.        | 0.8 | 62        |
| 58 | Barriers to an early switch from intravenous to oral antibiotic therapy in hospitalised patients with CAP. <i>European Respiratory Journal</i> , 2013, 41, 123-130.                                                                                                 | 3.1 | 52        |
| 59 | Longâ€”term effects of melatonin on quality of life and sleep in haemodialysis patients (<sup>M</sup>elody study): a randomized controlled trial. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 668-679.                                              | 1.1 | 44        |
| 60 | Red blood cell: barometer of cardiovascular health?. <i>Cardiovascular Research</i> , 2013, 98, 3-4.                                                                                                                                                                | 1.8 | 7         |
| 61 | Preemptive dosage reduction of nadroparin in patients with renal failure: a retrospective case series. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 473-477.                                                                                                      | 1.4 | 6         |
| 62 | Taxol<sup>Â®</sup>-induced phosphatidylserine exposure and microvesicle formation in red blood cells is mediated by its vehicle Cremophor<sup>Â®</sup>EL. <i>Nanomedicine</i> , 2013, 8, 1127-1135.                                                                 | 1.7 | 22        |
| 63 | Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Chronic Cardiorenal Failure is Correlated with Endogenous Erythropoietin Levels and Decreases in Response to Low-Dose Erythropoietin Treatment. <i>Kidney and Blood Pressure Research</i> , 2012, 36, 344-354. | 0.9 | 18        |
| 64 | A role for activated endothelial cells in red blood cell clearance: implications for vasopathology. <i>Haematologica</i> , 2012, 97, 500-508.                                                                                                                       | 1.7 | 64        |
| 65 | Atherosclerotic renal artery stenosis is prevalent in cardiorenal patients but not associated with left ventricular function and myocardial fibrosis as assessed by cardiac magnetic resonance imaging. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 76.         | 0.7 | 7         |
| 66 | Hepcidin-25 in Chronic Hemodialysis Patients Is Related to Residual Kidney Function and Not to Treatment with Erythropoiesis Stimulating Agents. <i>PLoS ONE</i> , 2012, 7, e39783.                                                                                 | 1.1 | 47        |
| 67 | The role of melatonin treatment in chronic kidney disease. <i>Frontiers in Bioscience - Landmark</i> , 2012, 17, 2644.                                                                                                                                              | 3.0 | 53        |
| 68 | Systemic arterial and venous determinants of renal hemodynamics in congestive heart failure. <i>Heart Failure Reviews</i> , 2012, 17, 161-175.                                                                                                                      | 1.7 | 83        |
| 69 | New roles for renin and prorenin in heart failure and cardiorenal crosstalk. <i>Heart Failure Reviews</i> , 2012, 17, 191-201.                                                                                                                                      | 1.7 | 64        |
| 70 | Determinants of Red Cell Distribution Width (RDW) in Cardiorenal Patients: RDW is Not Related to Erythropoietin Resistance. <i>Journal of Cardiac Failure</i> , 2011, 17, 626-633.                                                                                  | 0.7 | 60        |
| 71 | The role of renal function loss on circadian misalignment of cytokines EPO, IGF-1, IL-6 and TNF-alfa in chronic renal disease. <i>Neuroendocrinology Letters</i> , 2011, 32, 148-53.                                                                                | 0.2 | 3         |
| 72 | Dutch guideline for the management of hypertensive crisis -- 2010 revision. <i>Netherlands Journal of Medicine</i> , 2011, 69, 248-55.                                                                                                                              | 0.6 | 30        |

| #  | ARTICLE                                                                                                                                                                                                                        | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Erythrophagocytosis by angiogenic endothelial cells is enhanced by loss of erythrocyte deformability. <i>Experimental Hematology</i> , 2010, 38, 282-291.                                                                      | 0.2 | 27        |
| 74 | Impairment of endogenous melatonin rhythm is related to the degree of chronic kidney disease (CREAM study). <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 513-519.                                                    | 0.4 | 74        |
| 75 | Hepcidin is a marker of the response rather than resistance to exogenous erythropoietin in chronic kidney disease/chronic heart failure patients. <i>European Journal of Heart Failure</i> , 2010, 12, 943-950.                | 2.9 | 67        |
| 76 | High cumulative incidence of cancer in patients with cardio-renal-anaemia syndrome. <i>European Journal of Heart Failure</i> , 2010, 12, 855-860.                                                                              | 2.9 | 8         |
| 77 | Hemoglobin Variability in Patients with Chronic Kidney Disease in the Netherlands. <i>International Journal of Artificial Organs</i> , 2009, 32, 787-793.                                                                      | 0.7 | 15        |
| 78 | Time for first antibiotic dose is not predictive for the early clinical failure of moderate-severe community-acquired pneumonia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2009, 28, 913-919. | 1.3 | 32        |
| 79 | The Cardiorenal Syndrome. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1340.                                                                                                                               | 1.2 | 5         |
| 80 | Renal Venous Congestion and Renal Function in Congestive Heart Failure. <i>Journal of the American College of Cardiology</i> , 2009, 54, 1632.                                                                                 | 1.2 | 13        |
| 81 | Mechanisms of Disease: erythropoietin resistance in patients with both heart and kidney failure. <i>Nature Clinical Practice Nephrology</i> , 2008, 4, 47-57.                                                                  | 2.0 | 152       |
| 82 | Angiotensin II Type 1 Receptor Blockade Improves Hyperglycemia-Induced Endothelial Dysfunction and Reduces Proinflammatory Cytokine Release From Leukocytes. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 49, 6-12.   | 0.8 | 30        |
| 83 | Application of leukocyte transcriptomes to assess systemic consequences of risk factors for cardiovascular disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1109-20.                                     | 1.4 | 14        |
| 84 | Broadly Altered Gene Expression in Blood Leukocytes in Essential Hypertension Is Absent During Treatment. <i>Hypertension</i> , 2004, 43, 947-951.                                                                             | 1.3 | 73        |
| 85 | Disparate systemic and renal blocking properties of angiotensin II antagonists during exogenous angiotensin II administration: implications for treatment. <i>Journal of Human Hypertension</i> , 2004, 18, 857-863.           | 1.0 | 5         |
| 86 | Mechanisms underlying cerebellar motor deficits due to mGluR1-autoantibodies. <i>Annals of Neurology</i> , 2003, 53, 325-336.                                                                                                  | 2.8 | 169       |
| 87 | Intensive Lipid Lowering by Statin Therapy Does Not Improve Vasoreactivity in Patients With Type 2 Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 799-804.                                    | 1.1 | 75        |
| 88 | Impaired NO-dependent vasodilation in patients with Type II (non-insulin-dependent) diabetes mellitus is restored by acute administration of folate. <i>Diabetologia</i> , 2002, 45, 1004-1010.                                | 2.9 | 124       |
| 89 | Variant esp gene as a marker of a distinct genetic lineage of vancomycin-resistant <i>Enterococcus faecium</i> spreading in hospitals. <i>Lancet, The</i> , 2001, 357, 853-855.                                                | 6.3 | 291       |
| 90 | Response of erythropoiesis and iron metabolism to recombinant human erythropoietin in intensive care unit patients*. <i>Critical Care Medicine</i> , 2001, 29, S193-S198.                                                      | 0.4 | 1         |

| #   | ARTICLE                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | Prevention of Ventilator-associated Pneumonia by Oral Decontamination. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 382-388.                                                                                | 2.5 | 370       |
| 92  | Treatment of a severely bleeding patient without preexisting coagulopathy with activated recombinant factor VII. American Journal of Medicine, 2000, 108, 421-423.                                                                    | 0.6 | 90        |
| 93  | Cross-colonisation with Pseudomonas aeruginosa of patients in an intensive care unit. Thorax, 1998, 53, 1053-1058.                                                                                                                    | 2.7 | 105       |
| 94  | Prediction of Clinical Severity and Outcome of Ventilator-associated Pneumonia. American Journal of Respiratory and Critical Care Medicine, 1998, 158, 1026-1031.                                                                     | 2.5 | 60        |
| 95  | Is nondipping in 24 h ambulatory blood pressure related to cognitive dysfunction?. Journal of Hypertension, 1998, 16, 1425-1432.                                                                                                      | 0.3 | 27        |
| 96  | Progressive vascular damage in hypertension is associated with increased levels of circulating P-selectin. Journal of Hypertension, 1998, 16, 45-50.                                                                                  | 0.3 | 123       |
| 97  | The Systemic Inflammatory Response in the Development of Ventilator-Associated Pneumonia. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 1105-1113.                                                           | 2.5 | 95        |
| 98  | Role of Colonization of the Upper Intestinal Tract in the Pathogenesis of Ventilator-Associated Pneumonia. Clinical Infectious Diseases, 1997, 24, 309-319.                                                                           | 2.9 | 161       |
| 99  | Indications for antibiotic use in ICU patients: a one-year prospective surveillance. Journal of Antimicrobial Chemotherapy, 1997, 39, 527-535.                                                                                        | 1.3 | 160       |
| 100 | Implementation of Bronchoscopic Techniques in the Diagnosis of Ventilator-associated Pneumonia to Reduce Antibiotic Use. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 1820-1824.                            | 2.5 | 153       |
| 101 | Can the blood pressure predict cognitive task performance in a healthy population sample?. Journal of Hypertension, 1997, 15, 1069-1076.                                                                                              | 0.3 | 65        |
| 102 | Natriuretic effect of nitrendipine is preceded by transient systemic and renal hemodynamic effects. Cardiovascular Drugs and Therapy, 1997, 11, 33-38.                                                                                | 1.3 | 5         |
| 103 | Value of phenotyping methods as an initial screening of Pseudomonas aeruginosa in epidemiologic studies. Infection, 1997, 25, 350-354.                                                                                                | 2.3 | 18        |
| 104 | Stress bleeding prophylaxis in the ICU: Obligate or obsolete?. Netherlands Journal of Medicine, 1996, 48, 4-7.                                                                                                                        | 0.6 | 1         |
| 105 | Repeated automatic versus ambulatory blood pressure measurement: the effects of age and sex in a normal ageing population. Journal of Hypertension, 1996, 14, 31-40.                                                                  | 0.3 | 5         |
| 106 | Assessment of gastric acidity in intensive care patients: Intermittent pH registration cannot replace continuous pH monitoring. Intensive Care Medicine, 1996, 22, 220-225.                                                           | 3.9 | 8         |
| 107 | Risk factors for pneumonia, and colonization of respiratory tract and stomach in mechanically ventilated ICU patients.. American Journal of Respiratory and Critical Care Medicine, 1996, 154, 1339-1346.                             | 2.5 | 177       |
| 108 | Intermittent enteral feeding: the influence on respiratory and digestive tract colonization in mechanically ventilated intensive-care-unit patients.. American Journal of Respiratory and Critical Care Medicine, 1996, 154, 394-399. | 2.5 | 127       |

| #   | ARTICLE                                                                                                                                                                                                                                                                                                     | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 109 | Colonization and infection with <i>Enterococcus faecalis</i> in intensive care units: the role of antimicrobial agents. <i>Antimicrobial Agents and Chemotherapy</i> , 1995, 39, 2783-2786.                                                                                                                 | 1.4  | 33        |
| 110 | The role of intragastric acidity and stress ulcer prophylaxis on colonization and infection in mechanically ventilated ICU patients. A stratified, randomized, double-blind study of sucralfate versus antacids.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995, 152, 1825-1834. | 2.5  | 152       |
| 111 | Editorial. <i>Netherlands Journal of Medicine</i> , 1995, 46, 1-3.                                                                                                                                                                                                                                          | 0.6  | 7         |
| 112 | A Typical Case of Cross-Acquisition? The Importance of Genotypic Characterization of Bacterial Strains. <i>Infection Control and Hospital Epidemiology</i> , 1995, 16, 415-416.                                                                                                                             | 1.0  | 3         |
| 113 | The Stomach Is Not a Source for Colonization of the Upper Respiratory Tract and Pneumonia in ICU Patients. <i>Chest</i> , 1994, 105, 878-884.                                                                                                                                                               | 0.4  | 178       |
| 114 | Colonization in patients receiving and not receiving topical antimicrobial prophylaxis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994, 150, 1332-1340.                                                                                                                          | 2.5  | 61        |
| 115 | Continuous enteral feeding counteracts preventive measures for gastric colonization in intensive care unit patients. <i>Critical Care Medicine</i> , 1994, 22, 939-944.                                                                                                                                     | 0.4  | 68        |
| 116 | SHORT-TERM RENAL HEMODYNAMIC CHANGES IN PATIENTS RECEIVING A RENAL ALLOGRAFT. <i>Transplantation</i> , 1994, 57, 1661-1663.                                                                                                                                                                                 | 0.5  | 1         |
| 117 | Topical antimicrobial prophylaxis of nosocomial pneumonia in mechanically ventilated patients. Microbiological observations. <i>Infection</i> , 1993, 21, 137-139.                                                                                                                                          | 2.3  | 25        |
| 118 | Clinical experiences with trandolapril. <i>American Heart Journal</i> , 1993, 125, 1542-1546.                                                                                                                                                                                                               | 1.2  | 12        |
| 119 | <i>Enterococcus faecalis</i> Pneumonia Complicating Topical Antimicrobial Prophylaxis. <i>New England Journal of Medicine</i> , 1993, 328, 209-210.                                                                                                                                                         | 13.9 | 69        |
| 120 | Recurrent postpartum renal failure in a renal allograft. <i>Transplantation</i> , 1993, 56, 1017-20.                                                                                                                                                                                                        | 0.5  | 0         |
| 121 | Diagnosis of pneumonia in mechanically ventilated patients: clinical judgement or bronchoscopy?. <i>Netherlands Journal of Medicine</i> , 1993, 43, 97-9.                                                                                                                                                   | 0.6  | 0         |
| 122 | Membranous glomerulonephritis. Towards tailor-made treatment?. <i>Netherlands Journal of Medicine</i> , 1993, 42, 109-11.                                                                                                                                                                                   | 0.6  | 2         |
| 123 | The Diuretic Effect of Calcium Entry Blockade in Normals and Hypertensive Patients.. <i>Tohoku Journal of Experimental Medicine</i> , 1992, 166, 135-146.                                                                                                                                                   | 0.5  | 2         |
| 124 | ACUTE TUMOUR LYSIS SYNDROME IN A PATIENT WITH ACUTE LYMPHOBLASTIC LEUKAEMIA AFTER A SINGLE DOSE OF PREDNISONE. <i>British Journal of Haematology</i> , 1991, 77, 122-123.                                                                                                                                   | 1.2  | 28        |
| 125 | Chronic hyperinsulinemia and blood pressure. Interaction with catecholamines?. <i>Hypertension</i> , 1990, 15, 519-527.                                                                                                                                                                                     | 1.3  | 128       |
| 126 | Opposite effects of enalapril and nitrendipine on natriuretic response to atrial natriuretic factor. Renal function evaluated with clearance studies in humans.. <i>Hypertension</i> , 1989, 13, 173-180.                                                                                                   | 1.3  | 11        |



| #   | ARTICLE                                                                                                                                                                          | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Blunted natriuretic response and low blood pressure after atrial natriuretic factor in early cirrhosis. <i>Hepatology</i> , 1989, 10, 148-153.                                   | 3.6 | 32        |
| 128 | Renal response to infusion versus repeated bolus injections of atrial natriuretic factor in man. <i>European Journal of Clinical Pharmacology</i> , 1989, 36, 195-197.           | 0.8 | 6         |
| 129 | Small intra- and large inter-individual variability in lithium clearance in humans. <i>Kidney International</i> , 1989, 35, 1183-1188.                                           | 2.6 | 21        |
| 130 | Lithium clearance during variations in sodium intake in man: effects of sodium restriction and amiloride. <i>European Journal of Clinical Investigation</i> , 1988, 18, 279-283. | 1.7 | 44        |
| 131 | Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans.. <i>Hypertension</i> , 1988, 12, 450-456.                                    | 1.3 | 18        |
| 132 | Enalapril attenuates natriuresis of atrial natriuretic factor in humans.. <i>Hypertension</i> , 1988, 11, 160-165.                                                               | 1.3 | 39        |
| 133 | Atrial natriuretic peptide and sodium intake: blunted effects in the normal sodium-retaining kidney. <i>Netherlands Journal of Medicine</i> , 1987, 30, 10-6.                    | 0.6 | 2         |
| 134 | Renal response to atrial natriuretic peptide in nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 1987, 2, 510-4.                                                 | 0.4 | 11        |