

Qi-hai Gong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6686513/qi-hai-gong-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

2,758
citations

32
h-index

49
g-index

103
ext. papers

3,304
ext. citations

4.7
avg. IF

5.14
L-index

#	Paper	IF	Citations
96	Trilobatin, a Natural Food Additive, Exerts Anti-Type 2 Diabetes Effect Mediated by Nrf2/ARE and IRS-1/GLUT2 Signaling Pathways.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 828473	5.6	0
95	Preliminary Observation of the Changes in the Intestinal Flora of Patients With Graves Disease Before and After Methimazole Treatment.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 794711	5.9	1
94	CYP3A1 metabolism-based neurotoxicity of strychnine in rat.. <i>Toxicology</i> , 2022 , 153156	4.4	
93	Anti-fatigue effect of phlorizin on exhaustive exercise-induced oxidative injury mediated by Nrf2/ARE signaling pathway in mice.. <i>European Journal of Pharmacology</i> , 2021 , 174563	5.3	3
92	A network pharmacological approach to investigate the pharmacological effects of CZ2HF decoction on Alzheimer's disease 2021 , 7, 153-170		1
91	Effects of Sodium Ferulate on Cardiac Hypertrophy Are the CaSR-Mediated Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2021 , 12, 674570	5.6	0
90	Trilobatin, a Component from Rehd., Increases Longevity in Through Activating SKN1/SIRT3/DAF16 Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2021 , 12, 655045	5.6	2
89	The Optimal Adjuvant Strategy of Aidi Injection With Gemcitabine and Cisplatin in Advanced Non-small Cell Lung Cancer: A Meta-analysis of 70 Randomized Controlled Trials. <i>Frontiers in Pharmacology</i> , 2021 , 12, 582447	5.6	4
88	Cepharanthine sensitizes human triple negative breast cancer cells to chemotherapeutic agent epirubicin via inducing cofilin oxidation-mediated mitochondrial fission and apoptosis. <i>Acta Pharmacologica Sinica</i> , 2021 ,	8	2
87	Isorhynchophylline Ameliorates Cerebral Ischemia/Reperfusion Injury by Inhibiting CX3CR1-Mediated Microglial Activation and Neuroinflammation. <i>Frontiers in Pharmacology</i> , 2021 , 12, 574793	5.6	1
86	Alteration of the Intestinal Microbial Flora and the Serum IL-17 Level in Patients with Graves Disease Complicated with Vitamin D Deficiency. <i>International Archives of Allergy and Immunology</i> , 2021 , 1-10	3.7	3
85	Icariside II attenuates cerebral ischemia/reperfusion-induced blood-brain barrier dysfunction in rats via regulating the balance of MMP9/TIMP1. <i>Acta Pharmacologica Sinica</i> , 2020 , 41, 1547-1556	8	13
84	Trilobatin Protects Against Aβ-Induced Hippocampal HT22 Cells Apoptosis Through Mediating ROS/p38/Caspase 3-Dependent Pathway. <i>Frontiers in Pharmacology</i> , 2020 , 11, 584	5.6	10
83	Study on the expression of CD14 + CD16 + monocytes and VEGF in peripheral blood of patients with type 2 diabetes mellitus and diabetic macroangiopathy. <i>International Journal of Diabetes in Developing Countries</i> , 2020 , 40, 507-512	0.8	
82	Clinical efficacy and safety of aidi injection combination with vinorelbine and cisplatin for advanced non-small-cell lung carcinoma: A systematic review and meta-analysis of 54 randomized controlled trials. <i>Pharmacological Research</i> , 2020 , 153, 104637	10.2	11
81	Neuroprotective Effects of Trilobatin, a Novel Naturally Occurring Sirt3 Agonist from Rehd., Mitigate Cerebral Ischemia/Reperfusion Injury: Involvement of TLR4/NF- κ B and Nrf2/Keap-1 Signaling. <i>Antioxidants and Redox Signaling</i> , 2020 , 33, 117-143	8.4	22
80	Icariside II, a PDE5 Inhibitor, Suppresses Oxygen-Glucose Deprivation/Reperfusion-Induced Primary Hippocampal Neuronal Death Through Activating the PKG/CREB/BDNF/TrkB Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2020 , 11, 523	5.6	7

79	Osthole Improves Cognitive Function of Vascular Dementia Rats: Reducing A β Deposition via Inhibition NLRP3 Inflammasome. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 1315-1323	2.3	1
78	Icariside II, a phosphodiesterase 5 inhibitor, attenuates cerebral ischaemia/reperfusion injury by inhibiting glycogen synthase kinase-3 β -mediated activation of autophagy. <i>British Journal of Pharmacology</i> , 2020 , 177, 1434-1452	8.6	19
77	Icariside II inhibits lipopolysaccharide-induced inflammation and amyloid production in rat astrocytes by regulating IKK/ β /NF- κ B/BACE1 signaling pathway. <i>Acta Pharmacologica Sinica</i> , 2020 , 41, 154-162	8	9
76	Osthole Alleviates Neointimal Hyperplasia in Balloon-Induced Arterial Wall Injury by Suppressing Vascular Smooth Muscle Cell Proliferation and Downregulating Cyclin D1/CDK4 and Cyclin E1/CDK2 Expression. <i>Frontiers in Physiology</i> , 2020 , 11, 514494	4.6	1
75	Sodium ferulate inhibits myocardial hypertrophy induced by abdominal coarctation in rats: Involvement of cardiac PKC and MAPK signaling pathways. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 112, 108735	7.5	11
74	Icariin improves the cognitive function of APP/PS1 mice via suppressing endoplasmic reticulum stress. <i>Life Sciences</i> , 2019 , 234, 116739	6.8	18
73	Association of serum chemerin and inflammatory factors with type 2 diabetes macroangiopathy and waist-to-stature ratio. <i>Bosnian Journal of Basic Medical Sciences</i> , 2019 , 19, 328-335	3.3	5
72	CZ2HF mitigates β -amyloid 25-35 fragment-induced learning and memory impairment through inhibition of neuroinflammation and apoptosis in rats. <i>International Journal of Molecular Medicine</i> , 2019 , 43, 557-566	4.4	4
71	Icariside II, a phosphodiesterase 5 inhibitor, attenuates brain injury in focal cerebral ischemia/reperfusion rats: Involvement of inhibition of GSK-3 β -mediated activation of autophagy. <i>FASEB Journal</i> , 2019 , 33, 500.13	0.9	
70	Icariin improves the cognitive function of APP/PS1 mice via suppressing ER stress. <i>FASEB Journal</i> , 2019 , 33, 806.16	0.9	
69	CZYH Alleviates β -Amyloid-Induced Cognitive Impairment and Inflammation Response via Modulation of JNK and NF- κ B Pathway in Rats. <i>Behavioural Neurology</i> , 2019 , 2019, 9546761	3	0
68	Correlation Analysis between Serum Vitamin D Levels and Lower Extremity Macrovascular Complications in Individuals with Type 2 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2019 , 2019, 4251829	3.9	2
67	Clinical efficacy and safety of sodium cantharidinate plus chemotherapy in non-small-cell lung cancer: A systematic review and meta-analysis of 38 randomized controlled trials. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019 , 44, 23-38	2.2	4
66	Involvement of stromal cell-derived factor-1([SDF-1]), stem cell factor (SCF), fractalkine (FKN) and VEGF in TSG protection against intimal hyperplasia in rat balloon injury. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 110, 887-894	7.5	8
65	Icariside II attenuates lipopolysaccharide-induced neuroinflammation through inhibiting TLR4/MyD88/NF- κ B pathway in rats. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 315-324	7.5	43
64	Can Aidi injection improve overall survival in patients with non-small cell lung cancer? A systematic review and meta-analysis of 25 randomized controlled trials. <i>Complementary Therapies in Medicine</i> , 2018 , 37, 50-60	3.5	19
63	Icariside II alleviates oxygen-glucose deprivation and reoxygenation-induced PC12 cell oxidative injury by activating Nrf2/SIRT3 signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 103, 9-17	7.5	20
62	Icariside II ameliorates ibotenic acid-induced cognitive impairment and apoptotic response via modulation of MAPK pathway in rats. <i>Phytomedicine</i> , 2018 , 41, 74-81	6.5	15

61	Evodiamine Inhibits Angiotensin II-Induced Rat Cardiomyocyte Hypertrophy. <i>Chinese Journal of Integrative Medicine</i> , 2018 , 24, 359-365	2.9	6
60	Gastrodin Attenuates Bilateral Common Carotid Artery Occlusion-Induced Cognitive Deficits via Regulating A β -Related Proteins and Reducing Autophagy and Apoptosis in Rats. <i>Frontiers in Pharmacology</i> , 2018 , 9, 405	5.6	33
59	Clinical Efficacy and Safety of Aidi Injection Plus Docetaxel-Based Chemotherapy in Advanced Nonsmall Cell Lung Cancer: A Meta-Analysis of 36 Randomized Controlled Trials. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 7918258	2.3	11
58	Trilobatin Protects Against Oxidative Injury in Neuronal PC12 Cells Through Regulating Mitochondrial ROS Homeostasis Mediated by AMPK/Nrf2/Sirt3 Signaling Pathway. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 267	6.1	31
57	Lithocarpus polystachyus Rehd. leaves aqueous extract protects against hydrogen peroxide-induced SH-SY5Y cells injury through activation of Sirt3 signaling pathway. <i>International Journal of Molecular Medicine</i> , 2018 , 42, 3485-3494	4.4	4
56	Icariside II alleviates oxygen-glucose deprivation and reoxygenation-induced PC12 cell injury and mitochondrial dysfunction via Nrf2/SIRT3 signaling pathway. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO2-1-47	0	
55	Icariside II, a PDE5 inhibitor from Epimedium brevicornum, promotes neuron-like pheochromocytoma PC12 cell proliferation via activating NO/cGMP/PKG pathway. <i>Neurochemistry International</i> , 2018 , 112, 18-26	4.4	9
54	Icariside II Ameliorates Cognitive Impairments Induced by Chronic Cerebral Hypoperfusion by Inhibiting the Amyloidogenic Pathway: Involvement of BDNF/TrkB/CREB Signaling and Up-Regulation of PPAR α and PPAR γ in Rats. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1211	5.6	27
53	Icariside II, a Phosphodiesterase-5 Inhibitor, Attenuates Beta-Amyloid-Induced Cognitive Deficits via BDNF/TrkB/CREB Signaling. <i>Cellular Physiology and Biochemistry</i> , 2018 , 49, 985	3.9	19
52	Corrigendum to: "Hydrogen sulfide ameliorates learning memory impairment in APP/PS1 transgenic mice: A novel mechanism mediated by the activation of Nrf2" [Pharmacol. Biochem. Behav. 150-151 (2016) 207-216]. <i>Pharmacology Biochemistry and Behavior</i> , 2017 , 153, 191	3.9	1
51	Dendrobium nobile Lindl alkaloid, a novel autophagy inducer, protects against axonal degeneration induced by A β in hippocampus neurons in vitro. <i>CNS Neuroscience and Therapeutics</i> , 2017 , 23, 329-340	6.8	46
50	Icariside II, a novel phosphodiesterase 5 inhibitor, protects against H ₂ O ₂ -induced PC12 cells death by inhibiting mitochondria-mediated autophagy. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 375-386	5.6	24
49	Icariside II Effectively Reduces Spatial Learning and Memory Impairments in Alzheimer's Disease Model Mice Targeting Beta-Amyloid Production. <i>Frontiers in Pharmacology</i> , 2017 , 8, 106	5.6	28
48	Icariside II, a Broad-Spectrum Anti-cancer Agent, Reverses Beta-Amyloid-Induced Cognitive Impairment through Reducing Inflammation and Apoptosis in Rats. <i>Frontiers in Pharmacology</i> , 2017 , 8, 39	5.6	28
47	Has aidi injection the attenuation and synergistic efficacy to gemcitabine and cisplatin in non-small cell lung cancer? A meta-analysis of 36 randomized controlled trials. <i>Oncotarget</i> , 2017 , 8, 1329-1342	3.3	21
46	Protective effects of Lindl. alkaloids on amyloid beta (25-35)-induced neuronal injury. <i>Neural Regeneration Research</i> , 2017 , 12, 1131-1136	4.5	13
45	Hydrogen sulfide ameliorates learning memory impairment in APP/PS1 transgenic mice: A novel mechanism mediated by the activation of Nrf2. <i>Pharmacology Biochemistry and Behavior</i> , 2016 , 150-151, 207-216	3.9	47
44	Neuroprotective effects of sodium hydrosulfide against β -amyloid-induced neurotoxicity. <i>International Journal of Molecular Medicine</i> , 2016 , 38, 1152-60	4.4	14

43	Icariin, a major constituent from <i>Epimedium brevicornum</i> , attenuates ibotenic acid-induced excitotoxicity in rat hippocampus. <i>Behavioural Brain Research</i> , 2016 , 313, 111-119	3.4	20
42	Gastrodin ameliorates subacute phase cerebral ischemia-reperfusion injury by inhibiting inflammation and apoptosis in rats. <i>Molecular Medicine Reports</i> , 2016 , 14, 4144-4152	2.9	43
41	Icariside II protects against cerebral ischemia-reperfusion injury in rats via nuclear factor- κ B inhibition and peroxisome proliferator-activated receptor up-regulation. <i>Neurochemistry International</i> , 2016 , 96, 56-61	4.4	35
40	Icariin attenuates cerebral ischemia-reperfusion injury through inhibition of inflammatory response mediated by NF- κ B, PPAR α and PPAR γ in rats. <i>International Immunopharmacology</i> , 2016 , 30, 157-162	5.8	69
39	Icariin Attenuates OGD/R-Induced Autophagy via Bcl-2-Dependent Cross Talk between Apoptosis and Autophagy in PC12 Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 4343084	3.3	36
38	Icariside II, a novel phosphodiesterase-5 inhibitor, attenuates streptozotocin-induced cognitive deficits in rats. <i>Neuroscience</i> , 2016 , 328, 69-79	3.9	35
37	Icariin, a major constituent of flavonoids from <i>Epimedium brevicornum</i> , protects against cognitive deficits induced by chronic brain hypoperfusion via its anti-amyloidogenic effect in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 138, 40-8	3.9	32
36	Gyenosides attenuate cholesterol-induced DNA damage by inhibiting the production of reactive oxygen species in human umbilical vein endothelial cells. <i>Molecular Medicine Reports</i> , 2015 , 11, 2845-51	2.9	15
35	Sodium Hydrosulfide Attenuates Beta-Amyloid-Induced Cognitive Deficits and Neuroinflammation via Modulation of MAPK/NF- κ B Pathway in Rats. <i>Current Alzheimer Research</i> , 2015 , 12, 673-83	3	54
34	Rutaecarpine inhibits angiotensin II-induced proliferation in rat vascular smooth muscle cells. <i>Chinese Journal of Integrative Medicine</i> , 2014 , 20, 682-7	2.9	10
33	Emulsified isoflurane anesthesia decreases brain-derived neurotrophic factor expression and induces cognitive dysfunction in adult rats. <i>Experimental and Therapeutic Medicine</i> , 2014 , 8, 471-477	2.1	24
32	Icariin, a phosphodiesterase-5 inhibitor, improves learning and memory in APP/PS1 transgenic mice by stimulation of NO/cGMP signalling. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 871-81	5.8	80
31	Alkaloids enriched extract from <i>Dendrobium nobile</i> Lindl. attenuates tau protein hyperphosphorylation and apoptosis induced by lipopolysaccharide in rat brain. <i>Phytomedicine</i> , 2014 , 21, 712-6	6.5	45
30	Leonurine (SCM-198) attenuates myocardial fibrotic response via inhibition of NADPH oxidase 4. <i>Free Radical Biology and Medicine</i> , 2013 , 54, 93-104	7.8	62
29	A novel compound derived from danshensu inhibits apoptosis via upregulation of heme oxygenase-1 expression in SH-SY5Y cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 2861-71	4	29
28	Ginsenoside Rb $_1$ inhibits the carotid neointimal hyperplasia induced by balloon injury in rats via suppressing the phenotype modulation of vascular smooth muscle cells. <i>European Journal of Pharmacology</i> , 2012 , 685, 126-32	5.3	21
27	Establishment of a cell-based drug screening model for identifying agonists of human peroxisome proliferator-activated receptor gamma (PPAR γ). <i>Journal of Pharmacy and Pharmacology</i> , 2012 , 64, 719-26	4.8	8
26	Leonurine protects against tumor necrosis factor- α -mediated inflammation in human umbilical vein endothelial cells. <i>Atherosclerosis</i> , 2012 , 222, 34-42	3.1	58

25	Inhibitory Effect of Ginsenoside Rg1 on Vascular Smooth Muscle Cell Proliferation Induced by PDGF-BB Is Involved in Nitric Oxide Formation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 314395	2.3	14
24	Resveratrol, a neuroprotective supplement for Alzheimer's disease. <i>Current Pharmaceutical Design</i> , 2012 , 18, 27-33	3.3	162
23	Osthole attenuates focal inflammatory reaction following permanent middle cerebral artery occlusion in rats. <i>Biological and Pharmaceutical Bulletin</i> , 2012 , 35, 1686-90	2.3	23
22	S-propargyl-cysteine, a novel hydrogen sulfide-modulated agent, attenuates lipopolysaccharide-induced spatial learning and memory impairment: involvement of TNF signaling and NF- κ B pathway in rats. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 110-9	16.6	85
21	Ginsenoside Rg1 inhibits vascular intimal hyperplasia in balloon-injured rat carotid artery by down-regulation of extracellular signal-regulated kinase 2. <i>Journal of Ethnopharmacology</i> , 2011 , 138, 472-8	5	24
20	Hydrogen sulfide attenuated tumor necrosis factor- α -induced inflammatory signaling and dysfunction in vascular endothelial cells. <i>PLoS ONE</i> , 2011 , 6, e19766	3.7	98
19	Total Ginsenosides suppress the neointimal hyperplasia of rat carotid artery induced by balloon injury. <i>Vascular Pharmacology</i> , 2011 , 54, 52-7	5.9	11
18	S-propargyl-cysteine (ZYZ-802), a sulphur-containing amino acid, attenuates beta-amyloid-induced cognitive deficits and pro-inflammatory response: involvement of ERK1/2 and NF- κ B pathway in rats. <i>Amino Acids</i> , 2011 , 40, 601-10	3.5	37
17	S-Propargyl-cysteine (SPRC) attenuated lipopolysaccharide-induced inflammatory response in H9c2 cells involved in a hydrogen sulfide-dependent mechanism. <i>Amino Acids</i> , 2011 , 41, 205-15	3.5	68
16	A new hope for neurodegeneration: possible role of hydrogen sulfide. <i>Journal of Alzheimers Disease</i> , 2011 , 24 Suppl 2, 173-82	4.3	68
15	Inhibitory effects of Dendrobium alkaloids on memory impairment induced by lipopolysaccharide in rats. <i>Planta Medica</i> , 2011 , 77, 117-21	3.1	50
14	Hypoxia-inducible factor-1 α s involved in the pro-angiogenic effect of hydrogen sulfide under hypoxic stress. <i>Biological and Pharmaceutical Bulletin</i> , 2010 , 33, 1550-4	2.3	61
13	Resveratrol Attenuates Neuroinflammation-mediated Cognitive Deficits in Rats. <i>Journal of Health Science</i> , 2010 , 56, 655-663		6
12	Effects of isorhynchophylline on angiotensin II-induced proliferation in rat vascular smooth muscle cells. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 60, 1673-1678	4.8	21
11	Hydrogen sulfide attenuates lipopolysaccharide-induced cognitive impairment: a pro-inflammatory pathway in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2010 , 96, 52-8	3.9	76
10	Icariin isolated from Epimedium brevicornum Maxim attenuates learning and memory deficits induced by d-galactose in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2010 , 96, 301-5	3.9	75
9	Icariin inhibits beta-amyloid peptide segment 25-35 induced expression of beta-secretase in rat hippocampus. <i>European Journal of Pharmacology</i> , 2010 , 626, 213-8	5.3	56
8	Leonurine (SCM-198) improves cardiac recovery in rat during chronic infarction. <i>European Journal of Pharmacology</i> , 2010 , 649, 236-41	5.3	55

7	Protective effects of icariin on cognitive deficits induced by chronic cerebral hypoperfusion in rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 810-5	3	32
6	Neuroprotective effect of resveratrol on 6-OHDA-induced Parkinson's disease in rats. <i>European Journal of Pharmacology</i> , 2008 , 600, 78-82	5.3	251
5	Total ginsenosides inhibit the right ventricular hypertrophy induced by monocrotaline in rats. <i>Biological and Pharmaceutical Bulletin</i> , 2008 , 31, 1530-5	2.3	31
4	Effects of isorhynchophylline on angiotensin II-induced proliferation in rat vascular smooth muscle cells. <i>Journal of Pharmacy and Pharmacology</i> , 2008 , 60, 1673-8	4.8	12
3	Protective effects of icariin against learning and memory deficits induced by aluminium in rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 792-5	3	60
2	Inhibition of caspases and intracellular free Ca ²⁺ concentrations are involved in resveratrol protection against apoptosis in rat primary neuron cultures. <i>Acta Pharmacologica Sinica</i> , 2007 , 28, 1724-30	8	35
1	Protective effects of Ginkgo biloba leaf extract on aluminum-induced brain dysfunction in rats. <i>Life Sciences</i> , 2005 , 77, 140-8	6.8	50