

Hyeon-Cheol Gwon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6686570/publications.pdf>

Version: 2024-02-01

240
papers

7,291
citations

87843

38
h-index

74108

75
g-index

245
all docs

245
docs citations

245
times ranked

6648
citing authors

#	ARTICLE	IF	CITATIONS
1	Moderate-Intensity Statins Plus Ezetimibe vs. High-Intensity Statins After Coronary Revascularization: A Cohort Study. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 141-150.	1.3	4
2	Association Between Preexisting Elevated Left Ventricular Filling Pressure and Clinical Outcomes of Future Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 660-667.	0.7	1
3	Differential Prognostic Impact of Off-Hours for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock. , 2022, 1, 7.		0
4	Gender Differences in All-Cause Mortality after Acute Myocardial Infarction: Evidence for a Gender×Age Interaction. <i>Journal of Clinical Medicine</i> , 2022, 11, 541.	1.0	5
5	Effect of Wire Jailing at Side Branch in 1-Stent Strategy for Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 443-455.	1.1	7
6	Impact of Left Ventricular Ejection Fraction on Procedural and Long-Term Outcomes of Bifurcation Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2022, 172, 18-25.	0.7	4
7	Functional angiography-derived index of microcirculatory resistance validated with microvascular obstruction in cardiac magnetic resonance after STEMI. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2022, 75, 786-796.	0.4	4
8	Age-related difference in the impact of diabetes mellitus on all-cause mortality after acute myocardial infarction. <i>Diabetes and Metabolism</i> , 2022, 48, 101349.	1.4	3
9	Prognostic Impact of Plasma Glucose on Patients With Cardiogenic Shock With or Without Diabetes Mellitus from the SMART RESCUE Trial. <i>American Journal of Cardiology</i> , 2022, 175, 145-151.	0.7	2
10	Use of intravascular ultrasound and long-term cardiac death or myocardial infarction in patients receiving current generation drug-eluting stents. <i>Scientific Reports</i> , 2022, 12, 8237.	1.6	11
11	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 691-699.	0.4	0
12	Impact of stent designs of second-generation drug-eluting stents on long-term outcomes in coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, 458-467.	0.7	1
13	Differential effects of dual antiplatelet therapy in patients presented with acute coronary syndrome vs. stable ischaemic heart disease after coronary artery bypass grafting. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 517-526.	1.4	6
14	Association of baseline platelet count with all-cause mortality after acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 176-183.	0.4	13
15	Association Between β -Blockers and Outcome of Coronary Artery Bypass Grafting: Before and After 1 Year. <i>Annals of Thoracic Surgery</i> , 2021, 111, 69-75.	0.7	3
16	Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 112-124.	1.4	13
17	Residual functional SYNTAX score by quantitative flow ratio and improvement of exercise capacity after revascularization. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E454-E466.	0.7	2
18	Impact of PRECISE-DAPT and DAPT Scores on Dual Antiplatelet Therapy Duration After 2nd Generation Drug-Eluting Stent Implantation. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 343-352.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Clinical relevance and prognostic implications of contrast quantitative flow ratio in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2021, 325, 23-29.	0.8	17
20	Clinical Implication of "Obesity Paradox"™ in Elderly Patients With Acute Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2021, 30, 481-488.	0.2	8
21	Differential clinical impact of chronic total occlusion revascularization based on left ventricular systolic function. <i>Clinical Research in Cardiology</i> , 2021, 110, 237-248.	1.5	1
22	Effects of Asian dust-derived particulate matter on ST-elevation myocardial infarction: retrospective, time series study. <i>BMC Public Health</i> , 2021, 21, 68.	1.2	3
23	Clinical Outcomes of Ticagrelor in Korean Patients with Acute Myocardial Infarction without High Bleeding Risk. <i>Journal of Korean Medical Science</i> , 2021, 36, e268.	1.1	1
24	Differential Prognostic Implications of Vasoactive Inotropic Score for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock According to Use of Mechanical Circulatory Support*. <i>Critical Care Medicine</i> , 2021, 49, 770-780.	0.4	19
25	Sex difference in long-term clinical outcomes after percutaneous coronary intervention: A propensity-matched analysis of National Health Insurance data in Republic of Korea. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E171-E180.	0.7	1
26	Intraoperative blood loss may be associated with myocardial injury after non-cardiac surgery. <i>PLoS ONE</i> , 2021, 16, e0241114.	1.1	12
27	P2Y12 inhibitor monotherapy after coronary stenting according to type of P2Y12 inhibitor. <i>Heart</i> , 2021, 107, 1077-1083.	1.2	5
28	Smoking may be more harmful to vasospastic angina patients who take antiplatelet agents due to the interaction: Results of Korean prospective multi-center cohort. <i>PLoS ONE</i> , 2021, 16, e0248386.	1.1	1
29	Association Between Timing of Extracorporeal Membrane Oxygenation and Clinical Outcomes in Refractory Cardiogenic Shock. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1109-1119.	1.1	35
30	Effects of Prolonged Dual Antiplatelet Therapy in ST-Segment Elevation vs. Non-ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 817-825.	0.7	1
31	Heart failure with mid-range ejection fraction and the effect of β -blockers after acute myocardial infarction. <i>Heart and Vessels</i> , 2021, 36, 1848-1855.	0.5	3
32	Prognosis of Myocardial Injury After Non-Cardiac Surgery in Adults Aged Younger Than 45 Years. <i>Circulation Journal</i> , 2021, 85, 2081-2088.	0.7	4
33	Comparison of 2-Stenting Strategies Depending on Sequence or Technique for Bifurcation Lesions in the Second-Generation Drug-Eluting Stent Era—Analysis From the COBIS (Coronary Bifurcation) Tj ETQq1 1 00784314 rgBT /Ove		
34	P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2021, 373, n1332.	3.0	144
35	Clinical Characteristics and Predictors of In-Hospital Mortality in Patients With Cardiogenic Shock: Results From the RESCUE Registry. <i>Circulation: Heart Failure</i> , 2021, 14, e008141.	1.6	25
36	Comparison of in-hospital outcomes of patients with vs. without ischaemic cardiomyopathy undergoing venoarterial extracorporeal membrane oxygenation. <i>ESC Heart Failure</i> , 2021, 8, 3308-3315.	1.4	5

#	ARTICLE	IF	CITATIONS
37	Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Hypertension Research</i> , 2021, 44, 1099-1104.	1.5	18
38	Effect of Significant Coronary Artery Stenosis on Prognosis in Patients with Vasospastic Angina: A Propensity Score-Matched Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3341.	1.0	3
39	Differential Factors for Predicting Outcomes in Left Main versus Non-Left Main Coronary Bifurcation Stenting. <i>Journal of Clinical Medicine</i> , 2021, 10, 3024.	1.0	4
40	P2Y12 Inhibitor Monotherapy Versus Conventional Dual Antiplatelet Therapy or Aspirin Monotherapy in Acute Coronary Syndrome: A Pooled Analysis of the SMART-DATE and SMART-CHOICE Trials. <i>American Journal of Cardiology</i> , 2021, 150, 47-54.	0.7	4
41	A randomised comparison of coronary stents according to short or prolonged durations of dual antiplatelet therapy in patients with acute coronary syndromes: a pre-specified analysis of the SMART-DATE trial. <i>EuroIntervention</i> , 2021, 17, e411-e417.	1.4	2
42	Physiological Distribution and Local Severity of Coronary Artery Disease and Outcomes After Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1771-1785.	1.1	26
43	Functional Coronary Angiography-Derived Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1670-1684.	1.1	46
44	Association between polyvascular disease and clinical outcomes in patients with cardiogenic shock: Results from the RESCUE registry. <i>International Journal of Cardiology</i> , 2021, 339, 70-74.	0.8	1
45	Coronary Microcirculatory Dysfunction and Acute Cellular Rejection After Heart Transplantation. <i>Circulation</i> , 2021, 144, 1459-1472.	1.6	16
46	Old Age and Myocardial Injury in ST-Segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2021, 362, 592-600.	0.4	1
47	P2Y12 inhibitor monotherapy in complex percutaneous coronary intervention: A post-hoc analysis of SMART-CHOICE randomized clinical trial. <i>Cardiology Journal</i> , 2021, 28, 855-863.	0.5	13
48	Ten-Year Trends in Coronary Bifurcation Percutaneous Coronary Intervention: Prognostic Effects of Patient and Lesion Characteristics, Devices, and Techniques. <i>Journal of the American Heart Association</i> , 2021, 10, e021632.	1.6	10
49	Clinical and Prognostic Impact From Objective Analysis of Post-Angioplasty Fractional Flow Reserve Pullback. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1888-1900.	1.1	8
50	Effects of Statin Intensity on Long-Term Outcomes after Coronary Artery Bypass Grafting. <i>Annals of Thoracic Surgery</i> , 2021, . .	0.7	0
51	Incidence and Predictors of Stent Thrombosis in Patients Treated with Stents for Coronary Bifurcation Narrowing (From the BIFURCAT Registry). <i>American Journal of Cardiology</i> , 2021, 156, 24-31.	0.7	4
52	Long-term Outcomes of Clopidogrel Monotherapy versus Prolonged Dual Antiplatelet Therapy beyond 12 Months after Percutaneous Coronary Intervention in High-risk Patients. <i>Journal of Korean Medical Science</i> , 2021, 36, e106.	1.1	1
53	Clinical significance of lactate clearance in patients with cardiogenic shock: results from the RESCUE registry. <i>Journal of Intensive Care</i> , 2021, 9, 63.	1.3	10
54	Clinical Significance of Serum Lactate in Acute Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5278.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Clopidogrel monotherapy in patients with and without on-treatment high platelet reactivity: a SMART-CHOICE substudy. <i>EuroIntervention</i> , 2021, 17, e888-e897.	1.4	7
56	A comparison of procedural success rate and long-term clinical outcomes between in-stent restenosis chronic total occlusion and de novo chronic total occlusion using multicenter registry data. <i>Clinical Research in Cardiology</i> , 2020, 109, 628-637.	1.5	20
57	Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. <i>American Journal of Cardiology</i> , 2020, 125, 320-327.	0.7	14
58	Efficacy and Safety of Guideline-Recommended Risk Score-Directed Dual Antiplatelet Therapy After 2nd-Generation Drug-Eluting Stents. <i>Circulation Journal</i> , 2020, 84, 161-168.	0.7	2
59	Intravascular ultrasound or optical coherence tomography-defined anatomic severity and hemodynamic severity assessed by coronary physiologic indices. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 812-821.	0.4	6
60	Comparison of fractional myocardial mass, a vessel-specific myocardial mass-at-risk, with coronary angiographic scoring systems for predicting myocardial ischemia. <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 322-329.	0.7	0
61	Preoperative cardiac troponin below the 99th-percentile upper reference limit and 30-day mortality after noncardiac surgery. <i>Scientific Reports</i> , 2020, 10, 17007.	1.6	8
62	Safety and Efficacy of Pitavastatin in Patients With Impaired Fasting Glucose and Hyperlipidemia: A Randomized, Open-labeled, Multicentered, Phase IV Study. <i>Clinical Therapeutics</i> , 2020, 42, 2036-2048.	1.1	7
63	Automated Algorithm Using Pre-Intervention Fractional Flow Reserve Pullback Curve to Predict Post-Intervention Physiological Results. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 2670-2684.	1.1	26
64	Duration of dual antiplatelet therapy after myocardial infarction: Insights from a pooled database of the SMART-DATE and DAPT-STEMI trials. <i>Atherosclerosis</i> , 2020, 315, 55-61.	0.4	4
65	Clinical Significance of Low-Flow Time in Patients Undergoing Extracorporeal Cardiopulmonary Resuscitation: Results from the RESCUE Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 3588.	1.0	6
66	Clinical Implications of Bifurcation Angles in Left Main Bifurcation Intervention Using a Two-Stent Technique. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-12.	0.5	3
67	Postoperative statin treatment may be associated with improved mortality in patients with myocardial injury after noncardiac surgery. <i>Scientific Reports</i> , 2020, 10, 11616.	1.6	12
68	Clinical Usefulness of PRECISE-DAPT Score for Predicting Bleeding Events in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008530.	1.4	18
69	Long-term β -blocker therapy and clinical outcomes after acute myocardial infarction in patients without heart failure: nationwide cohort study. <i>European Heart Journal</i> , 2020, 41, 3521-3529.	1.0	48
70	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 1067-1079.	0.7	57
71	Multicenter experience with percutaneous coronary intervention for chronic total occlusion in Korean population: analysis of the Korean nationwide multicenter chronic total occlusion registry. <i>Coronary Artery Disease</i> , 2020, 31, 319-326.	0.3	3
72	Comparison of acute and chronic myocardial injury in noncardiac surgical patients. <i>PLoS ONE</i> , 2020, 15, e0234776.	1.1	9

#	ARTICLE	IF	CITATIONS
73	One-year clinical outcomes of coronary chronic total occlusion intervention in patients with acute coronary syndrome versus stable angina: from the Korean chronic total occlusion registry. <i>Coronary Artery Disease</i> , 2020, 31, 430-437.	0.3	2
74	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	1.4	30
75	Clopidogrel versus Aspirin after Dual Antiplatelet Therapy in Acute Myocardial Infarction Patients Undergoing Drug-Eluting Stenting. <i>Korean Circulation Journal</i> , 2020, 50, 120.	0.7	12
76	Blood Pressure at 6 Months After Acute Myocardial Infarction and Outcomes at 2 Years: The Perils Associated With Excessively Low Blood Pressures. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1641-1648.	0.8	1
77	The differential neurologic prognosis of low-flow time according to the initial rhythm in patients who undergo extracorporeal cardiopulmonary resuscitation. <i>Resuscitation</i> , 2020, 148, 121-127.	1.3	25
78	Occupational radiation exposure in femoral artery approach is higher than radial artery approach during coronary angiography or percutaneous coronary intervention. <i>Scientific Reports</i> , 2020, 10, 7104.	1.6	6
79	Ten-Year Outcomes After Drug-Eluting Stents Versus Coronary Artery Bypass Grafting for Left Main Coronary Disease. <i>Circulation</i> , 2020, 141, 1437-1446.	1.6	136
80	Multidisciplinary team approach in acute myocardial infarction patients undergoing veno-arterial extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2020, 10, 83.	2.2	15
81	Optimal Timing of Venoarterial-Extracorporeal Membrane Oxygenation in Acute Myocardial Infarction Patients Suffering From Refractory Cardiogenic Shock. <i>Circulation Journal</i> , 2020, 84, 1502-1510.	0.7	32
82	Long-Term Outcomes in Patients Undergoing Percutaneous Coronary Intervention with or without Preprocedural Exercise Stress Test. <i>Journal of Korean Medical Science</i> , 2020, 35, e3.	1.1	5
83	Clinical Implications of Thrombocytopenia at Cardiogenic Shock Presentation: Data from a Multicenter Registry. <i>Yonsei Medical Journal</i> , 2020, 61, 851.	0.9	6
84	Pre-hospital delay and emergency medical services in acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 119-132.	0.7	19
85	Mildly Elevated Cardiac Troponin below the 99th-Percentile Upper Reference Limit after Noncardiac Surgery. <i>Korean Circulation Journal</i> , 2020, 50, 925.	0.7	6
86	Clinical Implications of Early Exercise Treadmill Testing after Percutaneous Coronary Intervention in the Drug-eluting Stent Era. <i>Journal of Korean Medical Science</i> , 2020, 35, e229.	1.1	1
87	One-Year Clinical Outcomes between Single- versus Multi-Staged PCI for ST Elevation Myocardial Infarction with Multi-Vessel Coronary Artery Disease: from Korea Acute Myocardial Infarction Registry-National Institute of Health (KAMIR-NIH). <i>Korean Circulation Journal</i> , 2020, 50, 220.	0.7	5
88	Comparison of Exercise Performance and Clinical Outcome Between Functional Complete and Incomplete Revascularization. <i>Korean Circulation Journal</i> , 2020, 50, 406.	0.7	2
89	Predictors of Survival to Discharge After Successful Weaning From Venoarterial Extracorporeal Membrane Oxygenation in Patients With Cardiogenic Shock. <i>Circulation Journal</i> , 2020, 84, 2205-2211.	0.7	6
90	Comparison of long-term clinical outcomes between revascularization versus medical treatment in patients with silent myocardial ischemia. <i>International Journal of Cardiology</i> , 2019, 277, 47-53.	0.8	9

#	ARTICLE	IF	CITATIONS
91	Risk Prediction Model of In-hospital Mortality in Patients With Myocardial Infarction Treated With Venoarterial Extracorporeal Membrane Oxygenation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 724-731.	0.4	8
92	Prognostic Implications of Diastolic Dysfunction Change in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2019, 83, 1891-1900.	0.7	6
93	Effect of sarpgogrelate and high-dose statin on the reduction of coronary spasm in vasospastic angina: A two by two factorial, pilot randomized study. <i>Clinical Cardiology</i> , 2019, 42, 899-907.	0.7	10
94	Prognostic implications of post-percutaneous coronary intervention neutrophil-to-lymphocyte ratio on infarct size and clinical outcomes in patients with acute myocardial infarction. <i>Scientific Reports</i> , 2019, 9, 9646.	1.6	25
95	P2Y12 Inhibitor Monotherapy vs Dual Antiplatelet Therapy After Percutaneous Coronary Intervention—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1607.	3.8	14
96	Neurologic Outcomes in Patients Who Undergo Extracorporeal Cardiopulmonary Resuscitation. <i>Annals of Thoracic Surgery</i> , 2019, 108, 749-755.	0.7	36
97	Impact of multi-vessel vasospastic angina on cardiovascular outcome. <i>Atherosclerosis</i> , 2019, 281, 107-113.	0.4	8
98	Effect of P2Y12 Inhibitor Monotherapy vs Dual Antiplatelet Therapy on Cardiovascular Events in Patients Undergoing Percutaneous Coronary Intervention. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 2428.	3.8	424
99	Impact of Cannula Size on Clinical Outcomes in Peripheral Venoarterial Extracorporeal Membrane Oxygenation. <i>ASAIO Journal</i> , 2019, 65, 573-579.	0.9	41
100	Prognostic Value of Admission Blood Glucose Level in Critically Ill Patients Admitted to Cardiac Intensive Care Unit according to the Presence or Absence of Diabetes Mellitus. <i>Journal of Korean Medical Science</i> , 2019, 34, e70.	1.1	5
101	Association Between Body Mass Index and Mortality in Patients Requiring Cardiac Critical Care. <i>Circulation Journal</i> , 2019, 83, 743-748.	0.7	2
102	Impact of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention on Long-Term Clinical Outcomes in Patients Undergoing Complex Procedures. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 607-620.	1.1	120
103	Transcatheter aortic valve replacement in a patient with anomalous origin of the left coronary artery. <i>Journal of Cardiology Cases</i> , 2019, 19, 133-135.	0.2	5
104	Season and myocardial injury in patients with ST-segment elevation myocardial infarction: A cardiac magnetic resonance imaging study. <i>PLoS ONE</i> , 2019, 14, e0211807.	1.1	4
105	Immediate multivessel intervention versus culprit-vessel intervention only in patients with ST-elevation myocardial infarction and multivessel coronary disease. <i>Coronary Artery Disease</i> , 2019, 30, 95-102.	0.3	1
106	Clopidogrel plus Aspirin Use is Associated with Worse Long-Term Outcomes, but Aspirin Use Alone is Safe in Patients with Vasospastic Angina: Results from the VA-Korea Registry, A Prospective Multi-Center Cohort. <i>Scientific Reports</i> , 2019, 9, 17783.	1.6	16
107	Comparison of 1-year clinical outcomes between prasugrel and ticagrelor versus clopidogrel in type 2 diabetes patients with acute myocardial infarction underwent successful percutaneous coronary intervention. <i>Medicine (United States)</i> , 2019, 98, e14833.	0.4	17
108	Prognostic Impact of β -Blocker Dose After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2019, 83, 410-417.	0.7	32

#	ARTICLE	IF	CITATIONS
109	Second-generation drug-eluting stenting versus coronary artery bypass grafting for treatment of coronary chronic total occlusion. <i>Journal of Cardiology</i> , 2019, 73, 432-437.	0.8	6
110	Safety and Efficacy of Biodegradable Polymer-biolimus-eluting Stents (BP-BES) Compared with Durable Polymer-everolimus-eluting Stents (DP-EES) in Patients Undergoing Complex Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2019, 49, 69.	0.7	7
111	The clinical impact of sex differences on ischemic postconditioning during primary percutaneous coronary intervention: a POST (the effects of postconditioning on myocardial reperfusion in patients) Tj ETQq1 1 0784314 rgBT /Over		
112	Impact of Chronic Total Coronary Occlusion Location on Long-term Survival After Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 717-723.	0.4	5
113	Vasoactive Inotropic Score as a Predictor of Mortality in Adult Patients With Cardiogenic Shock: Medical Therapy Versus ECMO. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 40-47.	0.4	32
114	Clinical Significance of Reciprocal ST-segment Changes in Patients With STEMI: A Cardiac Magnetic Resonance Imaging Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 120-129.	0.4	2
115	The Proximal Optimization Technique Improves Clinical Outcomes When Treated without Kissing Ballooning in Patients with a Bifurcation Lesion. <i>Korean Circulation Journal</i> , 2019, 49, 485.	0.7	12
116	Intensity of Statin Treatment in Korean Patients with Acute Myocardial Infarction and Very Low LDL Cholesterol. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 208.	1.1	2
117	Clinical Outcome of Noncardiac Surgery in Patients With History of Coronary Artery Revascularization by Percutaneous Coronary Intervention Versus Coronary Artery Bypass Graft Surgery. <i>Japanese Clinical Medicine</i> , 2018, 9, 117967071774894.	1.9	1
118	Treatment Strategy for STEMI With Bifurcation Culprit Lesion Undergoing Primary PCI: The COBIS II Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 811-819.	0.4	4
119	Differential Clinical Outcomes Between Angiographic Complete Versus Incomplete Coronary Revascularization, According to the Presence of Chronic Kidney Disease in the Drug-eluting Stent Era. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	6
120	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2018, 82, 1112-1120.	0.7	18
121	Comparison of the planned one-and elective two-stent techniques in patients with coronary bifurcation lesions with or without acute coronary syndrome from the COBIS II Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 1050-1060.	0.7	5
122	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2018, 71, 844-856.	1.2	77
123	Rationale and design of the comparison between a P2Y12 inhibitor monotherapy versus dual antiplatelet therapy in patients undergoing implantation of coronary drug-eluting stents (SMART-CHOICE): A prospective multicenter randomized trial. <i>American Heart Journal</i> , 2018, 197, 77-84.	1.2	8
124	Chronic total occlusion intervention of the non-infarct-related artery in acute myocardial infarction patients. <i>Coronary Artery Disease</i> , 2018, 29, 495-501.	0.3	12
125	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1274-1284.	6.3	261
126	Impact of different nitrate therapies on long-term clinical outcomes of patients with vasospastic angina: A propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2018, 252, 1-5.	0.8	17

#	ARTICLE	IF	CITATIONS
127	Clinical outcome according to spasm type of single coronary artery provoked by intracoronary ergonovine tests in patients without significant organic stenosis. <i>International Journal of Cardiology</i> , 2018, 252, 6-12.	0.8	19
128	Fluoroscopy-guided simultaneous distal perfusion as a preventive strategy of limb ischemia in patients undergoing extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2018, 8, 101.	2.2	23
129	Optimal duration of DAPT after second-generation drug-eluting stent in acute coronary syndrome. <i>PLoS ONE</i> , 2018, 13, e0207386.	1.1	14
130	Long-term Survival Benefit of Statin in Patients with Coronary Chronic Total Occlusion without Revascularization. <i>Journal of Korean Medical Science</i> , 2018, 33, e134.	1.1	1
131	Impact of Natural Mild Hypothermia in the Early Phase of ST-Elevation Myocardial Infarction: Cardiac Magnetic Resonance Imaging Study. <i>Journal of Cardiovascular Imaging</i> , 2018, 26, 175.	0.2	3
132	Association between perioperative β -blocker use and clinical outcome of non-cardiac surgery in coronary revascularized patients without severe ventricular dysfunction or heart failure. <i>PLoS ONE</i> , 2018, 13, e0201311.	1.1	10
133	10-Year Outcomes of Stents Versus Coronary Artery Bypass Grafting for Left Main Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2813-2822.	1.2	69
134	Fractional Flow Reserve and Instantaneous Wave-Free Ratio for Nonculprit Stenosis in Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1848-1858.	1.1	28
135	Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1247-1258.	1.1	34
136	Risk Scoring System to Assess Outcomes in Patients Treated with Contemporary Guideline-Adherent Optimal Therapies after Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2018, 48, 492.	0.7	5
137	Benefit of Prolonged Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stent for Coronary Bifurcation Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e005849.	1.4	30
138	Understanding the Coronary Bifurcation Stenting. <i>Korean Circulation Journal</i> , 2018, 48, 481.	0.7	20
139	Effect of Side Branch Predilation in Coronary Bifurcation Stenting With the Provisional Approach: Results From the COBIS (Coronary Bifurcation Stenting) II Registry. <i>Circulation Journal</i> , 2018, 82, 1293-1301.	0.7	5
140	Outcomes in Patients with Diabetes Mellitus According to Insulin Treatment After Percutaneous Coronary Intervention in the Second-Generation Drug-Eluting Stent Era. <i>American Journal of Cardiology</i> , 2018, 121, 1505-1511.	0.7	26
141	Extended Clopidogrel Therapy Beyond 12 Months and Long-Term Outcomes in Patients With Diabetes Mellitus Receiving Coronary Arterial Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2018, 122, 705-711.	0.7	7
142	Revascularization vs. Medical Therapy for Coronary Chronic Total Occlusions in Patients With Chronic Kidney Disease. <i>Circulation Journal</i> , 2018, 82, 2136-2142.	0.7	5
143	Deferred versus conventional stent implantation in patients with acute ST-segment elevation myocardial infarction: An updated meta-analysis of 10 studies. <i>International Journal of Cardiology</i> , 2017, 230, 509-517.	0.8	8
144	Identification of Coronary Artery Side Branch Supplying Myocardial Mass That May Benefit From Revascularization. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 571-581.	1.1	58

#	ARTICLE	IF	CITATIONS
145	Cardioprotective Effects of Intracoronary Morphine in ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: A Prospective, Randomized Trial. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	18
146	Clinical Significance of Postinfarct Fever in ST-Segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	11
147	Gender differences in long-term clinical outcomes and prognostic factors in patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2017, 249, 6-11.	0.8	15
148	Conservative versus aggressive treatment strategy with angiographic guidance alone in patients with intermediate coronary lesions: The SMART-CASE randomized, non-inferiority trial. <i>International Journal of Cardiology</i> , 2017, 240, 114-119.	0.8	4
149	Glycemic Control Status After Percutaneous Coronary Intervention and Long-Term Clinical Outcomes in Patients With Type 2 Diabetes Mellitus. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	32
150	Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter in-Stent Restenosis Registry. <i>International Journal of Cardiology</i> , 2017, 230, 181-190.	0.8	22
151	Response by Hwang et al to Letter Regarding Article, "Glycemic Control Status After Percutaneous Coronary Intervention and Long-Term Clinical Outcomes in Patients With Type 2 Diabetes Mellitus". <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	6
152	The association of findings on brain computed tomography with neurologic outcomes following extracorporeal cardiopulmonary resuscitation. <i>Critical Care</i> , 2017, 21, 15.	2.5	36
153	Is cardiac magnetic resonance necessary for prediction of left ventricular remodeling in patients with reperfused ST-segment elevation myocardial infarction?. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 2003-2012.	0.7	4
154	Impact of a cardiac intensivist on mortality in patients with cardiogenic shock. <i>International Journal of Cardiology</i> , 2017, 244, 220-225.	0.8	34
155	Uric Acid Level Has a U-shaped Association with Clinical Outcomes in Patients with Vasospastic Angina. <i>Journal of Korean Medical Science</i> , 2017, 32, 1275.	1.1	11
156	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 328.	0.7	31
157	Clinical outcomes of biodegradable polymer biolimus-eluting BioMatrix stents versus durable polymer everolimus-eluting Xience stents. <i>PLoS ONE</i> , 2017, 12, e0183079.	1.1	4
158	The Practice Pattern of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 320.	0.7	33
159	Morphine Does Not Affect Myocardial Salvage in ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2017, 12, e0170115.	1.1	18
160	Duration of dual antiplatelet therapy in patients treated with percutaneous coronary intervention for coronary chronic total occlusion. <i>PLoS ONE</i> , 2017, 12, e0176737.	1.1	11
161	The Impact of Renal Dysfunction on the Long Term Clinical Outcomes of Diabetic Patients Undergoing Percutaneous Coronary Intervention in the Drug-Eluting Stent Era. <i>PLoS ONE</i> , 2016, 11, e0141846.	1.1	4
162	D-Dimer Levels Predict Myocardial Injury in ST-Segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>PLoS ONE</i> , 2016, 11, e0160955.	1.1	31

#	ARTICLE	IF	CITATIONS
163	Clinical implications of low-dose aspirin on vasospastic angina patients without significant coronary artery stenosis; a propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2016, 221, 161-166.	0.8	20
164	Association Between Presence of a Cardiac Intensivist and Mortality in an Adult Cardiac Care Unit. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2637-2648.	1.2	101
165	Borderline ankle-brachial index is associated with poor short-term clinical outcome after coronary artery intervention. <i>Atherosclerosis</i> , 2016, 249, 186-190.	0.4	7
166	Impact of statin therapy on long-term clinical outcomes of vasospastic angina without significant stenosis: A propensity-score matched analysis. <i>International Journal of Cardiology</i> , 2016, 223, 791-796.	0.8	18
167	Shock Index as a Predictor of Myocardial Injury in ST-segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2016, 352, 574-581.	0.4	13
168	Current practices of Asia-Pacific cardiologists in the utilization of bioresorbable scaffolds. <i>International Journal of Cardiology</i> , 2016, 222, 832-840.	0.8	0
169	Differential effect of side branch intervention on long-term clinical outcomes according to side branch stenosis after main vessel stenting: Results from the COBIS (Coronary Bifurcation Stenting) Registry II. <i>International Journal of Cardiology</i> , 2016, 221, 471-477.	0.8	1
170	Safety of 6-month duration of dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndromes: Rationale and design of the Smart Angioplasty Research Team's safety of 6-month duration of Dual Antiplatelet Therapy after percutaneous coronary intervention in patients with acute coronary syndromes (SMART-DATE) prospective multicenter randomized trial. <i>American Heart Journal</i> , 2016, 182, 1-8.	1.2	7
171	Association of periprocedural myocardial infarction with long-term survival in patients treated with coronary revascularization therapy of chronic total occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 1042-1049.	0.7	14
172	Clinical Outcomes of Vasospastic Angina Patients Presenting With Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	23
173	Optimal Medical Therapy vs. Percutaneous Coronary Intervention for Patients With Coronary Chronic Total Occlusion—A Propensity-Matched Analysis. <i>Circulation Journal</i> , 2016, 80, 211-217.	0.7	38
174	Major Predictors of Long-Term Clinical Outcomes After Percutaneous Coronary Intervention for Coronary Bifurcation Lesions With 2-Stent Strategy. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1879-1886.	1.1	25
175	Triple rule-out computed tomography for risk stratification of patients with acute chest pain. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 291-300.	0.7	12
176	Physiological Severity of Coronary Artery Stenosis Depends on the Amount of Myocardial Mass Subtended by the Coronary Artery. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1548-1560.	1.1	77
177	Optimal medical therapy may be a better initial strategy in patients with chronic total occlusion of a single coronary artery. <i>International Journal of Cardiology</i> , 2016, 210, 56-62.	0.8	18
178	Predictors for Side Branch Failure During Provisional Strategy of Coronary Intervention for Bifurcation Lesions (from the Korean Bifurcation Registry). <i>American Journal of Cardiology</i> , 2016, 118, 797-803.	0.7	14
179	Clopidogrel Versus Aspirin as an Antiplatelet Monotherapy After 12-Month Dual-Antiplatelet Therapy in the Era of Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e002816.	1.4	40
180	A protective role of early collateral blood flow in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2016, 171, 56-63.	1.2	37

#	ARTICLE	IF	CITATIONS
181	Optimal Strategy for Provisional Side Branch Intervention in Coronary Bifurcation Lesions. JACC: Cardiovascular Interventions, 2016, 9, 517-526.	1.1	40
182	Percutaneous removal using Perclose ProGlide closure devices versus surgical removal for weaning after percutaneous cannulation for venoarterial extracorporeal membrane oxygenation. Journal of Vascular Surgery, 2016, 63, 998-1003.e1.	0.6	64
183	Survival After Extracorporeal Cardiopulmonary Resuscitation on Weekends in Comparison With Weekdays. Annals of Thoracic Surgery, 2016, 101, 133-140.	0.7	38
184	First-Generation Versus Second-Generation Drug-Eluting Stents in Coronary Chronic Total Occlusions: Two-Year Results of a Multicenter Registry. PLoS ONE, 2016, 11, e0157549.	1.1	8
185	Screening for Abdominal Aortic Aneurysm during Transthoracic Echocardiography in Patients with Significant Coronary Artery Disease. Yonsei Medical Journal, 2015, 56, 38.	0.9	21
186	Effects of High-dose Atorvastatin Pretreatment in Patients with ST-segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: A Cardiac Magnetic Resonance Study. Journal of Korean Medical Science, 2015, 30, 435.	1.1	4
187	Long-term effects of ischemic postconditioning on clinical outcomes: 1-year follow-up of the POST randomized trial. American Heart Journal, 2015, 169, 639-646.	1.2	21
188	Extracorporeal membrane oxygenation for refractory septic shock in adults. European Journal of Cardio-thoracic Surgery, 2015, 47, e68-e74.	0.6	87
189	Biodegradable polymer biolimus-eluting stent versus durable polymer everolimus-eluting stent in patients with acute myocardial infarction. International Journal of Cardiology, 2015, 183, 190-197.	0.8	4
190	Long-Term Survival Benefit of Revascularization Compared With Medical Therapy in Patients With Coronary Chronic Total Occlusion and Well-Developed Collateral Circulation. JACC: Cardiovascular Interventions, 2015, 8, 271-279.	1.1	145
191	The 24-Month Prognosis of Patients With Positive or Intermediate Results in the Intracoronary Ergonovine Provocation Test. JACC: Cardiovascular Interventions, 2015, 8, 914-923.	1.1	54
192	Clinical outcomes of multiple chronic total occlusions in coronary arteries according to three therapeutic strategies: Bypass surgery, percutaneous intervention and medication. International Journal of Cardiology, 2015, 197, 2-7.	0.8	23
193	Comparison of Outcomes After Percutaneous Coronary Intervention for Chronic Total Occlusion Using Everolimus- Versus Sirolimus- Versus Paclitaxel-Eluting Stents (from the Korean National Tj ETQq1 1 0.78430.4 rgBT /@verlock		
194	Assessment of Perioperative Cardiac Risk of Patients Undergoing Noncardiac Surgery Using Coronary Computed Tomographic Angiography. Circulation: Cardiovascular Imaging, 2015, 8, .	1.3	33
195	Comparative Effectiveness of Angiotensin II Receptor Blockers Versus Angiotensin-Converting Enzyme Inhibitors Following Contemporary Treatments in Patients with Acute Myocardial Infarction: Results from the Korean Working Group in Myocardial Infarction (KorMI) Registry. American Journal of Cardiovascular Drugs, 2015, 15, 439-449.	1.0	14
196	Anticoagulation in Ischemic Left Ventricular Aneurysm. Mayo Clinic Proceedings, 2015, 90, 441-449.	1.4	20
197	Randomized Trial of Stents Versus Bypass Surgery for Left Main Coronary Artery Disease. Journal of the American College of Cardiology, 2015, 65, 2198-2206.	1.2	308
198	Noninvasive Discrimination of Coronary Chronic Total Occlusion and Subtotal Occlusion by Coronary Computed Tomography Angiography. JACC: Cardiovascular Interventions, 2015, 8, 1143-1153.	1.1	25

#	ARTICLE	IF	CITATIONS
199	Duration of clopidogrel-based dual antiplatelet therapy and clinical outcomes after endeavor sprint zotarolimus-eluting stent implantation in patients presenting with acute coronary syndrome. <i>European Journal of Internal Medicine</i> , 2015, 26, 521-527.	1.0	5
200	Long-Term Clinical Outcomes of Final Kissing Ballooning in Coronary Bifurcation Lesions Treated With the 1-Stent Technique. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1297-1307.	1.1	56
201	Differential Prognostic Effect Between First- and Second-Generation Drug-Eluting Stents in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1318-1331.	1.1	36
202	The story of plaque shift and carina shift. <i>EuroIntervention</i> , 2015, 11, V75-V77.	1.4	15
203	Clinical Outcomes of Patients with Acute Myocardial Infarction Complicated by Severe Refractory Cardiogenic Shock Assisted with Percutaneous Cardiopulmonary Support. <i>Yonsei Medical Journal</i> , 2014, 55, 920.	0.9	17
204	Long-Term Outcomes of Complete Versus Incomplete Revascularization for Patients with Multivessel Coronary Artery Disease and Left Ventricular Systolic Dysfunction in Drug-Eluting Stent Era. <i>Journal of Korean Medical Science</i> , 2014, 29, 1501.	1.1	10
205	Noninvasive Evaluation of Coronary Collateral Arterial Flow by Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 482-490.	1.3	27
206	Developing a risk prediction model for survival to discharge in cardiac arrest patients who undergo extracorporeal membrane oxygenation. <i>International Journal of Cardiology</i> , 2014, 177, 1031-1035.	0.8	76
207	Predictors of Outcomes of Contrast-Induced Acute Kidney Injury After Percutaneous Coronary Intervention in Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2014, 114, 1830-1835.	0.7	42
208	Angiotensin receptor blocker in patients with ST segment elevation myocardial infarction with preserved left ventricular systolic function: prospective cohort study. <i>BMJ, The</i> , 2014, 349, g6650-g6650.	3.0	28
209	Response to Letters Regarding Article, "Ischemic Postconditioning During Primary Percutaneous Coronary Intervention: The Effects of Postconditioning on Myocardial Reperfusion in Patients With ST-Segment Elevation Myocardial Infarction (POST) Randomized Trial". <i>Circulation</i> , 2014, 130, e54-5.	1.6	1
210	Differential Prognostic Impact of Treatment Strategy Among Patients With Left Main Versus Non-Left Main Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 255-263.	1.1	64
211	Association of Beta-Blocker Therapy at Discharge With Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 592-601.	1.1	68
212	Impact of overweight on myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>Atherosclerosis</i> , 2014, 235, 570-575.	0.4	14
213	The Impact of Side Branch Predilatation on Procedural and Long-term Clinical Outcomes in Coronary Bifurcation Lesions Treated by the Provisional Approach. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq1 1 0784314 rBT /Over	0.7	62
214	Clinical impact of intra-aortic balloon pump during extracorporeal life support in patients with acute myocardial infarction complicated by cardiogenic shock. <i>BMC Anesthesiology</i> , 2014, 14, 27.	0.7	62
215	Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) Tj ETQq1 1 0.784314 rBT /Over	0.7	62
216	Spironolactone lowers the rate of repeat revascularization in acute myocardial infarction patients treated with percutaneous coronary intervention. <i>American Heart Journal</i> , 2014, 168, 346-353.e3.	1.2	5

#	ARTICLE	IF	CITATIONS
217	Predictors and Outcomes of Side Branch Occlusion After Main Vessel Stenting in Coronary Bifurcation Lesions. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1654-1659.	1.2	188
218	Periprocedural myocardial infarction is not associated with an increased risk of long-term cardiac mortality after coronary bifurcation stenting. <i>International Journal of Cardiology</i> , 2013, 167, 1251-1256.	0.8	18
219	Prognostic value of admission blood glucose level in patients with and without diabetes mellitus who sustain ST segment elevation myocardial infarction complicated by cardiogenic shock. <i>Critical Care</i> , 2013, 17, R218.	2.5	38
220	Pattern of in-stent neointimal formation compared to native atherosclerosis in the coronary bifurcation lesions: volumetric intravascular ultrasound analysis. <i>Chinese Medical Journal</i> , 2013, 126, 3505-10.	0.9	1
221	Final kissing ballooning and long-term clinical outcomes in coronary bifurcation lesions treated with 1-stent technique: results from the COBIS registry. <i>Heart</i> , 2012, 98, 225-231.	1.2	101
222	Carina Shift Versus Plaque Shift for Aggravation of Side Branch Ostial Stenosis in Bifurcation Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 657-662.	1.4	56
223	Six-Month Versus 12-Month Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2012, 125, 505-513.	1.6	555
224	Comparison of magnetic resonance imaging findings in non-ST-segment elevation versus ST-segment elevation myocardial infarction patients undergoing early invasive intervention. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1487-1497.	0.7	21
225	A high loading dose of clopidogrel reduces myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>American Heart Journal</i> , 2012, 163, 500-507.	1.2	26
226	Randomized Comparison of Conservative Versus Aggressive Strategy for Provisional Side Branch Intervention in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1133-1140.	1.1	48
227	Complete versus incomplete revascularization for treatment of multivessel coronary artery disease in the drug-eluting stent era. <i>Heart and Vessels</i> , 2012, 27, 433-442.	0.5	32
228	Impact of intravascular ultrasound guidance on long-term clinical outcomes in patients treated with drug-eluting stent for bifurcation lesions: Data from a Korean multicenter bifurcation registry. <i>American Heart Journal</i> , 2011, 161, 180-187.	1.2	96
229	Effects of atorvastatin pretreatment on infarct size in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2011, 162, 1026-1033.	1.2	46
230	Randomized Trial of Stents versus Bypass Surgery for Left Main Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2011, 364, 1718-1727.	13.9	571
231	Long-Term Clinical Results and Predictors of Adverse Outcomes After Drug-Eluting Stent Implantation for Bifurcation Lesions in a Real-World Practice - The COBIS (Coronary Bifurcation) Tj ETQq1 1 0.784304 rrgBT / Overlock 10	1.4	149
232	Anatomic and Functional Evaluation of Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 113-119.	1.4	149
233	Sirolimus- Versus Paclitaxel-Eluting Stents for the Treatment of Coronary Bifurcations. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1743-1750.	1.2	58
234	Comparison of vessel geometry in bifurcation between normal and diseased segments: Intravascular ultrasound analysis. <i>Atherosclerosis</i> , 2008, 201, 326-331.	0.4	17

#	ARTICLE	IF	CITATIONS
235	Effects of balloon-based distal protection during primary percutaneous coronary intervention on early and late infarct size and left ventricular remodeling: A pilot study using serial contrast-enhanced magnetic resonance imaging. <i>American Heart Journal</i> , 2007, 153, 665.e1-665.e8.	1.2	16
236	A 5Fr Catheter Approach Reduces Patient Discomfort during Transradial Coronary Intervention Compared with a 6Fr Approach: A Prospective Randomized Study. <i>Journal of Interventional Cardiology</i> , 2006, 19, 141-147.	0.5	58
237	Percutaneous Coronary Intervention versus Coronary Artery Bypass Grafting for Diabetics with Multivessel Coronary Artery Disease: The Korean Multicenter Revascularization Registry (KORR). <i>Journal of Korean Medical Science</i> , 2005, 20, 196.	1.1	5
238	Clinical Features and Prognosis of Acute Aortic Intramural Hemorrhage Compared with Those of Acute Aortic Dissection. A Single Center Experience.. <i>International Heart Journal</i> , 2001, 42, 91-100.	0.6	7
239	Myocardial injury-induced fibroblast proliferation facilitates retroviral-mediated gene transfer to the rat heart in vivo. <i>Journal of Gene Medicine</i> , 2000, 2, 2-10.	1.4	24
240	Prevalence and Risk Factors of Silent Cerebral Infarction in Apparently Normal Adults. <i>Hypertension</i> , 2000, 36, 73-77.	1.3	98