

Hiroyuki Minamikawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/668698/publications.pdf>

Version: 2024-02-01

98
papers

4,527
citations

117625

34
h-index

102487

66
g-index

103
all docs

103
docs citations

103
times ranked

4151
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-Assembling Properties and Recovery Effects on Damaged Skin Cells of Chemically Synthesized Mannosylerythritol Lipids. <i>ChemBioChem</i> , 2022, 23, .	2.6	9
2	Self-assembly and amphiphilic behavior of poly(ester)-block-poly(amide) diblock copolymer based on biodegradable poly(butylene succinate) and poly(2-pyrrolidone). <i>European Polymer Journal</i> , 2022, 163, 110961.	5.4	2
3	Stabilized director buckling patterns in nematic elastomers and their dynamic optical effects. <i>Communications Materials</i> , 2022, 3, .	6.9	4
4	Effects of Fiber Stiffening to a Soft Actuator with PEDOT/PSS Electrode Films on Actuation Cycling Stability. <i>Journal of Oleo Science</i> , 2021, 70, 861-866.	1.4	0
5	Internal constraints and arrested relaxation in main-chain nematic elastomers. <i>Nature Communications</i> , 2021, 12, 787.	12.8	30
6	Unlocking Entropic Elasticity of Nematic Elastomers Through Light and Dynamic Adhesion. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100672.	3.7	13
7	Photohardenable Pressure-Sensitive Adhesives using Poly(methyl methacrylate) containing Liquid Crystal Plasticizers. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 39949-39956.	8.0	5
8	Impact of Crystallites in Nematic Elastomers on Dynamic Mechanical Properties and Adhesion. <i>Macromolecules</i> , 2021, 54, 8987-8995.	4.8	12
9	Actuation Properties of Paper Actuators Fabricated Using PEDOT/PSS Electrode Films. <i>Journal of Oleo Science</i> , 2020, 69, 1331-1337.	1.4	4
10	Preparation and Formation Process of Zn(II)-Coordinated Nanovesicles. <i>Langmuir</i> , 2017, 33, 14130-14138.	3.5	9
11	Lipid Nanotube Tailored Fabrication of Uniquely Shaped Polydopamine Nanofibers as Photothermal Converters. <i>Chemistry - A European Journal</i> , 2016, 22, 4345-4350.	3.3	34
12	Organic Nanotube with Subnanometer Inner Diameter Self-assembled from Carboxybetaine Bipolar Amphiphile and Its Stabilization Effect toward Small Molecules. <i>Chemistry Letters</i> , 2016, 45, 1180-1182.	1.3	2
13	Quantitative analyses of PEGylated phospholipids adsorbed on single walled carbon nanohorns by high resolution magic angle spinning 1H NMR. <i>Carbon</i> , 2016, 101, 213-217.	10.3	12
14	Spontaneous Nematic Alignment of a Lipid Nanotube in Aqueous Solutions. <i>Langmuir</i> , 2015, 31, 1150-1154.	3.5	14
15	Effects of PEGylation on the physicochemical properties and in vivo distribution of organic nanotubes. <i>International Journal of Nanomedicine</i> , 2014, 9, 5811.	6.7	20
16	Self-organized nanotube materials and their application in bioengineering. <i>Polymer Journal</i> , 2014, 46, 831-858.	2.7	80
17	Amphiphilic designer nano-carriers for controlled release: from drug delivery to diagnostics. <i>MedChemComm</i> , 2014, 5, 1602-1618.	3.4	74
18	Effect of alkoxy terminal chain length on mesomorphism of 1,6-disubstituted pyrene-based hexacatenar liquid crystals: columnar phase control. <i>Tetrahedron</i> , 2014, 70, 5100-5108.	1.9	16

#	ARTICLE	IF	CITATIONS
19	Directed assembly of optoelectronically active alkyl- π -conjugated molecules by adding n-alkanes or π -conjugated species. <i>Nature Chemistry</i> , 2014, 6, 690-696.	13.6	92
20	Aqueous Gel Formation from Sodium Salts of Cellobiose Lipids. <i>Journal of Oleo Science</i> , 2014, 63, 1005-1010.	1.4	16
21	A hydro/organo/hybrid gelator: A peptide lipid with turning aspartame head groups. <i>Journal of Colloid and Interface Science</i> , 2013, 395, 154-160.	9.4	19
22	Supramolecular nanofiber formation from commercially available arginine and a bola-type diacetylenic diacid via hydrogelation. <i>Polymer Journal</i> , 2012, 44, 646-650.	2.7	13
23	Cisplatin-encapsulated organic nanotubes by endo-complexation in the hollow cylinder. <i>Chemical Communications</i> , 2012, 48, 8625.	4.1	29
24	Hybrid Organic Nanotubes with Dual Functionalities Localized on Cylindrical Nanochannels Control the Release of Doxorubicin. <i>Advanced Healthcare Materials</i> , 2012, 1, 699-706.	7.6	30
25	<i>Nature-like</i> synthetic alkyl branched-chain glycolipids: a review on chemical structure and self-assembly properties. <i>Liquid Crystals</i> , 2012, 39, 1-17.	2.2	87
26	Solvent-chirality selective organogelation by chiral aspartame lipids. <i>Soft Matter</i> , 2012, 8, 11979.	2.7	18
27	Supramolecular organic nanotubes: how to utilize the inner nanospace and the outer space. <i>Soft Matter</i> , 2011, 7, 4539.	2.7	128
28	A Simple <i>N</i> -Acyl-L-amino Acid Constructed Metal-complexed Organic Nanotube Having an Inner Diameter below 10 nm. <i>Chemistry Letters</i> , 2011, 40, 218-220.	1.3	8
29	Functionalized organic nanotubes as tubular nonviral gene transfer vector. <i>Journal of Controlled Release</i> , 2011, 156, 70-75.	9.9	26
30	A reevaluation of the epimeric and anomeric relationship of glucosides and galactosides in thermotropic liquid crystal self-assemblies. <i>Carbohydrate Research</i> , 2011, 346, 2948-2956.	2.3	27
31	Buffers to suppress sodium dodecyl sulfate adsorption to polyethylene oxide for protein separation on capillary polymer electrophoresis. <i>Electrophoresis</i> , 2011, 32, 448-454.	2.4	4
32	Photoresponsive Soft Nanotubes for Controlled Guest Release. <i>Chemistry - A European Journal</i> , 2011, 17, 5251-5255.	3.3	45
33	Synthesis and Liquid Crystals Properties of \pm -Methylated Galactosides. <i>Physics Procedia</i> , 2011, 14, 91-95.	1.2	4
34	Enzymatic Conversion of Diacetylated Sophoroselipid into Acetylated Glucoselipid: Surface-Active Properties of Novel Bolaform Biosurfactants. <i>Journal of Oleo Science</i> , 2010, 59, 495-501.	1.4	33
35	Confinement Effect of Organic Nanotubes Toward Green Fluorescent Protein (GFP) Depending on the Inner Diameter Size. <i>Chemistry - A European Journal</i> , 2010, 16, 4217-4223.	3.3	56
36	Diverse Morphologies of Self-Assemblies from Homoditopic 1,18-Nucleotide-Appended Bolaamphiphiles: Effects of Nucleobases and Complementary Oligonucleotides. <i>Small</i> , 2010, 6, 1131-1139.	10.0	22

#	ARTICLE	IF	CITATIONS
37	Dynamic light scattering measurement of sieving polymer solutions for protein separation on SDS CE. Electrophoresis, 2009, 30, 3607-3612.	2.4	18
38	Mixed monolayer of dipalmitoylphosphatidylcholine and stage-specific embryonic antigen-1 (SSEA-1). Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2009, 332, 139-143.	4.7	3
39	Phase behavior of ternary mannosylerythritol lipid/water/oil systems. Colloids and Surfaces B: Biointerfaces, 2009, 68, 207-212.	5.0	37
40	Gel Flocculation Transition of a Supramolecular Hydrogel Induced by Depletion Effect of Polymers. Chemistry Letters, 2009, 38, 606-607.	1.3	3
41	Development of massive synthesis method of organic nanotube toward practical use. Synthesiology, 2009, 1, 169-176.	0.2	7
42	Aqueous-phase behavior and vesicle formation of natural glycolipid biosurfactant, mannosylerythritol lipid-B. Colloids and Surfaces B: Biointerfaces, 2008, 65, 106-112.	5.0	60
43	Controllable biomolecule release from self-assembled organic nanotubes with asymmetric surfaces: pH and temperature dependence. Soft Matter, 2008, 4, 1681.	2.7	63
44	Growth Process and Molecular Packing of a Self-assembled Lipid Nanotube: Phase-Contrast Transmission Electron Microscopy and XRD Analyses. Langmuir, 2008, 24, 709-713.	3.5	47
45	Sugar-Based Surfactants with Isoprenoid-Type Hydrophobic Chains. Surfactant Science, 2008, , .	0.0	2
46	Molecular Monolayer Nanotubes Having 7-9 nm Inner Diameters Covered with Different Inner and Outer Surfaces. Chemistry Letters, 2007, 36, 896-897.	1.3	35
47	Formation of Self-Assembled Glycolipid Nanotubes with Bilayer Sheets. Journal of Nanoscience and Nanotechnology, 2007, 7, 960-964.	0.9	17
48	Functionalizable Organic Nanochannels Based on Lipid Nanotubes: Encapsulation and Nanofluidic Behavior of Biomacromolecules. Chemistry of Materials, 2007, 19, 3553-3560.	6.7	110
49	Self-Assembly and Thermal Phase Transition Behavior of Unsymmetrical Bolaamphiphiles Having Glucose- and Amino-Hydrophilic Headgroups. Langmuir, 2007, 23, 4634-4641.	3.5	88
50	Aqueous-Phase Behavior of Natural Glycolipid Biosurfactant Mannosylerythritol Lipid A: A Sponge, Cubic, and Lamellar Phases. Langmuir, 2007, 23, 1659-1663.	3.5	108
51	Aligned Nanocables: Controlled Sheathing of CuO Nanowires by a Self-Assembled Tubular Glycolipid. Advanced Materials, 2007, 19, 4194-4197.	21.0	23
52	Micelle structures in aqueous solutions of glucose-based surfactants having an isoprenoid-type hydrophobic chain. Journal of Colloid and Interface Science, 2007, 312, 122-129.	9.4	0
53	Elastic precursor of the transformation from glycolipid nanotube to vesicle. Journal of Physics Condensed Matter, 2006, 18, 3089-3096.	1.8	13
54	Local and Network Structure of Thermoreversible Polyrotaxane Hydrogels Based on Poly(ethylene) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	2.6	89

#	ARTICLE	IF	CITATIONS
55	Dimension Control of Glycolipid Nanotubes by Successive Use of Vesicle Extrusion and Porous Template. <i>Chemistry of Materials</i> , 2006, 18, 1577-1580.	6.7	20
56	FT-IR Study of the Interlamellar Water Confined in Glycolipid Nanotube Walls. <i>Langmuir</i> , 2005, 21, 4610-4614.	3.5	32
57	Headgroup effects on phase behavior and interfacial properties of $\hat{1}^2$ -3,7-dimethyloctylglycoside/water systems. <i>Chemistry and Physics of Lipids</i> , 2005, 134, 151-160.	3.2	25
58	Selective Construction of Supramolecular Nanotube Hosts with Cationic Inner Surfaces. <i>Advanced Materials</i> , 2005, 17, 2732-2736.	21.0	79
59	Supramolecular Nanotube Architectures Based on Amphiphilic Molecules. <i>ChemInform</i> , 2005, 36, no.	0.0	3
60	Molecular Structure of Glucopyranosylamide Lipid and Nanotube Morphology. <i>Langmuir</i> , 2005, 21, 743-750.	3.5	93
61	Supramolecular Nanotube Architectures Based on Amphiphilic Molecules. <i>Chemical Reviews</i> , 2005, 105, 1401-1444.	47.7	1,398
62	Sodium chloride-induced self-assembly of microfibers from nanofiber components. <i>Journal of Colloid and Interface Science</i> , 2004, 277, 299-303.	9.4	6
63	Alkylglucosides with isoprenoid-type hydrophobic chains-effects of hydrophobic chain size on the aqueous phase behavior. <i>Chemistry and Physics of Lipids</i> , 2004, 127, 65-75.	3.2	24
64	Small angle X-ray scattering from lamellar phase for $\hat{1}^2$ -3,7-dimethyloctylglucoside/water system: comparison with $\hat{1}^2$ -n-alkylglucosides. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 250, 485-490.	4.7	11
65	Templated Assembly of a Monolayer Consisting of a Coordination Nanobox at Air/Water Interface. <i>Chemistry Letters</i> , 2004, 33, 860-861.	1.3	6
66	Effect of Inorganic Salts on the Phase Behavior of an Aqueous Mixture of Heptaethylene Glycol Dodecyl Ether. <i>Langmuir</i> , 2003, 19, 10487-10494.	3.5	20
67	Preliminary communication Liquid crystalline cardanyl $\hat{1}^2$ -D-glucopyranosides. <i>Liquid Crystals</i> , 2003, 30, 747-749.	2.2	20
68	Alkylglycosides with an Isoprenoid-Type Hydrophobic Chain Can Afford Greater Control of Aqueous Phase Structures at Low Temperatures. <i>Langmuir</i> , 2002, 18, 3425-3429.	3.5	42
69	Morphological Control of Helical Solid Bilayers in High-Axial-Ratio Nanostructures Through Binary Self-Assembly. <i>Chemistry - A European Journal</i> , 2002, 8, 5494-5500.	3.3	106
70	pH and salt-induced reversible aggregation of nonionic synthetic glycolipid vesicles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002, 207, 215-221.	4.7	13
71	Hydration and Molecular Motions in Synthetic Phytanyl-Chained Glycolipid Vesicle Membranes. <i>Biophysical Journal</i> , 2001, 81, 3377-3386.	0.5	45
72	Forces that Control pH-Dependent Aggregation of Nonionic Glycolipid Vesicles. <i>Langmuir</i> , 2001, 17, 1853-1859.	3.5	15

#	ARTICLE	IF	CITATIONS
73	Design of synthetic glycolipids for membrane biotechnology. <i>Studies in Surface Science and Catalysis</i> , 2001, , 725-728.	1.5	2
74	Interglycolipid Membrane Interactions: pH-Dependent Aggregation of Nonionic Synthetic Glycolipid Vesicles. <i>Journal of Colloid and Interface Science</i> , 2000, 223, 235-243.	9.4	36
75	Aggregation Behavior of Nonionic Glycolipid Vesicles in Acidic Region. <i>Journal of Dispersion Science and Technology</i> , 2000, 21, 907-913.	2.4	1
76	Self-assembly of synthetic glycolipid/water systems. <i>Advances in Colloid and Interface Science</i> , 1999, 80, 233-270.	14.7	105
77	Formation and characterization of planar lipid bilayer membranes from synthetic phytanyl-chained glycolipids. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999, 1421, 91-102.	2.6	61
78	Synthetic Phytanyl-Chained Glycolipid Vesicle Membrane as a Novel Matrix for Functional Reconstitution of Cyanobacterial Photosystem II Complex. <i>Biochemical and Biophysical Research Communications</i> , 1999, 265, 734-738.	2.1	22
79	Reverse Micellar Cubic Phase in a Phytanyl-Chained Glycolipid/Water System. <i>Langmuir</i> , 1998, 14, 4503-4509.	3.5	48
80	Stereochemistry-Dependent Self-Assembly in Synthetic Glycolipid/Water Systems: The Aqueous Phase Structure of 1,3-Di-O-dodecyl-2-(β -maltoheptaosyl)glycerol. <i>Journal of Physical Chemistry B</i> , 1998, 102, 11035-11042.	2.6	16
81	Phase Behavior of Synthetic Phytanyl-Chained Glycolipid/Water Systems. <i>Langmuir</i> , 1997, 13, 2564-2571.	3.5	54
82	The Effects of Oligosaccharide Stereochemistry on the Physical Properties of Aqueous Synthetic Glycolipids. <i>Langmuir</i> , 1996, 12, 1658-1665.	3.5	58
83	Phase Transition in Glycolipid Monolayers Induced by Attractions between Oligosaccharide Head Groups. <i>Langmuir</i> , 1996, 12, 1666-1674.	3.5	50
84	Regio- and stereocontrolled synthesis of d-erythro-sphingosine and phytosphingosine from d-glucosamine. <i>Tetrahedron Letters</i> , 1994, 35, 745-748.	1.4	42
85	Synthesis of 1,3-di-O-alkyl-2-O-(β -glycosyl)glycerols bearing oligosaccharides as hydrophilic groups. <i>Chemistry and Physics of Lipids</i> , 1994, 72, 111-118.	3.2	48
86	Polyamide monomolecular films prepared by polycondensation at air-water interface. <i>Polymer</i> , 1994, 35, 1103-1104.	3.8	0
87	Monolayers of β -Hydroxyalkyldimethyloctadecylammonium Bromide at Water-Air Interface. <i>Journal of Colloid and Interface Science</i> , 1993, 161, 155-162.	9.4	23
88	Two Component Monolayers of β -Hydroxyalkyldimethyloctadecylammonium Bromide and Arachidic Acid at Water-Air Interface. <i>Journal of Colloid and Interface Science</i> , 1993, 161, 163-168.	9.4	8
89	Polymorphism of Model Glycosphingolipids Evidenced by Calorimetric and Polarizing Microscopic Study. <i>Chemistry Letters</i> , 1993, 22, 567-570.	1.3	1
90	A convenient synthesis of galactocerebroside using D-glucosamine as a chiral source of the ceramide moiety. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 1875.	0.9	4

#	ARTICLE	IF	CITATIONS
91	Well Defined Organic Surfaces Flat at the Molecular Level. Control of Surface Chemical Groups by Bipolar Surfactant Monolayers on Step-Free Mica Surfaces. Chemistry Letters, 1991, 20, 1049-1052.	1.3	8
92	Synthetic peptidic amphiphile: reduction in length of a helical bilayer assembly due to interaction with a metal cation. Journal of the Chemical Society Chemical Communications, 1990, , 183.	2.0	10
93	Langmuir-Blodgett films of diastereomeric tartaric acid derivatives.. Journal of Fiber Science and Technology, 1990, 46, 409-411.	0.0	2
94	Enhanced Circular Dichroism of Self-Assembled Peptidic Amphiphiles. Chemistry Letters, 1989, 18, 1341-1344.	1.3	9
95	Asymmetric Hydrocyanation of Aldehydes Using Chiral Titanium Reagents. Bulletin of the Chemical Society of Japan, 1988, 61, 4379-4383.	3.2	117
96	The Asymmetric Hydrocyanation of Aldehydes with Cyanotrimethylsilane Promoted by a Chiral Titanium Reagent. Chemistry Letters, 1987, 16, 2073-2076.	1.3	64
97	Triyl Salts Catalyzed Aldol-Type Reaction of Alkyl Enol Ethers with Acetals. Chemistry Letters, 1987, 16, 1051-1052.	1.3	8
98	Phase behavior of phytanyl-chained alkylglycoside/water systems. , 0, , 56-60.		2