

Julie A Pasco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6687054/publications.pdf>

Version: 2024-02-01

306
papers

14,485
citations

20817

60
h-index

24982

109
g-index

311
all docs

311
docs citations

311
times ranked

17700
citing authors

#	ARTICLE	IF	CITATIONS
1	So depression is an inflammatory disease, but where does the inflammation come from?. BMC Medicine, 2013, 11, 200.	5.5	993
2	Association of Western and Traditional Diets With Depression and Anxiety in Women. American Journal of Psychiatry, 2010, 167, 305-311.	7.2	583
3	A Meta-Analysis of Trabecular Bone Score in Fracture Risk Prediction and Its Relationship to FRAX. Journal of Bone and Mineral Research, 2016, 31, 940-948.	2.8	508
4	A Meta-Analysis of the Association of Fracture Risk and Body Mass Index in Women. Journal of Bone and Mineral Research, 2014, 29, 223-233.	2.8	388
5	Oxidative & nitrosative stress in depression: Why so much stress?. Neuroscience and Biobehavioral Reviews, 2014, 45, 46-62.	6.1	324
6	Association of high-sensitivity C-reactive protein with <i>de novo</i> major depression. British Journal of Psychiatry, 2010, 197, 372-377.	2.8	281
7	Maternal 25-Hydroxyvitamin D and Parathyroid Hormone Concentrations and Offspring Birth Size. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 906-912.	3.6	278
8	The population burden of fractures originates in women with osteopenia, not osteoporosis. Osteoporosis International, 2006, 17, 1404-1409.	3.1	271
9	The association between diet quality, dietary patterns and depression in adults: a systematic review. BMC Psychiatry, 2013, 13, 175.	2.6	270
10	A Prospective Study of Diet Quality and Mental Health in Adolescents. PLoS ONE, 2011, 6, e24805.	2.5	257
11	Genome-Wide Association Study Using Extreme Truncate Selection Identifies Novel Genes Affecting Bone Mineral Density and Fracture Risk. PLoS Genetics, 2011, 7, e1001372.	3.5	233
12	Î2-Adrenergic Blockers Reduce the Risk of Fracture Partly by Increasing Bone Mineral Density: Geelong Osteoporosis Study. Journal of Bone and Mineral Research, 2004, 19, 19-24.	2.8	229
13	Vitamin D and adult bone health in Australia and New Zealand: a position statement. Medical Journal of Australia, 2005, 182, 281-285.	1.7	216
14	Prevention and treatment of infant and childhood vitamin D deficiency in Australia and New Zealand: a consensus statement. Medical Journal of Australia, 2006, 185, 268-272.	1.7	207
15	Cohort Profile: Geelong Osteoporosis Study. International Journal of Epidemiology, 2012, 41, 1565-1575.	1.9	205
16	The High Prevalence of Vitamin D Insufficiency across Australian Populations Is Only Partly Explained by Season and Latitude. Environmental Health Perspectives, 2007, 115, 1132-1139.	6.0	198
17	Tobacco smoking as a risk factor for major depressive disorder: population-based study. British Journal of Psychiatry, 2008, 193, 322-326.	2.8	190
18	Health burden of hip and other fractures in Australia beyond 2000: Projections based on the Geelong Osteoporosis Study. Medical Journal of Australia, 1999, 170, 467-470.	1.7	178

#	ARTICLE	IF	CITATIONS
19	Serum Leptin Levels Are Associated with Bone Mass in Nonobese Women ¹ . Journal of Clinical Endocrinology and Metabolism, 2001, 86, 1884-1887.	3.6	178
20	Seasonal Periodicity of Serum Vitamin D and Parathyroid Hormone, Bone Resorption, and Fractures: The Geelong Osteoporosis Study. Journal of Bone and Mineral Research, 2004, 19, 752-758.	2.8	173
21	Vitamin D deficiency may play a role in depression. Medical Hypotheses, 2007, 69, 1316-1319.	1.5	164
22	Half the burden of fragility fractures in the community occur in women without osteoporosis. When is fracture prevention cost-effective?. Bone, 2006, 38, 694-700.	2.9	159
23	Statin Use, Bone Mineral Density, and Fracture Risk. Archives of Internal Medicine, 2002, 162, 537.	3.8	158
24	The human cost of fracture. Osteoporosis International, 2005, 16, 2046-2052.	3.1	158
25	Total and Appendicular Lean Mass Reference Ranges for Australian Men and Women: The Geelong Osteoporosis Study. Calcified Tissue International, 2014, 94, 363-372.	3.1	135
26	Vitamin D status of women in the Geelong Osteoporosis Study: association with diet and casual exposure to sunlight. Medical Journal of Australia, 2001, 175, 401-405.	1.7	127
27	Prevalence of Osteoporosis in Australian Women. Journal of Clinical Densitometry, 2000, 3, 261-268.	1.2	126
28	How cigarette smoking may increase the risk of anxiety symptoms and anxiety disorders: a critical review of biological pathways. Brain and Behavior, 2013, 3, 302-326.	2.2	126
29	Nutrient intakes and the common mental disorders in women. Journal of Affective Disorders, 2012, 141, 79-85.	4.1	121
30	High-Sensitivity C-Reactive Protein and Fracture Risk in Elderly Women. JAMA - Journal of the American Medical Association, 2006, 296, 1349.	7.4	114
31	Prevalence of Obesity and the Relationship between the Body Mass Index and Body Fat: Cross-Sectional, Population-Based Data. PLoS ONE, 2012, 7, e29580.	2.5	112
32	Socioeconomic status and risk factors for obesity and metabolic disorders in a population-based sample of adult females. Preventive Medicine, 2009, 49, 165-171.	3.4	105
33	Risk Factors for <i>Mycobacterium ulcerans</i> Infection, Southeastern Australia. Emerging Infectious Diseases, 2007, 13, 1661-1666.	4.3	101
34	Selective serotonin reuptake inhibitor use and bone mineral density in women with a history of depression. International Clinical Psychopharmacology, 2008, 23, 84-87.	1.7	97
35	Comparison of self-report and structured clinical interview in the identification of depression. Comprehensive Psychiatry, 2014, 55, 866-869.	3.1	96
36	Selective Serotonin Reuptake Inhibitors Inhibit Human Osteoclast and Osteoblast Formation and Function. Biological Psychiatry, 2013, 74, 32-39.	1.3	95

#	ARTICLE	IF	CITATIONS
37	Fermented foods, the gut and mental health: a mechanistic overview with implications for depression and anxiety. <i>Nutritional Neuroscience</i> , 2020, 23, 659-671.	3.1	95
38	Habitual physical activity and the risk for depressive and anxiety disorders among older men and women. <i>International Psychogeriatrics</i> , 2011, 23, 292-298.	1.0	92
39	Skeletal muscle abnormalities and exercise capacity in adults with a Fontan circulation. <i>Heart</i> , 2013, 99, 1530-1534.	2.9	92
40	Leptin in depressed women: Cross-sectional and longitudinal data from an epidemiologic study. <i>Journal of Affective Disorders</i> , 2008, 107, 221-225.	4.1	89
41	Diet quality in bipolar disorder in a population-based sample of women. <i>Journal of Affective Disorders</i> , 2011, 129, 332-337.	4.1	89
42	A novel serogenetic approach determines the community prevalence of celiac disease and informs improved diagnostic pathways. <i>BMC Medicine</i> , 2013, 11, 188.	5.5	88
43	Future health implications of prenatal and early-life vitamin D status. <i>Nutrition Reviews</i> , 2008, 66, 710-720.	5.8	87
44	Skeletal Muscle Health and Cognitive Function: A Narrative Review. <i>International Journal of Molecular Sciences</i> , 2021, 22, 255.	4.1	86
45	Dietary selenium and major depression: a nested case-control study. <i>Complementary Therapies in Medicine</i> , 2012, 20, 119-123.	2.7	85
46	Dietary intake of fish and PUFA, and clinical depressive and anxiety disorders in women. <i>British Journal of Nutrition</i> , 2013, 109, 2059-2066.	2.3	83
47	Clinical Implications of the Cytokine Hypothesis of Depression: The Association between Use of Statins and Aspirin and the Risk of Major Depression. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 323-325.	8.8	82
48	Diet quality, dietary patterns and short sleep duration: a cross-sectional population-based study. <i>European Journal of Nutrition</i> , 2019, 58, 641-651.	3.9	80
49	The effects of dairy and dairy derivatives on the gut microbiota: a systematic literature review. <i>Gut Microbes</i> , 2020, 12, 1799533.	9.8	79
50	Depression is a risk factor for incident coronary heart disease in women: An 18-year longitudinal study. <i>Journal of Affective Disorders</i> , 2016, 196, 117-124.	4.1	77
51	Body mass index and measures of body fat for defining obesity and underweight: a cross-sectional, population-based study. <i>BMC Obesity</i> , 2014, 1, 9.	3.1	76
52	Population prevalence of personality disorder and associations with physical health comorbidities and health care service utilization: A review.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2016, 7, 136-146.	1.3	75
53	The association between socioeconomic status and osteoporotic fracture in population-based adults: a systematic review. <i>Osteoporosis International</i> , 2009, 20, 1487-1497.	3.1	73
54	Atopic disorders and depression: Findings from a large, population-based study. <i>Journal of Affective Disorders</i> , 2014, 155, 261-265.	4.1	70

#	ARTICLE	IF	CITATIONS
55	Don't Worry, be Active: Positive Affect and Habitual Physical Activity. Australian and New Zealand Journal of Psychiatry, 2011, 45, 1047-1052.	2.3	68
56	Depression and bone mineral density in a community sample of perimenopausal women: Geelong Osteoporosis Study. Menopause, 2005, 12, 88-91.	2.0	66
57	The association between dietary patterns, diabetes and depression. Journal of Affective Disorders, 2015, 174, 215-224.	4.1	66
58	Behavioural and physical characteristics associated with vitamin D status in women. Bone, 2009, 44, 1085-1091.	2.9	65
59	Sarcopenia and the Common Mental Disorders: a Potential Regulatory Role of Skeletal Muscle on Brain Function?. Current Osteoporosis Reports, 2015, 13, 351-357.	3.6	65
60	Maternal vitamin D in pregnancy may influence not only offspring bone mass but other aspects of musculoskeletal health and adiposity. Medical Hypotheses, 2008, 71, 266-269.	1.5	64
61	Alleles of RUNX2/CBFA1 Gene Are Associated With Differences in Bone Mineral Density and Risk of Fracture. Journal of Bone and Mineral Research, 2002, 17, 1527-1534.	2.8	63
62	Fusing Data Mining, Machine Learning and Traditional Statistics to Detect Biomarkers Associated with Depression. PLoS ONE, 2016, 11, e0148195.	2.5	63
63	The relationships between insomnia, sleep apnoea and depression: Findings from the American National Health and Nutrition Examination Survey, 2005-2008. Australian and New Zealand Journal of Psychiatry, 2015, 49, 156-170.	2.3	62
64	Depression and pain: an overview. Acta Neuropsychiatrica, 2006, 18, 79-87.	2.1	61
65	Musculoskeletal decline and mortality: prospective data from the Geelong Osteoporosis Study. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 482-489.	7.3	61
66	Sex-differences in reasons for non-participation at recruitment: Geelong Osteoporosis Study. BMC Research Notes, 2013, 6, 104.	1.4	60
67	Pro-inflammatory dietary intake as a risk factor for CVD in men: a 5-year longitudinal study. British Journal of Nutrition, 2015, 114, 2074-2082.	2.3	59
68	Prevalence of excessive daytime sleepiness in a sample of the Australian adult population. Sleep Medicine, 2014, 15, 348-354.	1.6	58
69	Oral contraceptives and bone mineral density: A population-based study. American Journal of Obstetrics and Gynecology, 2000, 182, 265-269.	1.3	57
70	Antioxidant Vitamin Supplements and Markers of Bone Turnover in a Community Sample of Nonsmoking Women. Journal of Women's Health, 2006, 15, 295-300.	3.3	57
71	Association between socioeconomic status and bone mineral density in adults: a systematic review. Osteoporosis International, 2011, 22, 517-527.	3.1	57
72	Lifetime psychiatric disorders and body composition: A population-based study. Journal of Affective Disorders, 2009, 118, 173-179.	4.1	56

#	ARTICLE	IF	CITATIONS
73	Prevalence of osteoporosis in Australian men and women: Geelong Osteoporosis Study. Medical Journal of Australia, 2011, 195, 321-322.	1.7	55
74	A brief review of exercise, bipolar disorder, and mechanistic pathways. Frontiers in Psychology, 2015, 6, 147.	2.1	54
75	Personality disorders and physical comorbidities in adults from the United States: data from the National Epidemiologic Survey on Alcohol and Related Conditions. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 807-820.	3.1	53
76	The Association Between Obesity and Low Back Pain and Disability Is Affected by Mood Disorders. Medicine (United States), 2016, 95, e3367.	1.0	53
77	Depression and Bone Metabolism. Psychotherapy and Psychosomatics, 2009, 78, 16-25.	8.8	51
78	The Epidemiology of Incident Fracture from Cradle to Senescence. Calcified Tissue International, 2015, 97, 568-576.	3.1	50
79	Effects of Depression and Serotonergic Antidepressants on Bone: Mechanisms and Implications for the Treatment of Depression. Drugs and Aging, 2016, 33, 21-25.	2.7	50
80	Red Meat Consumption and Mood and Anxiety Disorders. Psychotherapy and Psychosomatics, 2012, 81, 196-198.	8.8	49
81	The Prevalence of Mood and Anxiety Disorders in Australian Women. Australasian Psychiatry, 2010, 18, 250-255.	0.7	48
82	Pop, heavy metal and the blues: secondary analysis of persistent organic pollutants (POP), heavy metals and depressive symptoms in the NHANES National Epidemiological Survey. BMJ Open, 2014, 4, e005142-e005142.	1.9	48
83	Muscle strength and gait speed rather than lean mass are better indicators for poor cognitive function in older men. Scientific Reports, 2020, 10, 10367.	3.3	48
84	Morphometric vertebral fractures of the lower thoracic and lumbar spine, physical function and quality of life in men. Osteoporosis International, 2009, 20, 787-792.	3.1	47
85	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 Australian cohorts. International Journal of Cancer, 2015, 137, 1699-1708.	5.1	46
86	The association between urban or rural locality and hip fracture in community-based adults: a systematic review. Journal of Epidemiology and Community Health, 2010, 64, 656-665.	3.7	45
87	The relationship between excessive daytime sleepiness and depressive and anxiety disorders in women. Australian and New Zealand Journal of Psychiatry, 2013, 47, 772-778.	2.3	45
88	Excessive daytime sleepiness and falls among older men and women: cross-sectional examination of a population-based sample. BMC Geriatrics, 2015, 15, 74.	2.7	45
89	Changes in Bone Mineral Density in the Year after Critical Illness. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 736-744.	5.6	45
90	The association between depressive and anxiety symptoms and bone mineral density in the general population: The HUNT Study. Journal of Affective Disorders, 2011, 131, 164-171.	4.1	44

#	ARTICLE	IF	CITATIONS
91	General medical practitioners' knowledge and beliefs about osteoporosis and its investigation and management. Archives of Osteoporosis, 2012, 7, 107-114.	2.4	44
92	Is this D Vitamin to Worry About? Vitamin D Insufficiency in an Inpatient Sample. Australian and New Zealand Journal of Psychiatry, 2008, 42, 874-878.	2.3	43
93	Symptoms of Depression and Difficulty Initiating Sleep from Early Adolescence to Early Adulthood: A Longitudinal Study. Sleep, 2015, 38, 1599-1606.	1.1	42
94	Comparing different definitions of prediabetes with subsequent risk of diabetes: an individual participant data meta-analysis involving 76 513 individuals and 8208 cases of incident diabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000794.	2.8	42
95	Pain and the relationship with mood and anxiety disorders and psychological symptoms. Journal of Psychosomatic Research, 2012, 72, 452-456.	2.6	41
96	Psychiatric disorders, psychotropic medication use and falls among women: an observational study. BMC Psychiatry, 2015, 15, 75.	2.6	40
97	BMD in Population-Based Adult Women Is Associated With Socioeconomic Status. Journal of Bone and Mineral Research, 2009, 24, 809-815.	2.8	38
98	Mycobacterium ulcerans infection: factors influencing diagnostic delay. Medical Journal of Australia, 2007, 187, 561-563.	1.7	37
99	Does an increase in body mass index over 10 years affect knee structure in a population-based cohort study of adult women?. Arthritis Research and Therapy, 2010, 12, R139.	3.5	37
100	Skeletal morbidity among survivors of critical illness*. Critical Care Medicine, 2011, 39, 1295-1300.	0.9	37
101	Physical comorbidities in men with mood and anxiety disorders: a population-based study. BMC Medicine, 2013, 11, 110.	5.5	37
102	Reliability of the Mood Disorder Questionnaire: Comparison with the Structured Clinical Interview for the DSM-IV-TR in a Population Sample. Australian and New Zealand Journal of Psychiatry, 2009, 43, 526-530.	2.3	36
103	Lifestyle factors fail to explain the variation in plasma leptin concentrations in women. Nutrition, 1998, 14, 653-657.	2.4	35
104	The use of hormonal contraceptive agents and mood disorders in women. Journal of Affective Disorders, 2012, 140, 92-96.	4.1	35
105	The Impact of Smoking in Adolescence on Early Adult Anxiety Symptoms and the Relationship between Infant Vulnerability Factors for Anxiety and Early Adult Anxiety Symptoms: The TOPP Study. PLoS ONE, 2013, 8, e63252.	2.5	35
106	The association between critical illness and changes in bone turnover in adults: a systematic review. Osteoporosis International, 2014, 25, 2335-2346.	3.1	34
107	Trabecular Bone Score in Men and Women with Impaired Fasting Glucose and Diabetes. Calcified Tissue International, 2018, 102, 32-40.	3.1	34
108	Socioeconomic status, obesity and lifestyle in men: The Geelong Osteoporosis Study. Journal of Men's Health, 2010, 7, 31-41.	0.3	33

#	ARTICLE	IF	CITATIONS
109	Suicidal ideation and physical illness: Does the link lie with depression?. Journal of Affective Disorders, 2014, 152-154, 422-426.	4.1	33
110	Fracture risk among older men: osteopenia and osteoporosis defined using cut-points derived from female versus male reference data. Osteoporosis International, 2014, 25, 857-862.	3.1	32
111	The prevalence, age distribution and comorbidity of personality disorders in Australian women. Australian and New Zealand Journal of Psychiatry, 2017, 51, 141-150.	2.3	32
112	Handgrip strength and muscle quality in Australian women: cross-sectional data from the Geelong Osteoporosis Study. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 690-697.	7.3	32
113	Changes in hip fracture rates in southeastern Australia spanning the period 1994-2007. Journal of Bone and Mineral Research, 2011, 26, 1648-1654.	2.8	31
114	Muscle strength and areal bone mineral density at the hip in women: a cross-sectional study. BMC Musculoskeletal Disorders, 2015, 16, 124.	1.9	31
115	Is trabecular bone score less affected by degenerative-changes at the spine than lumbar spine BMD?. Archives of Osteoporosis, 2018, 13, 127.	2.4	31
116	Health literacy in a population-based sample of Australian women: a cross-sectional profile of the Geelong Osteoporosis Study. BMC Public Health, 2018, 18, 876.	2.9	31
117	Relationship of Serum Leptin to Total and Truncal Body Fat. Clinical Science, 1997, 93, 581-584.	4.3	30
118	Alcohol consumption and body composition in a population-based sample of elderly Australian men. Aging Clinical and Experimental Research, 2013, 25, 183-192.	2.9	30
119	Bipolar disorder and bone health: A systematic review. Journal of Affective Disorders, 2019, 249, 262-269.	4.1	30
120	Obesity and the relationship with positive and negative affect. Australian and New Zealand Journal of Psychiatry, 2013, 47, 477-482.	2.3	28
121	Depression following fracture in women: a study of age-matched cohorts: Table 1. BMJ Open, 2014, 4, e004226.	1.9	28
122	Excessive daytime sleepiness and metabolic syndrome: a cross-sectional study. Metabolism: Clinical and Experimental, 2015, 64, 244-252.	3.4	27
123	DNA methylation and the social gradient of osteoporotic fracture: A conceptual model. Bone, 2016, 84, 204-212.	2.9	27
124	Assessment of Fracture Risk. Journal of Clinical Densitometry, 2001, 4, 283-289.	1.2	26
125	β -blockers reduce bone resorption marker in early postmenopausal women. Annals of Human Biology, 2005, 32, 738-745.	1.0	25
126	Depression as a risk factor for fracture in women: A 10 year longitudinal study. Journal of Affective Disorders, 2016, 192, 34-40.	4.1	25

#	ARTICLE	IF	CITATIONS
127	Obesity and Brain Function: The Brain–Body Crosstalk. <i>Medicina (Lithuania)</i> , 2020, 56, 499.	2.0	25
128	Lower-limb muscle strength: normative data from an observational population-based study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 89.	1.9	25
129	Socioeconomic status and bone mineral density in a population-based sample of men. <i>Bone</i> , 2010, 46, 993-999.	2.9	24
130	The association of time and medications with changes in bone mineral density in the 2 years after critical illness. <i>Critical Care</i> , 2017, 21, 69.	5.8	24
131	Osteoporosis and the Critically Ill Patient. <i>Critical Care Clinics</i> , 2019, 35, 301-313.	2.6	24
132	The Dietary Inflammatory Index Is Associated with Low Muscle Mass and Low Muscle Function in Older Australians. <i>Nutrients</i> , 2021, 13, 1166.	4.1	24
133	Oxidative stress may be a common mechanism linking major depression and osteoporosis. <i>Acta Neuropsychiatrica</i> , 2008, 20, 112-116.	2.1	23
134	Cross-sectional analysis of association between socioeconomic status and utilization of primary total hip joint replacements 2006–7: Australian Orthopaedic Association National Joint Replacement Registry. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 63.	1.9	21
135	Personal and Psychosocial Impacts of Clinical Fracture in Men. <i>Journal of Men's Health</i> , 2013, 10, 22-27.	0.3	21
136	Statin and Aspirin Use and the Risk of Mood Disorders among Men. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw008.	2.1	21
137	Impact microindentation in men with impaired fasting glucose and type 2 diabetes. <i>Bone</i> , 2021, 142, 115685.	2.9	21
138	Genetic Variation and Obesity in Australian Women: A Prospective Study. <i>Obesity</i> , 2001, 9, 733-740.	4.0	20
139	Self-Reported Depression and Cardiovascular Risk Factors in a Community Sample of Women. <i>Psychosomatics</i> , 2007, 48, 54-59.	2.5	20
140	Paracetamol (acetaminophen) use, fracture and bone mineral density. <i>Bone</i> , 2011, 48, 1277-1281.	2.9	20
141	Fracture Risk Score and Absolute Risk of Fracture. <i>Radiology</i> , 2011, 259, 495-501.	7.3	20
142	Musculoskeletal deterioration in men accompanies increases in body fat. <i>Obesity</i> , 2014, 22, 863-867.	3.0	20
143	Feasibility and tolerability of bone impact microindentation testing: a cross-sectional, population-based study in Australia. <i>BMJ Open</i> , 2018, 8, e023959.	1.9	20
144	Humeral Fractures in South-Eastern Australia: Epidemiology and Risk Factors. <i>Calcified Tissue International</i> , 2015, 97, 453-465.	3.1	19

#	ARTICLE	IF	CITATIONS
145	Angiotensin Converting Enzyme Inhibitors and Risk of Mood Disorders. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 250-252.	8.8	19
146	Excessive Daytime Sleepiness and Body Composition: A Population-Based Study of Adults. <i>PLoS ONE</i> , 2014, 9, e112238.	2.5	19
147	Hormone therapy and risk of non-vertebral fracture: Geelong Osteoporosis Study. <i>Osteoporosis International</i> , 2004, 15, 434-8.	3.1	18
148	Bone mineral density is cross sectionally associated with cartilage volume in healthy, asymptomatic adult females: Geelong Osteoporosis Study. <i>Bone</i> , 2011, 49, 839-844.	2.9	18
149	Morbid obesity in women on the rise: an observational, population-based study. <i>BMC Public Health</i> , 2013, 13, 290.	2.9	18
150	Socioeconomic status and quality of life in population-based Australian men: data from the Geelong Osteoporosis Study. <i>Australian and New Zealand Journal of Public Health</i> , 2013, 37, 226-232.	1.8	18
151	Dysglycaemia and Other Predictors for Progression or Regression from Impaired Fasting Glucose to Diabetes or Normoglycaemia. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-8.	2.3	18
152	Why so GLUMM? Detecting depression clusters through graphing lifestyle-environs using machine-learning methods (GLUMM). <i>European Psychiatry</i> , 2017, 39, 40-50.	0.2	18
153	Skeletal Muscle Density and Cognitive Function: A Cross-Sectional Study in Men. <i>Calcified Tissue International</i> , 2021, 108, 165-175.	3.1	18
154	Definition-specific prevalence estimates for sarcopenia in an Australian population: the Geelong Osteoporosis Study. <i>JCSM Clinical Reports</i> , 2020, 5, 89-98.	1.3	18
155	Area-based socioeconomic status and mood disorders: Cross-sectional evidence from a cohort of randomly selected adult women. <i>Maturitas</i> , 2011, 69, 173-178.	2.4	17
156	Quantitative Heel Ultrasound (QUS) measures of bone quality in association with mood and anxiety disorders. <i>Journal of Affective Disorders</i> , 2013, 146, 395-400.	4.1	17
157	Small area-level socioeconomic status and all-cause mortality within 10years in a population-based cohort of women: Data from the Geelong Osteoporosis Study. <i>Preventive Medicine Reports</i> , 2015, 2, 505-511.	1.8	17
158	Bone Turnover Markers in Men and Women with Impaired Fasting Glucose and Diabetes. <i>Calcified Tissue International</i> , 2019, 104, 599-604.	3.1	17
159	Unravelling facets of milk derived opioid peptides: a focus on gut physiology, fractures and obesity. <i>International Journal of Food Sciences and Nutrition</i> , 2020, 71, 36-49.	2.8	17
160	Prevalence of Sarcopenia Employing Population-Specific Cut-Points: Cross-Sectional Data from the Geelong Osteoporosis Study, Australia. <i>Journal of Clinical Medicine</i> , 2021, 10, 343.	2.4	17
161	Into the Bowels of Depression: Unravelling Medical Symptoms Associated with Depression by Applying Machine-Learning Techniques to a Community Based Population Sample. <i>PLoS ONE</i> , 2016, 11, e0167055.	2.5	17
162	Social Determinants of Bone Densitometry Uptake for Osteoporosis Risk in Patients Aged 50Yr and Older: A Systematic Review. <i>Journal of Clinical Densitometry</i> , 2012, 15, 165-175.	1.2	16

#	ARTICLE	IF	CITATIONS
163	Gastro oesophageal reflux disease (GORD)-related symptoms and its association with mood and anxiety disorders and psychological symptomology: a population-based study in women. BMC Psychiatry, 2013, 13, 194.	2.6	16
164	Maternal Nutrition During Pregnancy: Intake of Nutrients Important for Bone Health. Maternal and Child Health Journal, 2017, 21, 845-851.	1.5	16
165	Patterns of Alcohol Use and Associated Physical and Lifestyle Characteristics According to New Australian Guidelines. Australian and New Zealand Journal of Psychiatry, 2010, 44, 946-951.	2.3	15
166	Patterns of treatment in Australian men following fracture. Osteoporosis International, 2011, 22, 249-254.	3.1	15
167	Geographic region, socioeconomic position and the utilisation of primary total joint replacement for hip or knee osteoarthritis across western Victoria: a cross-sectional multilevel study of the Australian Orthopaedic Association National Joint Replacement Registry. Archives of Osteoporosis, 2017, 12, 97.	2.4	15
168	Selective Serotonin Reuptake Inhibitors (SSRIs) and Markers of Bone Turnover in Men. Calcified Tissue International, 2018, 103, 125-130.	3.1	15
169	Reference Ranges for Trabecular Bone Score in Australian Men and Women: A Cross-sectional Study. JBMR Plus, 2019, 3, e10133.	2.7	15
170	Aspirin and fracture risk: a systematic review and exploratory meta-analysis of observational studies. BMJ Open, 2020, 10, e026876.	1.9	15
171	Data Integration Protocol In Ten-steps (DIPIT): A new standard for medical researchers. Methods, 2014, 69, 237-246.	3.8	14
172	The association between use of antidepressants and bone quality using quantitative heel ultrasound. Australian and New Zealand Journal of Psychiatry, 2015, 49, 437-443.	2.3	14
173	FRAX (Aus) and falls risk: Association in men and women. Bone, 2015, 76, 1-4.	2.9	14
174	Fat Mass Is Associated with Foot Pain in Men: The Geelong Osteoporosis Study. Journal of Rheumatology, 2016, 43, 138-143.	2.0	14
175	The epidemiology of hip fractures across western Victoria, Australia. Bone, 2018, 108, 1-9.	2.9	14
176	Obesity, Akkermansia muciniphila, and Proton Pump Inhibitors: Is there a Link?. Obesity Research and Clinical Practice, 2020, 14, 524-530.	1.8	14
177	Bone material strength index is associated with prior fracture in men with and without moderate chronic kidney disease. Bone, 2020, 133, 115241.	2.9	14
178	Association between alcohol consumption and self-reported depression among elderly Australian men. Geriatric Mental Health Care, 2014, 2, 3-8.	0.3	13
179	Maternal Dietary Nutrient Intake During Pregnancy and Offspring Linear Growth and Bone: The Vitamin D in Pregnancy Cohort Study. Calcified Tissue International, 2017, 100, 47-54.	3.1	13
180	Associations Between Bone Impact Microindentation and Clinical Risk Factors for Fracture. Endocrinology, 2019, 160, 2143-2150.	2.8	13

#	ARTICLE	IF	CITATIONS
181	The patterns and implications of potentially suboptimal medicine regimens among older adults: a narrative review. <i>Therapeutic Advances in Drug Safety</i> , 2022, 13, 204209862211001.	2.4	13
182	A Cultural Models Approach to Osteoporosis Prevention and Treatment. <i>SAGE Open</i> , 2012, 2, 215824401246497.	1.7	12
183	Milk Consumption and the Risk for Incident Major Depressive Disorder. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 384-386.	8.8	12
184	Normative Data for Lean Mass Using FNIH Criteria in an Australian Setting. <i>Calcified Tissue International</i> , 2019, 104, 475-479.	3.1	12
185	Maternal vitamin D in pregnancy and offspring bone measures in childhood: The Vitamin D in Pregnancy study. <i>Bone</i> , 2019, 124, 126-131.	2.9	12
186	Dynapenia and Low Cognition: A Cross-Sectional Association in Postmenopausal Women. <i>Journal of Clinical Medicine</i> , 2021, 10, 173.	2.4	12
187	Carpal and scaphoid fracture incidence in south-eastern Australia: an epidemiologic study. <i>Archives of Osteoporosis</i> , 2015, 10, 10.	2.4	11
188	Knowledge change regarding osteoporosis prevention: translating recommended guidelines into user-friendly messages within a community forum. <i>BMC Research Notes</i> , 2015, 8, 33.	1.4	11
189	Poor Agreement Between Self-Reported Diagnosis and Bone Mineral Density Results in the Identification of Osteoporosis. <i>Journal of Clinical Densitometry</i> , 2015, 18, 13-16.	1.2	11
190	Ageing, Chronic Disease and Injury: A Study in Western Victoria (Australia). <i>Journal of Public Health Research</i> , 2016, 5, jphr.2016.678.	1.2	11
191	The prevalence and age of onset of psychiatric disorders in Australian men. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 678-684.	2.3	11
192	Prevalence of Frailty in Older Men and Women: Cross-Sectional Data from the Geelong Osteoporosis Study. <i>Calcified Tissue International</i> , 2020, 107, 220-229.	3.1	11
193	Diet quality and a traditional dietary pattern predict lean mass in Australian women: Longitudinal data from the Geelong Osteoporosis Study. <i>Preventive Medicine Reports</i> , 2021, 21, 101316.	1.8	11
194	Fractures in indigenous compared to non-indigenous populations: A systematic review of rates and aetiology. <i>Bone Reports</i> , 2017, 6, 145-158.	0.4	10
195	Getting RID of the blues: Formulating a Risk Index for Depression (RID) using structural equation modeling. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1121-1133.	2.3	10
196	Health literacy and uptake of anti-fracture medications in a population-based sample of Australian women. <i>Research in Social and Administrative Pharmacy</i> , 2018, 14, 846-850.	3.0	10
197	Patients with end-stage kidney disease have markedly abnormal cortical hip parameters by dual-energy X-ray absorptiometry. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 543-550.	0.7	10
198	Age-Related Changes in Muscle and Bone. , 2019, , 45-71.		10

#	ARTICLE	IF	CITATIONS
199	Vitamin D: is it relevant to psychiatry?. Acta Neuropsychiatrica, 2009, 21, 205-206.	2.1	9
200	Polyalanine Repeat Polymorphism in RUNX2 Is Associated with Site-Specific Fracture in Post-Menopausal Females. PLoS ONE, 2013, 8, e72740.	2.5	9
201	A randomised controlled trial of low-dose aspirin for the prevention of fractures in healthy older people: protocol for the ASPREE-Fracture substudy: TableÂ1. Injury Prevention, 2016, 22, 297-301.	2.4	9
202	Association between bipolar spectrum disorder and bone health: a meta-analysis and systematic review protocol. BMJ Open, 2017, 7, e013981.	1.9	9
203	Personality disorder is an excess risk factor for physical multimorbidity among women with mental state disorders. Psychiatry Research, 2017, 257, 546-549.	3.3	9
204	Falls and Depression in Men: A Population-Based Study. American Journal of Men's Health, 2018, 12, 14-18.	1.6	9
205	Mapping Cancer incidence across Western Victoria: the association with age, accessibility, and socioeconomic status among men and women. BMC Cancer, 2019, 19, 892.	2.6	9
206	The association between a fracture risk tool and frailty: Geelong Osteoporosis Study. BMC Geriatrics, 2020, 20, 196.	2.7	9
207	Anticonvulsant use and bone health in a population-based study of men and women: cross-sectional data from the Geelong Osteoporosis Study. BMC Musculoskeletal Disorders, 2021, 22, 172.	1.9	9
208	Depression and bone loss as risk factors for cognitive decline: A systematic review and meta-analysis. Ageing Research Reviews, 2022, 76, 101575.	10.9	9
209	The Relationship Between Adverse Childhood Experiences and Alzheimer's Disease: A Systematic Review. Frontiers in Aging Neuroscience, 2022, 14, .	3.4	9
210	Few geographic and socioeconomic variations exist in primary total shoulder arthroplasty: a multi-level study of Australian registry data. BMC Musculoskeletal Disorders, 2016, 17, 291.	1.9	8
211	The addition of depression to the Framingham Risk Equation model for predicting coronary heart disease risk in women. Preventive Medicine, 2016, 87, 115-120.	3.4	8
212	Association between dairy intake and fracture in an Australian-based cohort of women: a prospective study. BMJ Open, 2019, 9, e031594.	1.9	8
213	Validity of self-reported cancer: Comparison between self-report versus cancer registry records in the Geelong Osteoporosis Study. Cancer Epidemiology, 2020, 68, 101790.	1.9	8
214	Total Antioxidant Capacity and Frailty in Older Men. American Journal of Men's Health, 2020, 14, 155798832094659.	1.6	8
215	The associations of butyrate-producing bacteria of the gut microbiome with diet quality and muscle health. Gut Microbiome, 2021, 2, .	3.2	8
216	Age- and Sex-Related Patterns of First Fracture and Fracture Prevalence. Calcified Tissue International, 2015, 96, 38-44.	3.1	7

#	ARTICLE	IF	CITATIONS
217	Low Lean Tissue Mass and Physical Performance as Markers of Sarcopenia in Older Men and Women. Journal of Gerontology & Geriatric Research, 2016, 5, .	0.1	7
218	Is there a nexus between mental and bone health?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 829-830.	2.3	7
219	Sarcopenic Obesity and Falls in the Elderly. Journal of Gerontology & Geriatric Research, 2018, 07, .	0.1	7
220	Personality disorder increases risk of low quality of life among women with mental state disorders. Comprehensive Psychiatry, 2020, 102, 152193.	3.1	7
221	Associations Between Muscle Quality and Cognitive Function in Older Men: Cross-Sectional Data From the Geelong Osteoporosis Study. Journal of Clinical Densitometry, 2022, 25, 133-140.	1.2	7
222	Association between serum interleukin-6 and frailty in older men: cross-sectional data. European Geriatric Medicine, 2021, 12, 887-892.	2.8	7
223	The contribution of musculoskeletal factors to physical frailty: a cross-sectional study. BMC Musculoskeletal Disorders, 2021, 22, 921.	1.9	7
224	Serum levels of C-Terminal Telopeptide (CTX) are Associated with Muscle Function in Community-Dwelling Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 2085-2092.	3.6	7
225	Fatty Liver Index and Skeletal Muscle Density. Calcified Tissue International, 2022, 110, 649-657.	3.1	7
226	Musculoskeletal Deficits and Cognitive Impairment: Epidemiological Evidence and Biological Mechanisms. Current Osteoporosis Reports, 2022, 20, 260-272.	3.6	7
227	Evaluating AUSDRISK for predicting incident diabetes in an independent sample of women. Medical Journal of Australia, 2010, 193, 374-374.	1.7	6
228	All-Cause Mortality Risk in Australian Women with Impaired Fasting Glucose and Diabetes. Journal of Diabetes Research, 2017, 2017, 1-8.	2.3	6
229	The subjective wellbeing profile of the "pretiree"™ demographic: A cross-sectional study. Maturitas, 2018, 110, 111-117.	2.4	6
230	FRAX (Australia) scores in women with impaired fasting glucose and diabetes. Bone Reports, 2019, 11, 100223.	0.4	6
231	Fracture Risk in Women with Dysglycaemia: Assessing Effects of Baseline and Time-Varying Risk Factors. Calcified Tissue International, 2019, 104, 262-272.	3.1	6
232	Dietary tryptophan and bone health: a cross-sectional, population-based study. Archives of Osteoporosis, 2020, 15, 167.	2.4	6
233	Physical and lifestyle factors associated with trabecular bone score values. Archives of Osteoporosis, 2020, 15, 177.	2.4	6
234	The Association Between Muscle Mass and Strength in Relation to Bone Measures in a Paediatric Population: Sex-Specific Effects. Calcified Tissue International, 2020, 107, 121-125.	3.1	6

#	ARTICLE	IF	CITATIONS
235	Gut Microbiome Diversity and Composition Are Associated with Habitual Dairy Intakes: A Cross-Sectional Study in Men. <i>Journal of Nutrition</i> , 2021, 151, 3400-3412.	2.9	6
236	Associations between Bone Material Strength Index, Calcaneal Quantitative Ultrasound, and Bone Mineral Density in Men. <i>Journal of the Endocrine Society</i> , 2021, 5, bvaa179.	0.2	6
237	High Alcohol Intake in Older Men and the Probability of Osteoporotic Fracture According to the FRAX Algorithm. <i>Nutrients</i> , 2021, 13, 2955.	4.1	6
238	Pattern of psychotropic medication use over two decades in Australian women. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1212-1219.	2.3	5
239	Poor quality of life in Australian men: Cross-sectional associations with obesity, mobility, lifestyle and psychiatric symptoms. <i>Maturitas</i> , 2017, 103, 32-36.	2.4	5
240	Sports participation and fracture in older Australian men. <i>Archives of Osteoporosis</i> , 2018, 13, 43.	2.4	5
241	Association between area-level socioeconomic status, accessibility and diabetes-related hospitalisations: a cross-sectional analysis of data from Western Victoria, Australia. <i>BMJ Open</i> , 2019, 9, e026880.	1.9	5
242	The Associations between Dairy Product Consumption and Biomarkers of Inflammation, Adipocytokines, and Oxidative Stress in Children: A Cross-Sectional Study. <i>Nutrients</i> , 2020, 12, 3055.	4.1	5
243	Bone health in bipolar disorder: a study protocol for a caseâ€“control study in Australia. <i>BMJ Open</i> , 2020, 10, e032821.	1.9	5
244	Are Sarcopenia and Cognitive Dysfunction Comorbid after Stroke in the Context of Brainâ€“Muscle Crosstalk?. <i>Biomedicines</i> , 2021, 9, 223.	3.2	5
245	The Predictability of Frailty Associated with Musculoskeletal Deficits: A Longitudinal Study. <i>Calcified Tissue International</i> , 2021, 109, 525-533.	3.1	5
246	Lean mass as a risk factor for intensive care unit admission: an observational study. <i>Critical Care</i> , 2021, 25, 364.	5.8	5
247	Abnormal Trabecular Bone Score, Lower Bone Mineral Density and Lean Mass in Young Women With Premature Ovarian Insufficiency Are Prevented by Oestrogen Replacement. <i>Frontiers in Endocrinology</i> , 2022, 13, .	3.5	5
248	Vitamin D and adult bone health in Australia and New Zealand: a position statement. <i>Medical Journal of Australia</i> , 2005, 183, 52-54.	1.7	4
249	The metabolic syndrome and bone mineral density in a random sample of Australian men. <i>The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender</i> , 2007, 4, 298-299.	0.2	4
250	Paradoxical nutritional deficiency in overweight and obesity: the importance of nutrient density. <i>Medical Journal of Australia</i> , 2009, 191, 44-45.	1.7	4
251	Methodological reflections on using pilot data from fracture patients to develop a qualitative study. <i>BMC Research Notes</i> , 2011, 4, 508.	1.4	4
252	Endogenous parathyroid hormone is associated with reduced cartilage volume in vivo in a population-based sample of adult women. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1000-1003.	0.9	4

#	ARTICLE	IF	CITATIONS
253	Who are the older Australians referred for a bone density scan? Data from the Barwon region. Archives of Osteoporosis, 2014, 9, 196.	2.4	4
254	Changes in bone mineral density in women before critical illness: a matched control nested cohort study. Archives of Osteoporosis, 2018, 13, 119.	2.4	4
255	The epidemiology of emergency presentations for falls from height across Western Victoria, Australia. Australasian Emergency Care, 2020, 23, 119-125.	1.5	4
256	The Vitamin D in Pregnancy Study: a prospective prebirth cohort in southern Australia. BMJ Open, 2020, 10, e036003.	1.9	4
257	Personality Disorder and Physical Health Comorbidities: A Link With Bone Health?. Frontiers in Psychiatry, 2020, 11, 602342.	2.6	4
258	Normative Data for Impact Microindentation for Australian Men: Cross-sectional Data From the Geelong Osteoporosis Study. JBMR Plus, 2020, 4, e10384.	2.7	4
259	Repurposing a fracture risk calculator (FRAX) as a screening tool for women at risk for sarcopenia. Osteoporosis International, 2020, 31, 1389-1394.	3.1	4
260	Associations between dairy consumption and constipation in adults: A cross-sectional study. Nutrition and Health, 2021, , 026010602110047.	1.5	4
261	Changes in body composition in the year following critical illness: A case-control study. Journal of Critical Care, 2022, 71, 154043.	2.2	4
262	Application of Epidemiology to Change Health Policy: Defining Age-Related Thresholds of Bone Mineral Density for Primary Prevention of Fracture. Journal of Clinical Densitometry, 2008, 11, 494-497.	1.2	3
263	Health Outcomes Associated with Hormone Therapy in Australian Women. Current Drug Safety, 2009, 4, 169-172.	0.6	3
264	Bipolar disorder and adiposity: a study using whole body dual energy X-ray absorptiometry scans. Acta Neuropsychiatrica, 2011, 23, 219-223.	2.1	3
265	Reasons for referral to bone densitometry in men and women aged 20-49 years: population-based data. Archives of Osteoporosis, 2012, 7, 173-178.	2.4	3
266	Comparison of incidence, rate and length of all-cause hospital admissions between adults with normoglycaemia, impaired fasting glucose and diabetes: a retrospective cohort study in Geelong, Australia. BMJ Open, 2018, 8, e020346.	1.9	3
267	The Population Mean Mood Predicts The Prevalence of Depression in an Australian Context. Australian and New Zealand Journal of Psychiatry, 2018, 52, 461-472.	2.3	3
268	Revision joint replacement surgeries of the hip and knee across geographic region and socioeconomic status in the western region of Victoria: a cross-sectional multilevel analysis of registry data. BMC Musculoskeletal Disorders, 2019, 20, 300.	1.9	3
269	Sample selection and reasons for non-participation in the PRedictors and Outcomes of incident FRACTures (PROFRAC) study. Journal of Public Health Research, 2019, 8, 1475.	1.2	3
270	Relationship between adverse childhood experiences and Alzheimer's disease: a systematic review and meta-analysis protocol. BMJ Open, 2021, 11, e049768.	1.9	3

#	ARTICLE	IF	CITATIONS
271	Association between bone measures and use of angiotensin-converting enzyme inhibitors or angiotensin II receptor blockers. Archives of Osteoporosis, 2021, 16, 137.	2.4	3
272	Maternal vitamin D and offspring fracture risk: the Vitamin D in Pregnancy study. Archives of Osteoporosis, 2021, 16, 159.	2.4	3
273	Associations between parameters of peripheral quantitative computed tomography and bone material strength index. Bone, 2022, 155, 116268.	2.9	3
274	Operational definitions of sarcopenia should consider depressive symptoms. JCSM Clinical Reports, 2021, 6, 62-68.	1.3	3
275	Impact of changing the criteria for diagnosing diabetes in Australia. Medical Journal of Australia, 2002, 176, 353-354.	1.7	2
276	Adulthood Fracture and Quality of Life: A Population-Based Study of Australian Men. Journal of Men's Health, 2014, 11, 171-176.	0.3	2
277	Comparison of fracture rates between indigenous and non-indigenous populations: a systematic review protocol. BMJ Open, 2016, 6, e012124.	1.9	2
278	Translating Osteoporosis Prevention Guidelines. Journal of Aging and Health, 2017, 29, 531-545.	1.7	2
279	Do reductions in out-of-pocket expenses for dual energy X-ray absorptiometry scans translate to reduced fracture incidence amongst older Australians? A population-based study. Archives of Osteoporosis, 2018, 13, 41.	2.4	2
280	The epidemiology of emergency presentations for falls across Western Victoria, Australia. Australasian Emergency Care, 2019, 22, 206-215.	1.5	2
281	Study protocol for the systematic review and meta-analyses of the association between schizophrenia and bone fragility. BMJ Open, 2020, 10, e041859.	1.9	2
282	Gestational Vitamin D and Offspring Bone Measures: Is the Association Independent of Maternal Bone Quality?. Calcified Tissue International, 2021, 108, 188-195.	3.1	2
283	Understanding perceived social support among women with personality disorder clusters. Australasian Psychiatry, 2021, 29, 595-599.	0.7	2
284	Normative data for peripheral quantitative computed tomography (pQCT) bone parameters in Australian men. Bone Reports, 2021, 15, 101107.	0.4	2
285	Is sarcopenia associated with anxiety symptoms and disorders? A systematic review and meta-analysis protocol. BMJ Open, 2021, 11, e054125.	1.9	2
286	Frailty associations with socioeconomic status, healthcare utilisation and quality of life among older women residing in regional Australia. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 209-217.	1.2	2
287	What Injured Workers With Complex Claims Look For in Online Communities: Netnographic Analysis. Journal of Medical Internet Research, 2022, 24, e17180.	4.3	2
288	Bipolar disorder and bone health: A case-control study. Journal of Affective Disorders, 2022, 308, 39-43.	4.1	2

#	ARTICLE	IF	CITATIONS
289	Urbanâ€“rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. Medical Journal of Australia, 2010, 193, 187-188.	1.7	1
290	A conduit between epidemiological research and regional health policy. Australian and New Zealand Journal of Public Health, 2016, 40, 250-254.	1.8	1
291	Associations between asthma status and radiologically confirmed fracture in children: A dataâ€“linkage study. Journal of Paediatrics and Child Health, 2018, 54, 855-860.	0.8	1
292	Osteoporosis medication use among Australian women over two decades. Archives of Osteoporosis, 2020, 15, 67.	2.4	1
293	The Added Burden of Personality Disorder on Subsidized Australian Health Service Utilization Among Women With Mental State Disorder. Frontiers in Global Women S Health, 2021, 2, 615057.	2.3	1
294	Mood disorder and cancer onset: evidence from a population-based sample of Australian women. Revista Brasileira De Psiquiatria, 2021, 43, 355-361.	1.7	1
295	The Mooâ€“TM D Study: protocol for a randomised controlled trial of A2 beta-casein only versus conventional dairy products in women with low mood. Trials, 2021, 22, 899.	1.6	1
296	Hip fracture rates in South Australia: Into the next century: Comment. Australian and New Zealand Journal of Surgery, 2000, 70, 813-813.	0.2	0
297	The Microbiome: A Biological Mechanism Underpinning the Social Gradient of Musculoskeletal Conditions?. Journal of Bone and Mineral Research, 2016, 31, 1315-1315.	2.8	0
298	Response to â€“Pitfalls of big dataâ€“TM. Australian and New Zealand Journal of Psychiatry, 2018, 52, 604-605.	2.3	0
299	The Epidemiology of Joint Replacements Across Western Victoria, Australia: a Cross-sectional Study. SN Comprehensive Clinical Medicine, 2019, 1, 1038-1047.	0.6	0
300	Gestational Folate and Offspring Bone Health; The Vitamin D in Pregnancy Study. Calcified Tissue International, 2021, 108, 605-609.	3.1	0
301	Estimation of Whole-Body and Appendicular Lean Mass from Spine and Hip Dual Energy X-ray Absorptiometry: A Cross-Sectional Study. Calcified Tissue International, 2021, , 1.	3.1	0
302	Anticonvulsant use and fracture: a case-control study. Journal of Musculoskeletal Neuronal Interactions, 2021, 21, 422-428.	0.1	0
303	High Alcohol Intake in Older Men and the Probability of Osteoporotic Fracture According to the FRAX Algorithm. Nutrients, 2021, 13, .	4.1	0
304	Peripheral quantitative computed tomography (pQCT) measures are associated with prior low trauma fracture in men. Archives of Osteoporosis, 2021, 16, 178.	2.4	0
305	How Well Do Low Population-Specific Values for Muscle Parameters Associate with Indices of Poor Physical Health? Cross-Sectional Data from the Geelong Osteoporosis Study. Journal of Clinical Medicine, 2022, 11, 2906.	2.4	0
306	Fracture Risk and Use of Angiotensin-Converting Enzyme Inhibitors or Angiotensin II Receptor Blockers. Calcified Tissue International, 2022, 111, 396-408.	3.1	0