

Colin P Dinney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6687651/publications.pdf>

Version: 2024-02-01

355
papers

22,958
citations

5558

82
h-index

11899

134
g-index

368
all docs

368
docs citations

368
times ranked

17816
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of Distinct Basal and Luminal Subtypes of Muscle-Invasive Bladder Cancer with Different Sensitivities to Frontline Chemotherapy. <i>Cancer Cell</i> , 2014, 25, 152-165.	7.7	1,358
2	A Consensus Molecular Classification of Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2020, 77, 420-433.	0.9	741
3	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 978-984.	9.4	493
4	miR-200 Expression Regulates Epithelial-to-Mesenchymal Transition in Bladder Cancer Cells and Reverses Resistance to Epidermal Growth Factor Receptor Therapy. <i>Clinical Cancer Research</i> , 2009, 15, 5060-5072.	3.2	386
5	Role of epithelial-to-mesenchymal transition (EMT) in drug sensitivity and metastasis in bladder cancer. <i>Cancer and Metastasis Reviews</i> , 2009, 28, 335-344.	2.7	324
6	STAGE SPECIFIC GUIDELINES FOR SURVEILLANCE AFTER RADICAL NEPHRECTOMY FOR LOCAL RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 1998, 159, 1163-1167.	0.2	322
7	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009, 41, 991-995.	9.4	321
8	Integrated Therapy for Locally Advanced Bladder Cancer: Final Report of a Randomized Trial of Cystectomy Plus Adjuvant M-VAC Versus Cystectomy With Both Preoperative and Postoperative M-VAC. <i>Journal of Clinical Oncology</i> , 2001, 19, 4005-4013.	0.8	284
9	Intrinsic basal and luminal subtypes of muscle-invasive bladder cancer. <i>Nature Reviews Urology</i> , 2014, 11, 400-410.	1.9	267
10	Meta-Analysis of the Luminal and Basal Subtypes of Bladder Cancer and the Identification of Signature Immunohistochemical Markers for Clinical Use. <i>EBioMedicine</i> , 2016, 12, 105-117.	2.7	257
11	Clinical model of lifetime cost of treating bladder cancer and associated complications. <i>Urology</i> , 2006, 68, 549-553.	0.5	255
12	Micropapillary bladder cancer. <i>Cancer</i> , 2007, 110, 62-67.	2.0	253
13	Focus on bladder cancer. <i>Cancer Cell</i> , 2004, 6, 111-116.	7.7	252
14	Bladder Cancer Predisposition: A Multigenic Approach to DNA-Repair and Cell-Cycle Control Genes. <i>American Journal of Human Genetics</i> , 2006, 78, 464-479.	2.6	249
15	Surgical Management of Renal Cell Carcinoma With Inferior Vena Cava Tumor Thrombus. <i>Annals of Thoracic Surgery</i> , 1997, 63, 1592-1600.	0.7	248
16	Evaluation of Genetic Variants in MicroRNA-Related Genes and Risk of Bladder Cancer. <i>Cancer Research</i> , 2008, 68, 2530-2537.	0.4	245
17	Multicenter Assessment of Neoadjuvant Chemotherapy for Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2015, 67, 241-249.	0.9	235
18	A Prognostic Gene Expression Signature in the Molecular Classification of Chemotherapy-naïve Urothelial Cancer is Predictive of Clinical Outcomes from Neoadjuvant Chemotherapy: A Phase 2 Trial of Dose-dense Methotrexate, Vinblastine, Doxorubicin, and Cisplatin with Bevacizumab in Urothelial Cancer. <i>European Urology</i> , 2016, 69, 855-862.	0.9	228

#	ARTICLE	IF	CITATIONS
19	EVIDENCE SUPPORTING PREOPERATIVE CHEMOTHERAPY FOR SMALL CELL CARCINOMA OF THE BLADDER: A RETROSPECTIVE REVIEW OF THE M. D. ANDERSON CANCER EXPERIENCE. <i>Journal of Urology</i> , 2004, 172, 481-484.	0.2	225
20	The Efficacy and Complications of Salvage Cryotherapy of the Prostate. <i>Journal of Urology</i> , 1997, 157, 921-925.	0.2	211
21	The impact of variant histology on the outcome of bladder cancer treated with curative intent. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009, 27, 3-7.	0.8	211
22	Incidence of downstaging and complete remission after neoadjuvant chemotherapy for high-risk upper tract transitional cell carcinoma. <i>Cancer</i> , 2010, 116, 3127-3134.	2.0	208
23	The Case for Early Cystectomy in the Treatment of Nonmuscle Invasive Micropapillary Bladder Carcinoma. <i>Journal of Urology</i> , 2006, 175, 881-885.	0.2	194
24	Neoadjuvant PD-L1 plus CTLA-4 blockade in patients with cisplatin-ineligible operable high-risk urothelial carcinoma. <i>Nature Medicine</i> , 2020, 26, 1845-1851.	15.2	193
25	Molecular genetics of bladder cancer: Emerging mechanisms of tumor initiation and progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010, 28, 429-440.	0.8	188
26	Soft Tissue Surgical Margin Status is a Powerful Predictor of Outcomes After Radical Cystectomy: A Multicenter Study of More Than 4,400 Patients. <i>Journal of Urology</i> , 2010, 183, 2165-2170.	0.2	186
27	Discrepancy between clinical and pathological stage: external validation of the impact on prognosis in an international radical cystectomy cohort. <i>BJU International</i> , 2011, 107, 898-904.	1.3	184
28	Intravesical nadofaragene firadenovec gene therapy for BCG-unresponsive non-muscle-invasive bladder cancer: a single-arm, open-label, repeat-dose clinical trial. <i>Lancet Oncology</i> , The, 2021, 22, 107-117.	5.1	172
29	Expression Levels of Genes that Regulate Metastasis and Angiogenesis Correlate with Advanced Pathological Stage of Renal Cell Carcinoma. <i>American Journal of Pathology</i> , 2001, 158, 735-743.	1.9	170
30	Lymph Node Density Is Superior to TNM Nodal Status in Predicting Disease-Specific Survival After Radical Cystectomy for Bladder Cancer: Analysis of Pooled Data From MDACC and MSKCC. <i>Journal of Clinical Oncology</i> , 2008, 26, 121-126.	0.8	161
31	Characteristics and Outcomes of Patients with Clinical T1 Grade 3 Urothelial Carcinoma Treated with Radical Cystectomy: Results from an International Cohort. <i>European Urology</i> , 2010, 57, 300-309.	0.9	159
32	EVALUATION OF NMP22 IN THE DETECTION OF TRANSITIONAL CELL CARCINOMA OF THE BLADDER. <i>Journal of Urology</i> , 1998, 159, 394-398.	0.2	157
33	Neoadjuvant chemotherapy improves survival of patients with upper tract urothelial carcinoma. <i>Cancer</i> , 2014, 120, 1794-1799.	2.0	154
34	Refining Patient Selection for Neoadjuvant Chemotherapy before Radical Cystectomy. <i>Journal of Urology</i> , 2014, 191, 40-47.	0.2	153
35	Phase II Clinical Trial of Neoadjuvant Alternating Doublet Chemotherapy With Ifosfamide/Doxorubicin and Etoposide/Cisplatin in Small-Cell Urothelial Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 2592-2597.	0.8	148
36	Neoadjuvant Chemotherapy in Small Cell Urothelial Cancer Improves Pathologic Downstaging and Long-term Outcomes: Results from a Retrospective Study at the MD Anderson Cancer Center. <i>European Urology</i> , 2013, 64, 307-313.	0.9	147

#	ARTICLE	IF	CITATIONS
37	Differences in Survival Among Patients With Sarcomatoid Carcinoma, Carcinosarcoma and Urothelial Carcinoma of the Bladder. <i>Journal of Urology</i> , 2007, 178, 2302-2307.	0.2	146
38	Isolation and Characterization of Metastatic Variants from Human Transitional Cell Carcinoma Passaged by Orthotopic Implantation in Athymic Nude Mice. <i>Journal of Urology</i> , 1995, 154, 1532-1538.	0.2	141
39	Origins of Bladder Cancer. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2016, 11, 149-174.	9.6	140
40	Repeated Intravesical Instillations of an Adenoviral Vector in Patients With Locally Advanced Bladder Cancer: A Phase I Study of p53 Gene Therapy. <i>Journal of Clinical Oncology</i> , 2003, 21, 2247-2253.	0.8	139
41	Polymorphisms in Inflammation Genes and Bladder Cancer: From Initiation to Recurrence, Progression, and Survival. <i>Journal of Clinical Oncology</i> , 2005, 23, 5746-5756.	0.8	138
42	Plasmacytoid Urothelial Carcinoma, a Chemosensitive Cancer with Poor Prognosis, and Peritoneal Carcinomatosis. <i>Journal of Urology</i> , 2013, 189, 1656-1661.	0.2	138
43	ICUD-EAU International Consultation on Bladder Cancer 2012: Non-Muscle-Invasive Urothelial Carcinoma of the Bladder. <i>European Urology</i> , 2013, 63, 36-44.	0.9	137
44	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014, 23, 1387-1398.	1.4	137
45	Cytokine Panel for Response to Intravesical Therapy (CyPRIT): Nomogram of Changes in Urinary Cytokine Levels Predicts Patient Response to Bacillus Calmette-Guérin. <i>European Urology</i> , 2016, 69, 197-200.	0.9	136
46	Partial Cystectomy for Muscle Invasive Urothelial Carcinoma of the Bladder: A Contemporary Review of the M. D. Anderson Cancer Center Experience. <i>Journal of Urology</i> , 2006, 175, 2058-2062.	0.2	135
47	The Effectiveness of Off-Protocol Adjuvant Chemotherapy for Patients with Urothelial Carcinoma of the Urinary Bladder. <i>Clinical Cancer Research</i> , 2010, 16, 4461-4467.	3.2	133
48	International validation of the prognostic value of lymphovascular invasion in patients treated with radical cystectomy. <i>BJU International</i> , 2010, 105, 1402-1412.	1.3	132
49	Correlation between annual volume of cystectomy, professional staffing, and outcomes. <i>Cancer</i> , 2005, 104, 975-984.	2.0	130
50	Intravesical rAd-IFN γ /Syn3 for Patients With High-Grade, Bacillus Calmette-Guérin-Refractory or Relapsed Non-Muscle-Invasive Bladder Cancer: A Phase II Randomized Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 3410-3416.	0.8	124
51	Gene Expression Profile of the Clinically Aggressive Micropapillary Variant of Bladder Cancer. <i>European Urology</i> , 2016, 70, 611-620.	0.9	120
52	Nephroureterectomy for treating upper urinary tract transitional cell carcinoma: time to change the treatment paradigm?. <i>BJU International</i> , 2006, 98, 1176-1180.	1.3	116
53	Intravesical valrubicin in patients with bladder carcinoma in situ and contraindication to or failure after bacillus Calmette-Guérin. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1635-1642.	0.8	116
54	The p63 Protein Isoform Δ Np63 β Inhibits Epithelial-Mesenchymal Transition in Human Bladder Cancer Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 3275-3288.	1.6	116

#	ARTICLE	IF	CITATIONS
55	Fully human anti-interleukin 8 antibody inhibits tumor growth in orthotopic bladder cancer xenografts via down-regulation of matrix metalloproteases and nuclear factor-kappaB. <i>Clinical Cancer Research</i> , 2003, 9, 3167-75.	3.2	116
56	Bortezomib Abolishes Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Resistance via a p21-Dependent Mechanism in Human Bladder and Prostate Cancer Cells. <i>Cancer Research</i> , 2005, 65, 4902-4908.	0.4	108
57	Ability of Clinical Grade to Predict Final Pathologic Stage in Upper Urinary Tract Transitional Cell Carcinoma: Implications for Therapy. <i>Urology</i> , 2007, 70, 252-256.	0.5	107
58	Bladder cancer angiogenesis and metastasis—translation from murine model to clinical trial. <i>Cancer and Metastasis Reviews</i> , 2007, 26, 623-634.	2.7	107
59	Dysregulation of EMT Drives the Progression to Clinically Aggressive Sarcomatoid Bladder Cancer. <i>Cell Reports</i> , 2019, 27, 1781-1793.e4.	2.9	102
60	Chylous Ascites After Post-Chemotherapy Retroperitoneal Lymph Node Dissection: Review of the M. D. Anderson Experience. <i>Journal of Urology</i> , 2006, 176, 1463-1467.	0.2	101
61	Phase I Trial of Intravesical Recombinant Adenovirus Mediated Interferon- β Formulated in Syn3 for Bacillus Calmette-Guérin Failures in Nonmuscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2013, 190, 850-856.	0.2	101
62	Clinical Outcomes of cT1 Micropapillary Bladder Cancer. <i>Journal of Urology</i> , 2015, 193, 1129-1134.	0.2	101
63	A genome-wide association study of bladder cancer identifies a new susceptibility locus within SLC14A1, a urea transporter gene on chromosome 18q12.3. <i>Human Molecular Genetics</i> , 2011, 20, 4282-4289.	1.4	100
64	Is There a Therapeutic Role for Post-Chemotherapy Retroperitoneal Lymph Node Dissection in Metastatic Transitional Cell Carcinoma of the Bladder?. <i>Journal of Urology</i> , 2003, 169, 2113-2117.	0.2	98
65	Adaptive Immune Resistance to Intravesical BCG in Non-Muscle Invasive Bladder Cancer: Implications for Prospective BCG-Unresponsive Trials. <i>Clinical Cancer Research</i> , 2020, 26, 882-891.	3.2	98
66	Cancer risk associated with chronic diseases and disease markers: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2018, 360, k134.	2.4	97
67	Sensitivity to Epidermal Growth Factor Receptor Inhibitor Requires E-Cadherin Expression in Urothelial Carcinoma Cells. <i>Clinical Cancer Research</i> , 2008, 14, 1478-1486.	3.2	96
68	New Strategies in Muscle-Invasive Bladder Cancer: On the Road to Personalized Medicine. <i>Clinical Cancer Research</i> , 2011, 17, 2608-2612.	3.2	96
69	Evaluation of the Relevance of Lymph Node Density in a Contemporary Series of Patients Undergoing Radical Cystectomy. <i>Journal of Urology</i> , 2006, 176, 53-57.	0.2	94
70	The Risk of Upper Tract Recurrence Following Cystectomy in Patients with Transitional Cell Carcinoma Involving the Distal Ureter. <i>Journal of Urology</i> , 1996, 155, 501-503.	0.2	92
71	The stabilization and targeting of surfactant-synthesized gold nanorods. <i>Nanotechnology</i> , 2009, 20, 434005.	1.3	92
72	Upper urinary tract tumors with nontransitional histology: A single-center experience. <i>Urology</i> , 2006, 67, 518-523.	0.5	90

#	ARTICLE	IF	CITATIONS
73	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	1.4	90
74	The Relationship of Local Control to Distant Metastasis in Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 1995, 154, 2059-2064.	0.2	89
75	Genetic Instability in Bladder Cancer Assessed by the Comet Assay. <i>Journal of the National Cancer Institute</i> , 2003, 95, 540-547.	3.0	89
76	Nucleotide Excision Repair Gene Polymorphisms and Recurrence after Treatment for Superficial Bladder Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 1408-1415.	3.2	88
77	Age and Body Mass Index Are Independent Risk Factors for the Development of Postoperative Paralytic Ileus After Radical Cystectomy. <i>Urology</i> , 2010, 76, 1419-1424.	0.5	88
78	High-Order Interactions among Genetic Variants in DNA Base Excision Repair Pathway Genes and Smoking in Bladder Cancer Susceptibility. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 84-91.	1.1	87
79	Surgical management of renal cell carcinoma associated with complex inferior vena caval thrombi. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003, 21, 327-333.	0.8	86
80	Disease-Free Survival at 2 or 3 Years Correlates With 5-Year Overall Survival of Patients Undergoing Radical Cystectomy for Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2011, 185, 456-461.	0.2	86
81	Genetic variations in PI3K-AKT-mTOR pathway and bladder cancer risk. <i>Carcinogenesis</i> , 2009, 30, 2047-2052.	1.3	85
82	Outcome and patterns of recurrence of nonbilharzial pure squamous cell carcinoma of the bladder. <i>Cancer</i> , 2007, 110, 764-769.	2.0	84
83	Risk Factor Analysis in a Contemporary Cystectomy Cohort Using Standardized Reporting Methodology and Adverse Event Criteria. <i>Journal of Urology</i> , 2010, 183, 929-934.	0.2	84
84	Assessment of Luminal and Basal Phenotypes in Bladder Cancer. <i>Scientific Reports</i> , 2020, 10, 9743.	1.6	83
85	Dietary isothiocyanates, GSTM1, GSTT1, NAT2 polymorphisms and bladder cancer risk. <i>International Journal of Cancer</i> , 2007, 120, 2208-2213.	2.3	82
86	Female Gender Is Associated With a Worse Survival After Radical Cystectomy for Urothelial Carcinoma of the Bladder: A Competing Risk Analysis. <i>Urology</i> , 2014, 83, 863-868.	0.5	82
87	Distinctive Expression Pattern of ErbB Family Receptors Signifies an Aggressive Variant of Bladder Cancer. <i>Journal of Urology</i> , 2008, 179, 353-358.	0.2	80
88	Plasma microRNA profiles for bladder cancer detection. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1701-1708.	0.8	80
89	Fibroblast Growth Factor Receptor 3 Is a Rational Therapeutic Target in Bladder Cancer. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1245-1254.	1.9	79
90	Correlation of Metastasis Related Gene Expression and Relapse-Free Survival in Patients With Locally Advanced Bladder Cancer Treated With Cystectomy and Chemotherapy. <i>Journal of Urology</i> , 2004, 171, 570-574.	0.2	78

#	ARTICLE	IF	CITATIONS
91	Use of Fluorescence In Situ Hybridization to Predict Response to Bacillus Calmette-GuÃ©rin Therapy for Bladder Cancer: Results of a Prospective Trial. <i>Journal of Urology</i> , 2012, 187, 862-867.	0.2	78
92	Urachal carcinoma: a pathologic and clinical study of 46 cases. <i>Human Pathology</i> , 2015, 46, 1808-1814.	1.1	78
93	Gefitinib Reverses TRAIL Resistance in Human Bladder Cancer Cell Lines via Inhibition of AKT-Mediated X-Linked Inhibitor of Apoptosis Protein Expression. <i>Cancer Research</i> , 2007, 67, 1430-1435.	0.4	77
94	Targeted therapies in bladder cancerâ€”an update. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007, 25, 433-438.	0.8	77
95	Intravesical Ad-IFNÎ± Causes Marked Regression of Human Bladder Cancer Growing Orthotopically in Nude Mice and Overcomes Resistance to IFN-Î± Protein. <i>Molecular Therapy</i> , 2004, 10, 525-532.	3.7	76
96	Modulation of DNA damage/DNA repair capacity by XPC polymorphisms. <i>DNA Repair</i> , 2008, 7, 141-148.	1.3	76
97	Uncoupling between Epidermal Growth Factor Receptor and Downstream Signals Defines Resistance to the Antiproliferative Effect of Gefitinib in Bladder Cancer Cells. <i>Cancer Research</i> , 2005, 65, 10524-10535.	0.4	75
98	Clarification of Bladder Cancer Disease States Following Treatment of Patients with Intravesical BCG. <i>Bladder Cancer</i> , 2015, 1, 29-30.	0.2	75
99	Telomere Dysfunction in Peripheral Lymphocytes as a Potential Predisposition Factor for Renal Cancer. <i>Journal of Urology</i> , 2007, 178, 1492-1496.	0.2	74
100	A phase 2 clinical trial of sequential neoadjuvant chemotherapy with ifosfamide, doxorubicin, and gemcitabine followed by cisplatin, gemcitabine, and ifosfamide in locally advanced urothelial cancer. <i>Cancer</i> , 2013, 119, 540-547.	2.0	74
101	A Genome-Wide Association Study Identifies a Locus on Chromosome 14q21 as a Predictor of Leukocyte Telomere Length and as a Marker of Susceptibility for Bladder Cancer. <i>Cancer Prevention Research</i> , 2011, 4, 514-521.	0.7	73
102	Role of Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand in Interferon-Induced Apoptosis in Human Bladder Cancer Cells. <i>Cancer Research</i> , 2004, 64, 8973-8979.	0.4	72
103	Inhibition of tumorigenicity and metastasis of human bladder cancer growing in athymic mice by interferon-beta gene therapy results partially from various antiangiogenic effects including endothelial cell apoptosis. <i>Clinical Cancer Research</i> , 2002, 8, 1258-70.	3.2	72
104	Matrix Metalloproteinase Polymorphisms and Bladder Cancer Risk. <i>Cancer Research</i> , 2006, 66, 11644-11648.	0.4	71
105	Understanding the development of human bladder cancer by using a whole-organ genomic mapping strategy. <i>Laboratory Investigation</i> , 2008, 88, 694-721.	1.7	71
106	p63 Expression Defines a Lethal Subset of Muscle-Invasive Bladder Cancers. <i>PLoS ONE</i> , 2012, 7, e30206.	1.1	71
107	Risk of Urethral, Vaginal and Cervical Involvement in Patients Undergoing Radical Cystectomy for Bladder Cancer: Results of a Contemporary Cystectomy Series from M. D. Anderson Cancer Center. <i>Journal of Urology</i> , 1997, 157, 2120-2123.	0.2	70
108	Molecular Markers of Urothelial Cancer and Their Use in the Monitoring of Superficial Urothelial Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 5528-5535.	0.8	70

#	ARTICLE	IF	CITATIONS
109	Quantitation of Aurora Kinase A Gene Copy Number in Urine Sediments and Bladder Cancer Detection. <i>Journal of the National Cancer Institute</i> , 2008, 100, 1401-1411.	3.0	68
110	Fibroblast Growth Factor Receptors-1 and -3 Play Distinct Roles in the Regulation of Bladder Cancer Growth and Metastasis: Implications for Therapeutic Targeting. <i>PLoS ONE</i> , 2013, 8, e57284.	1.1	68
111	Projecting Individualized Probabilities of Developing Bladder Cancer in White Individuals. <i>Journal of Clinical Oncology</i> , 2007, 25, 4974-4981.	0.8	67
112	Clinical Trial Design for the Development of New Therapies for Nonmuscle-invasive Bladder Cancer: Report of a Food and Drug Administration and American Urological Association Public Workshop. <i>Urology</i> , 2014, 83, 262-265.	0.5	67
113	Syn3 provides high levels of intravesical adenoviral-mediated gene transfer for gene therapy of genetically altered urothelium and superficial bladder cancer. <i>Cancer Gene Therapy</i> , 2002, 9, 687-691.	2.2	66
114	Phase I prospective evaluation of the oncological adequacy of robotic assisted videoendoscopic inguinal lymphadenectomy in patients with penile carcinoma. <i>BJU International</i> , 2013, 111, 1068-1074.	1.3	66
115	Matrix Metalloproteinase Polymorphisms Are Associated with Bladder Cancer Invasiveness. <i>Clinical Cancer Research</i> , 2007, 13, 2614-2620.	3.2	64
116	High-order interactions among genetic polymorphisms in nucleotide excision repair pathway genes and smoking in modulating bladder cancer risk. <i>Carcinogenesis</i> , 2007, 28, 2160-2165.	1.3	64
117	Review of the M.D. Anderson experience in the treatment of bladder sarcoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007, 25, 38-45.	0.8	64
118	Stage pT0 at Radical Cystectomy Confers Improved Survival: An International Study of 4,430 Patients. <i>Journal of Urology</i> , 2010, 184, 888-894.	0.2	64
119	Prospective trial to identify optimal bladder cancer surveillance protocol: reducing costs while maximizing sensitivity. <i>BJU International</i> , 2011, 108, 1119-1123.	1.3	64
120	A validated mouse model for orthotopic bladder cancer using transurethral tumour inoculation and bioluminescence imaging. <i>BJU International</i> , 2007, 100, 1377-1384.	1.3	63
121	Phase III Prevention Trial of Fenretinide in Patients with Resected Non-muscle-Invasive Bladder Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 224-229.	3.2	63
122	Outcome of Patients With Bladder Cancer With pN+ Disease After Preoperative Chemotherapy and Radical Cystectomy. <i>Urology</i> , 2009, 73, 147-152.	0.5	63
123	The proteasome inhibitor bortezomib synergizes with gemcitabine to block the growth of human 253JB-V bladder tumors in vivo. <i>Molecular Cancer Therapeutics</i> , 2004, 3, 279-90.	1.9	63
124	p0 Stage at Radical Cystectomy for Bladder Cancer is Associated with Improved Outcome Independent of Traditional Clinical Risk Factors. <i>European Urology</i> , 2007, 52, 769-776.	0.9	61
125	The prognostic value of angiogenesis and metastasis-related genes for progression of transitional cell carcinoma of the renal pelvis and ureter. <i>Clinical Cancer Research</i> , 2002, 8, 1863-70.	3.2	61
126	Clinical presentation and outcome of high-grade urinary bladder leiomyosarcoma in adults. <i>Urology</i> , 2003, 61, 1151-1155.	0.5	60

#	ARTICLE	IF	CITATIONS
127	Molecular correlates of gefitinib responsiveness in human bladder cancer cells. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 277-285.	1.9	60
128	Mutations Within the Kinase Domain and Truncations of the Epidermal Growth Factor Receptor Are Rare Events in Bladder Cancer: Implications for Therapy. <i>Clinical Cancer Research</i> , 2006, 12, 4671-4677.	3.2	59
129	Interferon- γ Induces TRAIL Expression and Cell Death Via an IRF-1-Dependent Mechanism in Human Bladder Cancer Cells. <i>Cancer Biology and Therapy</i> , 2007, 6, 872-879.	1.5	59
130	Characteristics and Outcomes of Patients With pT4 Urothelial Carcinoma at Radical Cystectomy: A Retrospective International Study of 583 Patients. <i>Journal of Urology</i> , 2010, 183, 87-93.	0.2	58
131	Therapeutic Opportunities in the Intrinsic Subtypes of Muscle-Invasive Bladder Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2015, 29, 377-394.	0.9	57
132	Bladder Cancer: Narrowing the Gap Between Evidence and Practice. <i>Journal of Clinical Oncology</i> , 2009, 27, 5680-5684.	0.8	56
133	Robot Assisted Extended Pelvic Lymphadenectomy at Radical Cystectomy: Lymph Node Yield Compared With Second Look Open Dissection. <i>Journal of Urology</i> , 2011, 185, 79-84.	0.2	55
134	New Insights into Subtypes of Invasive Bladder Cancer: Considerations of the Clinician. <i>European Urology</i> , 2014, 66, 609-610.	0.9	55
135	Genetic variations of the PI3K-AKT-mTOR pathway and clinical outcome in muscle invasive and metastatic bladder cancer patients. <i>Carcinogenesis</i> , 2010, 31, 1387-1391.	1.3	53
136	Regional Effects of an Antivascular Endothelial Growth Factor Receptor Monoclonal Antibody on Receptor Phosphorylation and Apoptosis in Human 253J B-V Bladder Cancer Xenografts. <i>Cancer Research</i> , 2004, 64, 4601-4610.	0.4	52
137	Genetic variants in cell cycle control pathway confer susceptibility to bladder cancer. <i>Cancer</i> , 2008, 112, 2467-2474.	2.0	52
138	Self-assembled fluorescent magnetic nanoprobe for multimode-biomedical imaging. <i>Biomaterials</i> , 2010, 31, 9310-9319.	5.7	52
139	Plasmacytoid Urothelial Carcinoma of the Urinary Bladder. <i>American Journal of Clinical Pathology</i> , 2017, 147, 500-506.	0.4	52
140	Rationale for bladder-sparing surgery in patients with locally advanced colorectal carcinoma. , 1999, 86, 2212-2216.		51
141	Differential expression of GATA-3 in urothelial carcinoma variants. <i>Human Pathology</i> , 2014, 45, 1466-1472.	1.1	51
142	Outcome of patients with clinically node-positive bladder cancer undergoing consolidative surgery after preoperative chemotherapy: The M.D. Anderson Cancer Center Experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 59.e1-59.e8.	0.8	51
143	Underutilization of Radical Cystectomy Among Patients Diagnosed with Clinical Stage T2 Muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2017, 3, 258-264.	1.6	51
144	RELATIONSHIP AMONG CYSTECTOMY, MICROVESSEL DENSITY AND PROGNOSIS IN STAGE T1 TRANSITIONAL CELL CARCINOMA OF THE BLADDER. <i>Journal of Urology</i> , 1998, 160, 1285-1290.	0.2	50

#	ARTICLE	IF	CITATIONS
145	Profiling of Genetic Variations in Inflammation Pathway Genes in Relation to Bladder Cancer Predisposition. <i>Clinical Cancer Research</i> , 2008, 14, 2236-2244.	3.2	49
146	Cytoplasmic mislocalization of the orphan nuclear receptor Nurr1 is a prognostic factor in bladder cancer. <i>Cancer</i> , 2010, 116, 340-346.	2.0	49
147	Significance of Upper Urinary Tract Urothelial Thickening and Filling Defect Seen on MDCT Urography in Patients With a History of Urothelial Neoplasms. <i>American Journal of Roentgenology</i> , 2010, 195, 959-965.	1.0	49
148	Growth factors and receptors as prognostic markers in urothelial carcinoma. <i>Current Urology Reports</i> , 2008, 9, 55-61.	1.0	48
149	Squamous cell carcinoma of the urinary bladder: a clinicopathologic and immunohistochemical study of 16 cases. <i>Human Pathology</i> , 2009, 40, 1448-1452.	1.1	48
150	Micropapillary bladder cancer: Current treatment patterns and review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 826-832.	0.8	48
151	Small cell carcinoma of the urinary bladder: a clinicopathological and immunohistochemical analysis of 81 cases. <i>Human Pathology</i> , 2018, 79, 57-65.	1.1	48
152	Nephrectomy and vena caval thrombectomy in patients with metastatic renal cell carcinoma. <i>Urology</i> , 1997, 50, 673-677.	0.5	47
153	Clinical Model of Cost of Bladder Cancer in the Elderly. <i>Urology</i> , 2008, 71, 519-525.	0.5	47
154	Urinary nuclear matrix protein 22 (NMP22): A diagnostic adjunct to urine cytologic examination for the detection of recurrent transitional-cell carcinoma of the bladder. <i>Diagnostic Cytopathology</i> , 1999, 20, 285-290.	0.5	46
155	Alterations in transcription clusters underlie development of bladder cancer along papillary and nonpapillary pathways. <i>Laboratory Investigation</i> , 2005, 85, 532-549.	1.7	46
156	Genome-Wide Association Study Identifies Variants in Casein Kinase II (<i>CSNK2A2</i>) to be Associated With Leukocyte Telomere Length in a Punjabi Sikh Diabetic Cohort. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 287-295.	5.1	46
157	Genetic Variations in the Sonic Hedgehog Pathway Affect Clinical Outcomes in Non-Muscle-Invasive Bladder Cancer. <i>Cancer Prevention Research</i> , 2010, 3, 1235-1245.	0.7	45
158	Dietary Intake of Vegetables and Fruits and the Modification Effects of <i>GSTM1</i> and <i>NAT2</i> Genotypes on Bladder Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2090-2097.	1.1	44
159	Upper tract urothelial carcinoma: Impact of time to surgery. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 266-272.	0.8	44
160	Perioperative Outcomes of Laparoscopic Radical Nephroureterectomy and Regional Lymphadenectomy in Patients With Upper Urinary Tract Urothelial Carcinoma After Neoadjuvant Chemotherapy. <i>Urology</i> , 2011, 78, 61-67.	0.5	43
161	Prostatic Urethral Biopsy Has Limited Usefulness in Counseling Patients Regarding Final Urethral Margin Status During Orthotopic Neobladder Reconstruction. <i>Journal of Urology</i> , 2008, 180, 164-167.	0.2	42
162	Organ Preservation for Muscle-Invasive Bladder Cancer by Transurethral Resection. <i>Urology</i> , 2007, 70, 473-476.	0.5	41

#	ARTICLE	IF	CITATIONS
163	Uroplakin II Is a More Sensitive Immunohistochemical Marker Than Uroplakin III in Urothelial Carcinoma and Its Variants. <i>American Journal of Clinical Pathology</i> , 2014, 142, 864-871.	0.4	41
164	Aurora Kinase A is a Biomarker for Bladder Cancer Detection and Contributes to its Aggressive Behavior. <i>Scientific Reports</i> , 2017, 7, 40714.	1.6	41
165	Specific micro-RNA expression patterns distinguish the basal and luminal subtypes of muscle-invasive bladder cancer. <i>Oncotarget</i> , 2016, 7, 80164-80174.	0.8	40
166	Urine cell-based DNA methylation classifier for monitoring bladder cancer. <i>Clinical Epigenetics</i> , 2018, 10, 71.	1.8	39
167	Vitamins C and K3 Sensitize Human Urothelial Tumors to Gemcitabine. <i>Journal of Urology</i> , 2006, 176, 1642-1647.	0.2	38
168	Personal Permanent Hair Dye Use Is Not Associated with Bladder Cancer Risk: Evidence from a Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1746-1749.	1.1	38
169	Genotypes, haplotypes and diplotypes of XPC and risk of bladder cancer. <i>Carcinogenesis</i> , 2006, 28, 698-703.	1.3	38
170	Genetic variations in micro-RNA biogenesis genes and clinical outcomes in non-muscle-invasive bladder cancer. <i>Carcinogenesis</i> , 2013, 34, 1006-1011.	1.3	38
171	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214.	1.4	38
172	Adenoviral p53 gene transfer in human bladder cancer cell lines: cytotoxicity and synergy with cisplatin. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003, 21, 456-462.	0.8	36
173	Energy Balance, the PI3K-AKT-mTOR Pathway Genes, and the Risk of Bladder Cancer. <i>Cancer Prevention Research</i> , 2010, 3, 505-517.	0.7	36
174	Clinical risk stratification in patients with surgically resectable micropapillary bladder cancer. <i>BJU International</i> , 2017, 119, 684-691.	1.3	36
175	A multiplexed, particle-based flow cytometric assay identified plasma matrix metalloproteinase-7 to be associated with cancer-related death among patients with bladder cancer. <i>Cancer</i> , 2010, 116, 4513-4519.	2.0	35
176	Validating bladder cancer xenograft bioluminescence with magnetic resonance imaging: the significance of hypoxia and necrosis. <i>BJU International</i> , 2010, 106, 1799-1804.	1.3	35
177	Inhibition of Inducible Heat Shock Protein-70 (Hsp72) Enhances Bortezomib-Induced Cell Death in Human Bladder Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e69509.	1.1	35
178	Genetic subtypes of invasive bladder cancer. <i>Current Opinion in Urology</i> , 2015, 25, 449-458.	0.9	35
179	Novel fluorescence <i>in situ</i> hybridization-based definition of bacille Calmette-Guérin (BCG) failure for use in enhancing recruitment into clinical trials of intravesical therapies. <i>BJU International</i> , 2016, 117, 754-760.	1.3	35
180	Bladder cancer risk as modified by family history and smoking. <i>Cancer</i> , 2006, 107, 705-711.	2.0	34

#	ARTICLE	IF	CITATIONS
181	Association of Polymorphisms in Oxidative Stress Genes with Clinical Outcomes for Bladder Cancer Treated with Bacillus Calmette-Guérin. PLoS ONE, 2012, 7, e38533.	1.1	34
182	Therapy of invasive bladder cancer. Urology, 2006, 67, 56-59.	0.5	33
183	Multicenter validation of the prognostic value of patient age in patients treated with radical cystectomy. World Journal of Urology, 2012, 30, 753-759.	1.2	33
184	The role of FISH and cytology in upper urinary tract surveillance after radical cystectomy for bladder cancer. Urologic Oncology: Seminars and Original Investigations, 2012, 30, 821-824.	0.8	33
185	Induction and Maintenance Adjuvant Mitomycin C Topical Therapy for Upper Tract Urothelial Carcinoma: Tolerability and Intermediate Term Outcomes. Journal of Endourology, 2017, 31, 946-953.	1.1	33
186	Complications of radical cystectomy: Impact of the timing of perioperative chemotherapy. Urology, 1996, 47, 826-830.	0.5	32
187	Schedule Dependent Efficacy of Gefitinib and Docetaxel for Bladder Cancer. Journal of Urology, 2006, 176, 787-792.	0.2	32
188	Combination therapy with IFN- γ plus bortezomib induces apoptosis and inhibits angiogenesis in human bladder cancer cells. Molecular Cancer Therapeutics, 2006, 5, 3032-3041.	1.9	32
189	Plasma vitamins E and A and risk of bladder cancer: a case-control analysis. Cancer Causes and Control, 2008, 19, 981-992.	0.8	32
190	Prognostic Risk Stratification of Pathological Stage T3N0 Bladder Cancer After Radical Cystectomy. Journal of Urology, 2011, 185, 1216-1221.	0.2	32
191	Fluid intake, genetic variants of UDP-glucuronosyltransferases, and bladder cancer risk. British Journal of Cancer, 2013, 108, 2372-2380.	2.9	32
192	Critical analysis and validation of lymph node density as prognostic variable in urothelial carcinoma of bladder. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 480-486.	0.8	32
193	Genetic Variants in the Wnt/ β -Catenin Signaling Pathway as Indicators of Bladder Cancer Risk. Journal of Urology, 2015, 194, 1771-1776.	0.2	32
194	The Vascular-Targeting Fusion Toxin VEGF121/rGel Inhibits the Growth of Orthotopic Human Bladder Carcinoma Tumors. Neoplasia, 2005, 7, 912-920.	2.3	31
195	Genetic Variations in Glutathione Pathway Genes Predict Cancer Recurrence in Patients Treated with Transurethral Resection and Bacillus Calmette-Guérin Instillation for Non-muscle Invasive Bladder Cancer. Annals of Surgical Oncology, 2015, 22, 4104-4110.	0.7	31
196	Intrinsic subtypes and bladder cancer metastasis. Asian Journal of Urology, 2016, 3, 260-267.	0.5	31
197	ICUD-SIU International Consultation on Bladder Cancer 2017: management of non-muscle invasive bladder cancer. World Journal of Urology, 2019, 37, 51-60.	1.2	31
198	Whole-Organ Genomic Characterization of Mucosal Field Effects Initiating Bladder Carcinogenesis. Cell Reports, 2019, 26, 2241-2256.e4.	2.9	31

#	ARTICLE	IF	CITATIONS
199	Prognostic Implication of the United States Food and Drug Administration-defined BCG-unresponsive Disease. <i>European Urology</i> , 2019, 75, 8-10.	0.9	31
200	Contemporary Outcomes of Patients with Nonmuscle-Invasive Bladder Cancer Treated with bacillus Calmette-GuÃ©rin: Implications for Clinical Trial Design. <i>Journal of Urology</i> , 2021, 205, 1612-1621.	0.2	31
201	Neoadjuvant chemotherapy for bladder cancer. <i>World Journal of Urology</i> , 2006, 24, 531-542.	1.2	30
202	Hiding in Plain View: Genetic Profiling Reveals Decades Old Cross Contamination of Bladder Cancer Cell Line KU7 with HeLa. <i>Journal of Urology</i> , 2013, 190, 1404-1409.	0.2	30
203	Summary and Recommendations from the National Cancer Institute's Clinical Trials Planning Meeting on Novel Therapeutics for Non-Muscle Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2016, 2, 165-202.	0.2	30
204	The prognostic value of the neutrophil-to-lymphocyte ratio in patients with muscle-invasive bladder cancer treated with neoadjuvant chemotherapy and radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 3.e17-3.e27.	0.8	29
205	Genetic polymorphism in bladder cancer. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 192.	3.0	29
206	Prognostic risk stratification of pathological stage T2N0 bladder cancer after radical cystectomy. <i>BJU International</i> , 2011, 108, 687-692.	1.3	28
207	Determining the optimal time for radical cystectomy after neoadjuvant chemotherapy. <i>BJU International</i> , 2018, 122, 89-98.	1.3	28
208	Risk factors for falls in older patients with cancer. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 34-37.	0.8	28
209	Surveillance and management of recurrence for upper tract transitional cell carcinoma. <i>Urologic Clinics of North America</i> , 2003, 30, 791-802.	0.8	27
210	Should cystectomy only be performed at high-volume hospitals by high-volume surgeons?. <i>Current Opinion in Urology</i> , 2006, 16, 344-349.	0.9	26
211	Receptor Heterodimerization: A New Mechanism for Platelet-Derived Growth Factor Induced Resistance to Anti-Epidermal Growth Factor Receptor Therapy for Bladder Cancer. <i>Journal of Urology</i> , 2011, 185, 693-700.	0.2	26
212	Autophagy limits the cytotoxic effects of the AKT inhibitor AZ7328 in human bladder cancer cells. <i>Cancer Biology and Therapy</i> , 2012, 13, 1325-1338.	1.5	26
213	Intake of red meat and heterocyclic amines, metabolic pathway genes and bladder cancer risk. <i>International Journal of Cancer</i> , 2012, 131, 1892-1903.	2.3	26
214	Patient-Reported Outcomes Are Associated With Enhanced Recovery Status in Patients With Bladder Cancer Undergoing Radical Cystectomy. <i>Surgical Innovation</i> , 2018, 25, 242-250.	0.4	26
215	Management of urethral recurrence after orthotopic urinary diversion. <i>BJU International</i> , 2010, 106, 56-61.	1.3	25
216	Papillary Recurrence of Bladder Cancer at First Evaluation after Induction Bacillus Calmette-GuÃ©rin Therapy: Implication for Clinical Trial Design. <i>European Urology</i> , 2016, 70, 778-785.	0.9	25

#	ARTICLE	IF	CITATIONS
217	Cost-Effectiveness of Robot-assisted Radical Cystectomy Using a Propensity-matched Cohort. <i>European Urology Focus</i> , 2020, 6, 88-94.	1.6	25
218	Adenoviral-mediated gene therapy of human bladder cancer with antisense interleukin-8. <i>Oncology Reports</i> , 2001, 8, 955-64.	1.2	25
219	Novel neoadjuvant therapy paradigms for bladder cancer: Results from the National Cancer Center Institute Forum. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1108-1115.	0.8	24
220	Updated European Association of Urology (EAU) Prognostic Factor Risk Groups Overestimate the Risk of Progression in Patients with Non-muscle-invasive Bladder Cancer Treated with Bacillus Calmette-Guérin. <i>European Urology Oncology</i> , 2022, 5, 84-91.	2.6	24
221	Immediate versus staged urethrectomy in patients at high risk of urethral recurrence: Is there a benefit to either approach?. <i>Urology</i> , 2006, 67, 466-471.	0.5	23
222	Intravesical Tumor Involvement of the Trigone Is Associated With Nodal Metastasis in Patients Undergoing Radical Cystectomy. <i>Urology</i> , 2014, 84, 1147-1151.	0.5	23
223	Absence of Tumor on Repeat Transurethral Resection of Bladder Tumor Does Not Predict Final Pathologic T0 Stage in Bladder Cancer Treated with Radical Cystectomy. <i>European Urology Focus</i> , 2018, 4, 720-724.	1.6	23
224	Dietary patterns and risk of recurrence and progression in non-muscle-invasive bladder cancer. <i>International Journal of Cancer</i> , 2018, 142, 1797-1804.	2.3	23
225	Trends and disparities in the use of neoadjuvant chemotherapy for muscle-invasive urothelial carcinoma. <i>Canadian Urological Association Journal</i> , 2018, 13, 24-28.	0.3	23
226	Phase 1b Trial to Evaluate Tissue Response to a Second Dose of Intravesical Recombinant Adenoviral Interferon β Formulated in Syn3 for Failures of Bacillus Calmette-Guérin (BCG) Therapy in Nonmuscle Invasive Bladder Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 4110-4114.	0.7	22
227	Generation of patient-derived xenografts from fine needle aspirates or core needle biopsy. <i>Surgery</i> , 2017, 161, 1246-1254.	1.0	22
228	Relevance of extracapsular extension of pelvic lymph node metastasis in patients with bladder cancer treated in the contemporary era. <i>Cancer</i> , 2006, 107, 1491-1495.	2.0	21
229	Lymph node density for patient counselling about prognosis and for designing clinical trials of adjuvant therapies after radical cystectomy. <i>BJU International</i> , 2012, 110, E590-5.	1.3	21
230	The development of interferon-based gene therapy for BCG unresponsive bladder cancer: from bench to bedside. <i>World Journal of Urology</i> , 2019, 37, 2041-2049.	1.2	21
231	Genetic Variations in the Transforming Growth Factor Beta Pathway as Predictors of Bladder Cancer Risk. <i>PLoS ONE</i> , 2012, 7, e51758.	1.1	20
232	Concomitant Carcinoma in situ in Cystectomy Specimens Is Not Associated with Clinical Outcomes after Surgery. <i>Urologia Internationalis</i> , 2011, 87, 42-48.	0.6	19
233	Is folic acid safe for non-muscle-invasive bladder cancer patients? An evidence-based cohort study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 208-216.	2.2	19
234	Overall survival in older patients with cancer. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 25-35.	0.8	19

#	ARTICLE	IF	CITATIONS
235	Adenoviral Mediated Interferon- β 2b Gene Therapy Suppresses the Pro-Angiogenic Effect of Vascular Endothelial Growth Factor in Superficial Bladder Cancer. <i>Journal of Urology</i> , 2007, 177, 1900-1906.	0.2	18
236	p63 expression correlates with sensitivity to the Eg5 inhibitor AZD4877 in bladder cancer cells. <i>Cancer Biology and Therapy</i> , 2012, 13, 477-486.	1.5	18
237	Mitochondrial DNA Content as Risk Factor for Bladder Cancer and Its Association with Mitochondrial DNA Polymorphisms. <i>Cancer Prevention Research</i> , 2015, 8, 607-613.	0.7	18
238	High baseline levels of interleukin-8 in leukocytes and urine predict tumor recurrence in non-muscle invasive bladder cancer patients receiving bacillus Calmette-Guérin therapy: A long-term survival analysis. <i>Oncolmmunology</i> , 2017, 6, e1265719.	2.1	18
239	Urothelial-to-Neural Plasticity Drives Progression to Small Cell Bladder Cancer. <i>IScience</i> , 2020, 23, 101201.	1.9	18
240	Genetic Variants in Telomere-Maintenance Genes and Bladder Cancer Risk. <i>PLoS ONE</i> , 2012, 7, e30665.	1.1	18
241	Efficient therapeutic gene delivery after systemic administration of a novel polyethylenimine/DNA vector in an orthotopic bladder cancer model. <i>Cancer Research</i> , 2003, 63, 4017-20.	0.4	17
242	Integrating basic science and clinical research in bladder cancer: update from the first bladder Specialized Program of Research Excellence (SPORE). <i>Current Opinion in Urology</i> , 2004, 14, 295-300.	0.9	16
243	Clinical significance of ureteric "skip lesions" at the time of radical cystectomy: the M.D. Anderson experience and literature review. <i>BJU International</i> , 2014, 113, E28-33.	1.3	16
244	THE WILLET F. WHITMORE, JR., LECTURESHIP: BLOCKADE OF EPIDERMAL GROWTH FACTOR RECEPTORS AS ANTICANCER THERAPY. <i>Journal of Urology</i> , 2001, 165, 1152-1157.	0.2	15
245	The pharmacogenetic impact of inflammatory genes on bladder cancer recurrence. <i>Pharmacogenomics</i> , 2005, 6, 575-584.	0.6	15
246	Impact of sex on response to neoadjuvant chemotherapy in patients with bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 639.e1-639.e9.	0.8	15
247	Identifying the Optimal Number of Neoadjuvant Chemotherapy Cycles in Patients with Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2022, 207, 70-76.	0.2	15
248	INTERLEUKIN-8 (IL-8) EXPRESSION REGULATES TUMORIGENICITY AND METASTASIS IN HUMAN BLADDER CANCER. <i>Journal of Urology</i> , 1999, , 120.	0.2	15
249	Risk assessment of renal cell carcinoma using alkaline comet assay. <i>Cancer</i> , 2007, 110, 282-288.	2.0	14
250	Fractures frequently occur in older cancer patients: the MD Anderson Cancer Center experience. <i>Supportive Care in Cancer</i> , 2018, 26, 1561-1568.	1.0	14
251	Contemporary Rates of Gynecologic Organ Involvement in Females with Muscle Invasive Bladder Cancer: A Retrospective Review of Women Undergoing Radical Cystectomy following Neoadjuvant Chemotherapy. <i>Journal of Urology</i> , 2021, 206, 577-585.	0.2	14
252	Cardiac History and Risk of Post-cystectomy Cardiac Complications. <i>Urology</i> , 2009, 74, 1085-1089.	0.5	13

#	ARTICLE	IF	CITATIONS
253	EVIDENCE-BASED GENDER RELATED OUTCOMES AFTER RADICAL CYSTECTOMY: RESULTS OF A LARGE MULTICENTER STUDY. <i>Journal of Urology</i> , 2009, 181, 629.	0.2	13
254	The role of radical cystectomy in patients with clinical T4b bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 157-161.	0.8	13
255	Comprehensive pathway-based interrogation of genetic variations in the nucleotide excision DNA repair pathway and risk of bladder cancer. <i>Cancer</i> , 2012, 118, 205-215.	2.0	13
256	Solubilization and Stability of Mitomycin C Solutions Prepared for Intravesical Administration. <i>Drugs in R and D</i> , 2017, 17, 297-304.	1.1	13
257	The obesity paradox: defining the impact of body mass index and diabetes mellitus for patients with non-muscle-invasive bladder cancer treated with bacillus Calmette-Guérin. <i>BJU International</i> , 2021, 128, 65-71.	1.3	13
258	Employing an orthotopic model to study the role of epithelial-mesenchymal transition in bladder cancer metastasis. <i>Oncotarget</i> , 2017, 8, 34205-34222.	0.8	13
259	Clinical and therapeutic significance of aberrant differentiation patterns in bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2007, 7, 1015-1026.	1.1	12
260	Benzo(a)pyrene Diol Epoxide-Induced Chromosome 9p21 Aberrations Are Associated with Increased Risk of Bladder Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2445-2450.	1.1	12
261	Radical Cystectomy and Perioperative Sexual Function: A Cross-Sectional Analysis. <i>Journal of Sexual Medicine</i> , 2020, 17, 1995-2004.	0.3	12
262	Pathway analysis of bladder cancer genome-wide association study identifies novel pathways involved in bladder cancer development. <i>Genes and Cancer</i> , 2016, 7, 229-239.	0.6	12
263	The origin of bladder cancer from mucosal field effects. <i>IScience</i> , 2022, 25, 104551.	1.9	12
264	The use of urine-based biomarkers in bladder cancer. <i>Urology</i> , 2006, 67, 62-64.	0.5	11
265	Malnutrition in older patients with cancer: Appraisal of the Mini Nutritional Assessment, weight loss, and body mass index. <i>Journal of Geriatric Oncology</i> , 2018, 9, 81-83.	0.5	11
266	Salvage topical therapy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2018, 36, 2027-2034.	1.2	11
267	Serum microRNAs as predictors of risk for non-muscle invasive bladder cancer. <i>Oncotarget</i> , 2018, 9, 14895-14908.	0.8	11
268	Clinical Applications for Targeted Therapy in Bladder Cancer. <i>Urologic Clinics of North America</i> , 2005, 32, 239-246.	0.8	10
269	Impact of High-risk Features and Effect of Neoadjuvant Chemotherapy in Urothelial Cancer Patients with Invasion into the Lamina Propria on Transurethral Resection in the Absence of Deep Muscle Invasion. <i>European Urology Focus</i> , 2017, 3, 577-583.	1.6	10
270	Inhibition of urothelial carcinoma through targeted type I interferon-mediated immune activation. <i>Oncolimmunology</i> , 2019, 8, e1577125.	2.1	10

#	ARTICLE	IF	CITATIONS
271	The role of metastatic burden in cytoreductive/consolidative radical cystectomy. <i>World Journal of Urology</i> , 2019, 37, 2691-2698.	1.2	10
272	Intravesical Gene Therapy. <i>Urologic Clinics of North America</i> , 2020, 47, 93-101.	0.8	10
273	Comparative effectiveness of neoadjuvant chemotherapy in bladder and upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2021, 127, 528-537.	1.3	10
274	Unique somatic variants in DNA from urine exosomes of individuals with bladder cancer. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021, 22, 360-376.	1.8	10
275	The Role of Fluorescence In Situ Hybridization for Predicting Recurrence after Adjuvant bacillus Calmette-Guérin in Patients with Intermediate and High Risk Nonmuscle Invasive Bladder Cancer: A Systematic Review and Meta-Analysis of Individual Patient Data. <i>Journal of Urology</i> , 2020, 203, 283-291.	0.2	10
276	Concepts for banking tissue in urologic oncology—the International Bladder Cancer Bank. <i>Clinical Cancer Research</i> , 2005, 11, 413-5.	3.2	10
277	Expression Analysis of Same-Patient Metachronous and Synchronous Upper Tract and Bladder Urothelial Carcinoma. <i>Journal of Urology</i> , 2021, 206, 548-557.	0.2	9
278	A Consensus Molecular Classification of Muscle-Invasive Bladder Cancer. <i>SSRN Electronic Journal</i> , 0, ,.	0.4	9
279	If cystectomy is insufficient, what is an urologist to do?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003, 21, 475-478.	0.8	8
280	Novel therapeutics for patients with non-muscle-invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2009, 9, 807-813.	1.1	8
281	Detection of Bladder Cancer Using Proteomic Profiling of Urine Sediments. <i>PLoS ONE</i> , 2012, 7, e42452.	1.1	8
282	Using the neoadjuvant chemotherapy paradigm to develop precision therapy for muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 469-476.	0.8	8
283	Dose dense MVAC prior to radical cystectomy: a real-world experience. <i>World Journal of Urology</i> , 2017, 35, 1729-1736.	1.2	8
284	Once BCG Unresponsive, Always BCG Unresponsive: An Open Letter to the FDA to Enhance Recruitment into Clinical Trials in Bladder Cancer. <i>Bladder Cancer</i> , 2017, 3, 145-146.	0.2	8
285	Eligibility and Radiologic Assessment in Adjuvant Clinical Trials in Bladder Cancer. <i>JAMA Oncology</i> , 2019, 5, 1790.	3.4	8
286	Using Grade of Recurrent Tumor to Guide Further Therapy While on Bacillus Calmette-Guerin: Low-grade Recurrences Are not Benign. <i>European Urology Oncology</i> , 2019, 2, 286-293.	2.6	8
287	What Women Want: Radical Cystectomy and Perioperative Sexual Function Educational Needs. <i>Urology</i> , 2021, 157, 181-187.	0.5	8
288	Reduced-dose bacillus Calmette-Guérin (BCG) in an era of BCG shortage: real-world experience from a tertiary cancer centre. <i>BJU International</i> , 2022, 130, 323-330.	1.3	8

#	ARTICLE	IF	CITATIONS
289	Antiadenovirus Antibodies Predict Response Durability to Nadofaragene Firadenovec Therapy in BCG-unresponsive Non-muscle-invasive Bladder Cancer: Secondary Analysis of a Phase 3 Clinical Trial. <i>European Urology</i> , 2022, 81, 223-228.	0.9	8
290	Ultrasound-guided transperineal needle biopsy of the prostate after abdominoperineal resection. <i>Journal of Clinical Ultrasound</i> , 1995, 23, 263-265.	0.4	7
291	Emerging drugs for targeted therapy of bladder cancer. <i>Expert Opinion on Emerging Drugs</i> , 2007, 12, 435-448.	1.0	7
292	Prognostic markers in pT3 bladder cancer: A study from the international bladder cancer tissue microarray project. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 301.e17-301.e28.	0.8	7
293	Progression of Disease after Bacillus Calmette-Guérin Therapy: Refining Patient Selection for Neoadjuvant Chemotherapy before Radical Cystectomy. <i>Journal of Urology</i> , 2021, 206, 1258-1267.	0.2	7
294	Role of Lymphadenectomy during Radical Cystectomy for Nonmuscle-Invasive Bladder Cancer: Results from a Multi-Institutional Experience. <i>Journal of Urology</i> , 2022, 207, 551-558.	0.2	7
295	All High-Grade Ta Tumors Should Be Classified as High Risk: Bacillus Calmette-Guérin Response in High-Grade Ta Tumors. <i>Journal of Urology</i> , 2022, 208, 284-291.	0.2	7
296	Original Articles: Bladder Cancer: Management of Transitional Cell Carcinoma Involving Von Brunn's Nests. <i>Journal of Urology</i> , 1995, 153, 944-949.	0.2	6
297	Office Cystoscopy and Transrectal Ultrasound-guided Prostate Biopsies Pose Minimal Risk: Prospective Evaluation of 921 Procedures. <i>Urology</i> , 2009, 73, 1175-1178.	0.5	6
298	Accuracy of High-Frequency Endoluminal Ultrasonography for Clinical Staging of Upper Tract Urothelial Carcinoma. <i>Journal of Endourology</i> , 2018, 32, 806-811.	1.1	6
299	Utilizing time-driven activity-based costing to determine open radical cystectomy and ileal conduit surgical episode cost drivers. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 237.e1-237.e5.	0.8	6
300	1521: Variant Histology in Bladder Cancer - Experience in 1246 Patients Undergoing Cystectomy. <i>Journal of Urology</i> , 2007, 177, 502-502.	0.2	6
301	Gene therapy for superficial bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2001, 1, 531-540.	1.1	5
302	Is Vascular Endothelial Growth Factor Modulation a Predictor of the Therapeutic Efficacy of Gefitinib for Bladder Cancer?. <i>Journal of Urology</i> , 2008, 180, 1146-1153.	0.2	5
303	Oncologic Equivalence between Laparoscopic/Robotic and Open Radical Cystectomy. <i>Journal of Urology</i> , 2016, 195, 1646-1647.	0.2	5
304	Detection of Bladder Cancer in Urine Sediments by a Novel Multicolor Fluorescence In Situ Hybridization (Quartet) Test. <i>European Urology Focus</i> , 2019, 5, 664-675.	1.6	5
305	Time interval from transurethral resection of bladder tumour to bacille Calmette-Guérin induction does not impact therapeutic response. <i>BJU International</i> , 2021, 128, 634-641.	1.3	5
306	Impact of sex on response to BCG in non-muscle invasive bladder cancer patients: a contemporary review from a tertiary care center. <i>World Journal of Urology</i> , 2021, 39, 4143-4149.	1.2	5

#	ARTICLE	IF	CITATIONS
307	Five and Ten-Year Outcomes of Neoadjuvant Chemotherapy and Surgery for High-Risk Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 176-182.	0.9	5
308	Outcomes of nonmetastatic micropapillary variant upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 354.e19-354.e26.	0.8	4
309	TCF21 Promotes Luminal-Like Differentiation and Suppresses Metastasis in Bladder Cancer. <i>Molecular Cancer Research</i> , 2020, 18, 811-821.	1.5	4
310	Revisiting an Old Conundrum: A Systematic Review and Meta-Analysis of Intravesical Therapy for Treatment of Urothelial Carcinoma of the Prostate. <i>Bladder Cancer</i> , 2021, 7, 243-252.	0.2	4
311	Association of age with response to preoperative chemotherapy in patients with muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021, 39, 4345-4354.	1.2	4
312	Risk based neoadjuvant chemotherapy in muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2015, 4, 273-82.	0.6	4
313	Uncommon Cancers of the Bladder. , 2006, , 18-26.		3
314	A combination of intravesical and BCG electromotive mitomycin for high-risk superficial bladder cancer. <i>Nature Reviews Urology</i> , 2006, 3, 472-473.	1.4	3
315	Delayed Ureterectomy after Incomplete Nephroureterectomy for Upper Tract Urothelial Carcinoma: Pathologic Findings and Outcomes. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 817-822.	0.7	3
316	Reply to Mattias Aine, Fredrik Liedberg, Gottfrid Sjöndahl, and Mattias Håglund's Letter to the Editor re: David J. McConkey, Woonyoung Choi, Colin P.N. Dinney. <i>New Insights into Subtypes of Invasive Bladder Cancer: Considerations of the Clinician. Eur Urol</i> 2014;66:609-10. <i>European Urology</i> , 2015, 67, e76-e78.	0.9	3
317	Clinical and therapeutic factors associated with adverse pathological outcomes in clinically node-negative patients treated with neoadjuvant cisplatin-based chemotherapy and radical cystectomy. <i>World Journal of Urology</i> , 2016, 34, 695-701.	1.2	3
318	Non-seminomatous germ cell tumor with bone metastasis only at diagnosis: A rare clinical presentation. <i>Asian Journal of Urology</i> , 2017, 4, 124-127.	0.5	3
319	Effects of thiazolidinedione in patients with active bladder cancer. <i>BJU International</i> , 2018, 121, 244-251.	1.3	3
320	Radical cystectomy in women: Impact of the robot-assisted versus open approach on surgical outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 247-254.	0.8	3
321	Bladder Cancer Involving Smooth Muscle of Indeterminate Type or Muscularis Mucosae in Transurethral Biopsy Specimens. <i>American Journal of Clinical Pathology</i> , 2020, 154, 208-214.	0.4	3
322	Genetic variants in the inflammation pathway as predictors of recurrence and progression in non-muscle invasive bladder cancer treated with Bacillus Calmette-Guérin. <i>Oncotarget</i> , 2017, 8, 88782-88791.	0.8	3
323	Multimodal kidney-preserving approach in localised and locally advanced high-risk upper tract urothelial carcinoma. <i>BJUI Compass</i> , 2022, 3, 37-44.	0.7	3
324	Lentiviral interferon: A novel method for gene therapy in bladder cancer. <i>Molecular Therapy - Oncolytics</i> , 2022, 26, 141-157.	2.0	3

#	ARTICLE	IF	CITATIONS
325	The Molecular, the Bad, and the Ugly: Preventing Bladder Cancer via mTOR Inhibition. <i>Cancer Prevention Research</i> , 2009, 2, 1001-1002.	0.7	2
326	High Risk Populations and Cystectomy Outcomes. <i>Journal of Urology</i> , 2009, 182, 10-11.	0.2	2
327	The International Bladder Cancer Network. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010, 28, 375-376.	0.8	2
328	Intelligent Clinical Decision Support Systems for Non-invasive Bladder Cancer Diagnosis. <i>Lecture Notes in Computer Science</i> , 2011, , 253-262.	1.0	2
329	Reply by the Authors. <i>Urology</i> , 2014, 84, 495-496.	0.5	2
330	High-grade neuroendocrine carcinoma of the urachusâ€”report of 3 cases. <i>Human Pathology</i> , 2017, 67, 126-133.	1.1	2
331	Letter to the Editor: Bacillus Calmette-Guerin (BCG) Treatment Failures with Non-Muscle Invasive Bladder Cancer: A Data-Driven Definition for BCG Unresponsive Disease. <i>Bladder Cancer</i> , 2017, 3, 147-148.	0.2	2
332	Should chemotherapy still be used to treat all muscle invasive bladder cancer in the â€œera of immunotherapyâ€?. <i>Expert Review of Anticancer Therapy</i> , 2019, 19, 543-545.	1.1	2
333	Bacillus Calmette-GuÃ©rin Salvage Therapy. <i>Urologic Clinics of North America</i> , 2020, 47, 1-4.	0.8	2
334	Impact of upper tract urothelial carcinoma on response to BCG in patients with nonâ€muscleâ€invasive bladder cancer. <i>BJU International</i> , 2021, 128, 568-574.	1.3	2
335	1240: Prospective Evidence Supporting the Utility of Neoadjuvant Chemotherapy in Small Cell Urothelial Cancer: Preliminary Results from A Phase II Clinical Trial at the M.D. Anderson Cancer Center. <i>Journal of Urology</i> , 2006, 175, 399-399.	0.2	2
336	Reduced Dose Intravesical Bacillus Calmette-GuÃ©rin: Why It Might Not Matter. <i>Bladder Cancer</i> , 2022, 8, 113-117.	0.2	2
337	Re: D2 Lymphadenectomy Alone or with Para-aortic Nodal Dissection for Gastric Cancer. <i>European Urology</i> , 2009, 56, 745-746.	0.9	1
338	Multilevel-analysis identify a cis-expression quantitative trait locus associated with risk of renal cell carcinoma. <i>Oncotarget</i> , 2015, 6, 4097-4109.	0.8	1
339	Comparison between whole mount tissue preparations and virtual tissue microarray samples for measuring Ki-67 and apoptosis indices in human bladder cancer. <i>Medicine (United States)</i> , 2016, 95, e4500.	0.4	1
340	Re: Impact of Immune and Stromal Infiltration on Outcomes Following Bladder-sparing Trimodality Therapy for Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2019, 75, 1034-1035.	0.9	1
341	Reply To Kenneth B. Yatai, Mark J. Dunning, Dennis Wang. Consensus Genomic Subtypes of Muscle-invasive Bladder Cancer: A Step in the Right Direction but Still a Long Way To Go. <i>Eur Urol</i> 2020;77:434â€“5. <i>European Urology</i> , 2020, 77, 436-438.	0.9	1
342	Genomic Predictors of Good Outcome, Recurrence, or Progression in High-Grade T1 Non-Muscle-Invasive Bladder Cancer. <i>European Urology</i> , 2021, 79, 428-429.	0.9	1

#	ARTICLE	IF	CITATIONS
343	Implications of Guideline-based, Risk-stratified Restaging Transurethral Resection of High-grade Ta Urothelial Carcinoma on Bacillus Calmette-Guérin Therapy Outcomes. <i>European Urology Oncology</i> , 2021, , .	2.6	1
344	Oncologic Equipoise Between Robotic and Open Radical Cystectomy. <i>Journal of Endourology</i> , 2021, 35, 1168-1176.	1.1	1
345	1647: Differences in Survival Between Patients with Sarcomatoid Carcinoma, Carcinosarcoma and Transitional Cell Carcinoma of the Bladder. <i>Journal of Urology</i> , 2007, 177, 546-546.	0.2	1
346	Should Patients With Non-muscle-invasive Bladder Cancer Discontinue Fibrin Clot Inhibitors During BCG?. <i>BJU International</i> , 2021, , .	1.3	1
347	How I do it: Radical cystectomy: Posterior dissection following prior therapy. , 1997, 64, 165-166.		0
348	Bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2008, 26, 479-480.	0.8	0
349	Preface. <i>Cancer and Metastasis Reviews</i> , 2009, 28, 267-267.	2.7	0
350	Accuracy of Computed Tomography for Identifying Locally Advanced Disease in Patients with Muscle-Invasive Bladder Cancer. <i>UroToday International Journal</i> , 2013, 06, .	0.1	0
351	Treatment Paradigms in Bladder Cancer: Clinical Implications of Histological and Molecular Analysis. <i>Molecular Pathology Library</i> , 2018, , 85-101.	0.1	0
352	Reply by Authors. <i>Journal of Urology</i> , 2021, 205, 1620-1621.	0.2	0
353	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 1267.	0.2	0
354	Small Cell Urothelial Carcinoma. , 2012, , 173-181.		0
355	Whole-organ Genomic Characterization of Mucosal Field Effects Initiating Bladder Carcinogenesis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0