

Ian J Douglas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6687848/publications.pdf>

Version: 2024-02-01

120
papers

12,831
citations

76031

42
h-index

34195

103
g-index

144
all docs

144
docs citations

144
times ranked

27254
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Severity of Severe Acute Respiratory System Coronavirus 2 (SARS-CoV-2) Alpha Variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , 2022, 75, e1120-e1127. | 2.9 | 71 |
| 2 | OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , 2022, 72, e63-e74. | 0.7 | 22 |
| 3 | Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, e51-e62. | 0.7 | 75 |
| 4 | Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. <i>Lancet Regional Health - Europe, The</i> , 2022, 14, 100295. | 3.0 | 38 |
| 5 | Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. <i>PLoS Medicine</i> , 2022, 19, e1003871. | 3.9 | 39 |
| 6 | Frailty and rate of fractures in patients initiating antihypertensive medications: a cohort study in primary care. <i>Drugs and Therapy Perspectives</i> , 2022, 38, 41-50. | 0.3 | 1 |
| 7 | Transparency of high-dimensional propensity score analyses: Guidance for diagnostics and reporting. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 411-423. | 0.9 | 7 |
| 8 | Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. <i>Thrombosis Research</i> , 2022, 211, 150-153. | 0.8 | 6 |
| 9 | Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. <i>British Journal of General Practice</i> , 2022, 72, e456-e463. | 0.7 | 3 |
| 10 | Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 6. | 0.8 | 2 |
| 11 | Inhaled Corticosteroid Withdrawal and Change in Lung Function in Primary Care Patients with Chronic Obstructive Pulmonary Disease in England. <i>Annals of the American Thoracic Society</i> , 2022, 19, 1834-1841. | 1.5 | 5 |
| 12 | Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2021, 3, e19-e27. | 2.2 | 49 |
| 13 | Risk of neuropsychiatric and cardiovascular adverse events following treatment with varenicline and nicotine replacement therapy in the UK Clinical Practice Research Datalink: a caseâ€“crossâ€“over study. <i>Addiction</i> , 2021, 116, 1532-1545. | 1.7 | 6 |
| 14 | Real world effects of COPD medications: a cohort study with validation against results from randomised controlled trials. <i>European Respiratory Journal</i> , 2021, 57, 2001586. | 3.1 | 11 |
| 15 | Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 943-951. | 0.5 | 66 |
| 16 | HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV,the</i> , 2021, 8, e24-e32. | 2.1 | 340 |
| 17 | Proton pump inhibitors and risk of allâ€“cause and causeâ€“specific mortality: A cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 3150-3161. | 1.1 | 14 |
| 18 | Early initiation of prophylactic anticoagulation for prevention of coronavirus disease 2019 mortality in patients admitted to hospital in the United States: cohort study. <i>BMJ, The</i> , 2021, 372, n311. | 3.0 | 166 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | UK prevalence of underlying conditions which increase the risk of severe COVID-19 disease: a point prevalence study using electronic health records. BMC Public Health, 2021, 21, 484. | 1.2 | 25 |
| 20 | Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. BMJ, The, 2021, 372, n628. | 3.0 | 56 |
| 21 | COVID-19 and inhaled corticosteroids“ another piece in an expanding puzzle. Lancet Respiratory Medicine, the, 2021, 9, 674-675. | 5.2 | 5 |
| 22 | Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? “ Authors' reply. Lancet Rheumatology, The, 2021, 3, e172-e173. | 2.2 | 1 |
| 23 | Case fatality risk of the SARS-CoV-2 variant of concern B.1.1.7 in England, 16 November to 5 February. Eurosurveillance, 2021, 26, . | 3.9 | 156 |
| 24 | Real-world effects of medications for stroke prevention in atrial fibrillation: protocol for a UK population-based non-interventional cohort study with validation against randomised trial results. BMJ Open, 2021, 11, e042947. | 0.8 | 3 |
| 25 | Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. Wellcome Open Research, 2021, 6, 90. | 0.9 | 18 |
| 26 | Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. Lancet, The, 2021, 397, 1711-1724. | 6.3 | 332 |
| 27 | Post-licensure observational safety study after meningococcal B vaccine 4CMenB (Bexsero) vaccination within the routine UK immunisation program. Vaccine, 2021, 39, 3296-3303. | 1.7 | 7 |
| 28 | Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2021, 71, e806-e814. | 0.7 | 74 |
| 29 | Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. BMJ, The, 2021, 374, n1592. | 3.0 | 70 |
| 30 | Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. Lancet Regional Health - Europe, The, 2021, 6, 100109. | 3.0 | 121 |
| 31 | Medications for chronic obstructive pulmonary disease: a historical non-interventional cohort study with validation against RCT results. Health Technology Assessment, 2021, 25, 1-70. | 1.3 | 0 |
| 32 | Measuring the Effectiveness of Real-World Evidence to Ensure Appropriate Impact. Value in Health, 2021, 24, 1241-1244. | 0.1 | 2 |
| 33 | Protocol for an observational cohort study investigating personalised medicine for intensification of treatment in people with type 2 diabetes mellitus: the PERMIT study. BMJ Open, 2021, 11, e046912. | 0.8 | 1 |
| 34 | Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. Journal of Hematology and Oncology, 2021, 14, 172. | 6.9 | 8 |
| 35 | Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. Health Technology Assessment, 2021, 25, 1-126. | 1.3 | 6 |
| 36 | OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Thromboembolic, bleeding, and mortality risks among patients with nonvalvular atrial fibrillation treated with dual antiplatelet therapy versus oral anticoagulants: A population-based study. <i>Heart Rhythm</i> , 2020, 17, 33-40. | 0.3 | 6 |
| 38 | First line drug treatment for hypertension and reductions in blood pressure according to age and ethnicity: cohort study in UK primary care. <i>BMJ</i> , The, 2020, 371, m4080. | 3.0 | 14 |
| 39 | Implementing high-dimensional propensity score principles to improve confounder adjustment in <scp>UK</scp> electronic health records. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1373-1381. | 0.9 | 4 |
| 40 | Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , 2020, 584, 430-436. | 13.7 | 4,674 |
| 41 | Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine</i> , the, 2020, 8, 1106-1120. | 5.2 | 211 |
| 42 | Ethnic disparities in initiation and intensification of diabetes treatment in adults with type 2 diabetes in the UK, 1990-2017: A cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003106. | 3.9 | 46 |
| 43 | Comparative effects of sulphonylureas, dipeptidyl peptidase-4 inhibitors and sodium-glucose co-transporter-2 inhibitors added to metformin monotherapy: a propensity-score matched cohort study in UK primary care. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 847-856. | 2.2 | 6 |
| 44 | Risk of herpes zoster after exposure to varicella to explore the exogenous boosting hypothesis: self controlled case series study using UK electronic healthcare data. <i>BMJ</i> , The, 2020, 368, l6987. | 3.0 | 22 |
| 45 | <p>Inhaled Corticosteroid Treatment Regimens and Health Outcomes in a UK COPD Population Study</p>. <i>International Journal of COPD</i> , 2020, Volume 15, 701-710. | 0.9 | 10 |
| 46 | Comparisons of <i>Staphylococcus aureus</i> infection and other outcomes between users of angiotensin-converting-enzyme inhibitors and angiotensin II receptor blockers: lessons for COVID-19 from a nationwide cohort study. <i>Wellcome Open Research</i> , 2020, 5, 77. | 0.9 | 3 |
| 47 | Approaches for combining primary care electronic health record data from multiple sources: a systematic review of observational studies. <i>BMJ Open</i> , 2020, 10, e037405. | 0.8 | 0 |
| 48 | Title is missing!. , 2020, 17, e1003106. | | 0 |
| 49 | Title is missing!. , 2020, 17, e1003106. | | 0 |
| 50 | Title is missing!. , 2020, 17, e1003106. | | 0 |
| 51 | Title is missing!. , 2020, 17, e1003106. | | 0 |
| 52 | Title is missing!. , 2020, 17, e1003106. | | 0 |
| 53 | The comparative effectiveness of fourth-line drugs in resistant hypertension: An application in electronic health record data. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1267-1277. | 0.9 | 8 |
| 54 | Cost saving of switching to equivalent inhalers and its effect on health outcomes. <i>Thorax</i> , 2019, 74, 1078-1086. | 2.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Association of Relative Age in the School Year With Diagnosis of Intellectual Disability, Attention-Deficit/Hyperactivity Disorder, and Depression. <i>JAMA Pediatrics</i> , 2019, 173, 1068. | 3.3 | 28 |
| 56 | Clinical profile of predefined asthma phenotypes in a large cohort of UK primary care patients (Clinical Practice Research Datalink). <i>Journal of Asthma and Allergy</i> , 2019, Volume 12, 7-19. | 1.5 | 6 |
| 57 | Antibiotic treatment and flares of rheumatoid arthritis: a self-controlled case series study analysis using CPRD GOLD. <i>Scientific Reports</i> , 2019, 9, 8941. | 1.6 | 7 |
| 58 | How to validate a diagnosis recorded in electronic health records. <i>Breathe</i> , 2019, 15, 64-68. | 0.6 | 25 |
| 59 | FRIO474...FRACTURE RISK FOLLOWING BARIATRIC SURGERY: A SELF-CONTROLLED CASE SERIES AND RISK PREDICTION ALGORITHM. , 2019, , . | | 0 |
| 60 | Use of real-world evidence in postmarketing medicines regulation in the European Union: a systematic assessment of European Medicines Agency referrals 2013-2017. <i>BMJ Open</i> , 2019, 9, e028133. | 0.8 | 10 |
| 61 | Propensity score analysis with partially observed covariates: How should multiple imputation be used?. <i>Statistical Methods in Medical Research</i> , 2019, 28, 3-19. | 0.7 | 159 |
| 62 | Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. <i>Drug Safety</i> , 2018, 41, 523-536. | 1.4 | 16 |
| 63 | Cardiovascular Outcomes after a Respiratory Tract Infection among Adults with Non-Cystic Fibrosis Bronchiectasis: A General Population-based Study. <i>Annals of the American Thoracic Society</i> , 2018, 15, 315-321. | 1.5 | 23 |
| 64 | Trimethoprim use for urinary tract infection and risk of adverse outcomes in older patients: cohort study. <i>BMJ: British Medical Journal</i> , 2018, 360, k341. | 2.4 | 47 |
| 65 | Real-world effects of medications for chronic obstructive pulmonary disease: protocol for a UK population-based non-interventional cohort study with validation against randomised trial results. <i>BMJ Open</i> , 2018, 8, e019475. | 0.8 | 6 |
| 66 | Exacerbation risk and characterisation of the UK's asthma population from infants to old age. <i>Thorax</i> , 2018, 73, 313-320. | 2.7 | 123 |
| 67 | Investigating the assumptions of the self-controlled case series method. <i>Statistics in Medicine</i> , 2018, 37, 643-658. | 0.8 | 32 |
| 68 | A systematic review comparing the evidence for kidney function outcomes between oral antidiabetic drugs for type 2 diabetes. <i>Wellcome Open Research</i> , 2018, 3, 74. | 0.9 | 6 |
| 69 | Factors associated with choice of intensification treatment for type 2 diabetes after metformin monotherapy: a cohort study in UK primary care. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1639-1648. | 1.5 | 11 |
| 70 | Concomitant diagnosis of asthma and COPD: a quantitative study in UK primary care. <i>British Journal of General Practice</i> , 2018, 68, e775-e782. | 0.7 | 31 |
| 71 | Association of BMI with overall and cause-specific mortality: a population-based cohort study of 3.6 million adults in the UK. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 944-953. | 5.5 | 665 |
| 72 | Long-term effects of bariatric surgery on acute kidney injury: a propensity-matched cohort in the UK Clinical Practice Research Datalink. <i>BMJ Open</i> , 2018, 8, e020371. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Myocardial Infarction and Ischemic Stroke after Exacerbations of Chronic Obstructive Pulmonary Disease. <i>Annals of the American Thoracic Society</i> , 2018, 15, 935-946. | 1.5 | 52 |
| 74 | Changing use of antidiabetic drugs in the UK: trends in prescribing 2000â€“2017. <i>BMJ Open</i> , 2018, 8, e022768. | 0.8 | 77 |
| 75 | Gastrointestinal bleeding risk of selective serotonin reuptake inhibitors by level of kidney function: A populationâ€“based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2142-2151. | 1.1 | 22 |
| 76 | è...Žæ©ÿèf1/2â~¥ã«è ·ãÿ SSRI ã@æŕ^â€—ç©¡â†°è¡€ãfªã,1ã,ŕ1/4šè«±ã>1/2 CPRD ã,ç””ã,ãÿã,3ãf>ãf1/4ãf^ç”ç©ŕ. <i>Japanese Journal of Pharm</i> | | |
| 77 | Population trends in the 10-year incidence and prevalence of diabetic retinopathy in the UK: a cohort study in the Clinical Practice Research Datalink 2004â€“2014. <i>BMJ Open</i> , 2017, 7, e014444. | 0.8 | 79 |
| 78 | Validation of asthma recording in electronic health records: protocol for a systematic review. <i>BMJ Open</i> , 2017, 7, e014694. | 0.8 | 8 |
| 79 | Pharmacoepidemiology for nephrologists: do proton pump inhibitors cause chronic kidney disease?. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, ii40-ii46. | 0.4 | 8 |
| 80 | Reporting to Improve Reproducibility and Facilitate Validity Assessment for Healthcare Database Studies V1.0. <i>Value in Health</i> , 2017, 20, 1009-1022. | 0.1 | 70 |
| 81 | Reporting to Improve Reproducibility and Facilitate Validity Assessment for Healthcare Database Studies V1.0. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1018-1032. | 0.9 | 126 |
| 82 | Quantification of the risk of liver injury associated with flucloxacillin: a UK population-based cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2636-2646. | 1.3 | 26 |
| 83 | Comparative effectiveness of fourth-line anti-hypertensive agents in resistant hypertension: A systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 228-238. | 0.8 | 33 |
| 84 | Trends for prevalence and incidence of resistant hypertension: population based cohort study in the UK 1995-2015. <i>BMJ: British Medical Journal</i> , 2017, 358, j3984. | 2.4 | 57 |
| 85 | Validation of asthma recording in the Clinical Practice Research Datalink (CPRD). <i>BMJ Open</i> , 2017, 7, e017474. | 0.8 | 76 |
| 86 | Lansoprazole use and tuberculosis incidence in the United Kingdom Clinical Practice Research Datalink: A population based cohort. <i>PLoS Medicine</i> , 2017, 14, e1002457. | 3.9 | 16 |
| 87 | Validation of asthma recording in electronic health records: a systematic review. <i>Clinical Epidemiology</i> , 2017, Volume 9, 643-656. | 1.5 | 31 |
| 88 | Self controlled case series methods: an alternative to standard epidemiological study designs. <i>BMJ The</i> , 2016, 354, i4515. | 3.0 | 309 |
| 89 | Phosphodiesterase Type 5 Inhibitors and Risk of Malignant Melanoma: Matched Cohort Study Using Primary Care Data from the UK Clinical Practice Research Datalink. <i>PLoS Medicine</i> , 2016, 13, e1002037. | 3.9 | 43 |
| 90 | Latest trends in ADHD drug prescribing patterns in children in the UK: prevalence, incidence and persistence. <i>BMJ Open</i> , 2016, 6, e010508. | 0.8 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Incidence of adult Huntington's disease in the UK: a UK-based primary care study and a systematic review. <i>BMJ Open</i> , 2016, 6, e009070. | 0.8 | 49 |
| 92 | Association between oral fluoroquinolones and seizures. <i>Neurology</i> , 2016, 86, 1708-1715. | 1.5 | 22 |
| 93 | Evaluation of the risk of cardiovascular events with clarithromycin using both propensity score and self-controlled study designs. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 512-521. | 1.1 | 21 |
| 94 | Prevalence of antibiotic use: a comparison across various European health care data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 11-20. | 0.9 | 46 |
| 95 | The risk of acute liver injury among users of antibiotic medications: a comparison of case-only studies.. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 39-46. | 0.9 | 7 |
| 96 | Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case-control studies using two primary care databases in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 29-38. | 0.9 | 16 |
| 97 | Optimising case detection within UK electronic health records: use of multiple linked databases for detecting liver injury. <i>BMJ Open</i> , 2016, 6, e012102. | 0.8 | 11 |
| 98 | Cardiovascular outcomes associated with use of clarithromycin: population based study. <i>BMJ</i> , The, 2016, 352, h6926. | 3.0 | 151 |
| 99 | Oral Fluoroquinolone Use and Retinal Detachment. <i>JAMA Ophthalmology</i> , 2016, 134, 1448. | 1.4 | 3 |
| 100 | Glitazone Treatment and Incidence of Parkinson's Disease among People with Diabetes: A Retrospective Cohort Study. <i>PLoS Medicine</i> , 2015, 12, e1001854. | 3.9 | 105 |
| 101 | Acute Cardiovascular Events after Herpes Zoster: A Self-Controlled Case Series Analysis in Vaccinated and Unvaccinated Older Residents of the United States. <i>PLoS Medicine</i> , 2015, 12, e1001919. | 3.9 | 82 |
| 102 | Bariatric Surgery in the United Kingdom: A Cohort Study of Weight Loss and Clinical Outcomes in Routine Clinical Care. <i>PLoS Medicine</i> , 2015, 12, e1001925. | 3.9 | 121 |
| 103 | Antipsychotic drugs and risks of myocardial infarction: a self-controlled case series study. <i>European Heart Journal</i> , 2015, 36, 984-992. | 1.0 | 36 |
| 104 | Methylphenidate and the Risk of Trauma. <i>Pediatrics</i> , 2015, 135, 40-48. | 1.0 | 92 |
| 105 | The effectiveness of pharmaceutical interventions for obesity: weight loss with orlistat and sibutramine in a United Kingdom population-based cohort. <i>British Journal of Clinical Pharmacology</i> , 2015, 79, 1020-1027. | 1.1 | 25 |
| 106 | BMI and risk of dementia in two million people over two decades: a retrospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 431-436. | 5.5 | 343 |
| 107 | Red Blood Cell Transfusion and Mortality in Trauma Patients: Risk-Stratified Analysis of an Observational Study. <i>PLoS Medicine</i> , 2014, 11, e1001664. | 3.9 | 48 |
| 108 | Development of predictive genetic tests for improving the safety of new medicines: the utilization of routinely collected electronic health records. <i>Drug Discovery Today</i> , 2014, 19, 361-366. | 3.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Body-mass index and risk of 22 specific cancers: a population-based cohort study of 5.24 million UK adults. <i>Lancet</i> , The, 2014, 384, 755-765. | 6.3 | 1,255 |
| 110 | Orlistat and the risk of acute liver injury: self controlled case series study in UK Clinical Practice Research Datalink. <i>BMJ</i> , The, 2013, 346, f1936-f1936. | 3.0 | 55 |
| 111 | Juvenile Huntington's disease: a population-based study using the General Practice Research Database. <i>BMJ Open</i> , 2013, 3, e002085. | 0.8 | 21 |
| 112 | Clopidogrel and interaction with proton pump inhibitors: comparison between cohort and within person study designs. <i>BMJ</i> , The, 2012, 345, e4388-e4388. | 3.0 | 68 |
| 113 | Self-Controlled Case Series Analysis With Event-Dependent Observation Periods. <i>Journal of the American Statistical Association</i> , 2011, 106, 417-426. | 1.8 | 52 |
| 114 | Effect of statin treatment on short term mortality after pneumonia episode: cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d1642-d1642. | 2.4 | 74 |
| 115 | The use of antidepressants and the risk of haemorrhagic stroke: a nested case control study. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 116-120. | 1.1 | 43 |
| 116 | The Risk of Fractures Associated with Thiazolidinediones: A Self-controlled Case-Series Study. <i>PLoS Medicine</i> , 2009, 6, e1000154. | 3.9 | 95 |
| 117 | Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials. <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 99-109. | 1.1 | 200 |
| 118 | Exposure to antipsychotics and risk of stroke: self controlled case series study. <i>BMJ: British Medical Journal</i> , 2008, 337, a1227-a1227. | 2.4 | 221 |
| 119 | A Case-Control Study of Drug Risk Factors for Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2007, 114, 1164-1169. | 2.5 | 33 |
| 120 | Practical Experience in Teaching Pharmacovigilance. , 0, , 805-806. | | 1 |