## Guang Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6687896/publications.pdf

Version: 2024-02-01

840776 794594 22 773 11 19 citations h-index g-index papers 22 22 22 1079 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Highly sensitive, direction-aware, and transparent strain sensor based on oriented electrospun nanofibers for wearable electronic applications. Chemical Engineering Journal, 2022, 435, 135004.	12.7	42
2	Aramid fibril aerogel from steam-exploded PPTA pulp for thermal insulation. Journal of Polymer Research, 2022, 29, 1.	2.4	2
3	Proton Donor-Regulated Mechanically Robust Aramid Nanofiber Aerogel Membranes for High-Temperature Thermal Insulation. ACS Nano, 2022, 16, 5984-5993.	14.6	67
4	Development of biaxial stretchable nonwoven paddings using novel polymeric fibers. Polymers for Advanced Technologies, 2021, 32, 2887-2898.	3.2	0
5	New insight into quinones triggered ferrate in-situ synthesized polynuclear Fe-hydroxyl complex for enhancing interfacial adsorption in highly efficient removal of natural organic matter. Science of the Total Environment, 2021, 770, 144844.	8.0	13
6	UiO-66-NH2 functionalized cellulose nanofibers embedded in sulfonated polysulfone as proton exchange membrane. International Journal of Hydrogen Energy, 2021, 46, 19106-19115.	7.1	26
7	Highly tough, multi-stimuli-responsive, and fast self-healing supramolecular networks toward strain sensor application. Chemical Engineering Journal, 2020, 389, 123468.	12.7	50
8	Fluctuation of electrode potential based on molecular regulation induced diversity of electrogenesis behavior in multiple equilibrium microbial fuel cell. Chemosphere, 2019, 237, 124453.	8.2	8
9	A Review: Electrospun Nanofiber Materials for Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2019, 29, 1905467.	14.9	145
10	Hydraulics characteristics of forward osmosis membrane module boundary based on FBG sensing technology: Hydraulic properties and operating condition optimization. Chemosphere, 2019, 226, 553-564.	8.2	4
11	Applying bio-electric field of microbial fuel cell-upflow anaerobic sludge blanket reactor catalyzed blast furnace dusting ash for promoting anaerobic digestion. Water Research, 2019, 149, 215-224.	11.3	75
12	Body temperature-responsive two-way and moisture-responsive one-way shape memory behaviors of poly(ethylene glycol)-based networks. Polymer Chemistry, 2017, 8, 3833-3840.	3.9	55
13	Thermal characterization of epoxy nanocomposites containing polyhedral oligomeric silsesquioxane: Glass transition temperature and chemical conversion. Fibers and Polymers, 2017, 18, 131-139.	2.1	3
14	An effective route for the fabrication of multi-walled carbon nanotubes-reinforced ROMP-based nanocomposites by solution casting technique. Composites Part A: Applied Science and Manufacturing, 2017, 103, 60-68.	7.6	2
15	Evaluation of 5-ethylidene-2-norbornene with an adhesion promoter for self-healing applications. Journal of Polymer Science, Part B: Polymer Physics, 2016, 54, 1170-1179.	2.1	2
16	Reinforcement of norbornene-based nanocomposites with norbornene functionalized multi-walled carbon nanotubes. Chemical Engineering Journal, 2016, 288, 9-18.	12.7	18
17	Multi-Stimulus-Responsive Shape-Memory Polymer Nanocomposite Network Cross-Linked by Cellulose Nanocrystals. ACS Applied Materials & Samp; Interfaces, 2015, 7, 4118-4126.	8.0	189
18	Cure kinetics and physical properties of poly(dicyclopentadiene/5-ethylidene-2-norbornene) initiated by different Grubbs' catalysts. RSC Advances, 2015, 5, 59120-59130.	3.6	12

#	Article	IF	CITATION
19	Cure Behavior and Tensile Properties of Ethylidene Norbornene/endo-Dicyclopentadiene Blends. Porrime, 2015, 39, 506-513.	0.2	O
20	Curing Kinetics and Mechanical Properties of <i>endo</i> -Dicyclopentadiene Synthesized Using Different Grubbs' Catalysts. Industrial & Engineering Chemistry Research, 2014, 53, 3001-3011.	3.7	50
21	Effect of Grubbs' catalysts on cure kinetics of endo-dicyclopentadiene. Thermochimica Acta, 2013, 566, 105-111.	2.7	10
22	Assessment of hydraulic performance and fouling control caused by pulse flow in hollow fiber membrane module. AICHE Journal, 0, , .	3.6	0