

# Robert J West

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/668830/robert-j-west-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

764  
papers

29,953  
citations

80  
h-index

154  
g-index

918  
ext. papers

36,232  
ext. citations

5  
avg, IF

7.77  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 764 | Balfour et al. Respond.. <i>American Journal of Public Health</i> , <b>2022</b> , 112, e2-e3  | 5.1  |           |
| 763 | Balfour et al. Respond.. <i>American Journal of Public Health</i> , <b>2022</b> , 112, e5-e6  | 5.1  |           |
| 762 | Open science communication: The first year of the UK's Independent Scientific Advisory Group for Emergencies.. <i>Health Policy</i> , <b>2022</b> , 126, 234-234  | 3.2  | 2         |
| 761 | Estimated Failure to Report Unsuccessful Quit Attempts by Type of Cessation Aid: A Population Survey of Smokers in England. <i>Journal of Smoking Cessation</i> , <b>2022</b> , 2022, 1-8   | 0.5  | 2         |
| 760 | Association between cigarette smoking status and voting intentions: Cross sectional surveys in England 2015-2020.. <i>BMC Public Health</i> , <b>2021</b> , 21, 2254  | 4.1  |           |
| 759 | Training general practitioners in the ABC 5As method of delivering stop-smoking advice: a pragmatic, two-arm cluster randomised controlled trial. <i>ERJ Open Research</i> , <b>2021</b> , 7,   | 3.5  | 2         |
| 758 | Pilot randomised controlled trial of the Risk Acceptance Ladder (RAL) as a tool for targeting health communications. <i>PLoS ONE</i> , <b>2021</b> , 16, e0259949   | 3.7  | 0         |
| 757 | The 1988 US Surgeon General's report Nicotine Addiction: how well has it stood up to three more decades of research?. <i>Addiction</i> , <b>2021</b> ,  | 4.6  | 1         |
| 756 | A rapid review and meta-regression analyses of the toxicological impacts of microplastic exposure in human cells. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 427, 127861   | 12.8 | 4         |
| 755 | Does addition of craving management tools in a stop smoking app improve quit rates among adult smokers? Results from BupaQuit pragmatic pilot randomised controlled trial. <i>Digital Health</i> , <b>2021</b> , 7, 20552076211058935         | 4    | 0         |
| 754 | The World Health Network: a global citizens' initiative. <i>Lancet, The</i> , <b>2021</b> , 398, 1567-1568  | 40   | 0         |
| 753 | Independent Associations Between Different Measures of Socioeconomic Position and Smoking Status: A Cross-Sectional Study of Adults in England. <i>Nicotine and Tobacco Research</i> , <b>2021</b> , 23, 107-114                              | 4.9  | 8         |
| 752 | Specifying who delivers behaviour change interventions: development of an Intervention Source Ontology. <i>Wellcome Open Research</i> , <b>2021</b> , 6, 77   | 4.8  | 3         |
| 751 | Estimation of risk of neuropsychiatric adverse events from varenicline, bupropion and nicotine patch versus placebo: secondary analysis of results from the EAGLES trial using Bayes factors. <i>Addiction</i> , <b>2021</b> , 116, 2816-2824 | 4.6  | 2         |
| 750 | Sustained behavior change is key to preventing and tackling future pandemics. <i>Nature Medicine</i> , <b>2021</b> , 27, 749-752  | 50.5 | 17        |
| 749 | Interventions to increase personal protective behaviours to limit the spread of respiratory viruses: A rapid evidence review and meta-analysis. <i>British Journal of Health Psychology</i> , <b>2021</b> ,                                   | 8.3  | 2         |
| 748 | Refining the content and design of an alcohol reduction app, , to improve its usability and effectiveness: a mixed methods approach. <i>F1000Research</i> , <b>2021</b> , 10, 511   | 3.6  | 1         |

|     |  |      |     |
|-----|--|------|-----|
| 747 | Predictors of recruitment and retention in randomized controlled trials of behavioural smoking cessation interventions: a systematic review and meta-regression analysis. <i>Addiction</i> , <b>2021</b> ,   | 4.6  | 3   |
| 746 | Efficacy and Safety of Pharmacotherapeutic Smoking Cessation Aids in Schizophrenia Spectrum Disorders: Subgroup Analysis of EAGLES. <i>Psychiatric Services</i> , <b>2021</b> , 72, 7-15   | 3.3  | 5   |
| 745 | Evaluation of the London Smoking Cessation Transformation Programme: a time-series analysis. <i>Addiction</i> , <b>2021</b> , 116, 1558-1568   | 4.6  | 1   |
| 744 | Effectiveness of training stop-smoking advisers to deliver cessation support to the UK national proposed standard versus usual care in Malaysia: a two-arm cluster-randomized controlled trial. <i>Addiction</i> , <b>2021</b> , 116, 2150-2161          | 4.6  | 1   |
| 743 | COVID-19, smoking, vaping and quitting: a representative population survey in England. <i>Addiction</i> , <b>2021</b> , 116, 1186-1195   | 4.6  | 26  |
| 742 | Underreporting of the active content of behavioural interventions: a systematic review and meta-analysis of randomised trials of smoking cessation interventions. <i>Health Psychology Review</i> , <b>2021</b> , 15, 195-213                            | 7.1  | 18  |
| 741 | The impact of celebrity influence and national media coverage on users of an alcohol reduction app: a natural experiment. <i>BMC Public Health</i> , <b>2021</b> , 21, 30  | 4.1  | 2   |
| 740 | Assessing Markers of Reproducibility and Transparency in Smoking Behaviour Change Intervention Evaluations. <i>Journal of Smoking Cessation</i> , <b>2021</b> , 2021, 6694386  | 0.5  | 4   |
| 739 | Who would be targeted by increasing the legal age of sale of cigarettes from 18 to 21? A cross-sectional study exploring the number and characteristics of smokers in England. <i>Addiction</i> , <b>2021</b> , 116, 2187-2197                           | 4.6  | 1   |
| 738 | Staying 'Covid-safe': Proposals for embedding behaviours that protect against Covid-19 transmission in the UK. <i>British Journal of Health Psychology</i> , <b>2021</b> , 26, 1238-1257   | 8.3  | 3   |
| 737 | Balancing Consideration of the Risks and Benefits of E-Cigarettes. <i>American Journal of Public Health</i> , <b>2021</b> , 111, 1661-1672   | 5.1  | 26  |
| 736 | Factors associated with non-essential workplace attendance during the COVID-19 pandemic in the UK in early 2021: evidence from cross-sectional surveys. <i>Public Health</i> , <b>2021</b> , 198, 106-113  | 4    | 2   |
| 735 | Outcome Prediction from Behaviour Change Intervention Evaluations using a Combination of Node and Word Embedding. <b>2021</b> , 2021, 486-495  | 0.7  |     |
| 734 | A self-report measure of engagement with digital behavior change interventions (DBCIs): development and psychometric evaluation of the "DBCI Engagement Scale". <i>Translational Behavioral Medicine</i> , <b>2020</b> , 10, 267-277                     | 3.2  | 21  |
| 733 | Reducing SARS-CoV-2 transmission in the UK: A behavioural science approach to identifying options for increasing adherence to social distancing and shielding vulnerable people. <i>British Journal of Health Psychology</i> , <b>2020</b> , 25, 945-956 | 8.3  | 36  |
| 732 | Applying principles of behaviour change to reduce SARS-CoV-2 transmission. <i>Nature Human Behaviour</i> , <b>2020</b> , 4, 451-459  | 12.8 | 263 |
| 731 | Behaviour change techniques associated with smoking cessation in intervention and comparator groups of randomized controlled trials: a systematic review and meta-regression. <i>Addiction</i> , <b>2020</b> , 115, 2008-2020                            | 4.6  | 18  |
| 730 | If at first you don't succeed, when should you try again? A prospective study of failed quit attempts and subsequent smoking cessation. <i>Addictive Behaviors</i> , <b>2020</b> , 106, 106366   | 4.2  | 1   |

|     |   |     |    |
|-----|---|-----|----|
| 729 | Decrease in Resting Heart Rate Measured Using Smartphone Apps to Verify Abstinence From Smoking: An Exploratory Study. <i>Nicotine and Tobacco Research</i> , <b>2020</b> , 22, 1424-1427                                       | 4.9 | 2  |
| 728 | Study protocol for a cluster randomised controlled feasibility trial evaluating personalised care planning for older people with frailty: PROSPER V2 27/11/18. <i>Pilot and Feasibility Studies</i> , <b>2020</b> , 6, 56       | 1.9 | 3  |
| 727 | Variability and effectiveness of comparator group interventions in smoking cessation trials: a systematic review and meta-analysis. <i>Addiction</i> , <b>2020</b> , 115, 1607-1617   | 4.6 | 17 |
| 726 | Protocol for a feasibility study of smoking cessation in the surgical pathway before major lung surgery: Project MURRAY. <i>BMJ Open</i> , <b>2020</b> , 10, e036568  | 3   | 2  |
| 725 | Harnessing behavioural science in public health campaigns to maintain 'social distancing' in response to the COVID-19 pandemic: key principles. <i>Journal of Epidemiology and Community Health</i> , <b>2020</b> , 74, 617-619 | 5.1 | 69 |
| 724 | Representation of behaviour change interventions and their evaluation: Development of the Upper Level of the Behaviour Change Intervention Ontology. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 123                       | 4.8 | 21 |
| 723 | Development of an Intervention Setting Ontology for behaviour change: Specifying where interventions take place. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 124   | 4.8 | 13 |
| 722 | Delivering Behaviour Change Interventions: Development of a Mode of Delivery Ontology. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 125   | 4.8 | 16 |
| 721 | Ontologies relevant to behaviour change interventions: a method for their development. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 126   | 4.8 | 9  |
| 720 | Ontologies relevant to behaviour change interventions: a method for their development. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 126   | 4.8 | 10 |
| 719 | An ontology-based modelling system (OBMS) for representing behaviour change theories applied to 76 theories. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 177   | 4.8 | 10 |
| 718 | An online Paper Authoring Tool (PAT) to improve reporting of, and synthesis of evidence from, trials in behavioral sciences. <i>Health Psychology</i> , <b>2020</b> , 39, 846-850   | 5   | 2  |
| 717 | Population-level predictors of changes in success rates of smoking quit attempts in England: a time series analysis. <i>Addiction</i> , <b>2020</b> , 115, 315-325  | 4.6 | 13 |
| 716 | Changes in smoker characteristics in England between 2008 and 2017. <i>Addiction</i> , <b>2020</b> , 115, 748-756   | 4.6 | 14 |
| 715 | Associations between smoking status and bodily pain in a cross-sectional survey of UK respondents. <i>Addictive Behaviors</i> , <b>2020</b> , 102, 106229   | 4.2 | 3  |
| 714 | Associations between dual use of e-cigarettes and smoking cessation: A prospective study of smokers in England. <i>Addictive Behaviors</i> , <b>2020</b> , 103, 106230  | 4.2 | 25 |
| 713 | Achieving Long-term Abstinence from Tobacco Use in Patients in a Cardiovascular Prevention and Rehabilitation Setting <b>2020</b> , 101-125   |     |    |
| 712 | Are population trends in high-risk alcohol consumption in smokers associated with trends in quit attempts and quit success? A time-series analysis. <i>BMJ Open</i> , <b>2020</b> , 10, e034262                                 | 3   | 1  |

|     |  |      |    |
|-----|--|------|----|
| 711 | Mindfulness for smoking cessation. <i>The Cochrane Library</i> , <b>2020</b> ,   | 5.2  | 78 |
| 710 | Association of prevalence of electronic cigarette use with smoking cessation and cigarette consumption in England: a time-series analysis between 2006 and 2017. <i>Addiction</i> , <b>2020</b> , 115, 961-974   | 4.6  | 49 |
| 709 | Is the use of e-cigarettes for smoking cessation associated with alcohol consumption? A population-level survey of successful quitters in England. <i>Addictive Behaviors</i> , <b>2020</b> , 101, 106138  | 4.2  | 6  |
| 708 | Trends in Attempts to Quit Smoking in England Since 2007: A Time Series Analysis of a Range of Population-Level Influences. <i>Nicotine and Tobacco Research</i> , <b>2020</b> , 22, 1476-1483   | 4.9  | 7  |
| 707 | Impact of the "Stoptober" Smoking Cessation Campaign in England From 2012 to 2017: A Quasiexperimental Repeat Cross-Sectional Study. <i>Nicotine and Tobacco Research</i> , <b>2020</b> , 22, 1453-1459  | 4.9  | 2  |
| 706 | Understanding the Association Between Spontaneous Quit Attempts and Improved Smoking Cessation Success Rates: A Population Survey in England With 6-Month Follow-up. <i>Nicotine and Tobacco Research</i> , <b>2020</b> , 22, 1460-1467                  | 4.9  | 11 |
| 705 | Long-term evaluation of the rise in legal age-of-sale of cigarettes from 16 to 18 in England: a trend analysis. <i>BMC Medicine</i> , <b>2020</b> , 18, 85   | 11.4 | 2  |
| 704 | Representation of behaviour change interventions and their evaluation: Development of the Upper Level of the Behaviour Change Intervention Ontology. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 123  | 4.8  | 13 |
| 703 | Delivering Behaviour Change Interventions: Development of a Mode of Delivery Ontology. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 125  | 4.8  | 14 |
| 702 | Comparison of Trends in Self-reported Cigarette Consumption and Sales in England, 2011 to 2018. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1910161   | 10.4 | 16 |
| 701 | Pragmatic randomised trial of a smartphone app (NRT2Quit) to improve effectiveness of nicotine replacement therapy in a quit attempt by improving medication adherence: results of a prematurely terminated study. <i>Trials</i> , <b>2019</b> , 20, 547 | 2.8  | 5  |
| 700 | Predictive Validity, Diagnostic Accuracy and Test-Retest Reliability of the Strength of Urges to Drink (SUTD) Scale. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,  | 4.6  | 1  |
| 699 | Associations between socio-economic factors and alcohol consumption: A population survey of adults in England. <i>PLoS ONE</i> , <b>2019</b> , 14, e0209442  | 3.7  | 33 |
| 698 | Safety and efficacy of first-line smoking cessation pharmacotherapies in bipolar disorders: Subgroup analysis of a randomized clinical trial. <i>Journal of Affective Disorders</i> , <b>2019</b> , 256, 267-277   | 6.6  | 6  |
| 697 | Moderators of real-world effectiveness of smoking cessation aids: a population study. <i>Addiction</i> , <b>2019</b> , 114, 1627-1638  | 4.6  | 47 |
| 696 | Understanding and using time series analyses in addiction research. <i>Addiction</i> , <b>2019</b> , 114, 1866-1884  | 4.6  | 45 |
| 695 | Effectiveness of an offer of the Smoke Free smartphone application for smoking cessation: protocol for a randomized controlled trial. <i>Addiction</i> , <b>2019</b> , 114, 2078-2086  | 4.6  | 0  |
| 694 | What do cost-effective health behaviour-change interventions contain? A comparison of six domains. <i>PLoS ONE</i> , <b>2019</b> , 14, e0213983  | 3.7  | 10 |

|     |   |      |    |
|-----|---|------|----|
| 693 | Development of a formal system for representing behaviour-change theories. <i>Nature Human Behaviour</i> , <b>2019</b> , 3, 526-536   | 12.8 | 75 |
| 692 | Vaping for weight control: A cross-sectional population study in England. <i>Addictive Behaviors</i> , <b>2019</b> , 95, 211-219  | 4.2  | 13 |
| 691 | Finding smoking hot-spots: a cross-sectional survey of smoking patterns by housing tenure in England. <i>Addiction</i> , <b>2019</b> , 114, 889-895   | 4.6  | 11 |
| 690 | Randomized factorial experiment of components of the SmokeFree Baby smartphone application to aid smoking cessation in pregnancy. <i>Translational Behavioral Medicine</i> , <b>2019</b> , 9, 583-593   | 3.2  | 16 |
| 689 | Lessons learned from unsuccessful use of personal carbon monoxide monitors to remotely assess abstinence in a pragmatic trial of a smartphone stop smoking app - A secondary analysis. <i>Addictive Behaviors Reports</i> , <b>2019</b> , 9, 100122                               | 3.7  | 10 |
| 688 | Reply to 'Smoke free, but dependent on nicotine' (Karam-Hage 2019). <i>Addiction</i> , <b>2019</b> , 114, 1887-1888   | 4.6  |    |
| 687 | Effectiveness of training general practitioners to improve the implementation of brief stop-smoking advice in German primary care: study protocol of a pragmatic, 2-arm cluster randomised controlled trial (the ABCII trial). <i>BMC Family Practice</i> , <b>2019</b> , 20, 107 | 2.6  | 6  |
| 686 | Expenditure on smoking and alternative nicotine delivery products: a population survey in England. <i>Addiction</i> , <b>2019</b> , 114, 2026-2036  | 4.6  | 10 |
| 685 | Trends in and factors associated with the adoption of digital aids for smoking cessation and alcohol reduction: A population survey in England. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 205, 107653  | 4.9  | 6  |
| 684 | Associations between self-esteem and smoking and excessive alcohol consumption in the UK: A cross-sectional study using the BBC UK Lab database. <i>Addictive Behaviors Reports</i> , <b>2019</b> , 10, 100229  | 3.7  | 7  |
| 683 | Updating the evidence on the effectiveness of the alcohol reduction app, Drink Less: using Bayes factors to analyse trial datasets supplemented with extended recruitment. <i>F1000Research</i> , <b>2019</b> , 8, 114  | 3.6  | 4  |
| 682 | Updating the evidence on the effectiveness of the alcohol reduction app, Drink Less: using Bayes factors to analyse trial datasets supplemented with extended recruitment. <i>F1000Research</i> , <b>2019</b> , 8, 114  | 3.6  | 6  |
| 681 | Do Daily Fluctuations in Psychological and App-Related Variables Predict Engagement With an Alcohol Reduction App? A Series of N-Of-1 Studies. <i>JMIR MHealth and UHealth</i> , <b>2019</b> , 7, e14098  | 5.5  | 7  |
| 680 | Assessing the Psychometric Properties of the Digital Behavior Change Intervention Engagement Scale in Users of an App for Reducing Alcohol Consumption: Evaluation Study. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e16197                                  | 7.6  | 11 |
| 679 | Smokers' strategies across social grades to minimise the cost of smoking in a period with annual tax increases: evidence from a national survey in England. <i>BMJ Open</i> , <b>2019</b> , 9, e026320  | 3    | 12 |
| 678 | Relapse prevention interventions for smoking cessation. <i>The Cochrane Library</i> , <b>2019</b> , 2019,   | 5.2  | 25 |
| 677 | An Estimation of Lifetime Fatal Carcinogenesis Risk Attributable to Radiation Exposure in the First Year Following Polytrauma: A Major Trauma Center's Experience Over 10 Years. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2019</b> , 101, 1375-1380               | 5.6  | 6  |
| 676 | 'S'-shaped curve: modelling trends in smoking prevalence, uptake and cessation in Great Britain from 1973 to 2016. <i>Thorax</i> , <b>2019</b> , 74, 875-881  | 7.3  | 3  |

|     |  |      |     |
|-----|--|------|-----|
| 675 | Evaluations of clinical tobacco cessation interventions in Arab populations: A systematic review. <i>Addictive Behaviors</i> , <b>2019</b> , 88, 169-174   | 4.2  | 3   |
| 674 | The development of Drink Less: an alcohol reduction smartphone app for excessive drinkers. <i>Translational Behavioral Medicine</i> , <b>2019</b> , 9, 296-307   | 3.2  | 20  |
| 673 | Enhancing Behavior Change Technique Coding Methods: Identifying Behavioral Targets and Delivery Styles in Smoking Cessation Trials. <i>Annals of Behavioral Medicine</i> , <b>2019</b> , 53, 583-591   | 4.5  | 10  |
| 672 | Perceived addiction to smoking and associations with motivation to stop, quit attempts and quitting success: A prospective study of English smokers. <i>Addictive Behaviors</i> , <b>2019</b> , 90, 306-311  | 4.2  | 14  |
| 671 | The effectiveness, safety and cost-effectiveness of cytisine versus varenicline for smoking cessation in an Australian population: a study protocol for a randomized controlled non-inferiority trial. <i>Addiction</i> , <b>2019</b> , 114, 923-933 | 4.6  | 7   |
| 670 | Does the offer of e-cigarettes benefit smoking cessation among unselected smokers?. <i>Addiction</i> , <b>2019</b> , 114, 186-187  | 4.6  | 2   |
| 669 | Modelling continuous abstinence rates over time from clinical trials of pharmacological interventions for smoking cessation. <i>Addiction</i> , <b>2019</b> , 114, 787-797   | 4.6  | 24  |
| 668 | Use of dynamic systems methods to characterize dyadic interactions in smoking cessation behavioural support sessions: A feasibility study. <i>British Journal of Health Psychology</i> , <b>2019</b> , 24, 192-214                                   | 8.3  | 2   |
| 667 | E-cigarette use in England 2014-17 as a function of socio-economic profile. <i>Addiction</i> , <b>2019</b> , 114, 294-303  | 4.6  | 26  |
| 666 | Factors associated with Quitline and pharmacotherapy utilisation among low-socioeconomic status smokers. <i>Addictive Behaviors</i> , <b>2019</b> , 89, 113-120  | 4.2  | 2   |
| 665 | Relapse prevention interventions for smoking cessation. <i>The Cochrane Library</i> , <b>2019</b> , 2, CD003999  | 5.2  | 23  |
| 664 | Factors associated with the efficacy of smoking cessation treatments and predictors of smoking abstinence in EAGLES. <i>Addiction</i> , <b>2018</b> , 113, 1507-1516   | 4.6  | 40  |
| 663 | Cardiovascular Safety of Varenicline, Bupropion, and Nicotine Patch in Smokers: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , <b>2018</b> , 178, 622-631  | 11.5 | 69  |
| 662 | Smoking cessation intervention delivered by social service organisations for a diverse population of Australian disadvantaged smokers: A pragmatic randomised controlled trial. <i>Preventive Medicine</i> , <b>2018</b> , 112, 38-44                | 4.3  | 9   |
| 661 | Does consistent motivation to stop smoking improve the explanation of recent quit attempts beyond current motivation? A cross-sectional study. <i>Addictive Behaviors</i> , <b>2018</b> , 81, 12-16  | 4.2  | 7   |
| 660 | Assessment of cost-effective changes to the current and potential provision of smoking cessation services: an analysis based on the EQUIPTMOD. <i>Addiction</i> , <b>2018</b> , 113 Suppl 1, 96-105  | 4.6  | 5   |
| 659 | Motivation to reduce alcohol consumption and subsequent attempts at reduction and changes in consumption in increasing and higher-risk drinkers in England: a prospective population survey. <i>Addiction</i> , <b>2018</b> , 113, 817-827           | 4.6  | 8   |
| 658 | Evaluating the effectiveness of behavior change techniques in health-related behavior: a scoping review of methods used. <i>Translational Behavioral Medicine</i> , <b>2018</b> , 8, 212-224   | 3.2  | 137 |

|     |   |     |     |
|-----|---|-----|-----|
| 657 | Evaluating clinical stop-smoking services globally: towards a minimum data set. <i>Addiction</i> , <b>2018</b> , 113, 1382-1389   | 4.6 | 4   |
| 656 | A longitudinal study into the reciprocal effects of identities and smoking behaviour: Findings from the ITC Netherlands Survey. <i>Social Science and Medicine</i> , <b>2018</b> , 200, 249-257   | 5.1 | 13  |
| 655 | Offer and Use of Smoking-Cessation Support by Depression/Anxiety Status: A Cross-Sectional Survey. <i>Journal of Smoking Cessation</i> , <b>2018</b> , 13, 207-215  | 0.5 | 1   |
| 654 | A smartphone app to reduce excessive alcohol consumption: Identifying the effectiveness of intervention components in a factorial randomised control trial. <i>Scientific Reports</i> , <b>2018</b> , 8, 4384   | 4.9 | 51  |
| 653 | Progression towards smoking cessation: Qualitative analysis of successful, unsuccessful, and never quitters. <i>Journal of Substance Use</i> , <b>2018</b> , 23, 214-222  | 0.8 | 7   |
| 652 | Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. <i>Nicotine and Tobacco Research</i> , <b>2018</b> , 20, 1101-1108  | 4.9 | 20  |
| 651 | What factors are associated with abstinence amongst socioeconomically disadvantaged smokers? A cross-sectional survey of use of cessation aids and quitting approach. <i>Drug and Alcohol Review</i> , <b>2018</b> , 37, 170-179                                      | 3.2 | 2   |
| 650 | Associations between tobacco control mass media campaign expenditure and smoking prevalence and quitting in England: a time series analysis. <i>Tobacco Control</i> , <b>2018</b> , 27, 455-462   | 5.3 | 23  |
| 649 | Want, need and habit as drivers of smoking behaviour: A preliminary analysis. <i>Addictive Behaviors</i> , <b>2018</b> , 76, 135-138  | 4.2 | 6   |
| 648 | Estimates of effectiveness and reach for 'return on investment' modelling of smoking cessation interventions using data from England. <i>Addiction</i> , <b>2018</b> , 113 Suppl 1, 19-31   | 4.6 | 12  |
| 647 | Development and application of an economic model (EQUIPTMOD) to assess the impact of smoking cessation. <i>Addiction</i> , <b>2018</b> , 113 Suppl 1, 7-18  | 4.6 | 14  |
| 646 | Is prevalence of e-cigarette and nicotine replacement therapy use among smokers associated with average cigarette consumption in England? A time-series analysis. <i>BMJ Open</i> , <b>2018</b> , 8, e016046  | 3   | 16  |
| 645 | "If I'd Known" - a Theory-Informed Systematic Analysis of Missed Opportunities in Optimising Use of Nicotine Replacement Therapy and Accessing Relevant Support: a Qualitative Study. <i>International Journal of Behavioral Medicine</i> , <b>2018</b> , 25, 579-591 | 2.6 | 8   |
| 644 | Smokers' Views on Personal Carbon Monoxide Monitors, Associated Apps, and Their Use: An Interview and Think-Aloud Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,   | 4.6 | 10  |
| 643 | Long-term smoking cessation rates in elderly versus other adult smokers: A 3-year follow-up study in Taiwan. <i>Addictive Behaviors Reports</i> , <b>2018</b> , 8, 62-65  | 3.7 | 6   |
| 642 | Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , <b>2018</b> , 113, 1905-1926   | 4.6 | 371 |
| 641 | Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2018</b> , 18, 156  | 3.2 | 7   |
| 640 | The need for more consistent evidential standards in cannabis policy evaluations. <i>Addiction</i> , <b>2018</b> , 113, 1553-1554   | 4.6 | 0   |



|     |  |      |     |
|-----|--|------|-----|
| 639 | Relative effectiveness of a full versus reduced version of the 'Smoke Free' mobile application for smoking cessation: a randomised controlled trial. <i>F1000Research</i> , <b>2018</b> , 7, 1524  | 3.6  | 12  |
| 638 | Relative effectiveness of a full versus reduced version of the Smoke Free mobile application for smoking cessation: an exploratory randomised controlled trial. <i>F1000Research</i> , <b>2018</b> , 7, 1524   | 3.6  | 12  |
| 637 | Predictors of Engagement, Response to Follow Up, and Extent of Alcohol Reduction in Users of a Smartphone App (Drink Less): Secondary Analysis of a Factorial Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , <b>2018</b> , 6, e11175 | 5.5  | 15  |
| 636 | Factors moderating the relative effectiveness of varenicline and nicotine replacement therapy in clients using smoking cessation services. <i>Addiction</i> , <b>2018</b> , 113, 313-324   | 4.6  | 3   |
| 635 | Engagement features judged by excessive drinkers as most important to include in smartphone applications for alcohol reduction: A mixed-methods study. <i>Digital Health</i> , <b>2018</b> , 4, 2055207618785841                                     | 4    | 12  |
| 634 | Are smokers who are regularly exposed to e-cigarette use by others more or less motivated to stop or to make a quit attempt? A cross-sectional and longitudinal survey. <i>BMC Medicine</i> , <b>2018</b> , 16, 206                                  | 11.4 | 9   |
| 633 | Roll-your-own cigarette use and smoking cessation behaviour: a cross-sectional population study in England. <i>BMJ Open</i> , <b>2018</b> , 8, e025370   | 3    | 10  |
| 632 | Associations between Practitioner Personality and Client Quit Rates in Smoking Cessation Behavioural Support Interventions. <i>Journal of Smoking Cessation</i> , <b>2018</b> , 13, 103-109  | 0.5  | 1   |
| 631 | Rationalizations and identity conflict following smoking relapse: a thematic analysis. <i>Journal of Substance Use</i> , <b>2017</b> , 22, 47-52   | 0.8  | 0   |
| 630 | Applying and advancing behavior change theories and techniques in the context of a digital health revolution: proposals for more effectively realizing untapped potential. <i>Journal of Behavioral Medicine</i> , <b>2017</b> , 40, 85-98           | 3.6  | 73  |
| 629 | A comparison of the characteristics of iOS and Android users of a smoking cessation app. <i>Translational Behavioral Medicine</i> , <b>2017</b> , 7, 166-171   | 3.2  | 22  |
| 628 | Nicotine, Carcinogen, and Toxin Exposure in Long-Term E-Cigarette and Nicotine Replacement Therapy Users: A Cross-sectional Study. <i>Annals of Internal Medicine</i> , <b>2017</b> , 166, 390-400   | 8    | 292 |
| 627 | Effectiveness of a brief community outreach tobacco cessation intervention in India: a cluster-randomised controlled trial (the BABEX Trial). <i>Thorax</i> , <b>2017</b> , 72, 167-173  | 7.3  | 25  |
| 626 | Usability testing of a smoking cessation smartphone application ('SmokeFree Baby'): A think-aloud study with pregnant smokers. <i>Digital Health</i> , <b>2017</b> , 3, 2055207617704273   | 4    | 14  |
| 625 | Cardiovascular and neuropsychiatric risks of varenicline and bupropion in smokers with chronic obstructive pulmonary disease. <i>Thorax</i> , <b>2017</b> , 72, 905-911  | 7.3  | 13  |
| 624 | Association between smoking and alcohol-related behaviours: a time-series analysis of population trends in England. <i>Addiction</i> , <b>2017</b> , 112, 1832-1841  | 4.6  | 27  |
| 623 | Tobacco smoking: Health impact, prevalence, correlates and interventions. <i>Psychology and Health</i> , <b>2017</b> , 32, 1018-1036   | 2.9  | 219 |
| 622 | Impact on smoking of England's 2012 partial tobacco point of sale display ban: a repeated cross-sectional national study. <i>Tobacco Control</i> , <b>2017</b> , 26, 141-148   | 5.3  | 21  |

|     |  |      |     |
|-----|--|------|-----|
| 621 | Healthier central England or North-South divide? Analysis of national survey data on smoking and high-risk drinking. <i>BMJ Open</i> , <b>2017</b> , 7, e014210  | 3    | 21  |
| 620 | User characteristics of a smartphone app to reduce alcohol consumption. <i>Translational Behavioral Medicine</i> , <b>2017</b> , 7, 845-853  | 3.2  | 6   |
| 619 | Conceptualising engagement with digital behaviour change interventions: a systematic review using principles from critical interpretive synthesis. <i>Translational Behavioral Medicine</i> , <b>2017</b> , 7, 254-267               | 3.2  | 438 |
| 618 | Predictors of and reasons for attempts to reduce alcohol intake: A population survey of adults in England. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173458  | 3.7  | 15  |
| 617 | The Human Behaviour-Change Project: harnessing the power of artificial intelligence and machine learning for evidence synthesis and interpretation. <i>Implementation Science</i> , <b>2017</b> , 12, 121                            | 8.4  | 147 |
| 616 | Development and evaluation of STAR [an expert digital platform supporting training and delivery of cessation interventions by healthcare professionals in Poland.]. <i>Journal of Health Inequalities</i> , <b>2017</b> , 3, 133-137 | 0.4  |     |
| 615 | Complex systems and individual-level approaches to population health: a false dichotomy?. <i>Lancet Public Health, The</i> , <b>2017</b> , 2, e396-e397  | 22.4 | 49  |
| 614 | Study protocol of the German Study on Tobacco Use (DEBRA): a national household survey of smoking behaviour and cessation. <i>BMC Public Health</i> , <b>2017</b> , 17, 378  | 4.1  | 17  |
| 613 | Smokers' and drinkers' choice of smartphone applications and expectations of engagement: a think aloud and interview study. <i>BMC Medical Informatics and Decision Making</i> , <b>2017</b> , 17, 25                                | 3.6  | 71  |
| 612 | Predictors of retention in a randomised trial of smoking cessation in low-socioeconomic status Australian smokers. <i>Addictive Behaviors</i> , <b>2017</b> , 64, 13-20  | 4.2  | 18  |
| 611 | Sexual orientation identity and tobacco and hazardous alcohol use: findings from a cross-sectional English population survey. <i>BMJ Open</i> , <b>2017</b> , 7, e015058   | 3    | 19  |
| 610 | Factors Influencing Usability of a Smartphone App to Reduce Excessive Alcohol Consumption: Think Aloud and Interview Studies. <i>Frontiers in Public Health</i> , <b>2017</b> , 5, 39  | 6    | 43  |
| 609 | Developing and Evaluating Digital Interventions to Promote Behavior Change in Health and Health Care: Recommendations Resulting From an International Workshop. <i>Journal of Medical Internet Research</i> , <b>2017</b> , 19, e232 | 7.6  | 356 |
| 608 | External validation of the Motivation To Stop Scale (MTSS): findings from the International Tobacco Control (ITC) Netherlands Survey. <i>European Journal of Public Health</i> , <b>2017</b> , 27, 129-134                           | 2.1  | 16  |
| 607 | The Social Gradient in Tobacco Use Does Not Generalize to Low-Income Urban Communities in India: Findings From a Census Survey. <i>Nicotine and Tobacco Research</i> , <b>2017</b> , 19, 1516-1520                                   | 4.9  | 3   |
| 606 | Data and statistical commands should be routinely disclosed in order to promote greater transparency and accountability in clinical and behavioral research. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 70, 254-5       | 5.7  | 5   |
| 605 | Evaluating the effectiveness of a smartphone app to reduce excessive alcohol consumption: protocol for a factorial randomised control trial. <i>BMC Public Health</i> , <b>2016</b> , 16, 536  | 4.1  | 27  |
| 604 | New Pharmacological Agents to Aid Smoking Cessation and Tobacco Harm Reduction: What Has Been Investigated, and What Is in the Pipeline?. <i>CNS Drugs</i> , <b>2016</b> , 30, 951-83  | 6.7  | 30  |

|     |   |     |     |
|-----|---|-----|-----|
| 603 | Designing and Undertaking a Health Economics Study of Digital Health Interventions. <i>American Journal of Preventive Medicine</i> , <b>2016</b> , 51, 852-860  | 6.1 | 36  |
| 602 | Development of SmokeFree Baby: a smoking cessation smartphone app for pregnant smokers. <i>Translational Behavioral Medicine</i> , <b>2016</b> , 6, 533-545   | 3.2 | 31  |
| 601 | Can smoking initiation contexts predict how adult Aboriginal smokers assess their smoking risks? A cross-sectional study using the 'Smoking Risk Assessment Target'. <i>BMJ Open</i> , <b>2016</b> , 6, e010722   | 3   | 4   |
| 600 | Association between electronic cigarette use and changes in quit attempts, success of quit attempts, use of smoking cessation pharmacotherapy, and use of stop smoking services in England: time series analysis of population trends. <i>BMJ, The</i> , <b>2016</b> , 354, i4645 | 5.9 | 145 |
| 599 | Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e1-9   | 1.6 | 65  |
| 598 | Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. <i>BMC Public Health</i> , <b>2016</b> , 16, 535  | 4.1 | 8   |
| 597 | Use of aids for smoking cessation and alcohol reduction: A population survey of adults in England. <i>BMC Public Health</i> , <b>2016</b> , 16, 1237  | 4.1 | 6   |
| 596 | Assessing the Quality of Goal Setting in Behavioural Support for Smoking Cessation and its Association with Outcomes. <i>Annals of Behavioral Medicine</i> , <b>2016</b> , 50, 310-8  | 4.5 | 26  |
| 595 | Characterising smoking cessation smartphone applications in terms of behaviour change techniques, engagement and ease-of-use features. <i>Translational Behavioral Medicine</i> , <b>2016</b> , 6, 410-7  | 3.2 | 39  |
| 594 | Identifying effective behavioural components of Intervention and Comparison group support provided in SMOKing cEssation (IC-SMOKE) interventions: a systematic review protocol. <i>Systematic Reviews</i> , <b>2016</b> , 5, 77   | 3   | 26  |
| 593 | Factors Associated With Concurrent Tobacco Smoking and Heavy Alcohol Consumption Within a Socioeconomically Disadvantaged Australian Sample. <i>Substance Use and Misuse</i> , <b>2016</b> , 51, 459-70   | 2.2 | 14  |
| 592 | An Online Documentary Film to Motivate Quit Attempts Among Smokers in the General Population (4Weeks2Freedom): A Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , <b>2016</b> , 18, 1093-100   | 4.9 | 7   |
| 591 | An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , <b>2016</b> , 18, 289-97            | 4.9 | 13  |
| 590 | The end of scientific articles as we know them?. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 70, 276  | 5.7 | 1   |
| 589 | Comparative analysis of smoking cessation smartphone applications available in 2012 versus 2014. <i>Addictive Behaviors</i> , <b>2016</b> , 58, 175-81  | 4.2 | 43  |
| 588 | Dependence and motivation to stop smoking as predictors of success of a quit attempt among smokers seeking help to quit. <i>Addictive Behaviors</i> , <b>2016</b> , 53, 175-80  | 4.2 | 45  |
| 587 | Deconstructing the Alcohol Harm Paradox: A Population Based Survey of Adults in England. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160666   | 3.7 | 45  |
| 586 | Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. <i>Trials</i> , <b>2016</b> , 17, 524   | 2.8 | 8   |

|     |   |      |     |
|-----|---|------|-----|
| 585 | Characterizing clients' verbal statements in behavioural support interventions: The case of smoking cessation. <i>British Journal of Health Psychology</i> , <b>2016</b> , 21, 600-12   | 8.3  | 7   |
| 584 | Path analysis of cognitive behavioral models in smoking: what is the relationship between concepts involved?. <i>Journal of Substance Use</i> , <b>2016</b> , 21, 553-557   | 0.8  | 2   |
| 583 | Neuropsychiatric safety and efficacy of varenicline, bupropion, and nicotine patch in smokers with and without psychiatric disorders (EAGLES): a double-blind, randomised, placebo-controlled clinical trial. <i>Lancet, The</i> , <b>2016</b> , 387, 2507-20             | 4.0  | 615 |
| 582 | Does cigarette reduction while using nicotine replacement therapy prior to a quit attempt predict abstinence following quit date?. <i>Addiction</i> , <b>2016</b> , 111, 1275-82  | 4.6  | 6   |
| 581 | Estimating the population impact of e-cigarettes on smoking cessation in England. <i>Addiction</i> , <b>2016</b> , 111, 1118-9  | 4.6  | 36  |
| 580 | Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. <i>Addiction</i> , <b>2016</b> , 111, 1656-65   | 4.6  | 18  |
| 579 | Using Bayes factors for testing hypotheses about intervention effectiveness in addictions research. <i>Addiction</i> , <b>2016</b> , 111, 2230-2247   | 4.6  | 66  |
| 578 | Heterogeneous associations between smoking and a wide range of initial presentations of cardiovascular disease in 1937360 people in England: lifetime risks and implications for risk prediction. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 129-41 | 7.8  | 80  |
| 577 | Treatment manuals, training and successful provision of stop smoking behavioural support. <i>Behaviour Research and Therapy</i> , <b>2015</b> , 71, 34-9  | 5.2  | 14  |
| 576 | Authors' reply to Braillon and Bewley. <i>BMJ, The</i> , <b>2015</b> , 350, h3555   | 5.9  |     |
| 575 | Should the threshold for expired-air carbon monoxide concentration as a means of verifying self-reported smoking abstinence be reduced in clinical treatment programmes? Evidence from a Malaysian smokers' clinic. <i>Addictive Behaviors</i> , <b>2015</b> , 47, 74-9   | 4.2  | 4   |
| 574 | Protocol for a national monthly survey of alcohol use in England with 6-month follow-up: 'the Alcohol Toolkit Study'. <i>BMC Public Health</i> , <b>2015</b> , 15, 230  | 4.1  | 41  |
| 573 | A comparison of emotion regulation strategies in response to craving cognitions: Effects on smoking behaviour, craving and affect in dependent smokers. <i>Behaviour Research and Therapy</i> , <b>2015</b> , 69, 29-39   | 5.2  | 25  |
| 572 | Cardiovascular and neuropsychiatric risks of varenicline: a retrospective cohort study. <i>Lancet Respiratory Medicine, the</i> , <b>2015</b> , 3, 761-8  | 35.1 | 68  |
| 571 | Reciprocal associations between smoking cessation and depression in older smokers: findings from the English Longitudinal Study of Ageing. <i>British Journal of Psychiatry</i> , <b>2015</b> , 207, 243-9  | 5.4  | 18  |
| 570 | Assessing Connections Between Behavior Change Theories Using Network Analysis. <i>Annals of Behavioral Medicine</i> , <b>2015</b> , 49, 754-61  | 4.5  | 16  |
| 569 | Global statistics on addictive behaviours: 2014 status report. <i>Addiction</i> , <b>2015</b> , 110, 904-19   | 4.6  | 238 |
| 568 | Physical activity for smoking cessation in pregnancy: randomised controlled trial. <i>BMJ, The</i> , <b>2015</b> , 350, h2145   | 5.9  | 29  |

|     |  |      |     |
|-----|--|------|-----|
| 567 | Comparison of the characteristics of long-term users of electronic cigarettes versus nicotine replacement therapy: A cross-sectional survey of English ex-smokers and current smokers. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 153, 300-5 | 4.9  | 22  |
| 566 | Associations between use of pharmacological aids in a smoking cessation attempt and subsequent quitting activity: a population study. <i>Addiction</i> , <b>2015</b> , 110, 513-8  | 4.6  | 6   |
| 565 | Quitting Without Reporting Having Tried: Findings From a National Survey. <i>Journal of Smoking Cessation</i> , <b>2015</b> , 10, 141-145  | 0.5  | 1   |
| 564 | Healthcare Providers' Views on Digital Smoking Cessation Interventions for Pregnant Women. <i>Journal of Smoking Cessation</i> , <b>2015</b> , 10, 116-123   | 0.5  | 7   |
| 563 | Reply to Warnakulasuriya et al. <i>Addiction</i> , <b>2015</b> , 110, 1533-4   | 4.6  |     |
| 562 | Smoker identity and its potential role in young adults' smoking behavior: A meta-ethnography. <i>Health Psychology</i> , <b>2015</b> , 34, 992-1003  | 5    | 55  |
| 561 | Comparing socially disadvantaged smokers who agree and decline to participate in a randomised smoking cessation trial. <i>BMJ Open</i> , <b>2015</b> , 5, e008419  | 3    | 3   |
| 560 | Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , <b>2015</b> , 16, 1                    | 2.8  | 70  |
| 559 | Effect of varenicline on smoking cessation through smoking reduction: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 313, 687-94   | 27.4 | 124 |
| 558 | Is the use of electronic cigarettes while smoking associated with smoking cessation attempts, cessation and reduced cigarette consumption? A survey with a 1-year follow-up. <i>Addiction</i> , <b>2015</b> , 110, 1160-8                            | 4.6  | 184 |
| 557 | Health-care interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. <i>Addiction</i> , <b>2015</b> , 110, 1388-403                                   | 4.6  | 146 |
| 556 | Has growth in electronic cigarette use by smokers been responsible for the decline in use of licensed nicotine products? Findings from repeated cross-sectional surveys. <i>Thorax</i> , <b>2015</b> , 70, 974-8                                     | 7.3  | 22  |
| 555 | Does non-smoker identity following quitting predict long-term abstinence? Evidence from a population survey in England. <i>Addictive Behaviors</i> , <b>2015</b> , 45, 99-103  | 4.2  | 29  |
| 554 | Association of amount and duration of NRT use in smokers with cigarette consumption and motivation to stop smoking: a national survey of smokers in England. <i>Addictive Behaviors</i> , <b>2015</b> , 40, 33-8                                     | 4.2  | 12  |
| 553 | A mobile app to aid smoking cessation: preliminary evaluation of SmokeFree28. <i>Journal of Medical Internet Research</i> , <b>2015</b> , 17, e17  | 7.6  | 100 |
| 552 | Behavior change techniques in popular alcohol reduction apps: content analysis. <i>Journal of Medical Internet Research</i> , <b>2015</b> , 17, e118   | 7.6  | 113 |
| 551 | Identification of Behavior Change Techniques and Engagement Strategies to Design a Smartphone App to Reduce Alcohol Consumption Using a Formal Consensus Method. <i>JMIR MHealth and UHealth</i> , <b>2015</b> , 3, e73                              | 5.5  | 70  |
| 550 | The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. <i>Health Technology Assessment</i> , <b>2015</b> , 19, vii-xxiv, 1-135    | 4.4  | 19  |

|     |   |      |     |
|-----|---|------|-----|
| 549 | Varenicline versus transdermal nicotine patch: a 3-year follow-up in a smoking cessation clinic in Taiwan. <i>Psychopharmacology</i> , <b>2014</b> , 231, 2819-23   | 4.7  | 12  |
| 548 | How are the English Stop Smoking Services responding to growth in use of electronic cigarettes?. <i>Patient Education and Counseling</i> , <b>2014</b> , 94, 276-81   | 3.1  | 22  |
| 547 | Real-world effectiveness of e-cigarettes when used to aid smoking cessation: a cross-sectional population study. <i>Addiction</i> , <b>2014</b> , 109, 1531-40  | 4.6  | 314 |
| 546 | How do prompts for attempts to quit smoking relate to method of quitting and quit success?. <i>Annals of Behavioral Medicine</i> , <b>2014</b> , 47, 358-68   | 4.5  | 9   |
| 545 | How stable are stop smoking practitioner success rates over time?. <i>Translational Behavioral Medicine</i> , <b>2014</b> , 4, 220-5  | 3.2  | 2   |
| 544 | How effective and cost-effective was the national mass media smoking cessation campaign 'Stoptober'?. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 135, 52-8  | 4.9  | 61  |
| 543 | Prevalence and characteristics of e-cigarette users in Great Britain: Findings from a general population survey of smokers. <i>Addictive Behaviors</i> , <b>2014</b> , 39, 1120-5   | 4.2  | 177 |
| 542 | Predictors of successful and unsuccessful quit attempts among smokers motivated to quit. <i>Addictive Behaviors</i> , <b>2014</b> , 39, 1318-24   | 4.2  | 73  |
| 541 | Smoking prevalence in England is below 20% for the first time in 80 years. <i>BMJ, The</i> , <b>2014</b> , 348, g1378   | 5.9  | 13  |
| 540 | A method for assessing fidelity of delivery of telephone behavioral support for smoking cessation. <i>Journal of Consulting and Clinical Psychology</i> , <b>2014</b> , 82, 482-91  | 6.5  | 34  |
| 539 | Path analysis of cognitive behavioural models in substance misuse. What is the relationship between concepts involved?. <i>Journal of Substance Use</i> , <b>2014</b> , 19, 399-404   | 0.8  | 5   |
| 538 | A systematic review of studies assessing the association between adherence to smoking cessation medication and treatment success. <i>Addiction</i> , <b>2014</b> , 109, 35-43   | 4.6  | 55  |
| 537 | Changes in success rates of smoking cessation treatment associated with take up of a national evidencebased training programme. <i>Preventive Medicine</i> , <b>2014</b> , 69, 1-4  | 4.3  | 15  |
| 536 | Internet-based intervention for smoking cessation (StopAdvisor) in people with low and high socioeconomic status: a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , <b>2014</b> , 2, 997-1006   | 35.1 | 73  |
| 535 | EQUIPT: protocol of a comparative effectiveness research study evaluating cross-context transferability of economic evidence on tobacco control. <i>BMJ Open</i> , <b>2014</b> , 4, e006945   | 3    | 26  |
| 534 | Cardiovascular and neuropsychiatric safety of varenicline and bupropion compared with nicotine replacement therapy for smoking cessation: study protocol of a retrospective cohort study using the QResearch general practice database. <i>BMJ Open</i> , <b>2014</b> , 4, e005281      | 3    | 7   |
| 533 | Addressing the evidence for FDA nicotine replacement therapy label changes: a policy statement of the Association for the Treatment of Tobacco use and Dependence and the Society for Research on Nicotine and Tobacco. <i>Nicotine and Tobacco Research</i> , <b>2014</b> , 16, 909-14 | 4.9  | 25  |
| 532 | A cluster randomized controlled trial of a brief tobacco cessation intervention for low-income communities in India: study protocol. <i>Addiction</i> , <b>2014</b> , 109, 371-8  | 4.6  | 10  |

|     |   |     |     |
|-----|---|-----|-----|
| 531 | A randomized clinical trial of a financial education intervention with nicotine replacement therapy (NRT) for low socio-economic status Australian smokers: a study protocol. <i>Addiction</i> , <b>2014</b> , 109, 1602-11   | 4.6 | 12  |
| 530 | Does smoking reduction make smokers happier? Evidence from a cross-sectional survey. <i>Journal of Smoking Cessation</i> , <b>2014</b> , 9, 1-5   | 0.5 | 2   |
| 529 | The needs and preferences of pregnant smokers regarding tailored Internet-based smoking cessation interventions: a qualitative interview study. <i>BMC Public Health</i> , <b>2014</b> , 14, 1070   | 4.1 | 17  |
| 528 | Prospective cohort study of the effectiveness of varenicline versus nicotine replacement therapy for smoking cessation in the "real world". <i>BMC Public Health</i> , <b>2014</b> , 14, 1163   | 4.1 | 14  |
| 527 | News Committee for the SRNT Treatment Network. <i>Nicotine and Tobacco Research</i> , <b>2014</b> , 16, 378-379   | 4.9 | 1   |
| 526 | Prospective cohort study of the effectiveness of smoking cessation treatments used in the "real world". <i>Mayo Clinic Proceedings</i> , <b>2014</b> , 89, 1360-7   | 6.4 | 56  |
| 525 | Changes in prevalence of depression and anxiety following smoking cessation: results from an international cohort study (ATTEMPT). <i>Psychological Medicine</i> , <b>2014</b> , 44, 127-41   | 6.9 | 26  |
| 524 | Structured smoking cessation training for health professionals on cardiology wards: a prospective study. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 915-22  | 3.9 | 27  |
| 523 | 'Real-world' effectiveness of smoking cessation treatments: a population study. <i>Addiction</i> , <b>2014</b> , 109, 491-9   | 4.6 | 113 |
| 522 | Pilot randomized controlled trial of an internet-based smoking cessation intervention for pregnant smokers ('MumsQuit'). <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 140, 130-6  | 4.9 | 23  |
| 521 | Effectiveness of varenicline versus nicotine replacement therapy for smoking cessation with minimal professional support: evidence from an English population study. <i>Psychopharmacology</i> , <b>2014</b> , 231, 37-42   | 4.7 | 19  |
| 520 | Prevalence of NRT use and associated nicotine intake in smokers, recent ex-smokers and longer-term ex-smokers. <i>PLoS ONE</i> , <b>2014</b> , 9, e113045   | 3.7 | 8   |
| 519 | A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , <b>2014</b> , 18, 1-324 | 4.4 | 27  |
| 518 | Assessing fidelity of delivery of smoking cessation behavioural support in practice. <i>Implementation Science</i> , <b>2013</b> , 8, 40  | 8.4 | 68  |
| 517 | The acute effects of yogic breathing exercises on craving and withdrawal symptoms in abstaining smokers. <i>Psychopharmacology</i> , <b>2013</b> , 225, 875-82  | 4.7 | 45  |
| 516 | Relapse prevention interventions for smoking cessation. <i>The Cochrane Library</i> , <b>2013</b> , CD003999  | 5.2 | 83  |
| 515 | The effect of reducing the threshold for carbon monoxide validation of smoking abstinence--evidence from the English Stop Smoking Services. <i>Addictive Behaviors</i> , <b>2013</b> , 38, 2529-31  | 4.2 | 18  |
| 514 | Urge to smoke over 52 weeks of abstinence. <i>Psychopharmacology</i> , <b>2013</b> , 226, 83-9  | 4.7 | 24  |

|     |   |     |     |
|-----|---|-----|-----|
| 513 | Novel delivery systems for nicotine replacement therapy as an aid to smoking cessation and for harm reduction: rationale, and evidence for advantages over existing systems. <i>CNS Drugs</i> , <b>2013</b> , 27, 1007-19 | 6.7 | 27  |
| 512 | Definition, theory and observation <b>2013</b> , 10-40  |     |     |
| 511 | Beginning the journey: addiction as choice <b>2013</b> , 41-94  |     |     |
| 510 | Addiction in populations, and comprehensive theories <b>2013</b> , 136-151  |     |     |
| 509 | Development of a comprehensive theory <b>2013</b> , 152-191   |     |     |
| 508 | A synthetic theory of motivation <b>2013</b> , 192-228  |     | 1   |
| 507 | A theory of addiction <b>2013</b> , 229-256   |     | 2   |
| 506 | Use of nicotine replacement therapy in situations involving temporary abstinence from smoking: a national survey of English smokers. <i>Addictive Behaviors</i> , <b>2013</b> , 38, 1876-9                                | 4.2 | 11  |
| 505 | Predictive validity of the Motivation To Stop Scale (MTSS): a single-item measure of motivation to stop smoking. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 128, 15-9   | 4.9 | 149 |
| 504 | Association between nicotine replacement therapy use in pregnancy and smoking cessation. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 132, 660-4  | 4.9 | 50  |
| 503 | Positive smoker identity as a barrier to quitting smoking: findings from a national survey of smokers in England. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 133, 740-5   | 4.9 | 52  |
| 502 | Behaviour change theory and evidence: a presentation to Government. <i>Health Psychology Review</i> , <b>2013</b> , 7, 1-22   | 7.1 | 154 |
| 501 | Does Use of Nicotine Replacement Therapy While Continuing to Smoke Undermine Cessation?: A Systematic Review. <i>Journal of Smoking Cessation</i> , <b>2013</b> , 8, 45-56  | 0.5 | 11  |
| 500 | <b>2013</b> ,   |     | 220 |
| 499 | Cigarette craving and withdrawal symptoms during temporary abstinence and the effect of nicotine gum. <i>Psychopharmacology</i> , <b>2013</b> , 229, 209-18   | 4.7 | 23  |
| 498 | Fifty-two-week continuous abstinence rates of smokers being treated with varenicline versus nicotine replacement therapy. <i>Addiction</i> , <b>2013</b> , 108, 1497-502  | 4.6 | 32  |
| 497 | Comparison of the effectiveness of varenicline and combination nicotine replacement therapy for smoking cessation in clinical practice. <i>Mayo Clinic Proceedings</i> , <b>2013</b> , 88, 226-33                         | 6.4 | 35  |
| 496 | Why do doctors and medical students smoke when they must know how harmful it is?. <i>European Journal of Public Health</i> , <b>2013</b> , 23, 188-9  | 2.1 | 18  |



|     |   |     |    |
|-----|---|-----|----|
| 495 | Light smokers are less likely to receive advice to quit from their GP than moderate-to-heavy smokers: a comparison of national survey data from the Netherlands and England. <i>European Journal of General Practice</i> , <b>2013</b> , 19, 99-105             | 2.8 | 25 |
| 494 | German medical students' beliefs about the effectiveness of different methods of stopping smoking. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 1892-901  | 4.9 | 10 |
| 493 | Validation of content of an online knowledge training program. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 997-8   | 4.9 | 2  |
| 492 | Was the expansion of the marketing license for nicotine replacement therapy in the United kingdom to include smoking reduction associated with changes in use and incidence of quit attempts?. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 1777-81 | 4.9 | 11 |
| 491 | Factors associated with differences in quit rates between "specialist" and "community" stop-smoking practitioners in the english stop-smoking services. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 1239-47  | 4.9 | 28 |
| 490 | Performance of English stop smoking services in first 10 years: analysis of service monitoring data. <i>BMJ, The</i> , <b>2013</b> , 347, f4921   | 5.9 | 71 |
| 489 | How well is intervention content described in published reports of smoking cessation interventions?. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 1273-82   | 4.9 | 43 |
| 488 | The most "successful" method for failing to quit smoking is unassisted cessation. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 748-9  | 4.9 | 28 |
| 487 | Understanding smokers' beliefs and feelings about smoking and quitting during a quit attempt: a preliminary evaluation of the SNAP model. <i>Journal of Smoking Cessation</i> , <b>2013</b> , 8, 17-23  | 0.5 | 4  |
| 486 | Association between use of nicotine replacement therapy for harm reduction and smoking cessation: a prospective study of English smokers. <i>Tobacco Control</i> , <b>2013</b> , 22, 118-22   | 5.3 | 36 |
| 485 | Commentary on Casswell (2013): the commercial determinants of health. <i>Addiction</i> , <b>2013</b> , 108, 686-7   | 4.6 | 22 |
| 484 | How does rate of smoking cessation vary by age, gender and social grade? Findings from a population survey in England. <i>Addiction</i> , <b>2013</b> , 108, 1680-5   | 4.6 | 26 |
| 483 | Association between smoking cessation and short-term health-care use: results from an international prospective cohort study (ATTEMPT). <i>Addiction</i> , <b>2013</b> , 108, 1979-88   | 4.6 | 3  |
| 482 | Characterizing tobacco control mass media campaigns in England. <i>Addiction</i> , <b>2013</b> , 108, 2001-8  | 4.6 | 15 |
| 481 | German medical students' beliefs about how best to treat alcohol use disorder. <i>European Addiction Research</i> , <b>2013</b> , 19, 245-51  | 4.6 | 2  |
| 480 | A randomised controlled trial of a theory-based interactive internet-based smoking cessation intervention (StopAdvisor): Study protocol. <i>Journal of Smoking Cessation</i> , <b>2013</b> , 8, 63-70   | 0.5 | 2  |
| 479 | The case of Stop Smoking Services in England. <i>British Journal of Psychiatry</i> , <b>2013</b> , 202, 74  | 5.4 |    |
| 478 | Prevalence and characteristics of smokers interested in internet-based smoking cessation interventions: cross-sectional findings from a national household survey. <i>Journal of Medical Internet Research</i> , <b>2013</b> , 15, e50                          | 7.6 | 23 |

|     |   |     |     |
|-----|---|-----|-----|
| 477 | pVAX14 DNA, a Non-Specific DNA Vaccine, Improves Survival In An Acute Promyelocytic Leukemia (APL) Mouse Model Treated With All-Trans Retinoic Acid (ATRA) and Arsenic Trioxide (ATO) and Targets Leukemia Initiating Cells (LICs). <i>Blood</i> , <b>2013</b> , 122, 235-235 | 2.2 |     |
| 476 | Use of nicotine replacement therapy for smoking reduction and temporary abstinence: an update of beard et al. (2011). <i>Addiction</i> , <b>2012</b> , 107, 1186-7  | 4.6 | 6   |
| 475 | Identification of behaviour change techniques to reduce excessive alcohol consumption. <i>Addiction</i> , <b>2012</b> , 107, 1431-40  | 4.6 | 171 |
| 474 | German medical students lack knowledge of how to treat smoking and problem drinking. <i>Addiction</i> , <b>2012</b> , 107, 1878-82  | 4.6 | 32  |
| 473 | Effectiveness of nicotine replacement therapy--a rebuttal. <i>Addiction</i> , <b>2012</b> , 107, 1527-8   | 4.6 | 6   |
| 472 | Does it matter who you see to help you stop smoking? Short-term quit rates across specialist stop smoking practitioners in England. <i>Addiction</i> , <b>2012</b> , 107, 2029-36   | 4.6 | 26  |
| 471 | Beliefs about the harms of long-term use of nicotine replacement therapy: perceptions of smokers in England. <i>Addiction</i> , <b>2012</b> , 107, 2037-42  | 4.6 | 28  |
| 470 | Trial protocols. <i>Addiction</i> , <b>2012</b> , 107, 1544-1544  | 4.6 | 6   |
| 469 | Transition towards a 'non-smoker' identity following smoking cessation: an interpretative phenomenological analysis. <i>British Journal of Health Psychology</i> , <b>2012</b> , 17, 171-84   | 8.3 | 51  |
| 468 | Development of StopAdvisor: A theory-based interactive internet-based smoking cessation intervention. <i>Translational Behavioral Medicine</i> , <b>2012</b> , 2, 263-75  | 3.2 | 39  |
| 467 | A pilot study of StopAdvisor: a theory-based interactive internet-based smoking cessation intervention aimed across the social spectrum. <i>Addictive Behaviors</i> , <b>2012</b> , 37, 1365-70   | 4.2 | 29  |
| 466 | Self-reported practices, attitudes and levels of training of practitioners in the English NHS Stop Smoking Services. <i>Addictive Behaviors</i> , <b>2012</b> , 37, 498-506   | 4.2 | 14  |
| 465 | Differences in happiness between smokers, ex-smokers and never smokers: cross-sectional findings from a national household survey. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 121, 38-44  | 4.9 | 46  |
| 464 | Translating evidence-based guidelines into practice: a survey of practices of commissioners and managers of the English stop smoking services. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 121  | 2.9 | 4   |
| 463 | Physical activity as an aid to smoking cessation during pregnancy (LEAP) trial: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2012</b> , 13, 186   | 2.8 | 26  |
| 462 | Assessing the association between the use of NRT for smoking reduction and attempts to quit smoking using propensity score matching. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 126, 354-61   | 4.9 | 13  |
| 461 | PAYMENT BY RESULTS IN SMOKING CESSATION. <i>Addiction</i> , <b>2012</b> , 107, 227-228  | 4.6 |     |
| 460 | Very low rate and light smokers: smoking patterns and cessation-related behaviour in England, 2006-11. <i>Addiction</i> , <b>2012</b> , 107, 995-1002   | 4.6 | 41  |

|     |   |     |     |
|-----|---|-----|-----|
| 459 | Brief opportunistic smoking cessation interventions: a systematic review and meta-analysis to compare advice to quit and offer of assistance. <i>Addiction</i> , <b>2012</b> , 107, 1066-73   | 4.6 | 225 |
| 458 | A direct method and ICER tables for the estimation of the cost-effectiveness of smoking cessation interventions in general populations: application to a new cytisine trial and other examples. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 463-71 | 4.9 | 43  |
| 457 | Beliefs of stop smoking practitioners in United Kingdom on the use of nicotine replacement therapy for smoking reduction. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 639-47   | 4.9 | 12  |
| 456 | Evaluation of Face-to-Face Courses in Behavioural Support for Stop Smoking Practitioners. <i>Journal of Smoking Cessation</i> , <b>2012</b> , 7, 25-30  | 0.5 | 9   |
| 455 | Specifying evidence-based behavior change techniques to aid smoking cessation in pregnancy. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 1019-26  | 4.9 | 59  |
| 454 | The use of nicotine replacement therapy for smoking reduction and temporary abstinence: an interview study. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 849-56   | 4.9 | 25  |
| 453 | Mediation analysis of the association between use of NRT for smoking reduction and attempts to stop smoking. <i>Psychology and Health</i> , <b>2012</b> , 27, 1118-33   | 2.9 | 4   |
| 452 | Characterising the Text2Stop Smoking Cessation Text Messaging Intervention in Terms of Behaviour Change Techniques. <i>Journal of Smoking Cessation</i> , <b>2012</b> , 7, 55-60  | 0.5 | 23  |
| 451 | Pilot Study of the Use of Personal Carbon Monoxide Monitoring to Achieve Radical Smoking Reduction. <i>Journal of Smoking Cessation</i> , <b>2012</b> , 7, 12-17  | 0.5 | 19  |
| 450 | Effectiveness of an online knowledge training and assessment program for stop smoking practitioners. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 794-800   | 4.9 | 22  |
| 449 | Stop smoking clinics in Malaysia: characteristics of attendees and predictors of success. <i>Addictive Behaviors</i> , <b>2011</b> , 36, 400-3  | 4.2 | 25  |
| 448 | Development of a taxonomy of behaviour change techniques used in individual behavioural support for smoking cessation. <i>Addictive Behaviors</i> , <b>2011</b> , 36, 315-9   | 4.2 | 271 |
| 447 | Enjoyment of smoking and urges to smoke as predictors of attempts and success of attempts to stop smoking: a longitudinal study. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 115, 30-4   | 4.9 | 60  |
| 446 | Overcoming State Addiction to Tobacco Industry <b>2011</b> , 286-288  |     |     |
| 445 | A randomized, controlled trial of adding expired carbon monoxide feedback to brief stop smoking advice: evaluation of cognitive and behavioral effects. <i>Health Psychology</i> , <b>2011</b> , 30, 49-57  | 5   | 25  |
| 444 | Use of nicotine replacement therapy for smoking reduction and during enforced temporary abstinence: a national survey of English smokers. <i>Addiction</i> , <b>2011</b> , 106, 197-204   | 4.6 | 36  |
| 443 | Strength of urges to smoke as a measure of severity of cigarette dependence: comparison with the Fagerström Test for Nicotine Dependence and its components. <i>Addiction</i> , <b>2011</b> , 106, 631-8  | 4.6 | 140 |
| 442 | The role of desire, duty and intention in predicting attempts to quit smoking. <i>Addiction</i> , <b>2011</b> , 106, 844-51   | 4.6 | 56  |

|     |  |     |      |
|-----|--|-----|------|
| 441 | Does belief that one is addicted promote or deter attempts at abstinence?. <i>Addiction</i> , <b>2011</b> , 106, 679-80  | 4.6 | 1    |
| 440 | Addiction's priorities when evaluating submissions. <i>Addiction</i> , <b>2011</b> , 106, 463-465  | 4.6 | 0    |
| 439 | Estimating the rate of usage of varenicline and other medication for smoking cessation. <i>Addiction</i> , <b>2011</b> , 106, 1868-9; author reply 1869  | 4.6 | 1    |
| 438 | 'Closet' quit attempts: prevalence, correlates and association with outcome. <i>Addiction</i> , <b>2011</b> , 106, 2214-20   | 4.6 | 4    |
| 437 | 'Payment by results' and smoking cessation support. <i>Addiction</i> , <b>2011</b> , 106, 1730-1   | 4.6 | 4    |
| 436 | Predictors of attempts to stop smoking and their success in adult general population samples: a systematic review. <i>Addiction</i> , <b>2011</b> , 106, 2110-21   | 4.6 | 376  |
| 435 | 'The smoking toolkit study': a national study of smoking and smoking cessation in England. <i>BMC Public Health</i> , <b>2011</b> , 11, 479  | 4.1 | 157  |
| 434 | Cardiovascular risk factors in patients with schizophrenia receiving continuous medical care. <i>Community Mental Health Journal</i> , <b>2011</b> , 47, 688-93  | 2.1 | 19   |
| 433 | A randomised placebo-controlled trial of oral hydrocortisone for treating tobacco withdrawal symptoms. <i>Psychopharmacology</i> , <b>2011</b> , 216, 43-51  | 4.7 | 1    |
| 432 | Acceptability and effectiveness for withdrawal symptom relief of a novel oral nicotine delivery device: a randomised crossover trial. <i>Psychopharmacology</i> , <b>2011</b> , 216, 187-96  | 4.7 | 12   |
| 431 | Variation in saliva cotinine as a function of self-reported attempts to reduce cigarette consumption. <i>Psychopharmacology</i> , <b>2011</b> , 217, 587-93  | 4.7 | 9    |
| 430 | Is use of nicotine replacement therapy while continuing to smoke associated with increased nicotine intake? Evidence from a population sample. <i>Psychopharmacology</i> , <b>2011</b> , 218, 609-10   | 4.7 | 13   |
| 429 | Identifying evidence-based competences required to deliver behavioural support for smoking cessation. <i>Annals of Behavioral Medicine</i> , <b>2011</b> , 41, 59-70   | 4.5 | 86   |
| 428 | RCT of a client-centred, caseworker-delivered smoking cessation intervention for a socially disadvantaged population. <i>BMC Public Health</i> , <b>2011</b> , 11, 70  | 4.1 | 15   |
| 427 | The behaviour change wheel: a new method for characterising and designing behaviour change interventions. <i>Implementation Science</i> , <b>2011</b> , 6, 42  | 8.4 | 4113 |
| 426 | Does smoking cessation cause depression and anxiety? Findings from the ATTEMPT cohort. <i>Nicotine and Tobacco Research</i> , <b>2011</b> , 13, 209-14   | 4.9 | 25   |
| 425 | What makes for an effective stop-smoking service?. <i>Thorax</i> , <b>2011</b> , 66, 924-6   | 7.3 | 78   |
| 424 | Behavior change techniques used in group-based behavioral support by the English stop-smoking services and preliminary assessment of association with short-term quit outcomes. <i>Nicotine and Tobacco Research</i> , <b>2011</b> , 13, 1316-20 | 4.9 | 33   |

|     |  |      |     |
|-----|--|------|-----|
| 423 | Predictors of 3-month abstinence in smokers attending stop-smoking clinics in Malaysia. <i>Nicotine and Tobacco Research</i> , <b>2011</b> , 13, 151-6   | 4.9  | 19  |
| 422 | Conflict About Quitting Predicts the Decision to Stop Smoking Gradually or Abruptly: Evidence From Stop Smoking Clinics in Malaysia. <i>Journal of Smoking Cessation</i> , <b>2011</b> , 6, 37-44            | 0.5  | 3   |
| 421 | Did the introduction of varenicline in England substitute for or add to the use of other smoking cessation medications?. <i>Nicotine and Tobacco Research</i> , <b>2011</b> , 13, 793-9                      | 4.9  | 18  |
| 420 | Placebo-controlled trial of cytisine for smoking cessation. <i>New England Journal of Medicine</i> , <b>2011</b> , 365, 1193-200   | 59.2 | 141 |
| 419 | How cost-effective is 'No Smoking Day'?. <i>Tobacco Control</i> , <b>2011</b> , 20, 302-4  | 5.3  | 15  |
| 418 | Changes in smoking prevalence in 16-17-year-old versus older adults following a rise in legal age of sale: findings from an English population study. <i>Addiction</i> , <b>2010</b> , 105, 1984-8           | 4.6  | 25  |
| 417 | Behavior change techniques used by the English Stop Smoking Services and their associations with short-term quit outcomes. <i>Nicotine and Tobacco Research</i> , <b>2010</b> , 12, 742-7                    | 4.9  | 134 |
| 416 | Residual attraction to smoking and smoker identity following smoking cessation. <i>Nicotine and Tobacco Research</i> , <b>2010</b> , 12, 865-9   | 4.9  | 23  |
| 415 | Quit attempts in response to smoke-free legislation in England. <i>Tobacco Control</i> , <b>2010</b> , 19, 160-4   | 5.3  | 70  |
| 414 | Adolescents' awareness of, and involvement with, illicit tobacco in the UK. <i>Tobacco Control</i> , <b>2010</b> , 19, 521-2   | 5.3  | 3   |
| 413 | Hypertension and its identification among current, past and never smokers in an English population sample. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 63-70 |      | 2   |
| 412 | Public support in England for a total ban on the sale of tobacco products. <i>Tobacco Control</i> , <b>2010</b> , 19, 143-7  | 5.3  | 51  |
| 411 | Public support in England for raising the price of cigarettes to fund tobacco control activities. <i>Tobacco Control</i> , <b>2010</b> , 19, 331-3   | 5.3  | 12  |
| 410 | Failure to report attempts to quit smoking. <i>Addictive Behaviors</i> , <b>2010</b> , 35, 900-4   | 4.2  | 64  |
| 409 | The PRIME approach to giving up smoking. <i>Practice Nursing</i> , <b>2010</b> , 21, 145-153   | 0.1  | 5   |
| 408 | A randomised trial of glucose tablets to aid smoking cessation. <i>Psychopharmacology</i> , <b>2010</b> , 207, 631-5   | 4.7  | 12  |
| 407 | Is the ten-item Questionnaire of Smoking Urges (QSU-brief) more sensitive to abstinence than shorter craving measures?. <i>Psychopharmacology</i> , <b>2010</b> , 208, 427-32                                | 4.7  | 65  |
| 406 | Relapse to smoking during unaided cessation: clinical, cognitive and motivational predictors. <i>Psychopharmacology</i> , <b>2010</b> , 212, 537-49  | 4.7  | 130 |

|     |  |     |     |
|-----|--|-----|-----|
| 405 | Drug Trafficking: Time to Abolish the Death Penalty. <i>International Journal of Mental Health and Addiction</i> , <b>2010</b> , 8, 616-619  | 8.8 |     |
| 404 | Smoking intentions and mood preceding lapse after completion of treatment to aid smoking cessation. <i>Patient Education and Counseling</i> , <b>2010</b> , 81, 267-71   | 3.1 | 18  |
| 403 | Providing web-based feedback and social norms information to reduce student alcohol intake: a multisite investigation. <i>Journal of Medical Internet Research</i> , <b>2010</b> , 12, e59   | 7.6 | 67  |
| 402 | Factors associated with higher body mass index, weight concern, and weight gain in a multinational cohort study of smokers intending to quit. <i>International Journal of Environmental Research and Public Health</i> , <b>2009</b> , 6, 943-57 | 4.6 | 26  |
| 401 | The UK National Institute for Health and Clinical Excellence public health guidance on behaviour change: a brief introduction. <i>Psychology, Health and Medicine</i> , <b>2009</b> , 14, 1-8  | 2.1 | 139 |
| 400 | Smoke-free homes in England: prevalence, trends and validation by cotinine in children. <i>Tobacco Control</i> , <b>2009</b> , 18, 491-5   | 5.3 | 56  |
| 399 | Time Spent With Urges to Smoke and Strength of Urges as Independent Predictors of Self-Rated Difficulty Not Smoking During Abstinence. <i>Journal of Smoking Cessation</i> , <b>2009</b> , 4, 48-51  | 0.5 |     |
| 398 | Self-perceived smoking motives and their correlates in a general population sample. <i>Nicotine and Tobacco Research</i> , <b>2009</b> , 11, 1182-8  | 4.9 | 110 |
| 397 | The multiple facets of cigarette addiction and what they mean for encouraging and helping smokers to stop. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2009</b> , 6, 277-83   | 2   | 96  |
| 396 | Explaining the social gradient in smoking cessation: it's not in the trying, but in the succeeding. <i>Tobacco Control</i> , <b>2009</b> , 18, 43-6  | 5.3 | 258 |
| 395 | Unplanned quit attempts--results from a U.S. sample of smokers and ex-smokers. <i>Nicotine and Tobacco Research</i> , <b>2009</b> , 11, 827-32   | 4.9 | 67  |
| 394 | Medical students lack basic knowledge about smoking: findings from two European medical schools. <i>Nicotine and Tobacco Research</i> , <b>2009</b> , 11, 92-8   | 4.9 | 45  |
| 393 | Do ex-smokers report feeling happier following cessation? Evidence from a cross-sectional survey. <i>Nicotine and Tobacco Research</i> , <b>2009</b> , 11, 553-7   | 4.9 | 32  |
| 392 | Do implementation issues influence the effectiveness of medications? The case of nicotine replacement therapy and bupropion in UK Stop Smoking Services. <i>BMC Public Health</i> , <b>2009</b> , 9, 28  | 4.1 | 5   |
| 391 | What mediates the effect of confrontational counselling on smoking cessation in smokers with COPD?. <i>Patient Education and Counseling</i> , <b>2009</b> , 76, 16-24  | 3.1 | 30  |
| 390 | Rapid reduction versus abrupt quitting for smokers who want to stop soon: a randomised controlled non-inferiority trial. <i>Trials</i> , <b>2009</b> , 10, 69  | 2.8 | 16  |
| 389 | Patterns of change in withdrawal symptoms, desire to smoke, reward motivation and response inhibition across 3 months of smoking abstinence. <i>Addiction</i> , <b>2009</b> , 104, 850-8   | 4.6 | 56  |
| 388 | Effect of isometric exercise and body scanning on cigarette cravings and withdrawal symptoms. <i>Addiction</i> , <b>2009</b> , 104, 1251-7   | 4.6 | 74  |

|     |   |     |     |
|-----|---|-----|-----|
| 387 | Factors associated with the use of aids to cessation in English smokers. <i>Addiction</i> , <b>2009</b> , 104, 1403-10  | 4.6 | 68  |
| 386 | The impact of changing nicotine replacement therapy licensing laws in the United Kingdom: findings from the International Tobacco Control Four Country Survey. <i>Addiction</i> , <b>2009</b> , 104, 1420-7 | 4.6 | 15  |
| 385 | Conflict of interest declarations: could a 'traffic light' system work?. <i>Addiction</i> , <b>2009</b> , 104, 1785-6   | 4.6 | 6   |
| 384 | A comparison of exposure to carcinogens among roll-your-own and factory-made cigarette smokers. <i>Addiction Biology</i> , <b>2009</b> , 14, 315-20   | 4.6 | 26  |
| 383 | Attempts to quit smoking and relapse: factors associated with success or failure from the ATTEMPT cohort study. <i>Addictive Behaviors</i> , <b>2009</b> , 34, 365-73                                       | 4.2 | 344 |
| 382 | Drinking alcohol surrogates among clients of an alcohol-misuser treatment clinic in Novosibirsk, Russia. <i>Substance Use and Misuse</i> , <b>2009</b> , 44, 1821-32  | 2.2 | 28  |
| 381 | Relapse prevention interventions for smoking cessation. <i>Cochrane Database of Systematic Reviews</i> , <b>2009</b> , CD003999   |     | 125 |
| 380 | Smoking cessation interventions <b>2009</b> , 215-232   |     | 3   |
| 379 | Smoking status of step-parents as a risk factor for smoking in adolescence. <i>Addiction</i> , <b>2008</b> , 103, 496-501   | 4.6 | 12  |
| 378 | Assessing smoking status in children, adolescents and adults: cotinine cut-points revisited. <i>Addiction</i> , <b>2008</b> , 103, 1553-61  | 4.6 | 109 |
| 377 | Providing full manuals and intervention descriptions: Addiction policy. <i>Addiction</i> , <b>2008</b> , 103, 1411  | 4.6 | 15  |
| 376 | The relationship between smokers' motivation to quit and intensity of tobacco control at the population level: a comparison of five European countries. <i>BMC Public Health</i> , <b>2008</b> , 8, 2       | 4.1 | 31  |
| 375 | Physical activity as an aid to smoking cessation during pregnancy: two feasibility studies. <i>BMC Public Health</i> , <b>2008</b> , 8, 328   | 4.1 | 23  |
| 374 | Cytisine for smoking cessation: a research agenda. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 92, 3-8   | 4.9 | 58  |
| 373 | Nicotine Absorption From Seven Current Nicotine Replacement Products and a New Wide-Bore Nicotine Delivery Device. <i>Journal of Smoking Cessation</i> , <b>2008</b> , 3, 117-123                           | 0.5 | 14  |
| 372 | Sociodemographic differences in triggers to quit smoking: findings from a national survey. <i>Tobacco Control</i> , <b>2008</b> , 17, 410-5   | 5.3 | 42  |
| 371 | Clinical and public health significance of treatments to aid smoking cessation. <i>European Respiratory Review</i> , <b>2008</b> , 17, 199-204  | 9.8 | 33  |
| 370 | Nicotine intake in cigarette smokers in England: distribution and demographic correlates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3331-6                                   | 4   | 33  |

|     |   |      |     |
|-----|---|------|-----|
| 369 | The feasibility of measuring puffing behaviour in roll-your-own cigarette smokers. <i>Tobacco Control</i> , <b>2008</b> , 17 Suppl 1, i17-23  | 5.3  | 13  |
| 368 | Motives for smoking and their correlates in clients attending Stop Smoking treatment services. <i>Nicotine and Tobacco Research</i> , <b>2008</b> , 10, 843-50  | 4.9  | 76  |
| 367 | Contribution of Animal Models and Preclinical Human Studies to Medication Development for Nicotine Dependence <b>2008</b> , 179-219   |      | 2   |
| 366 | Effect of varenicline and bupropion SR on craving, nicotine withdrawal symptoms, and rewarding effects of smoking during a quit attempt. <i>Psychopharmacology</i> , <b>2008</b> , 197, 371-7                                     | 4.7  | 148 |
| 365 | Why combating tobacco smuggling is a priority. <i>BMJ, The</i> , <b>2008</b> , 337, a1933   | 5.9  | 15  |
| 364 | What lessons can be learned from tobacco control for combating the growing prevalence of obesity?. <i>Obesity Reviews</i> , <b>2007</b> , 8 Suppl 1, 145-50   | 10.6 | 10  |
| 363 | Access to data from clinical trials sponsored by pharmaceutical companies. <i>Addiction</i> , <b>2007</b> , 102, 682-3  | 4.6  |     |
| 362 | Does smoking in adolescence affect body mass index, waist or height? Findings from a longitudinal study. <i>Addiction</i> , <b>2007</b> , 102, 1493-501   | 4.6  | 15  |
| 361 | A double-blind placebo-controlled experimental study of nicotine: II--Effects on response inhibition and executive functioning. <i>Psychopharmacology</i> , <b>2007</b> , 190, 457-67   | 4.7  | 67  |
| 360 | Smoking cessation in patients with respiratory diseases: a high priority, integral component of therapy. <i>European Respiratory Journal</i> , <b>2007</b> , 29, 390-417  | 13.6 | 134 |
| 359 | Is nicotine replacement therapy for smoking cessation effective in the "real world"? Findings from a prospective multinational cohort study. <i>Thorax</i> , <b>2007</b> , 62, 998-1002   | 7.3  | 58  |
| 358 | Managing smoking cessation. <i>BMJ, The</i> , <b>2007</b> , 335, 37-41  | 5.9  | 83  |
| 357 | Social Support and Success at Stopping Smoking. <i>Journal of Smoking Cessation</i> , <b>2007</b> , 2, 47-53  | 0.5  | 10  |
| 356 | Can we trust national smoking prevalence figures? Discrepancies between biochemically assessed and self-reported smoking rates in three countries. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 820-2 | 4    | 109 |
| 355 | Factors Associated With Exercise Participation and Attitudes to Exercise Among Pregnant Smokers. <i>Journal of Smoking Cessation</i> , <b>2007</b> , 2, 12-16   | 0.5  | 7   |
| 354 | Randomized controlled trial of physical activity counseling as an aid to smoking cessation: 12 month follow-up. <i>Addictive Behaviors</i> , <b>2007</b> , 32, 3060-4   | 4.2  | 33  |
| 353 | Assessing drug-related harm. <i>Lancet, The</i> , <b>2007</b> , 369, 1856-1857  | 4.0  | 1   |
| 352 | Integrated breathing and relaxation training (the Papworth method) for adults with asthma in primary care: a randomised controlled trial. <i>Thorax</i> , <b>2007</b> , 62, 1039-42   | 7.3  | 91  |



|     |   |     |     |
|-----|---|-----|-----|
| 351 | Assessing DSM-IV nicotine withdrawal symptoms: a comparison and evaluation of five different scales. <i>Psychopharmacology</i> , <b>2006</b> , 184, 619-27  | 4.7 | 78  |
| 350 | A double-blind placebo controlled experimental study of nicotine: I--effects on incentive motivation. <i>Psychopharmacology</i> , <b>2006</b> , 189, 355-67   | 4.7 | 81  |
| 349 | Perceived barriers to and benefits of attending a stop smoking course during pregnancy. <i>Patient Education and Counseling</i> , <b>2006</b> , 61, 467-72  | 3.1 | 36  |
| 348 | Acute effect of isometric exercise on desire to smoke and tobacco withdrawal symptoms. <i>Human Psychopharmacology</i> , <b>2006</b> , 21, 39-46  | 2.3 | 57  |
| 347 | Prevention of relapse after quitting smoking: a systematic review of trials. <i>Archives of Internal Medicine</i> , <b>2006</b> , 166, 828-35   |     | 71  |
| 346 | "Catastrophic" pathways to smoking cessation: findings from national survey. <i>BMJ, The</i> , <b>2006</b> , 332, 458-60  | 3.9 | 217 |
| 345 | Tobacco control: present and future. <i>British Medical Bulletin</i> , <b>2006</b> , 77-78, 123-36  | 5.4 | 30  |
| 344 | Moderators and mediators of a web-based computer-tailored smoking cessation program among nicotine patch users. <i>Nicotine and Tobacco Research</i> , <b>2006</b> , 8 Suppl 1, S95-101   | 4.9 | 83  |
| 343 | Levels of toxins in oral tobacco products in the UK. <i>Tobacco Control</i> , <b>2006</b> , 15, 64-7  | 5.3 | 36  |
| 342 | Vulnerability to smoking after trying a single cigarette can lie dormant for three years or more. <i>Tobacco Control</i> , <b>2006</b> , 15, 205-9  | 5.3 | 49  |
| 341 | Awareness of mouth cancer in Great Britain. <i>British Dental Journal</i> , <b>2006</b> , 200, 167-9, discussion 151  | 1.2 | 54  |
| 340 | An uncontrolled trial of cytisine (Tabex) for smoking cessation. <i>Tobacco Control</i> , <b>2006</b> , 15, 481-4   | 5.3 | 36  |
| 339 | Prevalence, diagnosis and relation to tobacco dependence of chronic obstructive pulmonary disease in a nationally representative population sample. <i>Thorax</i> , <b>2006</b> , 61, 1043-7  | 7.3 | 208 |
| 338 | Effectiveness of specialist group treatment for smoking cessation vs. one-to-one treatment in primary care. <i>Addictive Behaviors</i> , <b>2006</b> , 31, 1650-60  | 4.2 | 54  |
| 337 | Reduction in cortisol after smoking cessation among users of nicotine patches. <i>Psychosomatic Medicine</i> , <b>2006</b> , 68, 299-306  | 3.7 | 24  |
| 336 | THE TRANSTHEORETICAL MODEL OF BEHAVIOUR CHANGE AND THE SCIENTIFIC METHOD. <i>Addiction</i> , <b>2006</b> , 101, 774-778   | 4.6 | 19  |
| 335 | The ATTEMPT cohort: a multi-national longitudinal study of predictors, patterns and consequences of smoking cessation; introduction and evaluation of internet recruitment and data collection methods. <i>Addiction</i> , <b>2006</b> , 101, 1352-61 | 4.6 | 51  |
| 334 | Early dating predicts smoking during adolescence: A prospective study. <i>Addiction</i> , <b>2006</b> , 101, 1805-13  | 4.6 | 21  |

|     |   |     |     |
|-----|---|-----|-----|
| 333 | Triggering anti-smoking advice by GPs: mode of action of an intervention stimulating smoking cessation advice by GPs. <i>Patient Education and Counseling</i> , <b>2006</b> , 62, 89-94               | 3.1 | 25  |
| 332 | Randomized controlled trial of a social support ('buddy') intervention for smoking cessation. <i>Patient Education and Counseling</i> , <b>2006</b> , 64, 235-41                                      | 3.1 | 47  |
| 331 | The attitude of maternity staff to, and smoking cessation interventions with, childbearing women in London. <i>Midwifery</i> , <b>2005</b> , 21, 233-40   | 2.8 | 23  |
| 330 | General practitioners' views on and referral to NHS smoking cessation services. <i>Public Health</i> , <b>2005</b> , 119, 262-8   | 4   | 18  |
| 329 | Relapse prevention interventions for smoking cessation. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD003999   |     | 41  |
| 328 | Outcome criteria in smoking cessation trials: proposal for a common standard. <i>Addiction</i> , <b>2005</b> , 100, 299-303   | 4.6 | 836 |
| 327 | A good read—a new editor for <i>Addiction</i> but the same philosophy. <i>Addiction</i> , <b>2005</b> , 100, 1-2  | 4.6 | 2   |
| 326 | Randomized controlled trial of a web-based computer-tailored smoking cessation program as a supplement to nicotine patch therapy. <i>Addiction</i> , <b>2005</b> , 100, 682-8                         | 4.6 | 247 |
| 325 | International advances in nicotine and tobacco research. <i>Nicotine and Tobacco Research</i> , <b>2005</b> , 7, 667-709  | 4.9 | 4   |
| 324 | Impact of UK policy initiatives on use of medicines to aid smoking cessation. <i>Tobacco Control</i> , <b>2005</b> , 14, 166-71   | 5.3 | 71  |
| 323 | Delinquency and Accidents in Children. <i>The ADHD Report</i> , <b>2004</b> , 12, 6-15  | 1.4 | 2   |
| 322 | Recommendation for the assessment of tobacco craving and withdrawal in smoking cessation trials. <i>Nicotine and Tobacco Research</i> , <b>2004</b> , 6, 599-614                                      | 4.9 | 177 |
| 321 | Smokeless tobacco cessation guidelines for health professionals in England. <i>British Dental Journal</i> , <b>2004</b> , 196, 611-8  | 1.2 | 35  |
| 320 | GP prescribing of nicotine replacement and bupropion to aid smoking cessation in England and Wales. <i>Addiction</i> , <b>2004</b> , 99, 1470-4   | 4.6 | 15  |
| 319 | Acute effect of a brief bout of exercise on alcohol urges. <i>Addiction</i> , <b>2004</b> , 99, 1542-7  | 4.6 | 101 |
| 318 | Acute reduction in secretory immunoglobulin A following smoking cessation. <i>Psychoneuroendocrinology</i> , <b>2004</b> , 29, 1335-40  | 5   | 12  |
| 317 | Acute effects of a short bout of moderate versus light intensity exercise versus inactivity on tobacco withdrawal symptoms in sedentary smokers. <i>Psychopharmacology</i> , <b>2004</b> , 174, 320-6 | 4.7 | 61  |
| 316 | Evaluation of the mood and physical symptoms scale (MPSS) to assess cigarette withdrawal. <i>Psychopharmacology</i> , <b>2004</b> , 177, 195-9  | 4.7 | 189 |

|     |  |      |    |
|-----|--|------|----|
| 315 | A survey of pregnant smokers' interest in different types of smoking cessation support. <i>Patient Education and Counseling</i> , <b>2004</b> , 54, 67-72  | 3.1  | 44 |
| 314 | Diurnal variations in first lapses to smoking for nicotine patch users. <i>Human Psychopharmacology</i> , <b>2003</b> , 18, 345-9  | 2.3  | 3  |
| 313 | The use of videos to inform smokers about different nicotine replacement products. <i>Patient Education and Counseling</i> , <b>2003</b> , 51, 143-7   | 3.1  | 11 |
| 312 | Efficacy of exercise counselling as an aid for smoking cessation: a randomized controlled trial. <i>Addiction</i> , <b>2003</b> , 98, 523-32   | 4.6  | 82 |
| 311 | Bupropion SR for smoking cessation. <i>Expert Opinion on Pharmacotherapy</i> , <b>2003</b> , 4, 533-40   | 4    | 22 |
| 310 | Clinical trial comparing nicotine replacement therapy (NRT) plus brief counselling, brief counselling alone, and minimal intervention on smoking cessation in hospital inpatients. <i>Thorax</i> , <b>2003</b> , 58, 484-8 | 7.3  | 87 |
| 309 | Interest in nicotine replacement therapy among pregnant smokers. <i>Tobacco Control</i> , <b>2003</b> , 12, 108-9  | 5.3  | 12 |
| 308 | Increase in common cold symptoms and mouth ulcers following smoking cessation. <i>Tobacco Control</i> , <b>2003</b> , 12, 86-8   | 5.3  | 31 |
| 307 | Addiction's refereeing policy. <i>Addiction</i> , <b>2002</b> , 97, 7-7  | 4.6  | 0  |
| 306 | What do citation counts count for in the field of addiction? An empirical evaluation of citation counts and their link with peer ratings of quality. <i>Addiction</i> , <b>2002</b> , 97, 501-4                            | 4.6  | 55 |
| 305 | Effect of a GP desktop resource on smoking cessation activities of general practitioners. <i>Addiction</i> , <b>2002</b> , 97, 595-7   | 4.6  | 18 |
| 304 | What counts as a conflict of interest: reply to criticisms made by Frenk & Dar. <i>Addiction</i> , <b>2002</b> , 97, 98-98   | 4.6  |    |
| 303 | Effectiveness of over-the-counter nicotine replacement therapy. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 3109-10; author reply 3110  | 27.4 | 8  |
| 302 | Can stopping smoking cause hypertension?. <i>Nicotine and Tobacco Research</i> , <b>2002</b> , 4, 349-50   | 4.9  | 1  |
| 301 | Smoking cessation and pregnancy. <i>Fetal and Maternal Medicine Review</i> , <b>2002</b> , 13, 181-194   |      | 10 |
| 300 | The deadly weed: Nicotine and tobacco dependence. <i>Biochemist</i> , <b>2002</b> , 24, 15-17  | 0.5  |    |
| 299 | Symptom perception <b>2001</b> , 219-223   |      | 3  |
| 298 | Emotional expression and health <b>2001</b> , 84-87  |      | 7  |

|     |   |     |     |
|-----|---|-----|-----|
| 297 | Burnout in health professionals <b>2001</b> , 427-430   |     | 3   |
| 296 | MMR vaccine <b>2001</b> , 781-783   |     |     |
| 295 | Road traffic accidents: human factors <b>2001</b> , 852-854   |     |     |
| 294 | Individual differences in preferences for and responses to four nicotine replacement products. <i>Psychopharmacology</i> , <b>2001</b> , 153, 225-30              | 4.7 | 73  |
| 293 | Effect of oral nicotine dosing forms on cigarette withdrawal symptoms and craving: a systematic review. <i>Psychopharmacology</i> , <b>2001</b> , 155, 115-22     | 4.7 | 80  |
| 292 | Effect of a short bout of exercise on tobacco withdrawal symptoms and desire to smoke. <i>Psychopharmacology</i> , <b>2001</b> , 158, 66-72                       | 4.7 | 100 |
| 291 | General Practitioners' views on the provision of nicotine replacement therapy and bupropion. <i>BMC Family Practice</i> , <b>2001</b> , 2, 6                      | 2.6 | 9   |
| 290 | Randomized controlled trial of a midwife-delivered brief smoking cessation intervention in pregnancy. <i>Addiction</i> , <b>2001</b> , 96, 485-94                 | 4.6 | 94  |
| 289 | Multiple substance dependence: implications for treatment of nicotine dependence. <i>Addiction</i> , <b>2001</b> , 96, 775-6                                      | 4.6 | 7   |
| 288 | Smoking cessation and smoking patterns in the general population: a 1-year follow-up. <i>Addiction</i> , <b>2001</b> , 96, 891-902                                | 4.6 | 186 |
| 287 | General Practitioners' views on the English national smoking cessation guidelines. <i>Addiction</i> , <b>2001</b> , 96, 997-1000                                  | 4.6 | 25  |
| 286 | Crime and Risky Behavior in Traffic: An Example of Cross-Situational Consistency. <i>Journal of Research in Crime and Delinquency</i> , <b>2001</b> , 38, 439-459 | 2.3 | 58  |
| 285 | Smoking cessation activities by general practitioners and practice nurses. <i>Tobacco Control</i> , <b>2001</b> , 10, 27-32                                       | 5.3 | 74  |
| 284 | Glucose for smoking cessation: does it have a role?. <i>CNS Drugs</i> , <b>2001</b> , 15, 261-5   | 6.7 | 28  |
| 283 | Adolescent lifestyle <b>2001</b> , 3-9  |     |     |
| 282 | Alcohol abuse <b>2001</b> , 534-537   |     |     |
| 281 | Pelvic pain <b>2001</b> , 811-814   |     |     |
| 280 | Men's health <b>2001</b> , 132-136  |     |     |

|     |  |   |
|-----|--|---|
| 279 | Perceived control <b>2001</b> , 148-150                    | 2 |
| 278 | Psychoneuroimmunology <b>2001</b> , 167-172                | 1 |
| 277 | Socioeconomic status and health <b>2001</b> , 207-213      |   |
| 276 | Brain imaging and function <b>2001</b> , 237-241           |   |
| 275 | Disability assessment <b>2001</b> , 256-260                |   |
| 274 | Assessment of mood <b>2001</b> , 278-286                   | 3 |
| 273 | Quality of life assessment <b>2001</b> , 319-321           | 1 |
| 272 | Allergies: general <b>2001</b> , 543-546                   |   |
| 271 | Cancer: leukaemia <b>2001</b> , 601-605                    |   |
| 270 | Carotid artery disease and treatment <b>2001</b> , 613-615 |   |
| 269 | Haemophilia <b>2001</b> , 718-720                          | 1 |
| 268 | Headache and migraine <b>2001</b> , 724-726                |   |
| 267 | Motor neurone disease <b>2001</b> , 784-786                | 1 |
| 266 | Rape and sexual assault <b>2001</b> , 839-840              |   |
| 265 | Reconstructive and cosmetic surgery <b>2001</b> , 841-843  |   |
| 264 | Sterilization and vasectomy <b>2001</b> , 895-897          |   |
| 263 | Tobacco use <b>2001</b> , 908-912                          |   |
| 262 | Vertigo and dizziness <b>2001</b> , 921-923                |   |

|     |  |    |
|-----|--|----|
| 261 | Neuropsychological rehabilitation <b>2001</b> , 367-369  | 1  |
| 260 | Repetitive strain injury <b>2001</b> , 846-849   |    |
| 259 | Stigma <b>2001</b> , 213-215   | 1  |
| 258 | Patient satisfaction <b>2001</b> , 477-482   | 1  |
| 257 | Social support assessment <b>2001</b> , 321-326  |    |
| 256 | Chronic obstructive pulmonary disease (COPD): chronic bronchitis and emphysema <b>2001</b> , 631-633 | 2  |
| 255 | Unemployment and health <b>2001</b> , 232-236  | 1  |
| 254 | Voice disorders <b>2001</b> , 926-927  |    |
| 253 | Adherence to treatment <b>2001</b> , 415-421   | 2  |
| 252 | Coping assessment <b>2001</b> , 245-250  | 3  |
| 251 | Illness cognition assessment <b>2001</b> , 268-273   | 14 |
| 250 | Cognitive behaviour therapy <b>2001</b> , 340-344  | 2  |
| 249 | Health-related behaviours: common factors <b>2001</b> , 102-109                                      | 2  |
| 248 | Diagnostic interviews and clinical practice <b>2001</b> , 251-255                                    | 1  |
| 247 | Transtheoretical model of behaviour change <b>2001</b> , 228-232                                     | 1  |
| 246 | Self-efficacy in health functioning <b>2001</b> , 191-193  | 4  |
| 245 | Coping with chronic illness <b>2001</b> , 46-49  | 3  |
| 244 | Stress management <b>2001</b> , 403-407  | 1  |

|     |   |    |
|-----|---|----|
| 243 | Theory of planned behaviour <b>2001</b> , 223-228                                     | 1  |
| 242 | Amnesia <b>2001</b> , 546-548   |    |
| 241 | Patient safety and iatrogenesis <b>2001</b> , 472-477                                 |    |
| 240 | Growth retardation <b>2001</b> , 716-717  |    |
| 239 | Counselling <b>2001</b> , 348-351   |    |
| 238 | The health belief model <b>2001</b> , 97-102  | 18 |
| 237 | Domestic violence, intimate partner violence and wife battering <b>2001</b> , 674-675 |    |
| 236 | Hysterectomy <b>2001</b> , 749-751  |    |
| 235 | Relaxation training <b>2001</b> , 389-393   |    |
| 234 | Coping with bereavement <b>2001</b> , 41-46   | 1  |
| 233 | Cancer: skin <b>2001</b> , 610-612  |    |
| 232 | Risk perception and health behaviour <b>2001</b> , 187-191                            | 2  |
| 231 | Hospitalization in adults <b>2001</b> , 109-113                                       | 4  |
| 230 | EpsteinBarr virus infection <b>2001</b> , 705-707                                     |    |
| 229 | Attributions and health <b>2001</b> , 26-33   | 3  |
| 228 | Expectations and health <b>2001</b> , 87-92   | 3  |
| 227 | Social support and health <b>2001</b> , 202-207                                       | 1  |
| 226 | Stress and health <b>2001</b> , 215-219   | 1  |

- 225 Neuropsychological assessment of attention and executive functioning **2001**, 290-294 3
- 224 Neuropsychological assessment of learning and memory **2001**, 294-300
- 223 Psychosocial care of the elderly **2001**, 383-389
- 222 Self-management interventions **2001**, 393-397 3
- 221 Medical decision-making **2001**, 454-459
- 220 Stress in health professionals **2001**, 500-505 3
- 219 Anaesthesia and psychology **2001**, 551-553
- 218 Blood donation **2001**, 567-569 0
- 217 Chromosomal abnormalities **2001**, 625-628
- 216 Drug dependency: benzodiazepines **2001**, 675-678
- 215 Drugs: psychotropic medication **2001**, 685-687
- 214 Oral care and hygiene **2001**, 801-803
- 213 Postnatal depression **2001**, 820-823
- 212 Premature babies **2001**, 827-830
- 211 Age and physical functioning **2001**, 10-14 1
- 210 Age and cognitive functioning **2001**, 15-20 2
- 209 Architecture and health **2001**, 23-26
- 208 Childhood influences on health **2001**, 33-38



207 Children's perceptions of illness and death **2001**, 38-41

206 Coping with chronic pain **2001**, 50-55

205 Coping with stressful medical procedures **2001**, 59-63

3

204 Cultural and ethnic factors in health **2001**, 64-70

203 Diet and health **2001**, 75-79

202 Gender issues and women's health **2001**, 92-96

201 Hospitalization in children **2001**, 113-119

200 Hostility and Type A behaviour in coronary artery disease **2001**, 119-124

199 Life events and health **2001**, 128-132

2

198 Noise: effects on health **2001**, 137-141

197 Pain: a multidimensional perspective **2001**, 141-147

196 Personality and health **2001**, 151-155

3

195 Physical activity and health **2001**, 155-161

1

194 Placebos **2001**, 161-167

193 Psychosomatics **2001**, 173-177

192 Religion and health **2001**, 182-187

191 Sleep and health **2001**, 198-202

190 Communication assessment **2001**, 242-245

- 189 Health cognition assessment **2001**, 260-266 3
- 188 Health status assessment **2001**, 266-268
- 187 IQ testing **2001**, 273-278 2
- 186 Neuropsychological assessment **2001**, 287-289
- 185 Pain assessment **2001**, 300-304 1
- 184 Patient satisfaction assessment **2001**, 304-309
- 183 Psychoneuroimmunology assessments **2001**, 309-313
- 182 Qualitative assessment **2001**, 314-318 1
- 181 Stress assessment **2001**, 326-330
- 180 Behaviour therapy **2001**, 331-335
- 179 Community-based interventions **2001**, 344-348 1
- 178 Group therapy **2001**, 352-355
- 177 Physical activity interventions **2001**, 375-379
- 176 Psychodynamic psychotherapy **2001**, 379-383
- 175 Social support interventions **2001**, 397-402
- 174 Worksite interventions **2001**, 407-414 3
- 173 Attitudes of health professionals **2001**, 421-423
- 172 Breaking bad news **2001**, 423-426

|     |   |   |
|-----|---|---|
| 171 | Communicating risk <b>2001</b> , 431-435                                      | 5 |
| 170 | Healthcare professional-patient communication <b>2001</b> , 435-439           |   |
| 169 | Healthcare work environments <b>2001</b> , 439-444                            | 1 |
| 168 | Interprofessional education in essence <b>2001</b> , 449-454                  | 1 |
| 167 | Medical interviewing <b>2001</b> , 459-467                                    |   |
| 166 | Patient-centred healthcare <b>2001</b> , 468-472                              |   |
| 165 | Psychological support for healthcare professionals <b>2001</b> , 482-486      |   |
| 164 | Reassurance <b>2001</b> , 487-490   |   |
| 163 | Screening in healthcare: general issues <b>2001</b> , 490-495                 |   |
| 162 | Teaching communication skills <b>2001</b> , 510-516                           |   |
| 161 | Written communication <b>2001</b> , 517-522                                   |   |
| 160 | Accidents and unintentional injuries <b>2001</b> , 527-530                    |   |
| 159 | Allergies to drugs <b>2001</b> , 537-539                                      |   |
| 158 | Allergies to food <b>2001</b> , 540-543                                       |   |
| 157 | Antenatal care <b>2001</b> , 554-556  |   |
| 156 | Aphasia recovery, treatment and psychosocial adjustment <b>2001</b> , 556-559 |   |
| 155 | Blindness and visual disability <b>2001</b> , 565-567                         |   |
| 154 | Burn injuries: psychological and social aspects <b>2001</b> , 572-576         |   |

153 Cancers of the digestive tract **2001**, 581-584

152 Cancer: general **2001**, 584-591

1

151 Cancer: gynaecologic **2001**, 591-595

150 Cancer: head and neck **2001**, 595-598

149 Cancer: Hodgkin's and non-Hodgkin's lymphoma **2001**, 598-601

148 Cancer: lung **2001**, 605-606

2

147 Cancer: prostate **2001**, 607-609

146 Cold, common **2001**, 637-638

145 Complementary medicine **2001**, 639-641

1

144 Coronary heart disease: impact **2001**, 644-647

143 Coronary heart disease: cardiac psychology **2001**, 648-653

142 Coronary heart disease: heart failure **2001**, 654-656

141 Coronary heart disease: rehabilitation **2001**, 656-659

140 Coronary heart disease: surgery **2001**, 659-662

139 Acquired hearing loss **2001**, 665-667

1

138 Dementias **2001**, 667-670

1

137 Drug dependence: opiates and stimulants **2001**, 679-682

136 Drugs: beta-blockers **2001**, 683-685

135 Facial disfigurement and dysmorphology **2001**, 708-711

2

134 Fetal wellbeing: monitoring and assessment **2001**, 711-714

133 Gastric and duodenal ulcers **2001**, 714-716

132 Herpes **2001**, 727-729

131 Hormone replacement therapy **2001**, 732-735

130 Huntington's disease **2001**, 738-740

129 Hyperactivity **2001**, 740-742

128 Hyperventilation **2001**, 747-748

127 Intensive care unit **2001**, 760-763

126 Intimate examinations **2001**, 763-765

125 Lymphoedema **2001**, 768-771

124 Mastalgia (breast pain) **2001**, 774-776

123 Menopause and postmenopause **2001**, 779-781

122 Non-cardiac chest pain **2001**, 793-796

121 Pregnancy and childbirth **2001**, 823-827

120 Renal failure, dialysis and transplantation **2001**, 844-845

119 Screening: antenatal **2001**, 854-857

118 Screening: cancer **2001**, 857-861

117 Screening: cardiac **2001**, 861-864

116 Screening: genetic **2001**, 864-869

115 Self-examination: breasts, testicles **2001**, 870-871

114 Sexual dysfunction **2001**, 872-874

113 Skin disorders **2001**, 880-883

112 Sleep apnoea **2001**, 883-886

111 Stuttering **2001**, 901-903

110 Toxins: environmental **2001**, 912-915

109 Urinary tract symptoms **2001**, 919-921

108 Vision disorders **2001**, 924-925

107 Volatile substance abuse **2001**, 927-929

106 Vomiting and nausea **2001**, 929-932

1

105 Amputation and phantom limb pain **2001**, 548-550

104 Ageing and health **2001**, 20-23

0

103 Coping with death and dying **2001**, 55-58

102 Shiftwork and health **2001**, 496-500

101 Hospital acquired infection **2001**, 736-738

3

100 Cancer: breast **2001**, 577-580

1

|    |  |     |     |
|----|--|-----|-----|
| 99 | Delay in seeking help <b>2001</b> , 70-74  |     | 2   |
| 98 | Sexual risk behaviour <b>2001</b> , 194-198  |     |     |
| 97 | Lay beliefs about health and illness <b>2001</b> , 124-128   |     | 6   |
| 96 | Exercise interventions for smoking cessation. <i>The Cochrane Library</i> , <b>2000</b> , CD002295   | 5.2 | 11  |
| 95 | Does exercise aid smoking cessation? A systematic review. <i>Addiction</i> , <b>2000</b> , 95, 199-208   | 4.6 | 52  |
| 94 | A comparison of the abuse liability and dependence potential of nicotine patch, gum, spray and inhaler. <i>Psychopharmacology</i> , <b>2000</b> , 149, 198-202   | 4.7 | 136 |
| 93 | Do social support interventions ("buddy systems") aid smoking cessation? A review. <i>Tobacco Control</i> , <b>2000</b> , 9, 415-22  | 5.3 | 105 |
| 92 | Smoking cessation guidelines for health professionals: an update. Health Education Authority. <i>Thorax</i> , <b>2000</b> , 55, 987-99   | 7.3 | 547 |
| 91 | Symptom attribution and the recognition of psychiatric morbidity. <i>Journal of Psychosomatic Research</i> , <b>2000</b> , 48, 157-60  | 4.1 | 23  |
| 90 | New Labour and School-based Education in England: Changing the system of funding?. <i>British Educational Research Journal</i> , <b>2000</b> , 26, 523-536   | 1.6 | 10  |
| 89 | Randomized comparative trial of nicotine polacrilex, a transdermal patch, nasal spray, and an inhaler. <i>Archives of Internal Medicine</i> , <b>1999</b> , 159, 2033-8  |     | 170 |
| 88 | Patients' perceptions of the role of the general practitioner in the management of emotional problems. <i>British Journal of Health Psychology</i> , <b>1999</b> , 4, 41-52  | 8.3 | 5   |
| 87 | Acute effect of glucose tablets on desire to smoke. <i>Psychopharmacology</i> , <b>1999</b> , 147, 319-21  | 4.7 | 30  |
| 86 | Measles, mumps and rubella vaccine: current safety issues. <i>BioDrugs</i> , <b>1999</b> , 12, 423-9   | 7.9 | 3   |
| 85 | Smoking cessation: evidence based recommendations for the healthcare system. <i>BMJ: British Medical Journal</i> , <b>1999</b> , 318, 182-5  |     | 84  |
| 84 | Double-blind placebo controlled trial of dextrose tablets and nicotine patch in smoking cessation. <i>Psychopharmacology</i> , <b>1998</b> , 136, 201-4  | 4.7 | 32  |
| 83 | A randomized controlled trial of a "buddy" systems to improve success at giving up smoking in general practice. <i>Addiction</i> , <b>1998</b> , 93, 1007-11   | 4.6 | 46  |
| 82 | Smoking cessation guidelines for health professionals. A guide to effective smoking cessation interventions for the health care system. Health Education Authority. <i>Thorax</i> , <b>1998</b> , 53 Suppl 5 Pt 1, S1-19 | 7.3 | 229 |

|    |   |     |     |
|----|---|-----|-----|
| 81 | Guidance for commissioners on the cost effectiveness of smoking cessation interventions. Health Educational Authority. <i>Thorax</i> , <b>1998</b> , 53 Suppl 5 Pt 2, S1-38               | 7.3 | 45  |
| 80 | What happens to anxiety levels on giving up smoking?. <i>American Journal of Psychiatry</i> , <b>1997</b> , 154, 1589-92  | 1.9 | 116 |
| 79 | The Role of Personality and Attitudes in Traffic Accident Risk. <i>Applied Psychology</i> , <b>1997</b> , 46, 253-264   | 4.3 | 72  |
| 78 | Withdrawing respect from the tobacco trade. <i>Addiction</i> , <b>1997</b> , 92, 133-135  | 4.6 |     |
| 77 | The Role of Personality and Attitudes in Traffic Accident Risk <b>1997</b> , 46, 253  |     | 1   |
| 76 | Addiction, ethics and public policy. <i>Addiction</i> , <b>1997</b> , 92, 1061-70   | 4.6 | 1   |
| 75 | Randomised controlled trial of ondansetron in smoking cessation. <i>Psychopharmacology</i> , <b>1996</b> , 126, 95-6  | 4.7 | 21  |
| 74 | Cigarette smoking and psychophysiological stress responsiveness: effects of recent smoking and temporary abstinence. <i>Psychopharmacology</i> , <b>1996</b> , 126, 226-33                | 4.7 | 54  |
| 73 | Role of formal instruction and informal practice in learning to drive. <i>Ergonomics</i> , <b>1996</b> , 39, 693-706  | 2.9 | 35  |
| 72 | The Financing of School-based Education: Changing the Additional Educational Needs Allowance. <i>Education Economics</i> , <b>1995</b> , 3, 265-275                                       | 0.7 | 5   |
| 71 | Factors associated with smoking in student nurses. <i>Psychology and Health</i> , <b>1995</b> , 10, 195-204   | 2.9 | 8   |
| 70 | Regular smokers, lifetime very light smokers, and reduced smokers: Comparison of psychosocial and smoking characteristics in women.. <i>Health Psychology</i> , <b>1995</b> , 14, 195-201 | 5   | 53  |
| 69 | Towards unravelling the confounding of deviant driving, drink driving and traffic accident liability. <i>Criminal Behaviour and Mental Health</i> , <b>1995</b> , 5, 452-462              | 1.4 | 10  |
| 68 | Alcoholics' beliefs about responsibility for, and recovery from, their condition. <i>Drug and Alcohol Review</i> , <b>1995</b> , 14, 55-62  | 3.2 | 5   |
| 67 | Behavioural characteristics and involvement in different types of traffic accident. <i>Accident Analysis and Prevention</i> , <b>1995</b> , 27, 571-81                                    | 6.1 | 211 |
| 66 | Nicotine is Addictive: The Issue of Free Choice <b>1995</b> , 265-272   |     | 4   |
| 65 | Beneficial effects of nicotine: reprise. <i>Addiction</i> , <b>1994</b> , 89, 144-146   | 4.6 | 7   |
| 64 | The future of nicotine replacement in smoking cessation?. <i>Addiction</i> , <b>1994</b> , 89, 436-8; discussion 438-9  | 4.6 |     |



|    |  |      |     |
|----|--|------|-----|
| 63 | A reply to Pritchard and Robinson. <i>Addiction</i> , <b>1994</b> , 89, 482-482  | 4.6  | 1   |
| 62 | Comparing drugs of dependence. <i>Addiction</i> , <b>1994</b> , 89, 1355-6   | 4.6  | 3   |
| 61 | Overview: a comparison of withdrawal symptoms from different drug classes. <i>Addiction</i> , <b>1994</b> , 89, 1483-2.6   | 4.6  | 84  |
| 60 | Direct observation of driving, self reports of driver behaviour, and accident involvement. <i>Ergonomics</i> , <b>1993</b> , 36, 557-67  | 2.9  | 169 |
| 59 | Mild social deviance, Type-A behaviour pattern and decision-making style as predictors of self-reported driving style and traffic accident risk. <i>British Journal of Psychology</i> , <b>1993</b> , 84 ( Pt 2), 207-19 | 4    | 78  |
| 58 | Behavioral correlates of individual differences in road-traffic crash risk: an examination method and findings. <i>Psychological Bulletin</i> , <b>1993</b> , 113, 279-94  | 19.1 | 461 |
| 57 | Effect of low and moderate doses of alcohol on driving hazard perception latency and driving speed. <i>Addiction</i> , <b>1993</b> , 88, 527-32  | 4.6  | 60  |
| 56 | A comparison of computer and questionnaire methods of history-taking in a genito-urinary clinic. <i>Psychology and Health</i> , <b>1992</b> , 6, 77-84   | 2.9  | 43  |
| 55 | New Concepts in Anxiety. Edited by M. Briley and S. E. File. Basingstoke: Macmillan. 1991. 491 pp. £65.00.. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 286-286  | 5.4  |     |
| 54 | New Data Notes Series. <i>Addiction</i> , <b>1992</b> , 87, 5-5  | 4.6  | 0   |
| 53 | Scientific horizons in addiction. <i>Addiction</i> , <b>1992</b> , 87, 823-823   | 4.6  |     |
| 52 | Nicotine addiction: a re-analysis of the arguments. <i>Psychopharmacology</i> , <b>1992</b> , 108, 408-10; discussion 411-6  | 4.7  | 26  |
| 51 | Function of cigarette smoking in relation to examinations. <i>Psychopharmacology</i> , <b>1992</b> , 108, 456-9  | 4.7  | 22  |
| 50 | Effect of cigarettes on memory search and subjective ratings. <i>Pharmacology Biochemistry and Behavior</i> , <b>1991</b> , 38, 281-6  | 3.9  | 56  |
| 49 | The focus and conduct of clinical trials. <i>Addiction</i> , <b>1991</b> , 86, 663-6   | 4.6  | 1   |
| 48 | Effect of buspirone on cigarette withdrawal symptoms and short-term abstinence rates in a smokers clinic. <i>Psychopharmacology</i> , <b>1991</b> , 104, 91-6  | 4.7  | 57  |
| 47 | Effects of Nicotine Cigarettes on Memory Search Rate <b>1991</b> , 547-557   |      |     |
| 46 | Understanding Tranquilliser Use: The Role of the Social Sciences. Edited by Jonathan Gabe. London: Routledge. 1991. 215 pp. £40.00.. <i>British Journal of Psychiatry</i> , <b>1991</b> , 159, 749-749                   | 5.4  |     |

|    |   |     |    |
|----|---|-----|----|
| 45 | Alcohol consumption, problem drinking and anti-social behaviour in a sample of college students. <i>Addiction</i> , <b>1990</b> , 85, 479-86  | 4.6 | 43 |
| 44 | Oral tobacco: prevalence, health risks, dependence potential and public policy. <i>Addiction</i> , <b>1990</b> , 85, 1097-8; discussion 1099-106  | 4.6 | 5  |
| 43 | Effect of glucose tablets on craving for cigarettes. <i>Psychopharmacology</i> , <b>1990</b> , 101, 555-9   | 4.7 | 32 |
| 42 | Nicotine pharmacodynamics: some unresolved issues. <i>Novartis Foundation Symposium</i> , <b>1990</b> , 152, 210-9; discussion 219-24   |     | 1  |
| 41 | Time course of cigarette withdrawal symptoms while using nicotine gum. <i>Psychopharmacology</i> , <b>1989</b> , 99, 143-5  | 4.7 | 58 |
| 40 | The Psychological Basis of Addiction. <i>International Review of Psychiatry</i> , <b>1989</b> , 1, 71-79  | 3.6 | 6  |
| 39 | Relations between reading and musical abilities. <i>British Journal of Educational Psychology</i> , <b>1989</b> , 59 (Pt 2), 253-7  | 3.2 | 43 |
| 38 | Accidental vulval injuries in childhood. <i>BMJ: British Medical Journal</i> , <b>1989</b> , 298, 1002-3  |     | 32 |
| 37 | Computer Models of the Mind: Computational Approaches in Theoretical Psychology. By Margaret Boden. Cambridge: Cambridge University Press. 1988. 289 pp. £10.95 (pb), £30.00 (hb).. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 746-747 | 5.4 |    |
| 36 | Computer Models of the Mind: Computational Approaches in Theoretical Psychology. By Margaret Boden. Cambridge: Cambridge University Press. 1988. 289 pp. £10.95 (pb), £30.00 (hb).. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 746-747 | 5.4 |    |
| 35 | Loss of acute nicotine tolerance and severity of cigarette withdrawal. <i>Psychopharmacology</i> , <b>1988</b> , 94, 563-5  | 4.7 | 33 |
| 34 | Drop in heart rate following smoking cessation may be permanent. <i>Psychopharmacology</i> , <b>1988</b> , 94, 566-84.7   | 4.7 | 23 |
| 33 | Ethical aspects of genetic disease and genetic counselling. <i>Journal of Medical Ethics</i> , <b>1988</b> , 14, 194-7  | 2.5 | 7  |
| 32 | Modelling Music as Input-Output and as Process. <i>Psychology of Music</i> , <b>1987</b> , 15, 7-29   | 1.2 | 6  |
| 31 | Counselling and care of laryngectomees: a preliminary study. <i>International Journal of Language and Communication Disorders</i> , <b>1987</b> , 22, 237-43  | 2.9 | 3  |
| 30 | Subjective effects of cigarette smoking in adolescents. <i>Psychopharmacology</i> , <b>1987</b> , 92, 115-7   | 4.7 | 49 |
| 29 | Saliva cotinine as an indicator of cigarette smoking in adolescents. <i>Addiction</i> , <b>1987</b> , 82, 1355-60   | 4.6 | 67 |
| 28 | Use and Misuse of Craving. <i>Addiction</i> , <b>1987</b> , 82, 39-42   | 4.6 | 16 |

|    |   |     |     |
|----|---|-----|-----|
| 27 | Craving for cigarettes. <i>Addiction</i> , <b>1987</b> , 82, 407-15   | 4.6 | 87  |
| 26 | Cigarette withdrawal symptoms in adolescent smokers. <i>Psychopharmacology</i> , <b>1986</b> , 90, 533-6  | 4.7 | 91  |
| 25 | Do older children take in more smoke from their cigarettes? Evidence from carbon monoxide levels. <i>Journal of Behavioral Medicine</i> , <b>1986</b> , 9, 559-65             | 3.6 | 10  |
| 24 | Pre-abstinence smoke intake and smoking motivation as predictors of severity of cigarette withdrawal symptoms. <i>Psychopharmacology</i> , <b>1985</b> , 87, 334-6            | 4.7 | 131 |
| 23 | Pitch Relations and the Formation of Scalar Structure. <i>Music Perception</i> , <b>1985</b> , 2, 329-344   | 1.6 |     |
| 22 | The detection of notes incompatible with scalar structure. <i>Journal of the Acoustical Society of America</i> , <b>1984</b> , 76, 1682-1689                                  | 2.2 | 5   |
| 21 | An evaluation of the intervention against smoking in the multiple risk factor intervention trial. <i>Preventive Medicine</i> , <b>1984</b> , 13, 501-9                        | 4.3 | 31  |
| 20 | Preferences for scale structure in melodic sequences.. <i>Journal of Experimental Psychology: Human Perception and Performance</i> , <b>1983</b> , 9, 444-460                 | 2.6 | 20  |
| 19 | Ontologies relevant to behaviour change interventions: a method for their development. <i>Wellcome Open Research</i> , 5, 126   | 4.8 | 3   |
| 18 | Refining the content and design of an alcohol reduction app, Drink Less, to improve its usability and effectiveness: a mixed methods approach. <i>F1000Research</i> , 10, 511 | 3.6 | 0   |
| 17 | Face masks to prevent community transmission of viral respiratory infections: A rapid evidence review using Bayesian analysis. <i>Qeios</i> ,                                 | 0   | 5   |
| 16 | The case for development of an E-cigarette Ontology (E-CigO) to improve quality, efficiency and clarity in the conduct and interpretation of research. <i>Qeios</i> ,         | 0   | 2   |
| 15 | Epidemic of youth nicotine addiction? What does the National Youth Tobacco Survey reveal about high school e-cigarette use in the USA? (Preprint). <i>Qeios</i> ,             | 0   | 3   |
| 14 | Epidemic of youth nicotine addiction? What does the National Youth Tobacco Survey 2017-2019 reveal about high school e-cigarette use in the USA?. <i>Qeios</i> ,              | 0   | 6   |
| 13 | Routes of transmission of SARS-CoV-2 and behaviours to block it: a summary. <i>Qeios</i> ,  | 0   | 1   |
| 12 | Routes of transmission of SARS-CoV-2 and behaviours to block it: a summary. <i>Qeios</i> ,  | 0   | 3   |
| 11 | Addiction Ontology: Applying Basic Formal Ontology in the Addiction domain. <i>Qeios</i> ,  | 0   | 2   |
| 10 | Addiction Paper Authoring Tool (PAT): A Guide. <i>Qeios</i> ,   | 0   | 2   |

|   |  |   |    |
|---|--|---|----|
| 9 | Review of "Smoking, vaping and hospitalization for COVID-19". <i>Qeios</i> ,   | 0 | 2  |
| 8 | A brief introduction to the COM-B Model of behaviour and the PRIME Theory of motivation. <i>Qeios</i> ,  | 0 | 19 |
| 7 | A brief introduction to the COM-B Model of behaviour and the PRIME Theory of motivation. <i>Qeios</i> ,  | 0 | 19 |
| 6 | Creating ontological definitions for use in science. <i>Qeios</i> ,  | 0 | 8  |
| 5 | Do Daily Fluctuations in Psychological and App-Related Variables Predict Engagement With an Alcohol Reduction App? A Series of N-Of-1 Studies (Preprint)                       |   | 1  |
| 4 | COVID-19, smoking, vaping and quitting: A representative population survey in England  |   | 2  |
| 3 | Smoking cessation: an evidence-based approach  |   | 1  |
| 2 | Effectiveness of training general practitioners in the ABC versus 5As method of delivering brief stop-smoking advice: a pragmatic, two-arm cluster randomised controlled trial |   | 2  |
| 1 | Defining and Assessing Nicotine Dependence in Humans. <i>Novartis Foundation Symposium</i> ,36-58  |   | 8  |