

Donna D Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6689117/donna-d-zhang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

21,534
citations

59
h-index

142
g-index

142
ext. papers

25,775
ext. citations

7.5
avg, IF

7.08
L-index

#	Paper	IF	Citations
133	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
132	Ferroptosis: A Regulated Cell Death Nexus Linking Metabolism, Redox Biology, and Disease. <i>Cell</i> , 2017 , 171, 273-285	56.2	1985
131	Distinct cysteine residues in Keap1 are required for Keap1-dependent ubiquitination of Nrf2 and for stabilization of Nrf2 by chemopreventive agents and oxidative stress. <i>Molecular and Cellular Biology</i> , 2003 , 23, 8137-51	4.8	1062
130	Nrf2 is a direct PERK substrate and effector of PERK-dependent cell survival. <i>Molecular and Cellular Biology</i> , 2003 , 23, 7198-209	4.8	924
129	Keap1 is a redox-regulated substrate adaptor protein for a Cul3-dependent ubiquitin ligase complex. <i>Molecular and Cellular Biology</i> , 2004 , 24, 10941-53	4.8	922
128	The emerging role of the Nrf2-Keap1 signaling pathway in cancer. <i>Genes and Development</i> , 2013 , 27, 2179-91	12.6	828
127	Mechanistic studies of the Nrf2-Keap1 signaling pathway. <i>Drug Metabolism Reviews</i> , 2006 , 38, 769-89	7	788
126	A noncanonical mechanism of Nrf2 activation by autophagy deficiency: direct interaction between Keap1 and p62. <i>Molecular and Cellular Biology</i> , 2010 , 30, 3275-85	4.8	601
125	Nrf2 enhances resistance of cancer cells to chemotherapeutic drugs, the dark side of Nrf2. <i>Carcinogenesis</i> , 2008 , 29, 1235-43	4.6	587
124	NRF2 and the Hallmarks of Cancer. <i>Cancer Cell</i> , 2018 , 34, 21-43	24.3	555
123	Dual roles of Nrf2 in cancer. <i>Pharmacological Research</i> , 2008 , 58, 262-70	10.2	519
122	Direct interaction between Nrf2 and p21(Cip1/WAF1) upregulates the Nrf2-mediated antioxidant response. <i>Molecular Cell</i> , 2009 , 34, 663-73	17.6	458
121	Brusatol enhances the efficacy of chemotherapy by inhibiting the Nrf2-mediated defense mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 1433-8	11.5	446
120	Therapeutic potential of Nrf2 activators in streptozotocin-induced diabetic nephropathy. <i>Diabetes</i> , 2011 , 60, 3055-66	0.9	387
119	NRF2 plays a critical role in mitigating lipid peroxidation and ferroptosis. <i>Redox Biology</i> , 2019 , 23, 101107	11.3	319
118	The protective role of Nrf2 in streptozotocin-induced diabetic nephropathy. <i>Diabetes</i> , 2010 , 59, 850-60	0.9	317
117	Regulation of the Nrf2-Keap1 antioxidant response by the ubiquitin proteasome system: an insight into cullin-ring ubiquitin ligases. <i>Antioxidants and Redox Signaling</i> , 2010 , 13, 1699-712	8.4	295

116	p62 links autophagy and Nrf2 signaling. <i>Free Radical Biology and Medicine</i> , 2015 , 88, 199-204	7.8	286
115	Acetylation of Nrf2 by p300/CBP augments promoter-specific DNA binding of Nrf2 during the antioxidant response. <i>Molecular and Cellular Biology</i> , 2009 , 29, 2658-72	4.8	278
114	Keap1 controls postinduction repression of the Nrf2-mediated antioxidant response by escorting nuclear export of Nrf2. <i>Molecular and Cellular Biology</i> , 2007 , 27, 6334-49	4.8	248
113	Phosphorylation of Nrf2 at multiple sites by MAP kinases has a limited contribution in modulating the Nrf2-dependent antioxidant response. <i>PLoS ONE</i> , 2009 , 4, e6588	3.7	242
112	High levels of Nrf2 determine chemoresistance in type II endometrial cancer. <i>Cancer Research</i> , 2010 , 70, 5486-96	10.1	217
111	USP22 antagonizes p53 transcriptional activation by deubiquitinating Sirt1 to suppress cell apoptosis and is required for mouse embryonic development. <i>Molecular Cell</i> , 2012 , 46, 484-94	17.6	207
110	Hrd1 suppresses Nrf2-mediated cellular protection during liver cirrhosis. <i>Genes and Development</i> , 2014 , 28, 708-22	12.6	195
109	Oncogenic KRAS confers chemoresistance by upregulating NRF2. <i>Cancer Research</i> , 2014 , 74, 7430-41	10.1	192
108	Arsenic inhibits autophagic flux, activating the Nrf2-Keap1 pathway in a p62-dependent manner. <i>Molecular and Cellular Biology</i> , 2013 , 33, 2436-46	4.8	172
107	Crystal structure of the Kelch domain of human Keap1. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54750-54	5.4	167
106	Modulating NRF2 in Disease: Timing Is Everything. <i>Annual Review of Pharmacology and Toxicology</i> , 2019 , 59, 555-575	17.9	159
105	Redox regulation by NRF2 in aging and disease. <i>Free Radical Biology and Medicine</i> , 2019 , 134, 702-707	7.8	155
104	Nrf2 suppresses lupus nephritis through inhibition of oxidative injury and the NF- κ B-mediated inflammatory response. <i>Kidney International</i> , 2014 , 85, 333-343	9.9	142
103	NRF2 activation by antioxidant antidiabetic agents accelerates tumor metastasis. <i>Science Translational Medicine</i> , 2016 , 8, 334ra51	17.5	135
102	PALB2 interacts with KEAP1 to promote NRF2 nuclear accumulation and function. <i>Molecular and Cellular Biology</i> , 2012 , 32, 1506-17	4.8	132
101	An Essential Role of NRF2 in Diabetic Wound Healing. <i>Diabetes</i> , 2016 , 65, 780-93	0.9	120
100	Activation of Nrf2 by arsenite and monomethylarsonous acid is independent of Keap1-C151: enhanced Keap1-Cul3 interaction. <i>Toxicology and Applied Pharmacology</i> , 2008 , 230, 383-9	4.6	112
99	Molecular mechanisms of Nrf2 regulation and how these influence chemical modulation for disease intervention. <i>Biochemical Society Transactions</i> , 2015 , 43, 680-6	5.1	110

98	Arsenic-mediated activation of the Nrf2-Keap1 antioxidant pathway. <i>Journal of Biochemical and Molecular Toxicology</i> , 2013 , 27, 99-105	3.4	102
97	Nrf2 pathway regulates multidrug-resistance-associated protein 1 in small cell lung cancer. <i>PLoS ONE</i> , 2013 , 8, e63404	3.7	93
96	The cinnamon-derived dietary factor cinnamic aldehyde activates the Nrf2-dependent antioxidant response in human epithelial colon cells. <i>Molecules</i> , 2010 , 15, 3338-55	4.8	93
95	Nrf2 protects human bladder urothelial cells from arsenite and monomethylarsonous acid toxicity. <i>Toxicology and Applied Pharmacology</i> , 2007 , 225, 206-13	4.6	85
94	Nrf2 protects against As(III)-induced damage in mouse liver and bladder. <i>Toxicology and Applied Pharmacology</i> , 2009 , 240, 8-14	4.6	82
93	Oridonin confers protection against arsenic-induced toxicity through activation of the Nrf2-mediated defensive response. <i>Environmental Health Perspectives</i> , 2008 , 116, 1154-61	8.4	80
92	Cinnamoyl-based Nrf2-activators targeting human skin cell photo-oxidative stress. <i>Free Radical Biology and Medicine</i> , 2008 , 45, 385-95	7.8	77
91	Tanshinone I activates the Nrf2-dependent antioxidant response and protects against As(III)-induced lung inflammation in vitro and in vivo. <i>Antioxidants and Redox Signaling</i> , 2013 , 19, 1647-61	8.4	76
90	Induction of autophagy contributes to cisplatin resistance in human ovarian cancer cells. <i>Molecular Medicine Reports</i> , 2015 , 11, 91-8	2.9	75
89	Notch1-Dll4 signalling and mechanical force regulate leader cell formation during collective cell migration. <i>Nature Communications</i> , 2015 , 6, 6556	17.4	74
88	Nrf2 promotes neuronal cell differentiation. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 867-79	7.8	73
87	The Nrf2-inducers tanshinone I and dihydrotanshinone protect human skin cells and reconstructed human skin against solar simulated UV. <i>Redox Biology</i> , 2013 , 1, 532-41	11.3	71
86	Oxidative stress, mammospheres and Nrf2-new implication for breast cancer therapy?. <i>Molecular Carcinogenesis</i> , 2015 , 54, 1494-502	5	70
85	Does Nrf2 contribute to p53-mediated control of cell survival and death?. <i>Antioxidants and Redox Signaling</i> , 2012 , 17, 1670-5	8.4	70
84	The type III histone deacetylase Sirt1 protein suppresses p300-mediated histone H3 lysine 56 acetylation at Bclaf1 promoter to inhibit T cell activation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 16987-91	5.4	70
83	Breakdown of an Ironclad Defense System: The Critical Role of NRF2 in Mediating Ferroptosis. <i>Cell Chemical Biology</i> , 2020 , 27, 436-447	8.2	69
82	USP15 negatively regulates Nrf2 through deubiquitination of Keap1. <i>Molecular Cell</i> , 2013 , 51, 68-79	17.6	66
81	A small-molecule inducer of the antioxidant response element. <i>Chemistry and Biology</i> , 2010 , 17, 537-47		65

80	Brusatol overcomes chemoresistance through inhibition of protein translation. <i>Molecular Carcinogenesis</i> , 2017 , 56, 1493-1500	5	64
79	Role of Nrf2 and Autophagy in Acute Lung Injury. <i>Current Pharmacology Reports</i> , 2016 , 2, 91-101	5.5	63
78	Nrf2 induces cisplatin resistance through activation of autophagy in ovarian carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 1502-13	1.4	62
77	Bardoxolone brings Nrf2-based therapies to light. <i>Antioxidants and Redox Signaling</i> , 2013 , 19, 517-8	8.4	61
76	KPNA6 (Importin α 7)-mediated nuclear import of Keap1 represses the Nrf2-dependent antioxidant response. <i>Molecular and Cellular Biology</i> , 2011 , 31, 1800-11	4.8	61
75	A Curcumin Derivative That Inhibits Vinyl Carbamate-Induced Lung Carcinogenesis via Activation of the Nrf2 Protective Response. <i>Antioxidants and Redox Signaling</i> , 2015 , 23, 651-64	8.4	58
74	The effects of NRF2 modulation on the initiation and progression of chemically and genetically induced lung cancer. <i>Molecular Carcinogenesis</i> , 2018 , 57, 182-192	5	57
73	Systemic administration of the apocarotenoid bixin protects skin against solar UV-induced damage through activation of NRF2. <i>Free Radical Biology and Medicine</i> , 2015 , 89, 690-700	7.8	57
72	ABCF2, an Nrf2 target gene, contributes to cisplatin resistance in ovarian cancer cells. <i>Molecular Carcinogenesis</i> , 2017 , 56, 1543-1553	5	56
71	The antimalarial amodiaquine causes autophagic-lysosomal and proliferative blockade sensitizing human melanoma cells to starvation- and chemotherapy-induced cell death. <i>Autophagy</i> , 2013 , 9, 2087-102 ^{10.2}	10.2	55
70	Reduced Nrf2 expression mediates the decline in neural stem cell function during a critical middle-age period. <i>Aging Cell</i> , 2016 , 15, 725-36	9.9	54
69	p97 Negatively Regulates NRF2 by Extracting Ubiquitylated NRF2 from the KEAP1-CUL3 E3 Complex. <i>Molecular and Cellular Biology</i> , 2017 , 37,	4.8	53
68	Nrf2-dependent suppression of azoxymethane/dextran sulfate sodium-induced colon carcinogenesis by the cinnamon-derived dietary factor cinnamaldehyde. <i>Cancer Prevention Research</i> , 2015 , 8, 444-54	3.2	52
67	Sulforaphane prevents pulmonary damage in response to inhaled arsenic by activating the Nrf2-defense response. <i>Toxicology and Applied Pharmacology</i> , 2012 , 265, 292-9	4.6	48
66	Nrf2 modulates contractile and metabolic properties of skeletal muscle in streptozotocin-induced diabetic atrophy. <i>Experimental Cell Research</i> , 2013 , 319, 2673-83	4.2	41
65	Ubiquitin-specific peptidase 22 functions and its involvement in disease. <i>Oncotarget</i> , 2016 , 7, 44848-44856	5.6	41
64	Eriodictyol-7-O-glucoside, a novel Nrf2 activator, confers protection against cisplatin-induced toxicity. <i>Food and Chemical Toxicology</i> , 2012 , 50, 1927-32	4.7	40
63	Bixin protects mice against ventilation-induced lung injury in an NRF2-dependent manner. <i>Scientific Reports</i> , 2016 , 6, 18760	4.9	39

62	Low-level arsenic causes proteotoxic stress and not oxidative stress. <i>Toxicology and Applied Pharmacology</i> , 2018 , 341, 106-113	4.6	37
61	Kelch-like ECH-associated protein 1 (KEAP1) differentially regulates nuclear factor erythroid-2-related factors 1 and 2 (NRF1 and NRF2). <i>Journal of Biological Chemistry</i> , 2018 , 293, 2029-2040	5.4	36
60	Targeting NRF2 for Improved Skin Barrier Function and Photoprotection: Focus on the Achiote-Derived Apocarotenoid Bixin. <i>Nutrients</i> , 2017 , 9,	6.7	36
59	NRF2-targeted therapeutics: New targets and modes of NRF2 regulation. <i>Current Opinion in Toxicology</i> , 2016 , 1, 62-70	4.4	36
58	Mechanism of progestin resistance in endometrial precancer/cancer through Nrf2-AKR1C1 pathway. <i>Oncotarget</i> , 2016 , 7, 10363-72	3.3	33
57	Poly(ADP-ribose) polymerase-1 modulates Nrf2-dependent transcription. <i>Free Radical Biology and Medicine</i> , 2014 , 67, 69-80	7.8	32
56	Withaferin A Analogs That Target the AAA+ Chaperone p97. <i>ACS Chemical Biology</i> , 2015 , 10, 1916-1924	4.9	32
55	Mapping photothermally induced gene expression in living cells and tissues by nanorod-locked nucleic acid complexes. <i>ACS Nano</i> , 2014 , 8, 3597-605	16.7	31
54	Multifunctional p62 Effects Underlie Diverse Metabolic Diseases. <i>Trends in Endocrinology and Metabolism</i> , 2017 , 28, 818-830	8.8	29
53	Ectodermal-neural cortex 1 down-regulates Nrf2 at the translational level. <i>PLoS ONE</i> , 2009 , 4, e5492	3.7	29
52	The role of natural products in revealing NRF2 function. <i>Natural Product Reports</i> , 2020 , 37, 797-826	15.1	28
51	Artemisitene activates the Nrf2-dependent antioxidant response and protects against bleomycin-induced lung injury. <i>FASEB Journal</i> , 2016 , 30, 2500-10	0.9	28
50	Nuclear factor, erythroid 2-like 2-associated molecular signature predicts lung cancer survival. <i>Scientific Reports</i> , 2015 , 5, 16889	4.9	27
49	The ER membrane-anchored ubiquitin ligase Hrd1 is a positive regulator of T-cell immunity. <i>Nature Communications</i> , 2016 , 7, 12073	17.4	25
48	Probing mechanoregulation of neuronal differentiation by plasma lithography patterned elastomeric substrates. <i>Scientific Reports</i> , 2014 , 4, 6965	4.9	24
47	ER-associated ubiquitin ligase HRD1 programs liver metabolism by targeting multiple metabolic enzymes. <i>Nature Communications</i> , 2018 , 9, 3659	17.4	24
46	The Histone Acetyltransferase Gcn5 Positively Regulates T Cell Activation. <i>Journal of Immunology</i> , 2017 , 198, 3927-3938	5.3	23
45	Topical Bixin Confers NRF2-Dependent Protection Against Photodamage and Hair Graying in Mouse Skin. <i>Frontiers in Pharmacology</i> , 2018 , 9, 287	5.6	23

44	Differential and overlapping targets of the transcriptional regulators NRF1, NRF2, and NRF3 in human cells. <i>Journal of Biological Chemistry</i> , 2019 , 294, 18131-18149	5.4	23
43	RPA1 binding to NRF2 switches ARE-dependent transcriptional activation to ARE-NRE-dependent repression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E10352-E10361	11.5	22
42	Endoplasmic reticulum-resident E3 ubiquitin ligase Hrd1 controls B-cell immunity through degradation of the death receptor CD95/Fas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 10394-9	11.5	21
41	Detection of mRNA in living cells by double-stranded locked nucleic acid probes. <i>Analyst, The</i> , 2013 , 138, 4777-85	5	21
40	Single cell nanobiosensors for dynamic gene expression profiling in native tissue microenvironments. <i>Advanced Materials</i> , 2015 , 27, 6034-8	24	21
39	Non-canonical activation of NRF2: New insights and its relevance to disease. <i>Current Pathobiology Reports</i> , 2017 , 5, 171-176	2	20
38	Nrf2 expression in endometrial serous carcinomas and its precancers. <i>International Journal of Clinical and Experimental Pathology</i> , 2010 , 4, 85-96	1.4	20
37	Filtering through the role of NRF2 in kidney disease. <i>Archives of Pharmacal Research</i> , 2020 , 43, 361-369	6.1	20
36	Non-covalent NRF2 Activation Confers Greater Cellular Protection than Covalent Activation. <i>Cell Chemical Biology</i> , 2019 , 26, 1427-1435.e5	8.2	19
35	Microfluidic Devices for Terahertz Spectroscopy of Live Cells Toward Lab-on-a-Chip Applications. <i>Sensors</i> , 2016 , 16,	3.8	19
34	Increased O-GlcNAcylation of SNAP29 Drives Arsenic-Induced Autophagic Dysfunction. <i>Molecular and Cellular Biology</i> , 2018 , 38,	4.8	18
33	Plant extracts of the family Lauraceae: a potential resource for chemopreventive agents that activate the nuclear factor-erythroid 2-related factor 2/antioxidant response element pathway. <i>Planta Medica</i> , 2014 , 80, 426-34	3.1	18
32	Identification of a functional antioxidant response element within the eighth intron of the human ABCC3 gene. <i>Drug Metabolism and Disposition</i> , 2015 , 43, 93-9	4	17
31	ATP-competitive, marine derived natural products that target the DEAD box helicase, eIF4A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 4082-4085	2.9	16
30	Dengue Virus Targets Nrf2 for NS2B3-Mediated Degradation Leading to Enhanced Oxidative Stress and Viral Replication. <i>Journal of Virology</i> , 2020 , 94,	6.6	14
29	Intercellular Tension Negatively Regulates Angiogenic Sprouting of Endothelial Tip Cells via Notch1-Dll4 Signaling. <i>Advanced Biology</i> , 2017 , 1, 1600019	3.5	13
28	Spermidine Confers Liver Protection by Enhancing NRF2 Signaling Through a MAP1S-Mediated Noncanonical Mechanism. <i>Hepatology</i> , 2019 , 70, 372-388	11.2	13
27	Uremic toxins promote accumulation of oxidized protein and increased sensitivity to hydrogen peroxide in endothelial cells by impairing the autophagic flux. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 523, 123-129	3.4	13

26	NRF2 negatively regulates primary ciliogenesis and hedgehog signaling. <i>PLoS Biology</i> , 2020 , 18, e30006207	10.7	12
25	Genome-Wide CRISPR Screen Reveals Autophagy Disruption as the Convergence Mechanism That Regulates the NRF2 Transcription Factor. <i>Molecular and Cellular Biology</i> , 2019 , 39,	4.8	11
24	The NRF2-LOC344887 signaling axis suppresses pulmonary fibrosis. <i>Redox Biology</i> , 2021 , 38, 101766	11.3	9
23	The endoplasmic reticulum-resident E3 ubiquitin ligase Hrd1 controls a critical checkpoint in B cell development in mice. <i>Journal of Biological Chemistry</i> , 2018 , 293, 12934-12944	5.4	8
22	Arsenic Compromises Both p97 and Proteasome Functions. <i>Chemical Research in Toxicology</i> , 2017 , 30, 1508-1514	4	8
21	Chronic arsenic exposure enhances metastatic potential via NRF2-mediated upregulation of SOX9. <i>Toxicology and Applied Pharmacology</i> , 2020 , 402, 115138	4.6	8
20	The intricacies of NRF2 regulation in cancer. <i>Seminars in Cancer Biology</i> , 2021 , 76, 110-119	12.7	8
19	Cellular Architecture Regulates Collective Calcium Signaling and Cell Contractility. <i>PLoS Computational Biology</i> , 2016 , 12, e1004955	5	7
18	NRF2 Loss Accentuates Parkinsonian Pathology and Behavioral Dysfunction in Human α -Synuclein Overexpressing Mice 2021 , 12, 964-982		7
17	An Isoform-Selective PTP1B Inhibitor Derived from Nitrogen-Atom Augmentation of Radicol. <i>Biochemistry</i> , 2019 , 58, 3225-3231	3.2	6
16	A gapmer aptamer nanobiosensor for real-time monitoring of transcription and translation in single cells. <i>Biomaterials</i> , 2018 , 156, 56-64	15.6	6
15	A high throughput substrate binding assay reveals hexachlorophene as an inhibitor of the ER-resident HSP70 chaperone GRP78. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 1689-1693	2.9	5
14	One-Step Synthesis of Thieno[2,3-]pyrimidin-4(3)-ones via a Catalytic Four-Component Reaction of Ketones, Ethyl Cyanoacetate, S and Formamide. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 1524-1528	8.3	5
13	A one-step, atom economical synthesis of thieno[2,3-]pyrimidin-4-amine derivatives via a four-component reaction. <i>European Journal of Organic Chemistry</i> , 2019 , 20, 3269-3272	3.2	4
12	eNAMPT neutralization reduces preclinical ARDS severity via rectified NFkB and Akt/mTORC2 signaling.. <i>Scientific Reports</i> , 2022 , 12, 696	4.9	4
11	Activation of NRF2 by topical apocarotenoid treatment mitigates radiation-induced dermatitis. <i>Redox Biology</i> , 2020 , 37, 101714	11.3	4
10	FAM129B-dependent activation of NRF2 promotes an invasive phenotype in BRAF mutant melanoma cells. <i>Molecular Carcinogenesis</i> , 2021 , 60, 331-341	5	4
9	Non-canonical NRF2 activation promotes a pro-diabetic shift in hepatic glucose metabolism. <i>Molecular Metabolism</i> , 2021 , 51, 101243	8.8	4

8	Response to comment on "NRF2 activation by antioxidant antidiabetic agents accelerates tumor metastasis". <i>Science Translational Medicine</i> , 2016 , 8, 349lr1	17.5	3
7	HRD1-mediated METTL14 degradation regulates mA mRNA modification to suppress ER proteotoxic liver disease. <i>Molecular Cell</i> , 2021 ,	17.6	3
6	Targeting NRF2 to treat cancer. <i>Seminars in Cancer Biology</i> , 2021 , 76, 61-73	12.7	3
5	MGST1, a new soldier of NRF2 in the battle against ferroptotic death. <i>Cell Chemical Biology</i> , 2021 , 28, 741-742	8.2	2
4	Discovery of an eIF4A Inhibitor with a Novel Mechanism of Action. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 15727-15746	8.3	1
3	Allosteric differences dictate GroEL complementation of <i>E. coli</i> . <i>FASEB Journal</i> , 2022 , 36, e22198	0.9	0
2	Biosensors: Single Cell Nanobiosensors for Dynamic Gene Expression Profiling in Native Tissue Microenvironments (Adv. Mater. 39/2015). <i>Advanced Materials</i> , 2015 , 27, 6076-6076	24	
1	Effects of chronic arsenic oral exposure on hepatic and intestinal CYP expression. <i>FASEB Journal</i> , 2019 , 33, 506.2	0.9	