

Tessa Crompton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6689456/publications.pdf>

Version: 2024-02-01

74
papers

5,740
citations

117453

34
h-index

82410

72
g-index

74
all docs

74
docs citations

74
times ranked

6064
citing authors

#	ARTICLE	IF	CITATIONS
1	Cbfa1, a Candidate Gene for Cleidocranial Dysplasia Syndrome, Is Essential for Osteoblast Differentiation and Bone Development. <i>Cell</i> , 1997, 89, 765-771.	13.5	2,620
2	The MAP Kinase Pathway Controls Differentiation from Double-Negative to Double-Positive Thymocyte. <i>Cell</i> , 1996, 86, 243-251.	13.5	205
3	CD3+CD4 ⁻ CD8 ⁻ (double negative) T cells: Saviours or villains of the immune response?. <i>Biochemical Pharmacology</i> , 2011, 82, 333-340.	2.0	155
4	Hedgehog Signaling Regulates Differentiation from Double-Negative to Double-Positive Thymocyte. <i>Immunity</i> , 2000, 13, 187-197.	6.6	152
5	Sonic hedgehog signalling in T-cell development and activation. <i>Nature Reviews Immunology</i> , 2007, 7, 726-735.	10.6	136
6	Bone Morphogenetic Protein 2/4 Signaling Regulates Early Thymocyte Differentiation. <i>Journal of Immunology</i> , 2002, 169, 5496-5504.	0.4	119
7	Thymus transplantation for complete DiGeorge syndrome: European experience. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1660-1670.e16.	1.5	108
8	Intrathymic \hat{I} Selection Events in \hat{I} Cell Development. <i>Immunity</i> , 1997, 7, 83-95.	6.6	100
9	Raf regulates positive selection. <i>European Journal of Immunology</i> , 1996, 26, 2350-2355.	1.6	90
10	The IFITM protein family in adaptive immunity. <i>Immunology</i> , 2020, 159, 365-372.	2.0	85
11	Tissue-Derived Hedgehog Proteins Modulate Th Differentiation and Disease. <i>Journal of Immunology</i> , 2013, 190, 2641-2649.	0.4	84
12	Reduced Thymocyte Development in Sonic Hedgehog Knockout Embryos. <i>Journal of Immunology</i> , 2004, 172, 2296-2306.	0.4	83
13	A malaria scavenger receptor-like protein essential for parasite development. <i>Molecular Microbiology</i> , 2002, 45, 1473-1484.	1.2	79
14	Activation of the Hedgehog signaling pathway in T-lineage cells inhibits TCR repertoire selection in the thymus and peripheral T-cell activation. <i>Blood</i> , 2007, 109, 3757-3766.	0.6	78
15	Sonic Hedgehog Is Produced by Follicular Dendritic Cells and Protects Germinal Center B Cells from Apoptosis. <i>Journal of Immunology</i> , 2005, 174, 1456-1461.	0.4	71
16	The role of morphogens in T-cell development. <i>Trends in Immunology</i> , 2003, 24, 197-206.	2.9	63
17	A timer for analyzing temporally dynamic changes in transcription during differentiation in vivo. <i>Journal of Cell Biology</i> , 2018, 217, 2931-2950.	2.3	63
18	Expression and Function of the Eph A Receptors and Their Ligands Ephrins A in the Rat Thymus. <i>Journal of Immunology</i> , 2002, 169, 177-184.	0.4	58

#	ARTICLE	IF	CITATIONS
19	Expression of Hedgehog Proteins in the Human Thymus. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 1557-1566.	1.3	56
20	Sonic Hedgehog Regulates Early Human Thymocyte Differentiation by Counteracting the IL-7-Induced Development of CD34+ Precursor Cells. <i>Journal of Immunology</i> , 2004, 173, 5046-5053.	0.4	53
21	The transcription factor Gli3 regulates differentiation of fetal CD4 ⁺ CD8 ⁻ double-negative thymocytes. <i>Blood</i> , 2005, 106, 1296-1304.	0.6	53
22	Indian hedgehog (Ihh) both promotes and restricts thymocyte differentiation. <i>Blood</i> , 2009, 113, 2217-2228.	0.6	51
23	Double-negative thymocyte subsets in CD3 ϵ^2 chain-deficient mice: Absence of HSA+CD44 ⁺ CD25 ⁻ cells. <i>European Journal of Immunology</i> , 1994, 24, 1903-1907.	1.6	50
24	A transgenic T cell receptor restores thymocyte differentiation in interleukin-7 receptor ϵ^2 chain-deficient mice. <i>European Journal of Immunology</i> , 1997, 27, 100-104.	1.6	48
25	Distinct roles of the interleukin-7 receptor ϵ^2 chain in fetal and adult thymocyte development revealed by analysis of interleukin-7 receptor ϵ^2 -deficient mice. <i>European Journal of Immunology</i> , 1998, 28, 1859-1866.	1.6	48
26	Propidium iodide staining correlates with the extent of DNA degradation in isolated nuclei. <i>Biochemical and Biophysical Research Communications</i> , 1992, 183, 532-537.	1.0	47
27	Sonic hedgehog negatively regulates pre-TCR ϵ^2 -induced differentiation by a Gli2-dependent mechanism. <i>Blood</i> , 2009, 113, 5144-5156.	0.6	47
28	Non-redundant role for the transcription factor Gli1 at multiple stages of thymocyte development. <i>Cell Cycle</i> , 2010, 9, 4144-4152.	1.3	44
29	The transcriptional activator Gli2 modulates T-cell receptor signalling through attenuation of AP-1 and NF κ B activity. <i>Journal of Cell Science</i> , 2015, 128, 2085-2095.	1.2	44
30	Repression of Hedgehog signal transduction in T-lineage cells increases TCR-induced activation and proliferation. <i>Cell Cycle</i> , 2008, 7, 904-908.	1.3	43
31	The Gli3 Transcription Factor Expressed in the Thymus Stroma Controls Thymocyte Negative Selection Via Hedgehog-Dependent and -Independent Mechanisms. <i>Journal of Immunology</i> , 2009, 183, 3023-3032.	0.4	43
32	A temporally dynamic <i>Foxp3</i> autoregulatory transcriptional circuit controls the effector Treg programme. <i>EMBO Journal</i> , 2018, 37, .	3.5	38
33	IFITM proteins drive type 2 T helper cell differentiation and exacerbate allergic airway inflammation. <i>European Journal of Immunology</i> , 2019, 49, 66-78.	1.6	38
34	Regulation of murine normal and stress-induced erythropoiesis by Desert Hedgehog. <i>Blood</i> , 2012, 119, 4741-4751.	0.6	37
35	Sonic Hedgehog signaling limits atopic dermatitis via Gli2-driven immune regulation. <i>Journal of Clinical Investigation</i> , 2019, 129, 3153-3170.	3.9	37
36	IL3-Dependent Cells Die by Apoptosis on Removal of their Growth Factor. <i>Growth Factors</i> , 1991, 4, 109-116.	0.5	36

#	ARTICLE	IF	CITATIONS
37	Splenomegaly and Modified Erythropoiesis in KLF13 ^{-/-} Mice. <i>Journal of Biological Chemistry</i> , 2008, 283, 11897-11904.	1.6	36
38	A Novel Role for Hedgehog in T-Cell Receptor Signaling: Implications for Development and Immunity. <i>Cell Cycle</i> , 2007, 6, 2138-2142.	1.3	34
39	Sonic Hedgehog regulates thymic epithelial cell differentiation. <i>Journal of Autoimmunity</i> , 2016, 68, 86-97.	3.0	32
40	Frontline Science: Shh production and Gli signaling is activated in vivo in lung, enhancing the Th2 response during a murine model of allergic asthma. <i>Journal of Leukocyte Biology</i> , 2017, 102, 965-976.	1.5	28
41	KLF13 influences multiple stages of both B and T cell development. <i>Cell Cycle</i> , 2008, 7, 2047-2055.	1.3	27
42	Peripheral clonal deletion of superantigen-reactive T cells is enhanced by cortisone. <i>European Journal of Immunology</i> , 1993, 23, 578-581.	1.6	26
43	Direct BMP2/4 signaling through BMP receptor IA regulates fetal thymocyte progenitor homeostasis and differentiation to CD4+CD8+ double-positive cell. <i>Cell Cycle</i> , 2014, 13, 324-333.	1.3	25
44	Role of Hedgehog signalling at the transition from double ⁺ to single ⁺ thymocyte. <i>European Journal of Immunology</i> , 2012, 42, 489-499.	1.6	24
45	Diacylglycerol kinase alpha activity promotes survival of CD4+ 8+ double positive cells during thymocyte development. <i>Immunology</i> , 2002, 105, 391-398.	2.0	21
46	In the fetal thymus, Gli3 in thymic epithelial cells promotes thymocyte positive selection and differentiation by repression of Shh. <i>Development (Cambridge)</i> , 2018, 145, .	1.2	21
47	A cortisone sensitive CD3 ^{low} subset of CD4 ⁺ Ce8 ⁻ thymocytes represents an intermediate stage in intrathymic repertoire selection. <i>International Immunology</i> , 1992, 4, 153-161.	1.8	20
48	A genome wide transcriptional model of the complex response to pre-TCR signalling during thymocyte differentiation. <i>Oncotarget</i> , 2015, 6, 28646-28660.	0.8	20
49	The transcription factor Gli3 promotes B cell development in fetal liver through repression of Shh. <i>Journal of Experimental Medicine</i> , 2017, 214, 2041-2058.	4.2	20
50	Role of endogenous Annexin-A1 in the regulation of thymocyte positive and negative selection. <i>Cell Cycle</i> , 2010, 9, 785-794.	1.3	19
51	Hedgehog signaling promotes TH2 differentiation in naive human CD4 T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1419-1423.e1.	1.5	19
52	The kinesin motor protein Kif7 is required for T-cell development and normal MHC expression on thymic epithelial cells (TEC) in the thymus. <i>Oncotarget</i> , 2017, 8, 24163-24176.	0.8	19
53	The transcriptional repressor Bcl6 promotes pre-TCR induced differentiation to CD4+CD8+ thymocyte and attenuates Notch1 activation. <i>Development (Cambridge)</i> , 2020, 147, .	1.2	18
54	β 2-Selection: Abundance of TCR ⁺ CD44 ⁺ CD25 ⁺ (DN4) cells in the foetal thymus. <i>European Journal of Immunology</i> , 2007, 37, 487-500.	1.6	17

#	ARTICLE	IF	CITATIONS
55	Foxa1 and Foxa2 in thymic epithelial cells (TEC) regulate medullary TEC and regulatory T-cell maturation. <i>Journal of Autoimmunity</i> , 2018, 93, 131-138.	3.0	16
56	Phosphorylation of NTRK1 at Y674/Y675 induced by TP53-dependent repression of PTPN6 expression: A potential novel prognostic marker for breast cancer. <i>Modern Pathology</i> , 2014, 27, 361-374.	2.9	14
57	Sonic Hedgehog Is a Determinant of β T-Cell Differentiation in the Thymus. <i>Frontiers in Immunology</i> , 2019, 10, 1629.	2.2	13
58	Systemic Pharmacological Smoothed Inhibition Reduces Lung T-Cell Infiltration and Ameliorates Th2 Inflammation in a Mouse Model of Allergic Airway Disease. <i>Frontiers in Immunology</i> , 2021, 12, 737245.	2.2	13
59	Sonic Hedgehog signalling in the regulation of barrier tissue homeostasis and inflammation. <i>FEBS Journal</i> , 2022, 289, 8050-8061.	2.2	13
60	The pioneer transcription factors Foxa1 and Foxa2 regulate alternative RNA splicing during thymocyte positive selection. <i>Development (Cambridge)</i> , 2021, 148, .	1.2	11
61	Role of endogenous annexin-A1 in the regulation of thymocyte positive and negative selection. <i>Cell Cycle</i> , 2010, 9, 784-93.	1.3	11
62	Hedgehog Signalling in the Embryonic Mouse Thymus. <i>Journal of Developmental Biology</i> , 2016, 4, 22.	0.9	10
63	Transplanted human thymus slices induce and support T cell development in mice after cryopreservation. <i>European Journal of Immunology</i> , 2018, 48, 716-719.	1.6	10
64	Selective silencing of full-length CD80 but not IgV-CD80 leads to impaired clonal deletion of self-reactive T cells and altered regulation of immune responses. <i>European Journal of Immunology</i> , 2001, 31, 118-127.	1.6	7
65	T-Cell Reconstitution after Thymus Xenotransplantation Induces Hair Depigmentation and Loss. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1221-1230.	0.3	7
66	Analysis of the inflammatory response in HY-TCR transgenic mice highlights the pathogenic potential of CD4 ⁺ CD8 ⁺ T cells. <i>Autoimmunity</i> , 2010, 43, 672-681.	1.2	6
67	T cell phenotype in paediatric heart transplant recipients. <i>Pediatric Transplantation</i> , 2021, 25, e13930.	0.5	6
68	Dysregulated gene expression in oocysts of Plasmodium berghei LAP mutants. <i>Molecular and Biochemical Parasitology</i> , 2019, 229, 1-5.	0.5	4
69	Gli2, hedgehog and TCR signalling. <i>Oncotarget</i> , 2015, 6, 24592-24593.	0.8	4
70	Peptide-Specific, TCR-Driven, Coreceptor-Independent Negative Selection in TCR β -Chain Transgenic Mice. <i>Journal of Immunology</i> , 2010, 184, 650-657.	0.4	3
71	CD4/CD8 lineage commitment in T cell receptor transgenic mice: evidence for precommitment of CD4 ⁺ CD8 ⁺ thymocytes. <i>Seminars in Immunology</i> , 1994, 6, 249-256.	2.7	2
72	Repression of CD2 Gene Expression Is Mediated by an AP-2 Related Factor. <i>Biochemical and Biophysical Research Communications</i> , 2001, 281, 409-415.	1.0	2

#	ARTICLE	IF	CITATIONS
73	Shh, BMP4 and IL-7 in the maintenance and differentiation of human CD34+ progenitor cells in the thymus. <i>Cell Cycle</i> , 2009, 8, 3809-3815.	1.3	0
74	Hedgehog Signalling in T Lymphocyte Development. , 2006, , 107-115.		0