

Bin Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6691883/publications.pdf>

Version: 2024-02-01

36
papers

1,044
citations

430754

18
h-index

477173

29
g-index

36
all docs

36
docs citations

36
times ranked

1408
citing authors

#	ARTICLE	IF	CITATIONS
1	Social isolation, loneliness, and all-cause mortality: A cohort study of 35,254 Chinese older adults. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 1717-1725.	1.3	16
2	Social isolation, loneliness and functional disability in Chinese older women and men: a longitudinal study. <i>Age and Ageing</i> , 2021, 50, 1222-1228.	0.7	59
3	Social isolation, rather than loneliness, is associated with cognitive decline in older adults: the China Health and Retirement Longitudinal Study. <i>Psychological Medicine</i> , 2021, 51, 2414-2421.	2.7	72
4	Social isolation, rather than loneliness, is associated with cognitive decline in older adults: the China Health and Retirement Longitudinal Study. <i>Psychological Medicine</i> , 2021, , 1-8.	2.7	28
5	Social isolation and depression onset among middle-aged and older adults in China: Moderating effects of education and gender differences. <i>Journal of Affective Disorders</i> , 2021, 283, 71-76.	2.0	43
6	Social isolation and cognitive decline among older adults with depressive symptoms: prospective findings from the China Health and Retirement Longitudinal Study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104390.	1.4	8
7	Gender differences in the influence of social isolation and loneliness on depressive symptoms in college students: a longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 251-257.	1.6	75
8	Social Isolation, Loneliness, and All-Cause Mortality in Patients With Cardiovascular Disease: A 10-Year Follow-up Study. <i>Psychosomatic Medicine</i> , 2020, 82, 208-214.	1.3	54
9	Attentional Bias for Imperfect Pictures in Perfectionism: An Eye-Movement Study. <i>Frontiers in Psychology</i> , 2020, 11, 566482.	1.1	2
10	Social Isolation and Loneliness as Risk Factors for Grip Strength Decline Among Older Women and Men in China. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1926-1930.	1.2	23
11	Distinct associations of computer/mobile devices use and TV watching with depressive symptoms in adults: A large population study in China. <i>Depression and Anxiety</i> , 2019, 36, 879-886.	2.0	14
12	Raw orange intake is associated with higher prevalence of non-alcoholic fatty liver disease in an adult population. <i>Nutrition</i> , 2019, 60, 252-260.	1.1	10
13	A J-shaped association between soy food intake and depressive symptoms in Chinese adults. <i>Clinical Nutrition</i> , 2018, 37, 1013-1018.	2.3	18
14	Soft drinks consumption is associated with nonalcoholic fatty liver disease independent of metabolic syndrome in Chinese population. <i>European Journal of Nutrition</i> , 2018, 57, 2113-2121.	1.8	22
15	Habitual yoghurt consumption and depressive symptoms in a general population study of 19,596 adults. <i>European Journal of Nutrition</i> , 2018, 57, 2621-2628.	1.8	15
16	Prospective associations of social isolation and loneliness with poor sleep quality in older adults. <i>Quality of Life Research</i> , 2018, 27, 683-691.	1.5	89
17	A dietary pattern rich in animal organ, seafood and processed meat products is associated with newly diagnosed hyperuricaemia in Chinese adults: a propensity score-matched case-control study. <i>British Journal of Nutrition</i> , 2018, 119, 1177-1184.	1.2	37
18	The relationship between thyroid function and the prevalence of type 2 diabetes mellitus in euthyroid subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2965.	1.8	74

#	ARTICLE	IF	CITATIONS
19	Both muscle mass and muscle strength are inversely associated with depressive symptoms in an elderly Chinese population. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 769-778.	1.3	27
20	Elevated serum complement C3 levels are associated with prehypertension in an adult population. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 42-49.	0.5	15
21	Consumption of preserved egg, a high-lead-containing food, is strongly associated with depressive symptoms in Chinese adults. <i>British Journal of Nutrition</i> , 2017, 118, 737-742.	1.2	14
22	Serum uric acid is an independent predictor for developing prehypertension: a population-based prospective cohort study. <i>Journal of Human Hypertension</i> , 2017, 31, 116-120.	1.0	20
23	Dietary patterns are associated with depressive symptoms among Chinese adults: a case-control study with propensity score matching. <i>European Journal of Nutrition</i> , 2017, 56, 2577-2587.	1.8	52
24	NUT CONSUMPTION IS ASSOCIATED WITH DEPRESSIVE SYMPTOMS AMONG CHINESE ADULTS. <i>Depression and Anxiety</i> , 2016, 33, 1065-1072.	2.0	39
25	Association between dietary patterns and metabolic syndrome in Chinese adults: a propensity score-matched case-control study. <i>Scientific Reports</i> , 2016, 6, 34748.	1.6	13
26	Dietary Patterns are Associated with Helicobacter Pylori Infection in Chinese Adults: A Cross-Sectional Study. <i>Scientific Reports</i> , 2016, 6, 32334.	1.6	22
27	Relationship between grip strength and newly diagnosed nonalcoholic fatty liver disease in a large-scale adult population. <i>Scientific Reports</i> , 2016, 6, 33255.	1.6	38
28	Serum levels of immunoglobulins in an adult population and their relationship with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 115, 76-82.	1.1	28
29	The overall computer/mobile devices usage time is related to newly diagnosed non-alcoholic fatty liver disease: a population-based study. <i>Annals of Medicine</i> , 2016, 48, 568-576.	1.5	10
30	The predictive value of mean serum uric acid levels for developing prediabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 118, 79-89.	1.1	11
31	Elevated serum complement C3 levels are related to the development of prediabetes in an adult population: the Tianjin Chronic Low-Grade Systemic Inflammation and Health Cohort Study. <i>Diabetic Medicine</i> , 2016, 33, 446-453.	1.2	15
32	Association between Serum Ferritin Concentrations and Depressive Symptoms among Chinese Adults: A Population Study from the Tianjin Chronic Low-Grade Systemic Inflammation and Health (TCLSIHealth) Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0162682.	1.1	9
33	Soft drink consumption is associated with depressive symptoms among adults in China. <i>Journal of Affective Disorders</i> , 2015, 172, 422-427.	2.0	50
34	Diet, Nutrition, and Depression. <i>Advances in Psychological Science</i> , 2015, 23, 2107.	0.2	1
35	Working Memory Capacity and Self-Regulation. <i>Advances in Psychological Science</i> , 2014, 22, 772.	0.2	5
36	The Strength Model of Self-Control. <i>Advances in Psychological Science</i> , 2013, 21, 1272-1282.	0.2	16