

bertrand Meresse

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6692057/publications.pdf>

Version: 2024-02-01

44
papers

3,579
citations

185998

28
h-index

288905

40
g-index

47
all docs

47
docs citations

47
times ranked

3615
citing authors

#	ARTICLE	IF	CITATIONS
1	Coordinated Induction by IL15 of a TCR-Independent NKG2D Signaling Pathway Converts CTL into Lymphokine-Activated Killer Cells in Celiac Disease. <i>Immunity</i> , 2004, 21, 357-366.	6.6	723
2	Presentation and Long-Term Follow-up of Refractory Celiac Disease: Comparison of Type I With Type II. <i>Gastroenterology</i> , 2009, 136, 81-90.	0.6	319
3	Reprogramming of CTLs into natural killer-like cells in celiac disease. <i>Journal of Experimental Medicine</i> , 2006, 203, 1343-1355.	4.2	265
4	IL-15 triggers an antiapoptotic pathway in human intraepithelial lymphocytes that is a potential new target in celiac disease-associated inflammation and lymphomagenesis. <i>Journal of Clinical Investigation</i> , 2010, 120, 2131-2143.	3.9	216
5	Celiac Disease: An Immunological Jigsaw. <i>Immunity</i> , 2012, 36, 907-919.	6.6	192
6	Inhibition of TGF- β 2 Signaling by IL-15: A New Role for IL-15 in the Loss of Immune Homeostasis in Celiac Disease. <i>Gastroenterology</i> , 2007, 132, 994-1008.	0.6	175
7	Olmesartan-associated enteropathy: results of a national survey. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1103-1109.	1.9	166
8	Interleukin-15-Dependent T-Cell-like Innate Intraepithelial Lymphocytes Develop in the Intestine and Transform into Lymphomas in Celiac Disease. <i>Immunity</i> , 2016, 45, 610-625.	6.6	131
9	Celiac disease: from oral tolerance to intestinal inflammation, autoimmunity and lymphomagenesis. <i>Mucosal Immunology</i> , 2009, 2, 8-23.	2.7	121
10	Enteropathy associated T cell lymphoma in celiac disease: A large retrospective study. <i>Digestive and Liver Disease</i> , 2013, 45, 377-384.	0.4	118
11	Interleukin-15-Dependent NKp46+ Innate Lymphoid Cells Control Intestinal Inflammation by Recruiting Inflammatory Monocytes. <i>Immunity</i> , 2012, 37, 108-121.	6.6	105
12	Impaired Control of Effector T Cells by Regulatory T Cells: A Clue to Loss of Oral Tolerance and Autoimmunity in Celiac Disease?. <i>American Journal of Gastroenterology</i> , 2012, 107, 604-611.	0.2	90
13	Expression of nonclassical class I molecules by intestinal epithelial cells. <i>Inflammatory Bowel Diseases</i> , 2007, 13, 298-307.	0.9	89
14	Refractory celiac disease: from bench to bedside. <i>Seminars in Immunopathology</i> , 2012, 34, 601-613.	2.8	79
15	Small Intestinal CD4+ T-Cell Lymphoma Is a Heterogenous Entity With Common Pathology Features. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 599-608.e1.	2.4	61
16	Gastrointestinal Disorder Associated with Olmesartan Mimics Autoimmune Enteropathy. <i>PLoS ONE</i> , 2015, 10, e0125024.	1.1	60
17	Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn's disease. <i>Gut</i> , 2002, 50, 25-28.	6.1	58
18	Safety and efficacy of AMG 714 in patients with type 2 refractory coeliac disease: a phase 2a, randomised, double-blind, placebo-controlled, parallel-group study. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 960-970.	3.7	52

#	ARTICLE	IF	CITATIONS
19	Oncogenetic landscape of lymphomagenesis in coeliac disease. <i>Gut</i> , 2022, 71, 497-508.	6.1	48
20	Interleukin 15 and CD4+ T Cells Cooperate to Promote Small Intestinal Enteropathy in Response to Dietary Antigen. <i>Gastroenterology</i> , 2014, 146, 1017-1027.	0.6	47
21	NKp46 is a diagnostic biomarker and may be a therapeutic target in gastrointestinal T-cell lymphoproliferative diseases: a CELAC study. <i>Gut</i> , 2019, 68, 1396-1405.	6.1	47
22	Enteropathy-associated T-cell lymphoma: A review on clinical presentation, diagnosis, therapeutic strategies and perspectives. <i>Gastroenterologie Clinique Et Biologique</i> , 2010, 34, 590-605.	0.9	43
23	Discovery and characterization of a novel humanized anti-IL-15 antibody and its relevance for the treatment of refractory celiac disease and eosinophilic esophagitis. <i>MAbs</i> , 2017, 9, 927-944.	2.6	37
24	Epithelial inflammation response induced by <i>Shigella flexneri</i> depends on mucin gene expression. <i>Microbes and Infection</i> , 2002, 4, 1121-1124.	1.0	36
25	Interleukin-15, a Master Piece in the Immunological Jigsaw of Celiac Disease. <i>Digestive Diseases</i> , 2015, 33, 122-130.	0.8	34
26	Innate T cell responses in human gut. <i>Seminars in Immunology</i> , 2009, 21, 121-129.	2.7	31
27	Enteropathy-Associated T-Cell Lymphoma Complicating an Autoimmune Enteropathy. <i>Gastroenterology</i> , 2012, 142, 726-729.e3.	0.6	28
28	Human NKG2E Is Expressed and Forms an Intracytoplasmic Complex with CD94 and DAP12. <i>Journal of Immunology</i> , 2014, 193, 610-616.	0.4	28
29	Lessons from rodent models in celiac disease. <i>Mucosal Immunology</i> , 2015, 8, 18-28.	2.7	28
30	Large Granular Lymphocytic Leukemia: A Treatable Form of Refractory Celiac Disease. <i>Gastroenterology</i> , 2012, 143, 1470-1472.e2.	0.6	23
31	Designing 3D Mesenchymal Stem Cell Sheets Merging Magnetic and Fluorescent Features: When Cell Sheet Technology Meets Image-Guided Cell Therapy. <i>Theranostics</i> , 2016, 6, 739-751.	4.6	22
32	A locus at 7p14.3 predisposes to refractory celiac disease progression from celiac disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 828-837.	0.8	22
33	The cytokine interleukin 21: a new player in coeliac disease?. <i>Gut</i> , 2008, 57, 879-881.	6.1	16
34	Interleukin-10 promoter polymorphism in multiple sclerosis: association with disease progression. <i>European Cytokine Network</i> , 2002, 13, 200-6.	1.1	14
35	A Single-Tube, EuroClonality-Inspired, TRC Clonality Multiplex PCR Aids Management of Patients with Enteropathic Diseases, including from Formaldehyde-Fixed, Paraffin-Embedded Tissues. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 111-122.	1.2	12
36	The role of animal models in unravelling therapeutic targets in coeliac disease. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2015, 29, 437-450.	1.0	11

#	ARTICLE	IF	CITATIONS
37	CD28+ intraepithelial lymphocytes with long telomeres are recruited within the inflamed ileal mucosa in Crohn disease. <i>Human Immunology</i> , 2001, 62, 694-700.	1.2	9
38	Epithelial stress enters the dance in coeliac disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 491-492.	8.2	8
39	Abnormal apical-to-basal transport of dietary ovalbumin by secretory IgA stimulates a mucosal Th1 response. <i>Mucosal Immunology</i> , 2014, 7, 315-324.	2.7	5
40	Phenotypic changes of intraepithelial lymphocytes (IELs) in intestinal lesions of Crohn's disease (CD). <i>Gastroenterology</i> , 1998, 114, A968.	0.6	0
41	Low ileal IL-10 mRNA levels predict endoscopic recurrence in patients operated on for Crohn's disease (CD). <i>Gastroenterology</i> , 2000, 118, A108-A109.	0.6	0
42	Innate Immunity and Celiac Disease. , 2008, , 66-81.		0
43	Comment on "ILC1 drive intestinal epithelial and matrix remodeling". <i>Mucosal Immunology</i> , 2021, 14, 279-281.	2.7	0
44	The Type of Enteropathy Is a Prognostic Factor in Enteropathy-Associated T-Cell Lymphoma.. <i>Blood</i> , 2009, 114, 2937-2937.	0.6	0