

# bertrand Meresse

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6692057/bertrand-meresse-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43  
papers

2,798  
citations

25  
h-index

47  
g-index

47  
ext. papers

3,248  
ext. citations

10.9  
avg, IF

4.32  
L-index

#	Paper	IF	Citations
43	Coordinated induction by IL15 of a TCR-independent NKG2D signaling pathway converts CTL into lymphokine-activated killer cells in celiac disease. <i>Immunity</i> , <b>2004</b> , 21, 357-66	32.3	608
42	Presentation and long-term follow-up of refractory celiac disease: comparison of type I with type II. <i>Gastroenterology</i> , <b>2009</b> , 136, 81-90	13.3	255
41	Reprogramming of CTLs into natural killer-like cells in celiac disease. <i>Journal of Experimental Medicine</i> , <b>2006</b> , 203, 1343-55	16.6	208
40	IL-15 triggers an antiapoptotic pathway in human intraepithelial lymphocytes that is a potential new target in celiac disease-associated inflammation and lymphomagenesis. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 2131-43	15.9	173
39	Celiac disease: an immunological jigsaw. <i>Immunity</i> , <b>2012</b> , 36, 907-19	32.3	151
38	Olmesartan-associated enteropathy: results of a national survey. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2014</b> , 40, 1103-9	6.1	134
37	Inhibition of TGF-beta signaling by IL-15: a new role for IL-15 in the loss of immune homeostasis in celiac disease. <i>Gastroenterology</i> , <b>2007</b> , 132, 994-1008	13.3	133
36	Interleukin-15-dependent NKp46+ innate lymphoid cells control intestinal inflammation by recruiting inflammatory monocytes. <i>Immunity</i> , <b>2012</b> , 37, 108-21	32.3	88
35	Celiac disease: from oral tolerance to intestinal inflammation, autoimmunity and lymphomagenesis. <i>Mucosal Immunology</i> , <b>2009</b> , 2, 8-23	9.2	86
34	Interleukin-15-Dependent T-Cell-like Innate Intraepithelial Lymphocytes Develop in the Intestine and Transform into Lymphomas in Celiac Disease. <i>Immunity</i> , <b>2016</b> , 45, 610-625	32.3	86
33	Enteropathy associated T cell lymphoma in celiac disease: a large retrospective study. <i>Digestive and Liver Disease</i> , <b>2013</b> , 45, 377-84	3.3	85
32	Expression of nonclassical class I molecules by intestinal epithelial cells. <i>Inflammatory Bowel Diseases</i> , <b>2007</b> , 13, 298-307	4.5	78
31	Impaired control of effector T cells by regulatory T cells: a clue to loss of oral tolerance and autoimmunity in celiac disease?. <i>American Journal of Gastroenterology</i> , <b>2012</b> , 107, 604-11	0.7	74
30	Refractory celiac disease: from bench to bedside. <i>Seminars in Immunopathology</i> , <b>2012</b> , 34, 601-13	12	65
29	Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn's disease. <i>Gut</i> , <b>2002</b> , 50, 25-8	19.2	47
28	Small intestinal CD4+ T-cell lymphoma is a heterogenous entity with common pathology features. <i>Clinical Gastroenterology and Hepatology</i> , <b>2014</b> , 12, 599-608.e1	6.9	45
27	Gastrointestinal Disorder Associated with Olmesartan Mimics Autoimmune Enteropathy. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125024	3.7	44

26	Interleukin 15 and CD4+ T cells cooperate to promote small intestinal enteropathy in response to dietary antigen. <i>Gastroenterology</i> , <b>2014</b> , 146, 1017-27	13.3	35
25	Safety and efficacy of AMG 714 in patients with type 2 refractory coeliac disease: a phase 2a, randomised, double-blind, placebo-controlled, parallel-group study. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2019</b> , 4, 960-970	18.8	34
24	Enteropathy-associated T-cell lymphoma: a review on clinical presentation, diagnosis, therapeutic strategies and perspectives. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2010</b> , 34, 590-605		31
23	Epithelial inflammation response induced by <i>Shigella flexneri</i> depends on mucin gene expression. <i>Microbes and Infection</i> , <b>2002</b> , 4, 1121-4	9.3	30
22	NKp46 is a diagnostic biomarker and may be a therapeutic target in gastrointestinal T-cell lymphoproliferative diseases: a CELAC study. <i>Gut</i> , <b>2019</b> , 68, 1396-1405	19.2	29
21	Interleukin-15, a master piece in the immunological jigsaw of celiac disease. <i>Digestive Diseases</i> , <b>2015</b> , 33, 122-130	3.2	28
20	Innate T cell responses in human gut. <i>Seminars in Immunology</i> , <b>2009</b> , 21, 121-9	10.7	27
19	Human NKG2E is expressed and forms an intracytoplasmic complex with CD94 and DAP12. <i>Journal of Immunology</i> , <b>2014</b> , 193, 610-6	5.3	26
18	Lessons from rodent models in celiac disease. <i>Mucosal Immunology</i> , <b>2015</b> , 8, 18-28	9.2	23
17	Enteropathy-associated T-cell lymphoma complicating an autoimmune enteropathy. <i>Gastroenterology</i> , <b>2012</b> , 142, 726-729.e3; quiz e13-4	13.3	22
16	Discovery and characterization of a novel humanized anti-IL-15 antibody and its relevance for the treatment of refractory celiac disease and eosinophilic esophagitis. <i>MAbs</i> , <b>2017</b> , 9, 927-944	6.6	19
15	Designing 3D Mesenchymal Stem Cell Sheets Merging Magnetic and Fluorescent Features: When Cell Sheet Technology Meets Image-Guided Cell Therapy. <i>Theranostics</i> , <b>2016</b> , 6, 739-51	12.1	19
14	A locus at 7p14.3 predisposes to refractory celiac disease progression from celiac disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2018</b> , 30, 828-837	2.2	16
13	Large granular lymphocytic leukemia: a treatable form of refractory celiac disease. <i>Gastroenterology</i> , <b>2012</b> , 143, 1470-1472.e2	13.3	14
12	The cytokine interleukin 21: a new player in coeliac disease?. <i>Gut</i> , <b>2008</b> , 57, 879-81	19.2	13
11	Interleukin-10 promoter polymorphism in multiple sclerosis: association with disease progression. <i>European Cytokine Network</i> , <b>2002</b> , 13, 200-6	3.3	13
10	A Single-Tube, EuroClonality-Inspired, TRG Clonality Multiplex PCR Aids Management of Patients with Enteropathic Diseases, including from Formaldehyde-Fixed, Paraffin-Embedded Tissues. <i>Journal of Molecular Diagnostics</i> , <b>2019</b> , 21, 111-122	5.1	11
9	Oncogenetic landscape of lymphomagenesis in coeliac disease. <i>Gut</i> , <b>2021</b> ,	19.2	11

8	The role of animal models in unravelling therapeutic targets in coeliac disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , <b>2015</b> , 29, 437-50	2.5	9
7	CD28+ intraepithelial lymphocytes with long telomeres are recruited within the inflamed ileal mucosa in Crohn disease. <i>Human Immunology</i> , <b>2001</b> , 62, 694-700	2.3	8
6	Coeliac disease & gluten sensitivity: Epithelial stress enters the dance in coeliac disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2015</b> , 12, 491-2	24.2	7
5	Abnormal apical-to-basal transport of dietary ovalbumin by secretory IgA stimulates a mucosal Th1 response. <i>Mucosal Immunology</i> , <b>2014</b> , 7, 315-24	9.2	5
4	Oncogenetic Landscape Of Lymphomagenesis In Coeliac Disease		2
3	Innate Immunity and Celiac Disease <b>2008</b> , 66-81		
2	The Type of Enteropathy Is a Prognostic Factor in Enteropathy-Associated T-Cell Lymphoma.. <i>Blood</i> , <b>2009</b> , 114, 2937-2937	2.2	
1	Comment on "ILC1 drive intestinal epithelial and matrix remodeling". <i>Mucosal Immunology</i> , <b>2021</b> , 14, 279-281	9.2	