

bertrand Meresse

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6692057/bertrand-meresse-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

2,798
citations

25
h-index

47
g-index

47
ext. papers

3,248
ext. citations

10.9
avg, IF

4.32
L-index

#	Paper	IF	Citations
43	Comment on "ILC1 drive intestinal epithelial and matrix remodeling". <i>Mucosal Immunology</i> , 2021 , 14, 279-281	9.2	
42	Oncogenetic landscape of lymphomagenesis in coeliac disease. <i>Gut</i> , 2021 ,	19.2	11
41	Safety and efficacy of AMG 714 in patients with type 2 refractory coeliac disease: a phase 2a, randomised, double-blind, placebo-controlled, parallel-group study. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 960-970	18.8	34
40	NKp46 is a diagnostic biomarker and may be a therapeutic target in gastrointestinal T-cell lymphoproliferative diseases: a CELAC study. <i>Gut</i> , 2019 , 68, 1396-1405	19.2	29
39	A Single-Tube, EuroClonality-Inspired, TRG Clonality Multiplex PCR Aids Management of Patients with Enteropathic Diseases, including from Formaldehyde-Fixed, Paraffin-Embedded Tissues. <i>Journal of Molecular Diagnostics</i> , 2019 , 21, 111-122	5.1	11
38	A locus at 7p14.3 predisposes to refractory celiac disease progression from celiac disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 828-837	2.2	16
37	Discovery and characterization of a novel humanized anti-IL-15 antibody and its relevance for the treatment of refractory celiac disease and eosinophilic esophagitis. <i>MAbs</i> , 2017 , 9, 927-944	6.6	19
36	Designing 3D Mesenchymal Stem Cell Sheets Merging Magnetic and Fluorescent Features: When Cell Sheet Technology Meets Image-Guided Cell Therapy. <i>Theranostics</i> , 2016 , 6, 739-51	12.1	19
35	Interleukin-15-Dependent T-Cell-like Innate Intraepithelial Lymphocytes Develop in the Intestine and Transform into Lymphomas in Celiac Disease. <i>Immunity</i> , 2016 , 45, 610-625	32.3	86
34	The role of animal models in unravelling therapeutic targets in coeliac disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2015 , 29, 437-50	2.5	9
33	Interleukin-15, a master piece in the immunological jigsaw of celiac disease. <i>Digestive Diseases</i> , 2015 , 33, 122-130	3.2	28
32	Lessons from rodent models in celiac disease. <i>Mucosal Immunology</i> , 2015 , 8, 18-28	9.2	23
31	Gastrointestinal Disorder Associated with Olmesartan Mimics Autoimmune Enteropathy. <i>PLoS ONE</i> , 2015 , 10, e0125024	3.7	44
30	Coeliac disease & gluten sensitivity: Epithelial stress enters the dance in coeliac disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015 , 12, 491-2	24.2	7
29	Interleukin 15 and CD4+ T cells cooperate to promote small intestinal enteropathy in response to dietary antigen. <i>Gastroenterology</i> , 2014 , 146, 1017-27	13.3	35
28	Small intestinal CD4+ T-cell lymphoma is a heterogenous entity with common pathology features. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 599-608.e1	6.9	45
27	Human NKG2E is expressed and forms an intracytoplasmic complex with CD94 and DAP12. <i>Journal of Immunology</i> , 2014 , 193, 610-6	5.3	26

26	Abnormal apical-to-basal transport of dietary ovalbumin by secretory IgA stimulates a mucosal Th1 response. <i>Mucosal Immunology</i> , 2014 , 7, 315-24	9.2	5
25	Olmesartan-associated enteropathy: results of a national survey. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 1103-9	6.1	134
24	Enteropathy associated T cell lymphoma in celiac disease: a large retrospective study. <i>Digestive and Liver Disease</i> , 2013 , 45, 377-84	3.3	85
23	Interleukin-15-dependent NKp46+ innate lymphoid cells control intestinal inflammation by recruiting inflammatory monocytes. <i>Immunity</i> , 2012 , 37, 108-21	32.3	88
22	Refractory celiac disease: from bench to bedside. <i>Seminars in Immunopathology</i> , 2012 , 34, 601-13	12	65
21	Celiac disease: an immunological jigsaw. <i>Immunity</i> , 2012 , 36, 907-19	32.3	151
20	Enteropathy-associated T-cell lymphoma complicating an autoimmune enteropathy. <i>Gastroenterology</i> , 2012 , 142, 726-729.e3; quiz e13-4	13.3	22
19	Large granular lymphocytic leukemia: a treatable form of refractory celiac disease. <i>Gastroenterology</i> , 2012 , 143, 1470-1472.e2	13.3	14
18	Impaired control of effector T cells by regulatory T cells: a clue to loss of oral tolerance and autoimmunity in celiac disease?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 604-11	0.7	74
17	Enteropathy-associated T-cell lymphoma: a review on clinical presentation, diagnosis, therapeutic strategies and perspectives. <i>Gastroenterologie Clinique Et Biologique</i> , 2010 , 34, 590-605		31
16	IL-15 triggers an antiapoptotic pathway in human intraepithelial lymphocytes that is a potential new target in celiac disease-associated inflammation and lymphomagenesis. <i>Journal of Clinical Investigation</i> , 2010 , 120, 2131-43	15.9	173
15	Celiac disease: from oral tolerance to intestinal inflammation, autoimmunity and lymphomagenesis. <i>Mucosal Immunology</i> , 2009 , 2, 8-23	9.2	86
14	Innate T cell responses in human gut. <i>Seminars in Immunology</i> , 2009 , 21, 121-9	10.7	27
13	Presentation and long-term follow-up of refractory celiac disease: comparison of type I with type II. <i>Gastroenterology</i> , 2009 , 136, 81-90	13.3	255
12	The Type of Enteropathy Is a Prognostic Factor in Enteropathy-Associated T-Cell Lymphoma.. <i>Blood</i> , 2009 , 114, 2937-2937	2.2	
11	The cytokine interleukin 21: a new player in coeliac disease?. <i>Gut</i> , 2008 , 57, 879-81	19.2	13
10	Innate Immunity and Celiac Disease 2008 , 66-81		
9	Inhibition of TGF-beta signaling by IL-15: a new role for IL-15 in the loss of immune homeostasis in celiac disease. <i>Gastroenterology</i> , 2007 , 132, 994-1008	13.3	133

8	Expression of nonclassical class I molecules by intestinal epithelial cells. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 298-307	4.5	78
7	Reprogramming of CTLs into natural killer-like cells in celiac disease. <i>Journal of Experimental Medicine</i> , 2006 , 203, 1343-55	16.6	208
6	Coordinated induction by IL15 of a TCR-independent NKG2D signaling pathway converts CTL into lymphokine-activated killer cells in celiac disease. <i>Immunity</i> , 2004 , 21, 357-66	32.3	608
5	Epithelial inflammation response induced by <i>Shigella flexneri</i> depends on mucin gene expression. <i>Microbes and Infection</i> , 2002 , 4, 1121-4	9.3	30
4	Low ileal interleukin 10 concentrations are predictive of endoscopic recurrence in patients with Crohn disease. <i>Gut</i> , 2002 , 50, 25-8	19.2	47
3	Interleukin-10 promoter polymorphism in multiple sclerosis: association with disease progression. <i>European Cytokine Network</i> , 2002 , 13, 200-6	3.3	13
2	CD28+ intraepithelial lymphocytes with long telomeres are recruited within the inflamed ileal mucosa in Crohn disease. <i>Human Immunology</i> , 2001 , 62, 694-700	2.3	8
1	Oncogenetic Landscape Of Lymphomagenesis In Coeliac Disease		2