

Piotr Rozentryt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6692213/publications.pdf>

Version: 2024-02-01

63
papers

2,847
citations

394421

19
h-index

168389

53
g-index

66
all docs

66
docs citations

66
times ranked

4173
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiorenal syndrome: Decongestion in heart failure across wide spectrum of kidney pathophysiology. <i>Advances in Clinical and Experimental Medicine</i> , 2022, 31, 0-0.	1.4	1
2	The Impact of Short-Term Outdoor Air Pollution on Clinical Status and Prognosis of Hospitalized Patients with Coronary Artery Disease Treated with Percutaneous Coronary Intervention. <i>Journal of Clinical Medicine</i> , 2022, 11, 484.	2.4	0
3	Managed Care after Acute Myocardial Infarction (MI-AMI) improves prognosis in AMI survivors with pre-existing heart failure: A propensity score matching analysis of Polish nationwide program of comprehensive post-MI care. <i>Kardiologia Polska</i> , 2022, 80, 293-301.	0.6	4
4	High soluble transferrin receptor in patients with heart failure: a measure of iron deficiency and a strong predictor of mortality. <i>European Journal of Heart Failure</i> , 2021, 23, 919-932.	7.1	46
5	Siarkowodór od kłopotliwego zapachu do podręcznika farmakologii. , 2021, 17, 225-235.	0.1	0
6	Expert opinion of the Heart Failure Working Group of the Polish Cardiac Society on the use of dapagliflozin in the treatment of heart failure with reduced ejection fraction. <i>Kardiologia Polska</i> , 2021, 79, 363-370.	0.6	4
7	Serum Sulfhydryl Groups, Malondialdehyde, Uric Acid, and Bilirubin as Predictors of Adverse Outcome in Heart Failure Patients due to Ischemic or Nonischemic Cardiomyopathy. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-14.	4.0	9
8	Iron deficiency contributes to resistance to endogenous erythropoietin in anaemic heart failure patients. <i>European Journal of Heart Failure</i> , 2021, 23, 1677-1686.	7.1	11
9	Ceruloplasmin as Redox Marker Related to Heart Failure Severity. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10074.	4.1	3
10	Long term outcome of heart failure patients disqualified from heart transplantation. <i>Acta Cardiologica</i> , 2021, 76, 525-533.	0.9	0
11	Nutritional and Non-Nutritional Predictors of Low Spot Urinary Creatinine Concentration in Patients with Heart Failure. <i>Nutrients</i> , 2021, 13, 3994.	4.1	2
12	Accurate Noninvasive Assessment of Myocardial Iron Load in Advanced Heart Failure Patients. <i>Disease Markers</i> , 2020, 2020, 1-7.	1.3	8
13	Ceruloplasmin, NT-proBNP, and Clinical Data as Risk Factors of Death or Heart Transplantation in a 1-Year Follow-Up of Heart Failure Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 137.	2.4	1
14	Remote Supervision to Decrease Hospitalization Rate (RESULT) study in patients with implanted cardioverter-defibrillator. <i>Europace</i> , 2020, 22, 769-776.	1.7	26
15	Prevalence, characteristics, and prognostic implications of type 2 diabetes in patients with myocardial infarction: the Polish Registry of Acute Coronary Syndromes (PLACS) annual 2018 report. <i>Kardiologia Polska</i> , 2020, 78, 243-246.	0.6	6
16	The patient with heart failure in the face of the coronavirus disease 2019 pandemic: an expert opinion of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 618-631.	0.6	4
17	Clinical characteristics and treatment profiles of patients after acute myocardial infarction with left ventricular ejection fraction below 40%: a short 2018-2019 report on the PLACS registry. <i>Kardiologia Polska</i> , 2020, 78, 766-769.	0.6	0
18	Heart failure management in Polish medical centers during the coronavirus disease 2019 pandemic: results of a survey. <i>Kardiologia Polska</i> , 2020, 78, 1035-1038.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Weight loss in heart failure is associated with increased mortality only in non-obese patients without diabetes. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 1307-1315.	7.3	17
20	Malondialdehyde and Uric Acid as Predictors of Adverse Outcome in Patients with Chronic Heart Failure. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-15.	4.0	20
21	Comparison of Oxidative Stress Parameters in Heart Failure Patients Depending on Ischaemic or Nonischaemic Aetiology. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-13.	4.0	28
22	The role of echocardiographic parameters in predicting survival of patients with lung diseases referred for lung transplantation. <i>Clinical Respiratory Journal</i> , 2019, 13, 212-221.	1.6	1
23	Pericardial tamponade as a complication of invasive cardiac procedures: a review of the literature. <i>Postępy W Kardiologii Interwencyjnej</i> , 2019, 15, 394-403.	0.2	7
24	Comprehensive Heart Failure Care pilot study: starting point and expected developments. <i>Kardiologia Polska</i> , 2019, 77, 994-999.	0.6	5
25	Intravenous torasemide for treatment of acute heart failure – practice in Zabrze. Case report. <i>Medycyna Faktów</i> , 2019, 12, 186-195.	0.0	0
26	Trajectory of the circulating endothelial progenitor cell levels and their association with acute rejection after heart transplantation. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 889-897.	0.4	0
27	Improved prognosis in patients with recurrent hospitalizations for heart failure after day-care management. <i>Kardiologia Polska</i> , 2019, 77, 975-977.	0.6	0
28	Temporal trends in secondary prevention in myocardial infarction patients discharged with left ventricular systolic dysfunction in Poland. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 960-969.	1.8	20
29	Pulmonary hypertension in advanced lung diseases: Echocardiography as an important part of patient evaluation for lung transplantation. <i>Clinical Respiratory Journal</i> , 2018, 12, 930-938.	1.6	23
30	Iron deficiency and red cell indices in patients with heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 114-122.	7.1	54
31	Secular trends in first-time hospitalization for heart failure with following one-year readmission and mortality rates in the 3.8 million adult population of Silesia, Poland between 2010 and 2016. The SILCARD database. <i>International Journal of Cardiology</i> , 2018, 271, 146-151.	1.7	10
32	Albumin-to-globulin ratio as an independent predictor of mortality in chronic heart failure. <i>Biomarkers in Medicine</i> , 2018, 12, 749-757.	1.4	23
33	2017 Monitoring and Teletransmission of Medical-Data in Heart Failure. First Report. <i>Advances in Intelligent Systems and Computing</i> , 2018, , 117-124.	0.6	0
34	Clinical correlates and prognostic impact of impaired iron storage versus impaired iron transport in an international cohort of 1821 patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2017, 243, 360-366.	1.7	42
35	Remote supervision to Decrease Hospitalization Rate. Unified and integrated platform for data collected from devices manufactured by different companies: Design and rationale of the RESULT study. <i>Annals of Noninvasive Electrocardiology</i> , 2017, 22, .	1.1	6
36	Wearable Sensor Vest Design Study for Vital Parameters Measurement System. <i>Advances in Intelligent Systems and Computing</i> , 2017, , 330-337.	0.6	2

#	ARTICLE	IF	CITATIONS
37	Renal function on admission affects both treatment strategy and long-term outcomes of patients with myocardial infarction (from the Polish Registry of Acute Coronary Syndromes). <i>Kardiologia Polska</i> , 2017, 75, 332-343.	0.6	14
38	Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2017, 75, 286-293.	0.6	0
39	Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2017, 75, 33-41.	0.6	0
40	The influence of confounders in the analysis of mid-regional pro-atrial natriuretic peptide in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2016, 219, 84-91.	1.7	9
41	COnteMporary Modalities In Treatment of Heart Failure: a report from the COMMIT-HF registry. <i>Kardiologia Polska</i> , 2016, 74, 523-528.	0.6	6
42	Higher serum phosphorus is associated with catabolic/anabolic imbalance in heart failure. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 325-334.	7.3	15
43	Clinical and laboratory determinants of 25-hydroxyvitamin D deficiency during pharmacotherapeutic escalation in heart failure patients. <i>Kardiologia Polska</i> , 2015, 3, 216-227.	0.1	1
44	Abnormal serum calcium levels are associated with clinical response to maximization of heart failure therapy. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 54-64.	0.4	3
45	Prognostic value of novel biomarkers compared with detailed biochemical evaluation in patients with heart failure. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 434-442.	0.4	4
46	Five-year survival of patients with chronic systolic heart failure of ischemic and non-ischemic etiology: analysis of prognostic factors. <i>Kardiologia Polska</i> , 2014, 1, 56-62.	0.1	2
47	The obesity paradox in acute coronary syndrome: a meta-analysis. <i>European Journal of Epidemiology</i> , 2014, 29, 801-812.	5.7	186
48	Serum phosphorus level is related to degree of clinical response to up-titration of heart failure pharmacotherapy. <i>International Journal of Cardiology</i> , 2014, 177, 248-254.	1.7	6
49	Comparison of modification of diet in renal disease and chronic kidney disease epidemiology collaboration formulas in predicting long-term outcomes in patients undergoing stent implantation due to stable coronary artery disease. <i>Clinical Research in Cardiology</i> , 2014, 103, 569-576.	3.3	10
50	The additive burden of iron deficiency in the cardiorenal "anaemia axis": scope of a problem and its consequences. <i>European Journal of Heart Failure</i> , 2014, 16, 655-662.	7.1	59
51	Not All Fat Is Equal. <i>Journal of the American College of Cardiology</i> , 2013, 61, 596-597.	2.8	1
52	Acute Coronary Syndromes in Patients with Chronic Kidney Disease. <i>Current Vascular Pharmacology</i> , 2013, 11, 758-767.	1.7	18
53	Trends in heart failure mortality in Poland between 1980 and 2010. <i>Polish Archives of Internal Medicine</i> , 2013, 123, 664-671.	0.4	4
54	Iron Deficiency Predicts Impaired Exercise Capacity in Patients With Systolic Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2011, 17, 899-906.	1.7	227

#	ARTICLE	IF	CITATIONS
55	Identification of Chronic Heart Failure Patients with a High 12-Month Mortality Risk Using Biomarkers Including Plasma C-Terminal Pro-Endothelin-1. PLoS ONE, 2011, 6, e14506.	2.5	34
56	The effects of a high-caloric protein-rich oral nutritional supplement in patients with chronic heart failure and cachexia on quality of life, body composition, and inflammation markers: a randomized, double-blind pilot study. Journal of Cachexia, Sarcopenia and Muscle, 2010, 1, 35-42.	7.3	135
57	Diabetes mellitus, cachexia and obesity in heart failure: rationale and design of the Studies Investigating Co-morbidities Aggravating Heart Failure (SICA-HF). Journal of Cachexia, Sarcopenia and Muscle, 2010, 1, 187-194.	7.3	75
58	Iron deficiency: an ominous sign in patients with systolic chronic heart failure. European Heart Journal, 2010, 31, 1872-1880.	2.2	515
59	Mid-regional pro-adrenomedullin as a novel predictor of mortality in patients with chronic heart failure. European Journal of Heart Failure, 2010, 12, 484-491.	7.1	117
60	Circulating Estradiol and Mortality in Men With Systolic Chronic Heart Failure. JAMA - Journal of the American Medical Association, 2009, 301, 1892.	7.4	88
61	Retrospective cross-validation of simplified predictive index for renal replacement therapy after cardiac surgery. Interactive Cardiovascular and Thoracic Surgery, 2008, 7, 1101-1106.	1.1	15
62	Prognostic Utility of Growth Differentiation Factor-15 in Patients With Chronic Heart Failure. Journal of the American College of Cardiology, 2007, 50, 1054-1060.	2.8	397
63	Comparison of Midregional Pro-Atrial Natriuretic Peptide With N-Terminal Pro-B-Type Natriuretic Peptide in Predicting Survival in Patients With Chronic Heart Failure. Journal of the American College of Cardiology, 2007, 50, 1973-1980.	2.8	139