

Hadi Maazi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6692284/publications.pdf>

Version: 2024-02-01

26
papers

1,309
citations

430442

18
h-index

676716

22
g-index

26
all docs

26
docs citations

26
times ranked

2249
citing authors

#	ARTICLE	IF	CITATIONS
1	ICOS:ICOS-Ligand Interaction Is Required for Type 2 Innate Lymphoid Cell Function, Homeostasis, and Induction of Airway Hyperreactivity. <i>Immunity</i> , 2015, 42, 538-551.	6.6	254
2	Type 2 innate lymphoid cell suppression by regulatory T cells attenuates airway hyperreactivity and requires inducible T-cell costimulator-inducible T-cell costimulator ligand interaction. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1468-1477.e2.	1.5	153
3	Transcriptional regulation of autophagy-lysosomal function in BRAF-driven melanoma progression and chemoresistance. <i>Nature Communications</i> , 2019, 10, 1693.	5.8	119
4	Nicotinic acetylcholine receptor agonist attenuates ILC2-dependent airway hyperreactivity. <i>Nature Communications</i> , 2016, 7, 13202.	5.8	108
5	Dietary Fiber-Induced Microbial Short Chain Fatty Acids Suppress ILC2-Dependent Airway Inflammation. <i>Frontiers in Immunology</i> , 2019, 10, 2051.	2.2	90
6	Programmed cell death ligand 2 regulates TH9 differentiation and induction of chronic airway hyperreactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1048-1057.e2.	1.5	85
7	Lack of autophagy induces steroid-resistant airway inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1382-1389.e9.	1.5	63
8	Activated plasmacytoid dendritic cells regulate type 2 innate lymphoid cell-mediated airway hyperreactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 893-905.e6.	1.5	61
9	Costimulation of type-2 innate lymphoid cells by GITR promotes effector function and ameliorates type 2 diabetes. <i>Nature Communications</i> , 2019, 10, 713.	5.8	58
10	TLR-2 Activation Induces Regulatory T Cells and Long-Term Suppression of Asthma Manifestations in Mice. <i>PLoS ONE</i> , 2013, 8, e55307.	1.1	45
11	Contribution of regulatory T cells to alleviation of experimental allergic asthma after specific immunotherapy. <i>Clinical and Experimental Allergy</i> , 2012, 42, 1519-1528.	1.4	41
12	Iron administration reduces airway hyperreactivity and eosinophilia in a mouse model of allergic asthma. <i>Clinical and Experimental Immunology</i> , 2011, 166, 80-86.	1.1	30
13	A truncating mutation in the autophagy gene UVRAG drives inflammation and tumorigenesis in mice. <i>Nature Communications</i> , 2019, 10, 5681.	5.8	30
14	Suppression of Th2-Driven Airway Inflammation by Allergen Immunotherapy Is Independent of B Cell and Ig Responses in Mice. <i>Journal of Immunology</i> , 2010, 185, 3857-3865.	0.4	29
15	Type two innate lymphoid cells: the Janus cells in health and disease. <i>Immunological Reviews</i> , 2017, 278, 192-206.	2.8	25
16	Inclusion of CD80 in HSV Targets the Recombinant Virus to PD-L1 on DCs and Allows Productive Infection and Robust Immune Responses. <i>PLoS ONE</i> , 2014, 9, e87617.	1.1	23
17	Role of plasmacytoid dendritic cell subsets in allergic asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 695-701.	2.7	22
18	Lack of PD-L1 Expression by iNKT Cells Improves the Course of Influenza A Infection. <i>PLoS ONE</i> , 2013, 8, e59599.	1.1	21

#	ARTICLE	IF	CITATIONS
19	Batf3 deficiency is not critical for the generation of CD8 ⁺ dendritic cells. <i>Immunobiology</i> , 2015, 220, 518-524.	0.8	18
20	Cytotoxic T lymphocyte antigen 4-immunoglobulin G is a potent adjuvant for experimental allergen immunotherapy. <i>Clinical and Experimental Immunology</i> , 2013, 172, 113-120.	1.1	13
21	ICOS regulates ILC2s in asthma. <i>Oncotarget</i> , 2015, 6, 24584-24585.	0.8	12
22	A GWAS approach identifies Dapp1 as a determinant of air pollution-induced airway hyperreactivity. <i>PLoS Genetics</i> , 2019, 15, e1008528.	1.5	9
23	Activation of the Non-canonical Nf-kb Pathway by CTLA4-Ig Potentiates the Beneficial Effects of Specific Immunotherapy in a Mouse Model of Allergic Asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, AB132.	1.5	0
24	IL-10 Production by Cd11c+ Dendritic Cells is Critically Required for Specific Immunotherapy in a Mouse Model of Allergic Asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, AB132.	1.5	0
25	Impairment of Autophagy in Pulmonary CD11c+ Cells Induces Corticosteroid-Unresponsive Airway Hyperreactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, AB410.	1.5	0
26	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 712-713.	1.5	0