

Hiromichi Wada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6692703/publications.pdf>

Version: 2024-02-01

139
papers

5,761
citations

71102

41
h-index

82547

72
g-index

143
all docs

143
docs citations

143
times ranked

7373
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Chronic Kidney Disease on the Associations of Cardiovascular Biomarkers With Adverse Outcomes in Patients With Suspected or Known Coronary Artery Disease: The EXCEED Study. <i>Journal of the American Heart Association</i> , 2022, 11, e023464.	3.7	4
2	10-Year Trends of Antithrombotic Therapy Status and Outcomes in Japanese Atrial Fibrillation Patients The Fushimi AF Registry. <i>Circulation Journal</i> , 2022, 86, 726-736.	1.6	16
3	Age-dependent risk for thromboembolism in atrial fibrillation: The Fushimi AF registry. <i>IJC Heart and Vasculature</i> , 2022, 41, 101055.	1.1	2
4	Association of Concomitant Coronary Artery Disease With Cardiovascular Events in Patients With Atrial Fibrillation The Fushimi AF Registry. <i>Circulation Journal</i> , 2022, 86, 1252-1262.	1.6	2
5	Psychological Effects of Aromatherapy on Smokers With Depressive Tendencies During Smoking Cessation Treatment: Protocol for a Pre-Post Single-Arm Clinical Trial. <i>JMIR Research Protocols</i> , 2022, 11, e38626.	1.0	1
6	Prognostic significance of natriuretic peptide levels in atrial fibrillation without heart failure. <i>Heart</i> , 2021, 107, 705-712.	2.9	16
7	Long-term clinical outcomes after major bleeding in patients with atrial fibrillation: the Fushimi AF registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 163-171.	4.0	8
8	Major adverse cardiovascular events and mortality after catheter ablation in Japanese patients with atrial fibrillation: The Fushimi AF Registry. <i>Heart and Vessels</i> , 2021, 36, 1219-1227.	1.2	6
9	Histone Acetylation Domains Are Differentially Induced during Development of Heart Failure in Dahl Salt-Sensitive Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1771.	4.1	16
10	Characteristics and clinical outcomes in atrial fibrillation patients classified using cluster analysis: the Fushimi AF Registry. <i>Europace</i> , 2021, 23, 1369-1379.	1.7	12
11	Short-term Changes in Self-rating Depression Scale Scores after Smoking Cessation in Neurotic Patients. <i>Internal Medicine</i> , 2021, 60, 1175-1181.	0.7	8
12	Neutrophil/lymphocyte ratio is correlated with levels of inflammatory markers and is significantly reduced by smoking cessation. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110192.	1.0	6
13	Newly Developed Highly Bioavailable Curcumin Formulation, curcuRouge™, Reduces Neutrophil/Lymphocyte Ratio in the Elderly: A Double-Blind, Placebo-Controlled Clinical Trial. <i>Journal of Nutritional Science and Vitaminology</i> , 2021, 67, 249-252.	0.6	18
14	Soluble vascular endothelial growth factor receptor 2 and prognosis in patients with chronic heart failure. <i>ESC Heart Failure</i> , 2021, 8, 4187-4198.	3.1	3
15	Zerumbone prevents pressure overload-induced left ventricular systolic dysfunction by inhibiting cardiac hypertrophy and fibrosis. <i>Phytomedicine</i> , 2021, 92, 153744.	5.3	7
16	Clinical Characteristics and Outcomes of Very Elderly Patients With Atrial Fibrillation at High Bleeding Risk The Fushimi AF Registry. <i>Circulation Reports</i> , 2021, 3, 629-638.	1.0	2
17	The Selective Serotonin 2A Receptor Antagonist Sarpogrelate Prevents Cardiac Hypertrophy and Systolic Dysfunction via Inhibition of the ERK1/2-GATA4 Signaling Pathway. <i>Pharmaceuticals</i> , 2021, 14, 1268.	3.8	3
18	Effects of Metformin on Left Ventricular Size and Function in Hypertensive Patients with Type 2 Diabetes Mellitus: Results of a Randomized, Controlled, Multicenter, Phase IV Trial. <i>American Journal of Cardiovascular Drugs</i> , 2020, 20, 283-293.	2.2	5

#	ARTICLE	IF	CITATIONS
19	Current status of percutaneous coronary intervention in patients with atrial fibrillation: The Fushimi AF Registry. <i>Journal of Cardiology</i> , 2020, 75, 513-520.	1.9	3
20	Impact of Smoking Status on Growth Differentiation Factor 15 and Mortality in Patients With Suspected or Known Coronary Artery Disease: The ANOX Study. <i>Journal of the American Heart Association</i> , 2020, 9, e018217.	3.7	5
21	Cardiovascular Events and Mortality in Patients With Atrial Fibrillation and Anemia (from the Fushimi AF Registry). <i>Journal of the American Heart Association</i> , 2020, 9, e018217.	1.6	10
22	Impact of Valvular Heart Disease on Mortality, Thromboembolic and Cardiac Events in Japanese Patients With Atrial Fibrillation: The Fushimi AF Registry. <i>Circulation Journal</i> , 2020, 84, 714-722.	1.6	7
23	Cacao Bean Polyphenols Inhibit Cardiac Hypertrophy and Systolic Dysfunction in Pressure Overload-induced Heart Failure Model Mice. <i>Planta Medica</i> , 2020, 86, 1304-1312.	1.3	12
24	Association of relative wall thickness of left ventricle with incidence of thromboembolism in patients with non-valvular atrial fibrillation: The Fushimi AF Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020, 6, 273-283.	4.0	10
25	The Synthetic Curcumin Analogue GO-Y030 Effectively Suppresses the Development of Pressure Overload-induced Heart Failure in Mice. <i>Scientific Reports</i> , 2020, 10, 7172.	3.3	30
26	Distinct Characteristics of VEGF ₁₂₁ and VEGF ₁₆₅ to Predict Mortality in Patients With Suspected or Known Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2020, 9, e015761.	3.7	22
27	Different Impact of Resting Heart Rate on Adverse Events in Paroxysmal and Sustained Atrial Fibrillation: The Fushimi AF Registry. <i>Circulation Journal</i> , 2020, 84, 2138-2147.	1.6	4
28	Causes of death in Japanese patients with atrial fibrillation: The Fushimi Atrial Fibrillation Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2019, 5, 35-42.	4.0	58
29	Age-Dependent Prognostic Impact of Paroxysmal Versus Sustained Atrial Fibrillation on the Incidence of Cardiac Death and Heart Failure Hospitalization (the Fushimi AF Registry). <i>American Journal of Cardiology</i> , 2019, 124, 1420-1429.	1.6	10
30	Anti-inflammatory Action of Curcumin and Its Use in the Treatment of Lifestyle-related Diseases. <i>European Cardiology Review</i> , 2019, 14, 117-122.	2.2	67
31	Treatment for renal anemia and outcomes in non-dialysis patients with chronic kidney disease: the current status of regional medicine according to the Kyoto Fushimi Renal Anemia (KFRA) study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1211-1220.	1.6	4
32	Serum Cystatin C, a Sensitive Marker of Renal Function and Cardiovascular Disease, Decreases After Smoking Cessation. <i>Circulation Reports</i> , 2019, 1, 623-627.	1.0	7
33	Effects of Highly Absorbable Curcumin in Patients with Impaired Glucose Tolerance and Non-Insulin-Dependent Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-7.	2.3	38
34	Association between monocyte chemoattractant protein-1 and blood pressure in smokers. <i>Journal of International Medical Research</i> , 2018, 46, 965-974.	1.0	16
35	Effects of Products Containing <i>Bacillus subtilis</i> var. <i>natto</i> on Healthy Subjects with Neck and Shoulder Stiffness, a Double-Blind, Placebo-Controlled, Randomized Crossover Study. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 504-509.	1.4	7
36	Curcumin and its demethoxy derivatives possess p300 HAT inhibitory activity and suppress hypertrophic responses in cardiomyocytes. <i>Journal of Pharmacological Sciences</i> , 2018, 136, 212-217.	2.5	30

#	ARTICLE	IF	CITATIONS
37	Smoking cessation reduces the lectin-like low-density lipoprotein receptor index, an independent cardiovascular risk marker of vascular inflammation. <i>Heart and Vessels</i> , 2018, 33, 9-16.	1.2	8
38	VEGF and Mortality in Patients With Suspected or Known Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2018, 7, e010355.	3.7	26
39	Progression From Paroxysmal to Sustained Atrial Fibrillation Is Associated With Increased Adverse Events. <i>Stroke</i> , 2018, 49, 2301-2308.	2.0	68
40	The effects of dietary instruction on cardiovascular risk markers after smoking cessation: study protocol for a multicenter randomized controlled trial in Japan. <i>Trials</i> , 2018, 19, 538.	1.6	1
41	Current Status, Time Trends and Outcomes of Combination Therapy With Oral Anticoagulant and Antiplatelet Drug in Patients With Atrial Fibrillation - The Fushimi AF Registry. <i>Circulation Journal</i> , 2018, 82, 2983-2991.	1.6	16
42	Analysis of changes on adiponectin levels and abdominal obesity after smoking cessation. <i>PLoS ONE</i> , 2018, 13, e0201244.	2.5	12
43	Clinical characteristics and cardiovascular outcomes in patients with atrial fibrillation receiving rhythm-control therapy: the Fushimi AF Registry. <i>Heart and Vessels</i> , 2018, 33, 1534-1546.	1.2	6
44	Role of serum myostatin in the association between hyperinsulinemia and muscle atrophy in Japanese obese patients. <i>Diabetes Research and Clinical Practice</i> , 2018, 142, 195-202.	2.8	21
45	A study on indices of apixaban anticoagulation: A single-center prospective study. <i>Journal of Pharmacological Sciences</i> , 2018, 137, 105-109.	2.5	3
46	Incidence and Risk Factors of Stroke or Systemic Embolism in Patients With Atrial Fibrillation and Heart Failure - The Fushimi AF Registry. <i>Circulation Journal</i> , 2018, 82, 1327-1335.	1.6	27
47	Relationship Between VEGF-C Levels and All-cause Mortality in Patients with Chronic Heart Failure. <i>European Cardiology Review</i> , 2018, 13, 129.	2.2	3
48	Relationship Between VEGF-C Levels and Mortality in Patients with Peripheral Artery Disease. <i>European Cardiology Review</i> , 2018, 13, 123.	2.2	2
49	VEGF-C and Cardiovascular Mortality in Patients Undergoing Drug-eluting Stent Implantation. <i>European Cardiology Review</i> , 2018, 13, 124.	2.2	0
50	The GATA4 Acetylation Site Plays a Key Role in the Development of Cardiomyocyte Hypertrophy. <i>European Cardiology Review</i> , 2018, 13, 125.	2.2	0
51	Analysis of the Effects of EPA and DHA on Cardiomyocyte hypertrophy. <i>European Cardiology Review</i> , 2018, 13, 121.	2.2	1
52	TBL1 Suppresses Cardiomyocyte Hypertrophy by Regulating the Interaction Between HDAC3 and GATA4. <i>European Cardiology Review</i> , 2018, 13, 126.	2.2	0
53	Relation of Stroke and Major Bleeding to Creatinine Clearance in Patients With Atrial Fibrillation (from the Fushimi AF Registry). <i>American Journal of Cardiology</i> , 2017, 119, 1229-1237.	1.6	36
54	Omega-3 polyunsaturated fatty acids suppress the inflammatory responses of lipopolysaccharide-stimulated mouse microglia by activating SIRT1 pathways. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017, 1862, 552-560.	2.4	84

#	ARTICLE	IF	CITATIONS
55	Clinical Impact of Asymptomatic Presentation Status in Patients With Paroxysmal and Sustained Atrial Fibrillation. <i>Chest</i> , 2017, 152, 1266-1275.	0.8	30
56	Relationship of Hypertension and Systolic Blood Pressure With the Risk of Stroke or Bleeding in Patients With Atrial Fibrillation: The Fushimi AF Registry. <i>American Journal of Hypertension</i> , 2017, 30, 1073-1082.	2.0	44
57	A Novel Target Molecule of Nobiletin Derived from Citrus Peels has a Therapeutic Potency Against the Development of Heart Failure. <i>European Cardiology Review</i> , 2017, 12, 105.	2.2	5
58	Sex-Related Differences in the Clinical Events of Patients With Atrial Fibrillation—The Fushimi AF Registry. <i>Circulation Journal</i> , 2017, 81, 1403-1410.	1.6	17
59	Current Status and Outcomes of Direct Oral Anticoagulant Use in Real-World Atrial Fibrillation Patients—Fushimi AF Registry. <i>Circulation Journal</i> , 2017, 81, 1278-1285.	1.6	111
60	Curcumin Analogue GO-Y030 Significantly Improves Pressure Overload-induced Heart Failure in Vivo. <i>European Cardiology Review</i> , 2017, 12, 106.	2.2	1
61	A Transcriptional Co-activator, p300 is Involved in the Epigenetic Gene Activation on Hypertrophic Response Gene Promoters in Heart Failure. <i>European Cardiology Review</i> , 2017, 12, 110.	2.2	0
62	The Inhibitory Effects of Curcumin Glucuronide on p300-HAT Activity and Hypertrophic Phenylephrine-Induced Responses in Cardiomyocytes. <i>European Cardiology Review</i> , 2017, 12, 107.	2.2	1
63	Analysis of Factors Associated with Smoking Relapse. <i>European Cardiology Review</i> , 2017, 12, 111.	2.2	1
64	Effects of Pharmacotherapy for Smoking Cessation on LOX Index, a Cardiovascular Risk Marker. <i>European Cardiology Review</i> , 2017, 12, 96.	2.2	0
65	Highly absorptive curcumin reduces serum atherosclerotic low-density lipoprotein levels in patients with mild COPD. <i>International Journal of COPD</i> , 2016, Volume 11, 2029-2034.	2.3	57
66	Hyperglycemia and Inflammatory Property of Circulating Monocytes are Associated with Inflammatory Property of Carotid Plaques in Patients Undergoing Carotid Endarterectomy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1212-1221.	2.0	14
67	Tyrosine phosphorylation of RACK1 triggers cardiomyocyte hypertrophy by regulating the interaction between p300 and GATA4. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 1544-1557.	3.8	26
68	Clinical Characteristics and Outcomes in Extreme Elderly (Age ≥ 85 Years) Japanese Patients With Atrial Fibrillation. <i>Chest</i> , 2016, 149, 401-412.	0.8	80
69	Effect of statins on atherogenic serum amyloid A and Î±1-antitrypsin low-density lipoprotein complexes. <i>International Journal of Cardiology</i> , 2016, 225, 332-336.	1.7	3
70	Left atrial enlargement is an independent predictor of stroke and systemic embolism in patients with non-valvular atrial fibrillation. <i>Scientific Reports</i> , 2016, 6, 31042.	3.3	96
71	Clinical characteristics and outcomes of dialysis patients with atrial fibrillation: the Fushimi AF Registry. <i>Heart and Vessels</i> , 2016, 31, 2025-2034.	1.2	13
72	Differential effects of GLP-1 receptor agonist on foam cell formation in monocytes between non-obese and obese subjects. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1-11.	3.4	25

#	ARTICLE	IF	CITATIONS
73	Indications, applications, and outcomes of inferior vena cava filters for venous thromboembolism in Japanese patients. <i>Heart and Vessels</i> , 2016, 31, 1084-1090.	1.2	8
74	Time-dependent Changes of Atherosclerotic LDL Complexes after Smoking Cessation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1270-1275.	2.0	17
75	Colloidal Submicron-Particle Curcumin Exhibits High Absorption Efficiency—A Double-Blind, 3-Way Crossover Study—. <i>Journal of Nutritional Science and Vitaminology</i> , 2015, 61, 37-44.	0.6	51
76	Effects of Statins on Left Ventricular Diastolic Function in Patients with Dyslipidemia and Diastolic Dysfunction (Stat-LVDF Study). <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1404-1409.	1.4	8
77	Low Body Weight Is Associated With the Incidence of Stroke in Atrial Fibrillation Patientsâ€œ Insight From the Fushimi AF Registry â€œ. <i>Circulation Journal</i> , 2015, 79, 1009-1017.	1.6	58
78	Comparison of cystatin C- and creatinine-based estimated glomerular filtration rate to predict coronary heart disease risk in Japanese patients with obesity and diabetes. <i>Endocrine Journal</i> , 2015, 62, 201-207.	1.6	16
79	Predictors for Stroke and Death in Non-Anticoagulated Asian Patients with Atrial Fibrillation: The Fushimi AF Registry. <i>PLoS ONE</i> , 2015, 10, e0142394.	2.5	27
80	The effects of weight gain after smoking cessation on atherogenic $\hat{\pm}$ 1-antitrypsinâ€œlow-density lipoprotein. <i>Heart and Vessels</i> , 2015, 30, 734-739.	1.2	25
81	Incidence of Stroke or Systemic Embolism in Paroxysmal Versus Sustained Atrial Fibrillation. <i>Stroke</i> , 2015, 46, 3354-3361.	2.0	100
82	An Increase in the EPA/AA Ratio is Associated with Improved Arterial Stiffness in Obese Patients with Dyslipidemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 248-260.	2.0	40
83	Massive haemoptysis following dabigatran administration in a patient with bronchiectasis. <i>BMJ Case Reports</i> , 2014, 2014, bcr2013201001-bcr2013201001.	0.5	2
84	Optimal Dose-Setting Study of Curcumin for Improvement of Left Ventricular Systolic Function After Myocardial Infarction in Rats. <i>Journal of Pharmacological Sciences</i> , 2014, 126, 329-336.	2.5	31
85	Inappropriate Use of Oral Anticoagulants for Patients With Atrial Fibrillation. <i>Circulation Journal</i> , 2014, 78, 2166-2172.	1.6	123
86	Matters of Controversy Regarding Lipid Therapy for Japanese Patients with Coronary Artery Disease. <i>Internal Medicine</i> , 2014, 53, 817-818.	0.7	1
87	Cardiac-Specific Inhibition of Kinase Activity in Calcium/Calmodulin-Dependent Protein Kinase Kinase- $\hat{2}$ Leads to Accelerated Left Ventricular Remodeling and Heart Failure after Transverse Aortic Constriction in Mice. <i>PLoS ONE</i> , 2014, 9, e108201.	2.5	15
88	Current status of clinical background of patients with atrial fibrillation in a community-based survey: The Fushimi AF Registry. <i>Journal of Cardiology</i> , 2013, 61, 260-266.	1.9	206
89	A dipeptidyl peptidase-4 inhibitor, sitagliptin, exerts anti-inflammatory effects in type 2 diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 347-351.	3.4	161
90	Response to Comment on: Satoh-Asahara et al. Highly Purified Eicosapentaenoic Acid Increases Interleukin-10 Levels of Peripheral Blood Monocytes in Obese Patients With Dyslipidemia. <i>Diabetes Care</i> 2012;35:2631-2639. <i>Diabetes Care</i> , 2013, 36, e110-e110.	8.6	2

#	ARTICLE	IF	CITATIONS
91	Drinkable Preparation of Theracurmin Exhibits High Absorption Efficiency—A Single-Dose, Double-Blind, 4-Way Crossover Study. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 1708-1714.	1.4	41
92	Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Plays an Important Role in Vascular Inflammation in Current Smokers. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 585-590.	2.0	24
93	Analysis of Factors That Determine Weight Gain during Smoking Cessation Therapy. <i>PLoS ONE</i> , 2013, 8, e72010.	2.5	42
94	Highly Purified Eicosapentaenoic Acid Increases Interleukin-10 Levels of Peripheral Blood Monocytes in Obese Patients With Dyslipidemia. <i>Diabetes Care</i> , 2012, 35, 2631-2639.	8.6	58
95	A Novel Drug Delivery System of Oral Curcumin Markedly Improves Efficacy of Treatment for Heart Failure after Myocardial Infarction in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 139-144.	1.4	42
96	MicroRNA 26b encoded by the intron of small CTD phosphatase (SCP) 1 has an antagonistic effect on its host gene. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 3455-3465.	2.6	19
97	Salivary cortisol levels are associated with outcomes of weight reduction therapy in obese Japanese patients. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 255-261.	3.4	16
98	Î±1-Antitrypsin Low-Density-Lipoprotein Serves as a Marker of Smoking-Specific Oxidative Stress. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 47-58.	2.0	23
99	Distinct Characteristics of Circulating Vascular Endothelial Growth Factor-A and C Levels in Human Subjects. <i>PLoS ONE</i> , 2011, 6, e29351.	2.5	66
100	High Blood Viscosity Is Closely Associated With Cigarette Smoking and Markedly Reduced by Smoking Cessation. <i>Circulation Journal</i> , 2011, 75, 185-189.	1.6	55
101	The Association Between Physical Data, Mental Status and Blood Rheology With Special Emphasis on Smoking Status, Depressive State, and Blood Viscosity. <i>Circulation Journal</i> , 2011, 75, 1283.	1.6	0
102	A Natural p300-Specific Histone Acetyltransferase Inhibitor, Curcumin, in Addition to Angiotensin-Converting Enzyme Inhibitor, Exerts Beneficial Effects on Left Ventricular Systolic Function After Myocardial Infarction in Rats. <i>Circulation Journal</i> , 2011, 75, 2151-2159.	1.6	83
103	Innovative Preparation of Curcumin for Improved Oral Bioavailability. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 660-665.	1.4	364
104	MicroRNA-27a Regulates Beta Cardiac Myosin Heavy Chain Gene Expression by Targeting Thyroid Hormone Receptor Î²1 in Neonatal Rat Ventricular Myocytes. <i>Molecular and Cellular Biology</i> , 2011, 31, 744-755.	2.3	76
105	Aldosterone Signaling Associates With p300/GATA4 Transcriptional Pathway During the Hypertrophic Response of Cardiomyocytes. <i>Circulation Journal</i> , 2010, 74, 156-162.	1.6	23
106	Left Ventricular Expression of Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 in Failing Rat Hearts. <i>Circulation Journal</i> , 2010, 74, 723-729.	1.6	19
107	Transmitral E/A ratio decreases in association with abdominal fat accumulation in patients with impaired glucose tolerance or mild diabetes without left ventricular hypertrophy. <i>Heart and Vessels</i> , 2010, 25, 45-50.	1.2	6
108	Cyclin-dependent Kinase-9 Is a Component of the p300/GATA4 Complex Required for Phenylephrine-induced Hypertrophy in Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2010, 285, 9556-9568.	3.4	63

#	ARTICLE	IF	CITATIONS
109	Lectin-like oxidized low-density lipoprotein receptor-1 is required for the adipose tissue expression of proinflammatory cytokines in high-fat diet-induced obese mice. <i>Biochemical and Biophysical Research Communications</i> , 2010, 398, 576-580.	2.1	29
110	Soluble VEGF receptor-2 is increased in sera of subjects with metabolic syndrome in association with insulin resistance. <i>Atherosclerosis</i> , 2010, 208, 512-517.	0.8	36
111	MicroRNA-1 and MicroRNA-133 in Spontaneous Myocardial Differentiation of Mouse Embryonic Stem Cells. <i>Circulation Journal</i> , 2009, 73, 1492-1497.	1.6	112
112	Unfavorable Blood Rheology is Closely Associated with Arterial Stiffness in Obese Patients. <i>Endocrine Journal</i> , 2009, 56, 915-918.	1.6	19
113	Oxidative stress induces GLUT4 translocation by activation of PI3K/Akt and dual AMPK kinase in cardiac myocytes. <i>Journal of Cellular Physiology</i> , 2008, 215, 733-742.	4.1	105
114	Statins activate GATA-6 and induce differentiated vascular smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 731-736.	2.1	8
115	Up-regulated expression of microRNA-143 in association with obesity in adipose tissue of mice fed high-fat diet. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 728-732.	2.1	232
116	Reevaluation of the Role of VEGF-B Suggests a Restricted Role in the Revascularization of the Ischemic Myocardium. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1614-1620.	2.4	99
117	TG-interacting factor is required for the differentiation of preadipocytes. <i>Journal of Lipid Research</i> , 2008, 49, 1224-1234.	4.2	25
118	Small Dense LDL-Cholesterol Relative to LDL-Cholesterol is a Strong Independent Determinant of Hypoadiponectinemia in Metabolic Syndrome. <i>Circulation Journal</i> , 2008, 72, 932-939.	1.6	24
119	Myocardial Regulation of p300 and p53 by Doxorubicin Involves Ubiquitin Pathways. <i>Circulation Journal</i> , 2008, 72, 1506-1511.	1.6	17
120	The dietary compound curcumin inhibits p300 histone acetyltransferase activity and prevents heart failure in rats. <i>Journal of Clinical Investigation</i> , 2008, 118, 868-78.	8.2	345
121	Abstract 1470: The Kinase Activity of Cyclin-Dependent Kinase-9 is Required for Phosphorylation of p300 and its Histone Acetyltransferase Activity during Cardiomyocyte Hypertrophy. <i>Circulation</i> , 2008, 118, .	1.6	3
122	Leptin induces elongation of cardiac myocytes and causes eccentric left ventricular dilatation with compensation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H2387-H2396.	3.2	81
123	Trichostatin A induces myocardial differentiation of monkey ES cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 386-391.	2.1	43
124	Histone Acetyltransferase Activity of p300 Is Required for the Promotion of Left Ventricular Remodeling After Myocardial Infarction in Adult Mice In Vivo. <i>Circulation</i> , 2006, 113, 679-690.	1.6	130
125	Acetylation of GATA-4 Is Involved in the Differentiation of Embryonic Stem Cells into Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 19682-19688.	3.4	122
126	Endothelin-1-Dependent Nuclear Factor of Activated T Lymphocyte Signaling Associates With Transcriptional Coactivator p300 in the Activation of the B Cell Leukemia-2 Promoter in Cardiac Myocytes. <i>Circulation Research</i> , 2004, 94, 1492-1499.	4.5	46

#	ARTICLE	IF	CITATIONS
127	FOG-2 Competes with GATA-4 for Transcriptional Coactivator p300 and Represses Hypertrophic Responses in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 37640-37650.	3.4	33
128	Expression of p300 protects cardiac myocytes from apoptosis in vivo. <i>Biochemical and Biophysical Research Communications</i> , 2004, 315, 733-738.	2.1	45
129	Biological role of p300 in cardiac myocytes. <i>Molecular and Cellular Biochemistry</i> , 2003, 248, 115-119.	3.1	35
130	GATA-6 Is Involved in PPAR γ -Mediated Activation of Differentiated Phenotype in Human Vascular Smooth Muscle Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 404-410.	2.4	36
131	Cardiac p300 Is Involved in Myocyte Growth with Decompensated Heart Failure. <i>Molecular and Cellular Biology</i> , 2003, 23, 3593-3606.	2.3	212
132	Calcineurin-GATA-6 pathway is involved in smooth muscle α -specific transcription. <i>Journal of Cell Biology</i> , 2002, 156, 983-991.	5.2	92
133	Rho/ROCK Pathway Contributes to the Activation of Extracellular Signal-regulated Kinase/GATA-4 during Myocardial Cell Hypertrophy. <i>Journal of Biological Chemistry</i> , 2002, 277, 8618-8625.	3.4	94
134	Calcineurin Pathway Is Required for Endothelin-1 α -Mediated Protection Against Oxidant Stress α -Induced Apoptosis in Cardiac Myocytes. <i>Circulation Research</i> , 2001, 88, 1239-1246.	4.5	111
135	Calcineurin-GATA4 Pathway Is Involved in β -Adrenergic Agonist-responsive Endothelin-1 Transcription in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 34983-34989.	3.4	60
136	A p300 Protein as a Coactivator of GATA-6 in the Transcription of the Smooth Muscle-Myosin Heavy Chain Gene. <i>Journal of Biological Chemistry</i> , 2000, 275, 25330-25335.	3.4	74
137	Phosphorylation of GATA-4 Is Involved in β -Adrenergic Agonist-responsive Transcription of the Endothelin-1 Gene in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2000, 275, 13721-13726.	3.4	128
138	Endothelin-1 as a protective factor against beta-adrenergic agonist-induced apoptosis in cardiac myocytes. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1411-1418.	2.8	50
139	p300 Protein as a Coactivator of GATA-5 in the Transcription of Cardiac-restricted Atrial Natriuretic Factor Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 34096-34102.	3.4	86