

# Joao Oliveira

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6692749/joao-oliveira-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44  
papers

939  
citations

15  
h-index

29  
g-index

44  
ext. papers

1,017  
ext. citations

6.4  
avg, IF

3.84  
L-index

#	Paper	IF	Citations
44	Producing Magnetic Nanocomposites from Paper Sludge for the Adsorptive Removal of Pharmaceuticals from Water-A Fractional Factorial Design. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	6
43	Preserve Your Books through the Smell. <i>ACS Sensors</i> , <b>2019</b> , 4, 2915-2921	9.2	2
42	Production of highly efficient activated carbons from industrial wastes for the removal of pharmaceuticals from water-A full factorial design. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 370, 212-218	12.8	35
41	Cheeses Made from Raw and Pasteurized Cow's Milk Analysed by an Electronic Nose and an Electronic Tongue. <i>Sensors</i> , <b>2018</b> , 18,	3.8	11
40	Using acoustic wave sensors to follow milk coagulation and to separate the cheeses according to the milk origin. <i>Sensors and Actuators B: Chemical</i> , <b>2015</b> , 207, 1121-1128	8.5	8
39	Assessment of Transition Metals Toxicity in Environmental Matrices Using Potentiometric Electrodes: Inorganic Mercury(II) in the Seawater as a Case Study. <i>Electroanalysis</i> , <b>2015</b> , 27, 1932-1938	3	2
38	Adsorptive removal of pharmaceuticals from water by commercial and waste-based carbons. <i>Journal of Environmental Management</i> , <b>2015</b> , 152, 83-90	7.9	97
37	Potentiometric chemical sensors from lignin-poly(propylene oxide) copolymers doped by carbon nanotubes. <i>Analyst, The</i> , <b>2013</b> , 138, 501-8	5	23
36	Electrochemical impedance study of the lignin-derived conducting polymer. <i>Electrochimica Acta</i> , <b>2012</b> , 76, 69-76	6.7	30
35	An insight into the adsorption and electrochemical processes occurring during the analysis of copper and lead in wines, using an electrochemical quartz crystal nanobalance. <i>Talanta</i> , <b>2012</b> , 98, 14-8	6.2	1
34	Design of molecularly imprinted polymers for diphenylamine sensing. <i>Talanta</i> , <b>2012</b> , 94, 133-9	6.2	17
33	Lignin-based polyurethane doped with carbon nanotubes for sensor applications. <i>Polymer International</i> , <b>2012</b> , 61, 788-794	3.3	38
32	An electronic nose based on coated piezoelectric quartz crystals to certify ewes' cheese and to discriminate between cheese varieties. <i>Sensors</i> , <b>2012</b> , 12, 1422-36	3.8	19
31	An acoustic wave sensor for the hydrophilic fluoride. <i>Sensors and Actuators B: Chemical</i> , <b>2011</b> , 157, 594-599	5.9	12
30	Contribution of compressional waves to the identification and quantification of a water contaminant. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 151, 21-25	8.5	2
29	Solubility of non-aromatic ionic liquids in water and correlation using a QSPR approach. <i>Fluid Phase Equilibria</i> , <b>2010</b> , 294, 234-240	2.5	73
28	Study of the influence of polymeric membrane composition on the sensitivity of acoustic wave sensors for metal analysis. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 150, 471-477	8.5	3

27	A new analytical system, based on an acoustic wave sensor, for halitosis evaluation. <i>Sensors and Actuators B: Chemical</i> , <b>2009</b> , 136, 73-79	8.5	13
26	Preparation of PZT discs for use in an acoustic wave sensor. <i>Ceramics International</i> , <b>2009</b> , 35, 617-622	5.1	4
25	Anti-fungal activity of SiO <sub>2</sub> /Ag <sub>2</sub> S nanocomposites against <i>Aspergillus niger</i> . <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2009</b> , 74, 304-8	6	24
24	Evaluation of anion influence on the formation and extraction capacity of ionic-liquid-based aqueous biphasic systems. <i>Journal of Physical Chemistry B</i> , <b>2009</b> , 113, 9304-10	3.4	264
23	Use of an acoustic wave sensor to follow lead absorption by porcine skin. <i>Sensors and Actuators B: Chemical</i> , <b>2008</b> , 128, 450-454	8.5	3
22	Detecting spoiled fruit in the house of the future. <i>Analytica Chimica Acta</i> , <b>2008</b> , 617, 171-6	6.6	9
21	Determination of the total hardness in tap water using acoustic wave sensors. <i>Sensors and Actuators B: Chemical</i> , <b>2007</b> , 127, 102-106	8.5	15
20	Leaching of aluminium from cooking pans and food containers. <i>Sensors and Actuators B: Chemical</i> , <b>2006</b> , 118, 192-197	8.5	34
19	Assessment of copper toxicity using an acoustic wave sensor. <i>Biosensors and Bioelectronics</i> , <b>2004</b> , 19, 1203-8	11.8	13
18	An Expeditious Experiment To Determine the Faraday Constant. <i>Journal of Chemical Education</i> , <b>2004</b> , 81, 116	2.4	
17	The quantification of sodium in mineral waters using a quartz crystal microbalance. <i>Talanta</i> , <b>2003</b> , 59, 247-52	6.2	10
16	Alcohol determination using an acoustic wave sensor. <i>Fresenius Journal of Analytical Chemistry</i> , <b>2001</b> , 369, 613-5		3
15	Development of a sensor for calcium based on quartz crystal microbalance. <i>Fresenius Journal of Analytical Chemistry</i> , <b>2001</b> , 369, 616-9		6
14	Analytical advantages of monitoring a particular characteristic frequency in a thickness shear mode acoustic wave sensor. <i>Sensors and Actuators B: Chemical</i> , <b>2001</b> , 78, 331-336	8.5	4
13	A gas chromatography quartz crystal microbalance for speciation of nitroaromatic compounds in landfill gas. <i>Talanta</i> , <b>2001</b> , 54, 383-8	6.2	6
12	Quantification of CO <sub>2</sub> , SO <sub>2</sub> , NH <sub>3</sub> , and H <sub>2</sub> S with a single coated piezoelectric quartz crystal. <i>Sensors and Actuators B: Chemical</i> , <b>2000</b> , 68, 218-222	8.5	25
11	A quartz crystal microbalance sensor for the determination of nitroaromatics in landfill gas. <i>Talanta</i> , <b>2000</b> , 51, 1149-53	6.2	8
10	The quantification of potassium using a quartz crystal microbalance. <i>Analyst, The</i> , <b>2000</b> , 125, 1983-6	5	45

9	A gas chromatography-quartz crystal microbalance for speciation of sulfur compounds in landfill gas. <i>Journal of Environmental Monitoring</i> , <b>2000</b> , 2, 277-9		5
8	Detection of volatile amines using a quartz crystal with gold electrodes. <i>Sensors and Actuators B: Chemical</i> , <b>1999</b> , 57, 261-267	8.5	17
7	Development of a methodology for the determination of carbon monoxide using a quartz crystal microbalance. <i>Analyst, The</i> , <b>1999</b> , 124, 1449-1453	5	4
6	Critical assessment of the parameters that affect the selection of coating compounds for piezoelectric quartz crystal microbalances. <i>Talanta</i> , <b>1999</b> , 48, 81-9	6.2	8
5	Utilization of a Quartz Crystal Microbalance to Obtain Au <sub>111</sub> g Phase Diagrams. <i>Langmuir</i> , <b>1999</b> , 15, 8780-8782	4.7	4
4	Optimisation of the experimental conditions of a new method, based on a quartz crystal microbalance, for the determination of cyanide. <i>Analyst, The</i> , <b>1997</b> , 122, 1139-41	5	3
3	The utilisation of a piezoelectric quartz crystal for measuring carbon dioxide in wine. <i>Analytica Chimica Acta</i> , <b>1996</b> , 327, 95-100	6.6	6
2	Performance of a tetramethylammonium fluoride tetrahydrate coated piezoelectric crystal for carbon dioxide detection. <i>Analytica Chimica Acta</i> , <b>1996</b> , 335, 235-238	6.6	13
1	Comparison of two methods for coating piezoelectric crystals. <i>Analytica Chimica Acta</i> , <b>1995</b> , 300, 329-334	6.6	14