

# Andrey Moacir do Rosario Marinho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6693152/publications.pdf>

Version: 2024-02-01

19

papers

185

citations

1163117

8

h-index

1125743

13

g-index

19

all docs

19

docs citations

19

times ranked

185

citing authors

#	ARTICLE	IF	CITATIONS
1	Antiproliferative, genotoxic activities and quantification of extracts and cucurbitacin B obtained from <i>Luffa operculata</i> (L.) Cogn. Arabian Journal of Chemistry, 2022, 15, 103589.	4.9	40
2	Estudo quâÂmico e atividade antibacteriana do extrato hidrometanâ³lico do fungo de solo <i>Thichoderma</i> sp FSF12. Research, Society and Development, 2022, 11, e35411830852.	0.1	0
3	Atividade leishmanicida de <i>Aspidosperma nitidum</i> Benth. Ex Mâ¹all. Arg. Research, Society and Development, 2021, 10, e50210212646.	0.1	0
4	Bioreduction of the Chalcones by Fungus <i>Scedosporium apiospermum</i> EJCP13. Journal of the Mexican Chemical Society, 2021, 65, .	0.6	1
5	Extract of bacterial strain isolated from cave in the eastern Amazon induces selective cytotoxicity on tumor line of murine melanoma. Scientia Plena, 2021, 17, .	0.2	2
6	Evaluation of the genotoxicity and mutagenicity of isoeleutherin and eleutherin isolated from <i>Eleutherine plicata</i> herb. using bioassays and in silico approaches. Arabian Journal of Chemistry, 2021, 14, 103084.	4.9	38
7	Antiprotozoal and Antibacterial Activity of Ravenelin, a Xanthone Isolated from the Endophytic Fungus <i>Exserohilum rostratum</i> . Molecules, 2021, 26, 3339.	3.8	15
8	Evaluation of acute and subacute toxicity of ethanolic extract and fraction of alkaloids from bark of <i>Aspidosperma nitidum</i> in mice. Scientific Reports, 2021, 11, 18283.	3.3	11
9	Chemical Composition and Antibacterial Activity of the <i>Lippia organoides</i> Kunth Essential Oil from the Carajâjs National Forest, Brazil. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-8.	1.2	8
10	Bioreduction of $\hat{\imath}\pm\hat{\jmath}^2$ -unsaturated carbonyl compounds by <i>Lasiodiplodia pseudotheobromae</i> , endophytic fungus from <i>Morinda citrifolia</i> (Rubiaceae). Research, Society and Development, 2020, 9, e9739109419.	0.1	0
11	Antileishmanial potential of alkaloids isolated from plants: an integrative review. Research, Society and Development, 2020, 9, e9119109334.	0.1	1
12	BactÃ©rias endofÃ¢ticas e a promoÃ§Ã£o de crescimento de plantas de pimenta-do-reino. Research, Society and Development, 2020, 9, e2909119818.	0.1	2
13	Flavopereirineâ€”An Alkaloid Derived from <i>Geissospermum vellosiiâ€”</i> Presents Leishmanicidal Activity In Vitro. Molecules, 2019, 24, 785.	3.8	16
14	Brefeldin A and Other Chemical Constituents from Endophytic Fungus <i>Scedosporium apiospermum</i> . Revista Virtual De Quimica, 2019, 11, 210-217.	0.4	1
15	Study on Experimental Leishmanicidal Activity and in silico of Cytochalasin B. Journal of the Brazilian Chemical Society, 2018, , .	0.6	1
16	Brazilian Amazon Traditional Medicine and the Treatment of Difficult to Heal Leishmaniasis Wounds with<i>Copifera</i>. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-9.	1.2	15
17	Phytosterols isolated from endophytic fungus <i>Colletotrichum gloeosporioides</i> (Melanconiaceae). Acta Amazonica, 2016, 46, 69-72.	0.7	16
18	PolicetÃdeo isolados de <i>Penicillium herquei</i> . Ecletica Quimica, 2011, 36, 38-45.	0.5	1

# ARTICLE

IF CITATIONS

- 19 Esteroides produzidos por *Penicillium herquei*, um fungo endofítico isolado dos frutos de *Melia azedarach* (Meliaceae). *Quimica Nova*, 2009, 32, 1710-1712. 0.3 17