
Helen F K Chiu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6693997/publications.pdf Version: 2024-02-01



HELEN FK CHILL

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Detecting postnatal depression in Chinese women. British Journal of Psychiatry, 1998, 172, 433-437. | 2.8 | 414 |
| 2 | The prevalence of insomnia in the general population in China: A meta-analysis. PLoS ONE, 2017, 12, e0170772. | 2.5 | 247 |
| 3 | Mental health system in China: history, recent service reform and future challenges. World Psychiatry, 2011, 10, 210-216. | 10.4 | 232 |
| 4 | Lorazepam for chronic catatonia: a randomized, double-blind, placebo-controlled cross-over study. Psychopharmacology, 1999, 142, 393-398. | 3.1 | 169 |
| 5 | Prevalence of suicidal ideation and suicide attempts in the general population of China. International Journal of Psychiatry in Medicine, 2015, 49, 296-308. | 1.8 | 127 |
| 6 | Prevalence of Depression and Its Correlates in Hong Kong's Chinese Older Adults. American Journal of Geriatric Psychiatry, 2005, 13, 409-416. | 1.2 | 121 |
| 7 | Rates and characteristics of elderly suicide in China, 2013–14. Journal of Affective Disorders, 2016, 206, 273-279. | 4.1 | 121 |
| 8 | Validation study of the Chinese version of the neuropsychiatric inventory (CNPI). International Journal of Geriatric Psychiatry, 2001, 16, 789-793. | 2.7 | 116 |
| 9 | Prevalence of very mild and mild dementia in community-dwelling older Chinese people in Hong Kong. International Psychogeriatrics, 2008, 20, 135-148. | 1.0 | 112 |
| 10 | Sleep Problems in Chinese Elderly in Hong Kong. Sleep, 1999, 22, 717-726. | 1.1 | 110 |
| 11 | Attempted Suicide in Elderly Chinese Persons: A Multi-Group, Controlled Study. American Journal of Geriatric Psychiatry, 2005, 13, 562-571. | 1.2 | 96 |
| 12 | Anorexia Nervosa in Hong Kong. British Journal of Psychiatry, 1989, 154, 683-688. | 2.8 | 91 |
| 13 | Lifetime Prevalence of Suicidal Ideation, Suicide Plans and Attempts in Rural and Urban Regions of Beijing, China. Australian and New Zealand Journal of Psychiatry, 2009, 43, 158-166. | 2.3 | 79 |
| 14 | Association of Daily Intellectual Activities With Lower Risk of Incident Dementia Among Older Chinese Adults. JAMA Psychiatry, 2018, 75, 697. | 11.0 | 73 |
| 15 | Prevalence and correlates of major depressive disorder among rural-to-urban migrant workers in Shenzhen, China. Journal of Affective Disorders, 2015, 183, 1-9. | 4.1 | 69 |
| 16 | Acculturative Stress of Chinese Rural-To-Urban Migrant Workers: A Qualitative Study. PLoS ONE, 2016, 11, e0157530. | 2.5 | 64 |
| 17 | Low density lipoprotein receptor related protein gene exon 3 polymorphism association with Alzheimer's disease in Chinese. Neuroscience Letters, 1998, 247, 33-36. | 2.1 | 61 |
| 18 | Prevalence of aggression in hospitalized patients with schizophrenia in <scp>C</scp> hina: A metaâ€analysis. Asia-Pacific Psychiatry, 2016, 8, 60-69. | 2.2 | 58 |

Helen F K Chiu

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Apolipoprotein E promoter and α2-Macroglobulin polymorphisms are not genetically associated with Chinese late onset Alzheimer's disease. Neuroscience Letters, 1999, 269, 173-177. | 2.1 | 51 |
| 20 | Elderly suicide trends in the context of transforming China, 1987–2014. Scientific Reports, 2016, 6, 37724. | 3.3 | 51 |
| 21 | Depression after minor stroke: the association with disability and quality of life – a 1â€year followâ€up study. International Journal of Geriatric Psychiatry, 2016, 31, 421-427. | 2.7 | 49 |
| 22 | Prevalence of psychological symptoms in contemporary Chinese rural-to-urban migrant workers: an exploratory meta-analysis of observational studies using the SCL-90-R. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1569-1581. | 3.1 | 47 |
| 23 | Dementia research in China. International Journal of Geriatric Psychiatry, 2000, 15, 947-953. | 2.7 | 45 |
| 24 | Poor mental health status and its associations with demographic characteristics and chronic diseases in Chinese elderly. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1449-1455. | 3.1 | 44 |
| 25 | Higher Dementia Incidence in Older Adults with Poor Visual Acuity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2162-2168. | 3.6 | 43 |
| 26 | Predictors of change in health-related quality of life among older people with depression: a longitudinal study. International Psychogeriatrics, 2009, 21, 1171-1179. | 1.0 | 41 |
| 27 | Sociodemographic and clinical features of bipolar disorder patients misdiagnosed with major depressive disorder in <scp>C</scp> hina. Bipolar Disorders, 2013, 15, 199-205. | 1.9 | 41 |
| 28 | Antipsychotic polypharmacy in schizophrenia patients in China and its association with treatment satisfaction and quality of life: Findings of the third national survey on use of psychotropic medications in China. Australian and New Zealand Journal of Psychiatry, 2015, 49, 129-136. | 2.3 | 40 |
| 29 | Internal migration, mental health, and suicidal behaviors in young rural Chinese. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 621-631. | 3.1 | 38 |
| 30 | Sleep Duration and Sleep Patterns in Chinese University Students: A Comprehensive Meta-Analysis. Journal of Clinical Sleep Medicine, 2017, 13, 1153-1162. | 2.6 | 34 |
| 31 | Aripiprazole for Tourette's syndrome: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 11-18. | 1.5 | 33 |
| 32 | Prevalence of Insomnia and Clinical and Quality of Life Correlates in Chinese Patients With Schizophrenia Treated in Primary Care. Perspectives in Psychiatric Care, 2017, 53, 80-86. | 1.9 | 32 |
| 33 | Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496. | 1.8 | 30 |
| 34 | Gender differences in general mental health, smoking, drinking and chronic diseases in older adults in Jilin province, China. Psychiatry Research, 2017, 251, 58-62. | 3.3 | 30 |
| 35 | Prevalence of smoking in patients with bipolar disorder, major depressive disorder and schizophrenia and their relationships with quality of life. Scientific Reports, 2017, 7, 8430. | 3.3 | 30 |
| 36 | Behavioral profile of Alzheimer's disease in Chinese elderly - a validation study of the Chinese version of the Alzheimer's disease behavioral pathology rating scale. International Journal of Geriatric Psychiatry, 2001, 16, 368-373. | 2.7 | 29 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Clozapine prescription pattern in patients with schizophrenia in Asia: The REAP survey (2016). Psychiatry Research, 2020, 287, 112271. | 3.3 | 29 |
| 38 | Modifying psychotropic drug prescription patterns:A followâ€up survey. Psychiatry and Clinical Neurosciences, 1997, 51, 309-314. | 1.8 | 28 |
| 39 | The Prevalence of Insomnia, Its Demographic Correlates, and Treatment in Nurses Working in Chinese Psychiatric and General Hospitals. Perspectives in Psychiatric Care, 2016, 52, 88-94. | 1.9 | 28 |
| 40 | Relevance of outcome measures in different cultural groups – does one size fit all?. International Psychogeriatrics, 2007, 19, 457-466. | 1.0 | 27 |
| 41 | Quality of life and mental health in Chinese culture. Current Opinion in Psychiatry, 2010, 23, 43-47. | 6.3 | 26 |
| 42 | The Relationship between Frontal Lobe Lesions, Course of Post-Stroke Depression, and 1-year Prognosis in Patients with First-Ever Ischemic Stroke. PLoS ONE, 2014, 9, e100456. | 2.5 | 26 |
| 43 | Depressive disorders in older patients with chronic obstructive pulmonary disease (COPD) in Hong Kong: a controlled study. Aging and Mental Health, 2014, 18, 588-592. | 2.8 | 25 |
| 44 | Tai <scp>c</scp> hi for mild cognitive impairment: a systematic review. Psychogeriatrics, 2017, 17, 514-516. | 1.2 | 25 |
| 45 | Comorbid Moderate–Severe Depressive Symptoms and their Association with Quality of Life in Chinese Patients with Schizophrenia Treated in Primary Care. Community Mental Health Journal, 2016, 52, 921-926. | 2.0 | 23 |
| 46 | Lower risk of incident dementia among Chinese older adults having three servings of vegetables and two servings of fruits a day. Age and Ageing, 2017, 46, 773-779. | 1.6 | 22 |
| 47 | Sleep Duration and Patterns in Chinese Older Adults: a Comprehensive Meta-analysis. International Journal of Biological Sciences, 2017, 13, 682-689. | 6.4 | 22 |
| 48 | Mental health of the old- and new-generation migrant workers in China: who are at greater risk for psychological distress?. Oncotarget, 2017, 8, 59791-59799. | 1.8 | 22 |
| 49 | SARS and psychogeriatrics?perspective and lessons from Hong Kong. International Journal of Geriatric Psychiatry, 2003, 18, 871-873. | 2.7 | 21 |
| 50 | Duration of untreated bipolar disorder: a multicenter study. Scientific Reports, 2017, 7, 44811. | 3.3 | 21 |
| 51 | Psychosis in Sleep Apnoea. Australian and New Zealand Journal of Psychiatry, 1989, 23, 571-573. | 2.3 | 20 |
| 52 | The prevalence of insomnia and its socio-demographic and clinical correlates in older adults in rural China: a pilot study. Aging and Mental Health, 2013, 17, 761-765. | 2.8 | 20 |
| 53 | Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001–2009). International Journal of Geriatric Psychiatry, 2014, 29, 359-366. | 2.7 | 19 |
| 54 | Quality of life and clinical correlates in older adults living in the community and in nursing homes in <scp>M</scp> acao. Psychogeriatrics, 2017, 17, 194-199. | 1.2 | 19 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 55 | VITAMIN B12 DEFICIENCY AND DEMENTIA. International Journal of Geriatric Psychiatry, 1996, 11, 851-858. | 2.7 | 18 |
| 56 | Memory Impairment Following Electroconvulsive Therapy in Chinese Patients with Schizophrenia: Meta-Analysis of Randomized Controlled Trials. Perspectives in Psychiatric Care, 2018, 54, 107-114. | 1.9 | 18 |
| 57 | Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001–2009). Asia-Pacific Psychiatry, 2013, 5, E81-7. | 2.2 | 17 |
| 58 | Executive function in children and adolescents with posttraumatic stress disorder 4 and 12Âmonths after the Sichuan earthquake in China. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 31-38. | 5.2 | 17 |
| 59 | Knowledge and Attitudes of Patients and Their Relatives Toward Electroconvulsive Therapy in China. Perspectives in Psychiatric Care, 2016, 52, 248-253. | 1.9 | 17 |
| 60 | Prevalence of Sleep Disturbances and Their Associations With Demographic and Clinical Characteristics and Quality of Life in Older Adults in Macao. Perspectives in Psychiatric Care, 2018, 54, 46-53. | 1.9 | 17 |
| 61 | Prevalence of dementia with Lewy bodies in an inpatient psychogeriatric population in Hong Kong Chinese. International Journal of Geriatric Psychiatry, 2002, 17, 847-850. | 2.7 | 16 |
| 62 | Self-Reported and Interviewer-Rated Oral Health in Patients With Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. Perspectives in Psychiatric Care, 2016, 52, 4-11. | 1.9 | 16 |
| 63 | REM sleep behaviour disorder in the elderly. , 1997, 12, 888-891. | | 15 |
| 64 | Development and validation of a new cognitive screening test: The Hong Kong Brief Cognitive Test (HKBC). International Journal of Geriatric Psychiatry, 2018, 33, 994-999. | 2.7 | 15 |
| 65 | Sleep Duration and Quality of Life in Young Rural Chinese Residents. Behavioral Sleep Medicine, 2013, 11, 360-368. | 2.1 | 14 |
| 66 | Longitudinal Trajectories of Psychotic-Like Experiences and Their Relationship to Emergent Mental Disorders Among Adolescents. Journal of Clinical Psychiatry, 2019, 80, . | 2.2 | 14 |
| 67 | Prospective Memory Performance in Non-Psychotic First-Degree Relatives of Patients with Schizophrenia: A Controlled Study. PLoS ONE, 2014, 9, e111562. | 2.5 | 14 |
| 68 | Insomnia in Older Adults with Chronic Obstructive Pulmonary Disease (COPD) in Hong Kong: A Case-Control Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2014, 11, 131230073141008. | 1.6 | 13 |
| 69 | Quality of Life in Older Patients With Chronic Obstructive Pulmonary Disease (COPD) in Hong Kong: A Case-Control Study. Perspectives in Psychiatric Care, 2015, 51, 121-127. | 1.9 | 13 |
| 70 | Higher dementia incidence in older adults with type 2 diabetes and large reduction in HbA1c. Age and Ageing, 2019, 48, 838-844. | 1.6 | 12 |
| 71 | Kleine-Levin Syndrome 15 Years Later. Australian and New Zealand Journal of Psychiatry, 1989, 23, 425-427. | 2.3 | 11 |
| 72 | Use of electroconvulsive therapy in older Chinese psychiatric patients. International Journal of Geriatric Psychiatry, 2015, 30, 851-856. | 2.7 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Arguments against the biomarker-driven diagnosis of AD. International Psychogeriatrics, 2013, 25, 177-181. | 1.0 | 10 |
| 74 | Validation of the Six-Item Screener to screen for cognitive impairment in primary care settings in China. Aging and Mental Health, 2018, 22, 453-457. | 2.8 | 10 |
| 75 | LETTER FROM HONG KONG. International Journal of Geriatric Psychiatry, 1996, 11, 711-713. | 2.7 | 9 |
| 76 | Effects of education on very mild dementia among Chinese people in Hong Kong: Potential mediators in the Cantonese Mini-Mental State Examination tasks. Aging and Mental Health, 2013, 17, 310-318. | 2.8 | 9 |
| 77 | Insomnia in Adults With Chronic Hepatitis B, Liver Failure, and Cirrhosis: A Case-Control Study. Perspectives in Psychiatric Care, 2017, 53, 67-72. | 1.9 | 9 |
| 78 | Prevalence of antisocial personality disorder among Chinese individuals receiving treatment for heroin dependence: a meta-analysis. Shanghai Archives of Psychiatry, 2014, 26, 259-71. | 0.7 | 9 |
| 79 | Plsa Syndrome in a Chinese Patient. Australian and New Zealand Journal of Psychiatry, 1989, 23, 127-128. | 2.3 | 8 |
| 80 | Dementia strategy in China and Hong Kong. International Journal of Geriatric Psychiatry, 2010, 25, 905-907. | 2.7 | 8 |
| 81 | Prospective memory deficits in euthymic bipolar disorder patients: A preliminary study. Asia-Pacific Psychiatry, 2013, 5, 183-190. | 2.2 | 8 |
| 82 | Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. International Psychogeriatrics, 2019, 31, 685-691. | 1.0 | 8 |
| 83 | Tardive Dystonia. Australian and New Zealand Journal of Psychiatry, 1989, 23, 566-570. | 2.3 | 7 |
| 84 | Adjunctive huperzine A for cognitive deficits in schizophrenia: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 286-295. | 1.5 | 7 |
| 85 | Comparison of quality of life in homeless and non-homeless Chinese patients with psychiatric disorders. Psychiatry Research, 2017, 249, 115-119. | 3.3 | 7 |
| 86 | Concurrent antipsychotic use in older adults treated with antidepressants in Asia. Psychogeriatrics, 2019, 19, 333-339. | 1.2 | 7 |
| 87 | Clinical and Polygraphic Characteristics of Patients with Respiratory Dyskinesia. British Journal of Psychiatry, 1993, 162, 828-830. | 2.8 | 6 |
| 88 | Long―and shortâ€term inpatients with schizophrenia in <scp>C</scp> hina: Implications for communityâ€based service development. Asia-Pacific Psychiatry, 2013, 5, E39-46. | 2.2 | 6 |
| 89 | Poor Balance as a Noncognitive Predictor of Incident Dementia. Journal of the American Geriatrics Society, 2015, 63, 1701-1702. | 2.6 | 6 |
| 90 | The Relationship Between Sleep Patterns, Quality of Life, and Social and Clinical Characteristics in Chinese Patients With Schizophrenia. Perspectives in Psychiatric Care, 2017, 53, 342-349. | 1.9 | 6 |

Helen F K Chiu

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Elderly suicide in <scp>C</scp> hinese populations. Asia-Pacific Psychiatry, 2012, 4, 5-9. | 2.2 | 5 |
| 92 | Comparison of treatment patterns in schizophrenia between China and Japan (2001â€⊋009). Asia-Pacific Psychiatry, 2017, 9, e12277. | 2.2 | 5 |
| 93 | Adjunctive antidepressant use in schizophrenia in China: A national survey (2002–2012). Human Psychopharmacology, 2017, 32, e2571. | 1.5 | 5 |
| 94 | Conducting community research in rural China: Addressing the methodological challenges of recruiting participants in rapidly changing social environments. Asia-Pacific Psychiatry, 2012, 4, 95-103. | 2.2 | 4 |
| 95 | Physical activity and cognitive function of community Chinese elderly in Hong Kong (HK) and Guangzhou (GZ). International Psychogeriatrics, 2015, 27, 959-966. | 1.0 | 4 |
| 96 | Comparison of insight and clinical variables in homeless and non-homeless psychiatric inpatients in China. Psychiatry Research, 2017, 255, 13-16. | 3.3 | 4 |
| 97 | Suicide prevention in the <scp>A</scp> siaâ€ <scp>P</scp> acific region. Asia-Pacific Psychiatry, 2012, 4, 3-4. | 2.2 | 3 |
| 98 | Professor <scp>P</scp> owâ€ <scp>M</scp> eng <scp>Y</scp> ap: A giant in <scp>P</scp> sychiatry from <scp>H</scp> ong <scp>K</scp> ong. Asia-Pacific Psychiatry, 2012, 4, 84-86. | 2.2 | 3 |
| 99 | Long-Term Benzodiazepine Use in Patients With Major Depressive Disorder in China. Perspectives in Psychiatric Care, 2014, 50, 149-154. | 1.9 | 3 |
| 100 | Suicidal ideation in <scp>C</scp> hinese patients with chronic obstructive pulmonary disease: a controlled study. Psychogeriatrics, 2016, 16, 172-176. | 1.2 | 3 |
| 101 | Clinical characteristics and quality of life of older adults with cognitive impairment in Macao. Psychogeriatrics, 2018, 18, 182-189. | 1.2 | 3 |
| 102 | Physical comorbidities in older adults receiving antidepressants in Asia. Psychogeriatrics, 2018, 18, 351-356. | 1.2 | 3 |
| 103 | The proposed national mental health law in China: a landmark document for the protection of psychiatric patients' civil rights. Shanghai Archives of Psychiatry, 2012, 24, 48-9. | 0.7 | 3 |
| 104 | Klüver-Bucy Syndrome in a Patient with Nasopharyngeal Carcinoma: A Late Complication of Radiation Brain Injury. Journal of Geriatric Psychiatry and Neurology, 1997, 10, 111-113. | 2.3 | 2 |
| 105 | Psychogeriatrics in South-East Asia. , 1997, 12, 989-994. | | 2 |
| 106 | A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in <scp>A</scp> sia. Psychogeriatrics, 2017, 17, 348-355. | 1.2 | 2 |
| 107 | VITAMIN B12 DEFICIENCY AND DEMENTIA. International Journal of Geriatric Psychiatry, 1996, 11, 851-858. | 2.7 | 2 |
| 108 | Prescribing patterns of psychotropic medications and clinical features in patients with major depressive disorder with and without comorbid dysthymia in China. Asia-Pacific Psychiatry, 2017, 9, e12261. | 2.2 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Late-life longitudinal blood pressure trajectories as predictor of dementia. Scientific Reports, 2022, 12, 1630. | 3.3 | 1 |
| 110 | Inpatient Stay for Older Adults: A Double-edged Sword for Cognition?. International Psychogeriatrics, 2021, , 1-5. | 1.0 | 0 |
| 111 | Electroconvulsive Therapy for Agitation in Schizophrenia: Metaanalysis of Randomized Controlled Trials. Shanghai Archives of Psychiatry, 2017, 29, 1-14. | 0.7 | 0 |