
Helen F K Chiu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6693997/publications.pdf Version: 2024-02-01



HELEN FK CHILL

#	Article	IF	CITATIONS
1	Late-life longitudinal blood pressure trajectories as predictor of dementia. Scientific Reports, 2022, 12, 1630.	3.3	1
2	Inpatient Stay for Older Adults: A Double-edged Sword for Cognition?. International Psychogeriatrics, 2021, , 1-5.	1.0	0
3	Clozapine prescription pattern in patients with schizophrenia in Asia: The REAP survey (2016). Psychiatry Research, 2020, 287, 112271.	3.3	29
4	Higher Dementia Incidence in Older Adults with Poor Visual Acuity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2162-2168.	3.6	43
5	Higher dementia incidence in older adults with type 2 diabetes and large reduction in HbA1c. Age and Ageing, 2019, 48, 838-844.	1.6	12
6	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. Psychogeriatrics, 2019, 19, 333-339.	1.2	7
7	Longitudinal Trajectories of Psychotic-Like Experiences and Their Relationship to Emergent Mental Disorders Among Adolescents. Journal of Clinical Psychiatry, 2019, 80, .	2.2	14
8	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. International Psychogeriatrics, 2019, 31, 685-691.	1.0	8
9	Development and validation of a new cognitive screening test: The Hong Kong Brief Cognitive Test (HKBC). International Journal of Geriatric Psychiatry, 2018, 33, 994-999.	2.7	15
10	Clinical characteristics and quality of life of older adults with cognitive impairment in Macao. Psychogeriatrics, 2018, 18, 182-189.	1.2	3
11	Prevalence of Sleep Disturbances and Their Associations With Demographic and Clinical Characteristics and Quality of Life in Older Adults in Macao. Perspectives in Psychiatric Care, 2018, 54, 46-53.	1.9	17
12	Validation of the Six-Item Screener to screen for cognitive impairment in primary care settings in China. Aging and Mental Health, 2018, 22, 453-457.	2.8	10
13	Memory Impairment Following Electroconvulsive Therapy in Chinese Patients with Schizophrenia: Meta-Analysis of Randomized Controlled Trials. Perspectives in Psychiatric Care, 2018, 54, 107-114.	1.9	18
14	Association of Daily Intellectual Activities With Lower Risk of Incident Dementia Among Older Chinese Adults. JAMA Psychiatry, 2018, 75, 697.	11.0	73
15	Physical comorbidities in older adults receiving antidepressants in Asia. Psychogeriatrics, 2018, 18, 351-356.	1.2	3
16	Insomnia in Adults With Chronic Hepatitis B, Liver Failure, and Cirrhosis: A Case-Control Study. Perspectives in Psychiatric Care, 2017, 53, 67-72.	1.9	9
17	Prevalence of Insomnia and Clinical and Quality of Life Correlates in Chinese Patients With Schizophrenia Treated in Primary Care. Perspectives in Psychiatric Care, 2017, 53, 80-86.	1.9	32
18	Comparison of quality of life in homeless and non-homeless Chinese patients with psychiatric disorders. Psychiatry Research, 2017, 249, 115-119.	3.3	7

#	Article	IF	CITATIONS
19	Quality of life and clinical correlates in older adults living in the community and in nursing homes in <scp>M</scp> acao. Psychogeriatrics, 2017, 17, 194-199.	1.2	19
20	Gender differences in general mental health, smoking, drinking and chronic diseases in older adults in Jilin province, China. Psychiatry Research, 2017, 251, 58-62.	3.3	30
21	Comparison of treatment patterns in schizophrenia between China and Japan (2001â€2009). Asia-Pacific Psychiatry, 2017, 9, e12277.	2.2	5
22	Adjunctive antidepressant use in schizophrenia in China: A national survey (2002–2012). Human Psychopharmacology, 2017, 32, e2571.	1.5	5
23	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in <scp>A</scp> sia. Psychogeriatrics, 2017, 17, 348-355.	1.2	2
24	Comparison of insight and clinical variables in homeless and non-homeless psychiatric inpatients in China. Psychiatry Research, 2017, 255, 13-16.	3.3	4
25	Lower risk of incident dementia among Chinese older adults having three servings of vegetables and two servings of fruits a day. Age and Ageing, 2017, 46, 773-779.	1.6	22
26	Duration of untreated bipolar disorder: a multicenter study. Scientific Reports, 2017, 7, 44811.	3.3	21
27	Prevalence of smoking in patients with bipolar disorder, major depressive disorder and schizophrenia and their relationships with quality of life. Scientific Reports, 2017, 7, 8430.	3.3	30
28	Tai <scp>c</scp> hi for mild cognitive impairment: a systematic review. Psychogeriatrics, 2017, 17, 514-516.	1.2	25
29	Prescribing patterns of psychotropic medications and clinical features in patients with major depressive disorder with and without comorbid dysthymia in China. Asia-Pacific Psychiatry, 2017, 9, e12261.	2.2	1
30	The Relationship Between Sleep Patterns, Quality of Life, and Social and Clinical Characteristics in Chinese Patients With Schizophrenia. Perspectives in Psychiatric Care, 2017, 53, 342-349.	1.9	6
31	Sleep Duration and Sleep Patterns in Chinese University Students: A Comprehensive Meta-Analysis. Journal of Clinical Sleep Medicine, 2017, 13, 1153-1162.	2.6	34
32	Sleep Duration and Patterns in Chinese Older Adults: a Comprehensive Meta-analysis. International Journal of Biological Sciences, 2017, 13, 682-689.	6.4	22
33	The prevalence of insomnia in the general population in China: A meta-analysis. PLoS ONE, 2017, 12, e0170772.	2.5	247
34	Mental health of the old- and new-generation migrant workers in China: who are at greater risk for psychological distress?. Oncotarget, 2017, 8, 59791-59799.	1.8	22
35	Electroconvulsive Therapy for Agitation in Schizophrenia: Metaanalysis of Randomized Controlled Trials. Shanghai Archives of Psychiatry, 2017, 29, 1-14.	0.7	0
36	Suicidal ideation in <scp>C</scp> hinese patients with chronic obstructive pulmonary disease: a controlled study. Psychogeriatrics, 2016, 16, 172-176.	1.2	3

#	Article	IF	CITATIONS
37	Knowledge and Attitudes of Patients and Their Relatives Toward Electroconvulsive Therapy in China. Perspectives in Psychiatric Care, 2016, 52, 248-253.	1.9	17
38	Depression after minor stroke: the association with disability and quality of life – a 1â€year followâ€up study. International Journal of Geriatric Psychiatry, 2016, 31, 421-427.	2.7	49
39	The Prevalence of Insomnia, Its Demographic Correlates, and Treatment in Nurses Working in Chinese Psychiatric and General Hospitals. Perspectives in Psychiatric Care, 2016, 52, 88-94.	1.9	28
40	Adjunctive huperzine A for cognitive deficits in schizophrenia: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 286-295.	1.5	7
41	Elderly suicide trends in the context of transforming China, 1987–2014. Scientific Reports, 2016, 6, 37724.	3.3	51
42	Rates and characteristics of elderly suicide in China, 2013–14. Journal of Affective Disorders, 2016, 206, 273-279.	4.1	121
43	Aripiprazole for Tourette's syndrome: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 11-18.	1.5	33
44	Prevalence of aggression in hospitalized patients with schizophrenia in <scp>C</scp> hina: A metaâ€analysis. Asia-Pacific Psychiatry, 2016, 8, 60-69.	2.2	58
45	Poor mental health status and its associations with demographic characteristics and chronic diseases in Chinese elderly. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1449-1455.	3.1	44
46	Comorbid Moderate–Severe Depressive Symptoms and their Association with Quality of Life in Chinese Patients with Schizophrenia Treated in Primary Care. Community Mental Health Journal, 2016, 52, 921-926.	2.0	23
47	Self-Reported and Interviewer-Rated Oral Health in Patients With Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. Perspectives in Psychiatric Care, 2016, 52, 4-11.	1.9	16
48	Acculturative Stress of Chinese Rural-To-Urban Migrant Workers: A Qualitative Study. PLoS ONE, 2016, 11, e0157530.	2.5	64
49	Poor Balance as a Noncognitive Predictor of Incident Dementia. Journal of the American Geriatrics Society, 2015, 63, 1701-1702.	2.6	6
50	Quality of Life in Older Patients With Chronic Obstructive Pulmonary Disease (COPD) in Hong Kong: A Case-Control Study. Perspectives in Psychiatric Care, 2015, 51, 121-127.	1.9	13
51	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496.	1.8	30
52	Prevalence of suicidal ideation and suicide attempts in the general population of China. International Journal of Psychiatry in Medicine, 2015, 49, 296-308.	1.8	127
53	Prevalence and correlates of major depressive disorder among rural-to-urban migrant workers in Shenzhen, China. Journal of Affective Disorders, 2015, 183, 1-9.	4.1	69
54	Internal migration, mental health, and suicidal behaviors in young rural Chinese. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 621-631.	3.1	38

#	Article	IF	CITATIONS
55	Physical activity and cognitive function of community Chinese elderly in Hong Kong (HK) and Guangzhou (GZ). International Psychogeriatrics, 2015, 27, 959-966.	1.0	4
56	Antipsychotic polypharmacy in schizophrenia patients in China and its association with treatment satisfaction and quality of life: Findings of the third national survey on use of psychotropic medications in China. Australian and New Zealand Journal of Psychiatry, 2015, 49, 129-136.	2.3	40
57	Use of electroconvulsive therapy in older Chinese psychiatric patients. International Journal of Geriatric Psychiatry, 2015, 30, 851-856.	2.7	11
58	Insomnia in Older Adults with Chronic Obstructive Pulmonary Disease (COPD) in Hong Kong: A Case-Control Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2014, 11, 131230073141008.	1.6	13
59	Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001–2009). International Journal of Geriatric Psychiatry, 2014, 29, 359-366.	2.7	19
60	Long-Term Benzodiazepine Use in Patients With Major Depressive Disorder in China. Perspectives in Psychiatric Care, 2014, 50, 149-154.	1.9	3
61	Depressive disorders in older patients with chronic obstructive pulmonary disease (COPD) in Hong Kong: a controlled study. Aging and Mental Health, 2014, 18, 588-592.	2.8	25
62	Executive function in children and adolescents with posttraumatic stress disorder 4 and 12Âmonths after the Sichuan earthquake in China. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 31-38.	5.2	17
63	Prevalence of antisocial personality disorder among Chinese individuals receiving treatment for heroin dependence: a meta-analysis. Shanghai Archives of Psychiatry, 2014, 26, 259-71.	0.7	9
64	The Relationship between Frontal Lobe Lesions, Course of Post-Stroke Depression, and 1-year Prognosis in Patients with First-Ever Ischemic Stroke. PLoS ONE, 2014, 9, e100456.	2.5	26
65	Prospective Memory Performance in Non-Psychotic First-Degree Relatives of Patients with Schizophrenia: A Controlled Study. PLoS ONE, 2014, 9, e111562.	2.5	14
66	Long―and shortâ€ŧerm inpatients with schizophrenia in <scp>C</scp> hina: Implications for communityâ€based service development. Asia-Pacific Psychiatry, 2013, 5, E39-46.	2.2	6
67	Prevalence of psychological symptoms in contemporary Chinese rural-to-urban migrant workers: an exploratory meta-analysis of observational studies using the SCL-90-R. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1569-1581.	3.1	47
68	The prevalence of insomnia and its socio-demographic and clinical correlates in older adults in rural China: a pilot study. Aging and Mental Health, 2013, 17, 761-765.	2.8	20
69	Sleep Duration and Quality of Life in Young Rural Chinese Residents. Behavioral Sleep Medicine, 2013, 11, 360-368.	2.1	14
70	Prospective memory deficits in euthymic bipolar disorder patients: A preliminary study. Asia-Pacific Psychiatry, 2013, 5, 183-190.	2.2	8
71	Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001–2009). Asia-Pacific Psychiatry, 2013, 5, E81-7.	2.2	17
72	Sociodemographic and clinical features of bipolar disorder patients misdiagnosed with major depressive disorder in <scp>C</scp> hina. Bipolar Disorders, 2013, 15, 199-205.	1.9	41

#	Article	IF	CITATIONS
73	Effects of education on very mild dementia among Chinese people in Hong Kong: Potential mediators in the Cantonese Mini-Mental State Examination tasks. Aging and Mental Health, 2013, 17, 310-318.	2.8	9
74	Arguments against the biomarker-driven diagnosis of AD. International Psychogeriatrics, 2013, 25, 177-181.	1.0	10
75	Suicide prevention in the <scp>A</scp> siaâ€ <scp>P</scp> acific region. Asia-Pacific Psychiatry, 2012, 4, 3-4.	2.2	3
76	Elderly suicide in <scp>C</scp> hinese populations. Asia-Pacific Psychiatry, 2012, 4, 5-9.	2.2	5
77	Professor <scp>P</scp> owâ€ <scp>M</scp> eng <scp>Y</scp> ap: A giant in <scp>P</scp> sychiatry from <scp>H</scp> ong <scp>K</scp> ong. Asia-Pacific Psychiatry, 2012, 4, 84-86.	2.2	3
78	Conducting community research in rural China: Addressing the methodological challenges of recruiting participants in rapidly changing social environments. Asia-Pacific Psychiatry, 2012, 4, 95-103.	2.2	4
79	The proposed national mental health law in China: a landmark document for the protection of psychiatric patients' civil rights. Shanghai Archives of Psychiatry, 2012, 24, 48-9.	0.7	3
80	Mental health system in China: history, recent service reform and future challenges. World Psychiatry, 2011, 10, 210-216.	10.4	232
81	Dementia strategy in China and Hong Kong. International Journal of Geriatric Psychiatry, 2010, 25, 905-907.	2.7	8
82	Quality of life and mental health in Chinese culture. Current Opinion in Psychiatry, 2010, 23, 43-47.	6.3	26
83	Lifetime Prevalence of Suicidal Ideation, Suicide Plans and Attempts in Rural and Urban Regions of Beijing, China. Australian and New Zealand Journal of Psychiatry, 2009, 43, 158-166.	2.3	79
84	Predictors of change in health-related quality of life among older people with depression: a longitudinal study. International Psychogeriatrics, 2009, 21, 1171-1179.	1.0	41
85	Prevalence of very mild and mild dementia in community-dwelling older Chinese people in Hong Kong. International Psychogeriatrics, 2008, 20, 135-148.	1.0	112
86	Relevance of outcome measures in different cultural groups – does one size fit all?. International Psychogeriatrics, 2007, 19, 457-466.	1.0	27
87	Prevalence of Depression and Its Correlates in Hong Kong's Chinese Older Adults. American Journal of Geriatric Psychiatry, 2005, 13, 409-416.	1.2	121
88	Attempted Suicide in Elderly Chinese Persons: A Multi-Group, Controlled Study. American Journal of Geriatric Psychiatry, 2005, 13, 562-571.	1.2	96
89	SARS and psychogeriatrics?perspective and lessons from Hong Kong. International Journal of Geriatric Psychiatry, 2003, 18, 871-873.	2.7	21
90	Prevalence of dementia with Lewy bodies in an inpatient psychogeriatric population in Hong Kong Chinese. International Journal of Geriatric Psychiatry, 2002, 17, 847-850.	2.7	16

#	Article	IF	CITATIONS
91	Behavioral profile of Alzheimer's disease in Chinese elderly - a validation study of the Chinese version of the Alzheimer's disease behavioral pathology rating scale. International Journal of Geriatric Psychiatry, 2001, 16, 368-373.	2.7	29
92	Validation study of the Chinese version of the neuropsychiatric inventory (CNPI). International Journal of Geriatric Psychiatry, 2001, 16, 789-793.	2.7	116
93	Dementia research in China. International Journal of Geriatric Psychiatry, 2000, 15, 947-953.	2.7	45
94	Lorazepam for chronic catatonia: a randomized, double-blind, placebo-controlled cross-over study. Psychopharmacology, 1999, 142, 393-398.	3.1	169
95	Apolipoprotein E promoter and α2-Macroglobulin polymorphisms are not genetically associated with Chinese late onset Alzheimer's disease. Neuroscience Letters, 1999, 269, 173-177.	2.1	51
96	Sleep Problems in Chinese Elderly in Hong Kong. Sleep, 1999, 22, 717-726.	1.1	110
97	Low density lipoprotein receptor related protein gene exon 3 polymorphism association with Alzheimer's disease in Chinese. Neuroscience Letters, 1998, 247, 33-36.	2.1	61
98	Detecting postnatal depression in Chinese women. British Journal of Psychiatry, 1998, 172, 433-437.	2.8	414
99	Klüver-Bucy Syndrome in a Patient with Nasopharyngeal Carcinoma: A Late Complication of Radiation Brain Injury. Journal of Geriatric Psychiatry and Neurology, 1997, 10, 111-113.	2.3	2
100	Modifying psychotropic drug prescription patterns:A followâ€up survey. Psychiatry and Clinical Neurosciences, 1997, 51, 309-314.	1.8	28
101	REM sleep behaviour disorder in the elderly. , 1997, 12, 888-891.		15
102	Psychogeriatrics in South-East Asia. , 1997, 12, 989-994.		2
103	LETTER FROM HONG KONG. International Journal of Geriatric Psychiatry, 1996, 11, 711-713.	2.7	9
104	VITAMIN B12 DEFICIENCY AND DEMENTIA. International Journal of Geriatric Psychiatry, 1996, 11, 851-858.	2.7	18
105	VITAMIN B12 DEFICIENCY AND DEMENTIA. International Journal of Geriatric Psychiatry, 1996, 11, 851-858.	2.7	2
106	Clinical and Polygraphic Characteristics of Patients with Respiratory Dyskinesia. British Journal of Psychiatry, 1993, 162, 828-830.	2.8	6
107	Anorexia Nervosa in Hong Kong. British Journal of Psychiatry, 1989, 154, 683-688.	2.8	91
108	Kleine-Levin Syndrome 15 Years Later. Australian and New Zealand Journal of Psychiatry, 1989, 23, 425-427.	2.3	11

#	Article	IF	CITATIONS
109	Psychosis in Sleep Apnoea. Australian and New Zealand Journal of Psychiatry, 1989, 23, 571-573.	2.3	20
110	Plsa Syndrome in a Chinese Patient. Australian and New Zealand Journal of Psychiatry, 1989, 23, 127-128.	2.3	8
111	Tardive Dystonia. Australian and New Zealand Journal of Psychiatry, 1989, 23, 566-570.	2.3	7