

Jolene Pickett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/669462/publications.pdf>

Version: 2024-02-01

90
papers

4,392
citations

87723

38
h-index

110170

64
g-index

92
all docs

92
docs citations

92
times ranked

1635
citing authors

#	ARTICLE	IF	CITATIONS
1	South Pole Station Ground-Based and Cluster Satellite Measurements of Leaked and Escaping Auroral Kilometric Radiation. <i>Journal of Geophysical Research: Space Physics</i> , 2022, 127, .	0.8	4
2	A Review of Cluster Wideband Data Multi-Spacecraft Observations of Auroral Kilometric Radiation. <i>Journal of Geophysical Research: Space Physics</i> , 2022, 127, e2021JA029499.	0.8	3
3	A Review of Electrostatic Solitary Wave Research From the Cluster Mission. <i>Journal of Geophysical Research: Space Physics</i> , 2021, 126, e2021JA029548.	0.8	11
4	Multi-Point Observation of Hiss Emerging From Lightning Whistlers. <i>Journal of Geophysical Research: Space Physics</i> , 2021, 126, e2021JA029524.	0.8	3
5	Lower-Band "Monochromatic" Chorus Riser Subelement/Wave Packet Observations. <i>Journal of Geophysical Research: Space Physics</i> , 2020, 125, e2020JA028090.	0.8	28
6	Fine Harmonic Structure of Equatorial Noise with a Quasiperiodic Modulation. <i>Journal of Geophysical Research: Space Physics</i> , 2020, 125, e2019JA027509.	0.8	4
7	Low Frequency ($f < 200$ Hz) Polar Plasmaspheric Hiss: Coherent and Intense. <i>Journal of Geophysical Research: Space Physics</i> , 2019, 124, 10063-10084.	0.8	11
8	Plasmaspheric Hiss: Coherent and Intense. <i>Journal of Geophysical Research: Space Physics</i> , 2018, 123, 10,009.	0.8	20
9	Two sources of dayside intense, quasi-coherent plasmaspheric hiss: A new mechanism for the slot region?. <i>Journal of Geophysical Research: Space Physics</i> , 2017, 122, 1643-1657.	0.8	16
10	Conjugate observations of quasiperiodic emissions by the Cluster, Van Allen Probes, and THEMIS spacecraft. <i>Journal of Geophysical Research: Space Physics</i> , 2016, 121, 7647-7663.	0.8	19
11	Plasmaspheric hiss properties: Observations from Polar. <i>Journal of Geophysical Research: Space Physics</i> , 2015, 120, 414-431.	0.8	66
12	Electrostatic solitary waves observed at Saturn by Cassini inside $10 R_s$ and near Enceladus. <i>Journal of Geophysical Research: Space Physics</i> , 2015, 120, 6569-6580.	0.8	34
13	Equatorial noise emissions with quasiperiodic modulation of wave intensity. <i>Journal of Geophysical Research: Space Physics</i> , 2015, 120, 2649-2661.	0.8	29
14	Multipoint observations of plasma phenomena made in space by Cluster. <i>Journal of Plasma Physics</i> , 2015, 81, .	0.7	18
15	Multispacecraft Cluster observations of quasiperiodic emissions close to the geomagnetic equator. <i>Journal of Geophysical Research: Space Physics</i> , 2014, 119, 9101-9112.	0.8	27
16	Extremely intense ELF magnetosonic waves: A survey of polar observations. <i>Journal of Geophysical Research: Space Physics</i> , 2014, 119, 964-977.	0.8	77
17	EMIC triggered chorus emissions in Cluster data. <i>Journal of Geophysical Research: Space Physics</i> , 2013, 118, 1159-1169.	0.8	36
18	Conjugate observations of quasiperiodic emissions by Cluster and DEMETER spacecraft. <i>Journal of Geophysical Research: Space Physics</i> , 2013, 118, 198-208.	0.8	38

#	ARTICLE	IF	CITATIONS
19	Azimuthal directions of equatorial noise propagation determined using 10 years of data from the Cluster spacecraft. <i>Journal of Geophysical Research: Space Physics</i> , 2013, 118, 7160-7169.	0.8	36
20	Quasiperiodic emissions observed by the Cluster spacecraft and their association with ULF magnetic pulsations. <i>Journal of Geophysical Research: Space Physics</i> , 2013, 118, 4210-4220.	0.8	35
21	Magnetospheric line radiation event observed simultaneously on board Cluster 1, Cluster 2 and DEMETER spacecraft. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	8
22	Dayside ELF electromagnetic wave survey: A Polar statistical study of chorus and hiss. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	28
23	Vlasov simulation of electrostatic solitary structures in multi-component plasmas. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	4
24	Spatial dependence of banded chorus intensity near the magnetic equator. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	8
25	Cluster observations of multiple dipolarization fronts. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	82
26	Quasi-coherent chorus properties: 1. Implications for wave-particle interactions. <i>Journal of Geophysical Research</i> , 2011, 116, n/a-n/a.	3.3	42
27	Electromagnetic ion cyclotron waves in the helium branch induced by multiple electromagnetic ion cyclotron triggered emissions. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	29
28	Cluster observations of whistler mode ducts and banded chorus. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	30
29	Multispacecraft observations of chorus emissions as a tool for the plasma density fluctuations' remote sensing. <i>Journal of Geophysical Research</i> , 2011, 116, n/a-n/a.	3.3	34
30	Generation of electrostatic solitary waves in the plasma sheet boundary layer. <i>Journal of Geophysical Research</i> , 2011, 116, n/a-n/a.	3.3	35
31	Soliton model for broadband electrostatic noise. , 2011, , .		0
32	On The Propagation And Modulation Of Electrostatic Solitary Waves Observed Near The Magnetopause On Cluster. <i>AIP Conference Proceedings</i> , 2011, , .	0.3	1
33	Locations of chorus emissions observed by the Polar Plasma Wave Instrument. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	21
34	Pitch angle transport of electrons due to cyclotron interactions with the coherent chorus subelements. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	51
35	Survey of Poynting flux of whistler mode chorus in the outer zone. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	94
36	Generation of whistler mode emissions in the inner magnetosphere: An event study. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	39

#	ARTICLE	IF	CITATIONS
37	Characteristics of Langmuir electric field waveforms and power spectra exhibiting nonlinear behavior in Earth's foreshock. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	14
38	Wave-particle interactions in the equatorial source region of whistler-mode emissions. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	51
39	Cluster observations of EMIC triggered emissions in association with Pc1 waves near Earth's plasmapause. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	137
40	Theory and observation of electromagnetic ion cyclotron triggered emissions in the magnetosphere. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	108
41	Observations of the relationship between frequency sweep rates of chorus wave packets and plasma density. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	48
42	Introduction to the special section on Chorus: Chorus and its role in space weather. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	12
43	Electrostatic solitary waves in current layers: from Cluster observations during a super-substorm to beam experiments at the LAPD. <i>Nonlinear Processes in Geophysics</i> , 2009, 16, 431-442.	0.6	20
44	Source regions of banded chorus. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	55
45	A mechanism for electrostatic solitary structures in the Earth's magnetosheath. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	58
46	Oblique lower band chorus waves: Time shifts between discrete elements observed by the Cluster spacecraft. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	15
47	Oblique propagation of whistler mode waves in the chorus source region. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	129
48	Dynamics and waves near multiple magnetic null points in reconnection diffusion region. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	37
49	Statistics of multispacecraft observations of chorus dispersion and source location. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	46
50	Cluster multispacecraft measurement of spatial scales of foreshock Langmuir waves. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	4
51	Parametric analysis of positive amplitude electron acoustic solitary waves in a magnetized plasma and its application to boundary layers. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	31
52	Variations in the chorus source location deduced from fluctuations of the ambient magnetic field: Comparison of Cluster data and the backward wave oscillator model. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	10
53	Cluster multispacecraft determination of AKR angular beaming. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	51
54	Pulsations of auroral kilometric radiation at Pc1 frequencies. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	4

#	ARTICLE	IF	CITATIONS
55	Formation of VLF chorus frequency spectrum: Cluster data and comparison with the backward wave oscillator model. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	29
56	Multispacecraft observations of chorus dispersion and source location. <i>Journal of Geophysical Research</i> , 2007, 112, n/a-n/a.	3.3	17
57	Chorus source properties that produce time shifts and frequency range differences observed on different Cluster spacecraft. <i>Journal of Geophysical Research</i> , 2007, 112, n/a-n/a.	3.3	35
58	Structure of the separatrix region close to a magnetic reconnection X-line: Cluster observations. <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	88
59	Propagation of whistler mode chorus to low altitudes: Spacecraft observations of structured ELF hiss. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	106
60	Rapidly moving sources of upper band ELF/VLF chorus near the magnetic equator. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	13
61	On the generation of solitary waves observed by Cluster in the near-Earth magnetosheath. <i>Nonlinear Processes in Geophysics</i> , 2005, 12, 181-193.	0.6	68
62	Drifting field-aligned density structures in the night-side polar cap. <i>Geophysical Research Letters</i> , 2005, 32, .	1.5	5
63	Whistlers observed by the Cluster spacecraft outside the plasmasphere. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	13
64	On the width-amplitude inequality of electron phase space holes. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	46
65	Properties of small-amplitude electron phase-space holes observed by Polar. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	61
66	Isolated electrostatic structures observed throughout the Cluster orbit: relationship to magnetic field strength. <i>Annales Geophysicae</i> , 2004, 22, 2515-2523.	0.6	117
67	Solitary waves observed in the auroral zone: the Cluster multi-spacecraft perspective. <i>Nonlinear Processes in Geophysics</i> , 2004, 11, 183-196.	0.6	87
68	A microscopic and nanoscopic view of storm-time chorus on 31 March 2001. <i>Geophysical Research Letters</i> , 2004, 31, .	1.5	136
69	CLUSTER observations of lower hybrid waves excited at high altitudes by electromagnetic whistler mode signals from the HAARP facility. <i>Geophysical Research Letters</i> , 2004, 31, n/a-n/a.	1.5	20
70	Cluster measurements of rapidly moving sources of ELF/VLF chorus. <i>Journal of Geophysical Research</i> , 2004, 109, .	3.3	31
71	The dependence of Langmuir wave amplitudes on position in Earth's foreshock. <i>Geophysical Research Letters</i> , 2004, 31, n/a-n/a.	1.5	18
72	Solitary structures associated with short large-amplitude magnetic structures (SLAMS) upstream of the Earth's quasi-parallel bow shock. <i>Geophysical Research Letters</i> , 2004, 31, .	1.5	41

#	ARTICLE	IF	CITATIONS
73	Characteristics of magnetospherically reflected chorus waves observed by CLUSTER. <i>Annales Geophysicae</i> , 2004, 22, 2597-2606.	0.6	48
74	Near-source and remote observations of kilometric continuum radiation from multispacecraft observations. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	14
75	Locations of auroral kilometric radiation bursts inferred from multispacecraft wideband Cluster VLBI observations. 1: Description of technique and initial results. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	22
76	Spatio-temporal structure of storm-time chorus. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	363
77	ELF/VLF plasma waves in the low latitude boundary layer. <i>Geophysical Monograph Series</i> , 2003, , 189-203.	0.1	8
78	Solitary potential structures observed in the magnetosheath by the Cluster spacecraft. <i>Nonlinear Processes in Geophysics</i> , 2003, 10, 3-11.	0.6	88
79	Spatiotemporal variability and propagation of equatorial noise observed by Cluster. <i>Journal of Geophysical Research</i> , 2002, 107, SMP 43-1-SMP 43-8.	3.3	133
80	Electrostatic electron cyclotron waves generated by low-energy electron beams. <i>Journal of Geophysical Research</i> , 2002, 107, SMP 8-1.	3.3	20
81	Magnetic component of narrowband ion cyclotron waves in the auroral zone. <i>Journal of Geophysical Research</i> , 2002, 107, SMP 17-1-SMP 17-14.	3.3	80
82	Propagation analysis of plasmaspheric hiss using Polar PWI measurements. <i>Geophysical Research Letters</i> , 2001, 28, 1127-1130.	1.5	66
83	First results from the Cluster wideband plasma wave investigation. <i>Annales Geophysicae</i> , 2001, 19, 1259-1272.	0.6	60
84	On the perpendicular scale of electron phase-space holes. <i>Geophysical Research Letters</i> , 2000, 27, 169-172.	1.5	95
85	Statistical study of auroral kilometric radiation fine structure striations observed by Polar. <i>Journal of Geophysical Research</i> , 2000, 105, 18857-18866.	3.3	24
86	Plasma waves in the dayside polar cap boundary layer: Bipolar and monopolar electric pulses and whistler mode waves. <i>Geophysical Research Letters</i> , 1998, 25, 4117-4120.	1.5	99
87	The January 10, 1997 auroral hot spot, horseshoe aurora and first substorm: A CME loop?. <i>Geophysical Research Letters</i> , 1998, 25, 3047-3050.	1.5	39
88	VLF chorus emissions observed by Polar during the January 10, 1997, magnetic cloud. <i>Geophysical Research Letters</i> , 1998, 25, 2995-2998.	1.5	47
89	POLAR observations of coherent electric field structures. <i>Geophysical Research Letters</i> , 1998, 25, 1277-1280.	1.5	351
90	Cusp energetic ions: A bow shock source. <i>Geophysical Research Letters</i> , 1998, 25, 3729-3732.	1.5	53