

Simon Rosenbaum, Aep

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6694788/simon-rosenbaum-aep-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

209
papers

10,549
citations

48
h-index

99
g-index

236
ext. papers

13,898
ext. citations

5.5
avg, IF

6.62
L-index

#	Paper	IF	Citations
209	Social media interventions targeting exercise and diet behaviours in people with noncommunicable diseases (NCDs): A systematic review.. <i>Internet Interventions</i> , 2022 , 27, 100497	4.4	1
208	Mental contrasting and implementation of physical activity intentions in Ugandan primary care patients with mental health problems: A real-world intervention involving support partners.. <i>Psychiatry Research</i> , 2022 , 307, 114335	9.9	1
207	Outcome assessments used in studies examining the effect of prescribed exercise interventions for people living with severe mental illness, a scoping review. <i>Mental Health and Physical Activity</i> , 2022 , 22, 100438	5	
206	Evaluating telehealth lifestyle therapy versus telehealth psychotherapy for reducing depression in adults with COVID-19 related distress: the curbing anxiety and depression using lifestyle medicine (CALM) randomised non-inferiority trial protocol.. <i>BMC Psychiatry</i> , 2022 , 22, 219	4.2	1
205	Exercise and PTSD Symptoms in Emergency Service and Frontline Medical Workers: A Systematic Review. <i>Translational Journal of the American College of Sports Medicine</i> , 2022 , 7,	1.1	0
204	Implementing experience-based co-design to develop a physical activity programme in recovery-focused outpatient mental health services. <i>International Journal of Therapy and Rehabilitation</i> , 2022 , 29, 1-16	0.4	0
203	Effects of yoga on depressive symptoms in people with mental disorders: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2021 , 55, 992-1000	10.3	23
202	Web-based exercise interventions for patients with depressive and anxiety disorders: a systematic review of randomized controlled trials. <i>Revista Brasileira De Psiquiatria</i> , 2021 ,	2.6	1
201	Barriers, Attitudes, Confidence and Knowledge of Mental Health and Psychosocial Humanitarian Staff in Cox's Bazar in Responding to Suicide Risk. <i>Intervention</i> , 2021 , 19, 242	1.2	0
200	Keeping our staff in mind: Dietary results of a lifestyle intervention targeting mental health staff. <i>Health Promotion Journal of Australia</i> , 2021 , 32, 451-457	1.7	1
199	Dropout from exercise randomized controlled trials among people with anxiety and stress-related disorders: A meta-analysis and meta-regression. <i>Journal of Affective Disorders</i> , 2021 , 282, 996-1004	6.6	9
198	Mental Health Considerations for Exercise Practitioners Delivering Telehealth Services. <i>Bioengineered</i> , 2021 , 10, 20-28	5.7	0
197	A Mental Health-Informed Physical Activity Intervention for First Responders and Their Partners Delivered Using Facebook: Mixed Methods Pilot Study. <i>JMIR Formative Research</i> , 2021 , 5, e23432	2.5	6
196	Trauma and Mental Health Awareness in Emergency Service Workers: A Qualitative Evaluation of the Behind the Seen Education Workshops. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
195	Exercise interventions for people diagnosed with cancer: a systematic review of implementation outcomes. <i>BMC Cancer</i> , 2021 , 21, 643	4.8	4
194	Relationship between sedentary behaviours and loneliness: Mediating role of fast food and soft drink consumption. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 907-908	3.1	
193	Self-Reported Physical and Mental Health of Informal Caregivers of Emergency Service Workers. <i>Journal of Loss and Trauma</i> , 2021 , 26, 507-518	3.9	4

192	The efficacy of meditation-based mind-body interventions for mental disorders: A meta-review of 17 meta-analyses of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2021 , 134, 181-191	5.2	10
191	Updating goal-setting theory in physical activity promotion: a critical conceptual review. <i>Health Psychology Review</i> , 2021 , 15, 34-50	7.1	21
190	Key stakeholder perspectives on the development and real-world implementation of a home-based physical activity program for mothers at risk of postnatal depression: a qualitative study. <i>BMC Public Health</i> , 2021 , 21, 361	4.1	1
189	Test-retest reliability, concurrent validity and correlates of the two-minute walk test in outpatients with alcohol use disorder. <i>Alcohol</i> , 2021 , 90, 74-79	2.7	1
188	The anxiolytic effects of exercise for people with anxiety and related disorders: An update of the available meta-analytic evidence. <i>Psychiatry Research</i> , 2021 , 302, 114046	9.9	5
187	Feasibility of a mental health informed physical activity intervention for the carers of children with developmental and epileptic encephalopathy. <i>Epilepsy and Behavior</i> , 2021 , 121, 108022	3.2	2
186	Dose-dependent and joint associations between screen time, physical activity, and mental wellbeing in adolescents: an international observational study. <i>The Lancet Child and Adolescent Health</i> , 2021 , 5, 729-738	14.5	10
185	The experiences of peer-facilitators delivering a physical activity intervention for emergency service workers and their families. <i>Mental Health and Physical Activity</i> , 2021 , 21, 100414	5	1
184	Association between physical activity and leisure-time sedentary behavior among 140,808 adolescents aged 12 to 15 from 47 low- and middle-income countries. <i>Public Health</i> , 2021 , 199, 1-9	4	0
183	Obesity, physical activity and sleep quality in patients admitted to a posttraumatic stress inpatient ward. <i>Australasian Psychiatry</i> , 2020 , 28, 270-273	1.7	1
182	Feasibility and Acceptability of a Student-Led Lifestyle (Diet and Exercise) Intervention Within a Residential Rehabilitation Setting for People With Severe Mental Illness, GO HEART (Group Occupation, Health, Exercise And Rehabilitation Treatment). <i>Frontiers in Psychiatry</i> , 2020 , 11, 319	5	3
181	Upskilling Mental Health Nurses to Address the Burden of Poor Metabolic Health: A Mixed Method Evaluation. <i>Issues in Mental Health Nursing</i> , 2020 , 41, 925-931	1.5	0
180	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). <i>BMC Psychiatry</i> , 2020 , 20, 108	4.2	35
179	Test-retest reliability of the Italian version of the M-BACK questionnaire to assess the barriers, attitudes, confidence, and knowledge of mental health staff regarding metabolic health of psychiatric patients. <i>Brain and Behavior</i> , 2020 , 10, e01491	3.4	1
178	COVID-19: An Australian Perspective. <i>Journal of Loss and Trauma</i> , 2020 , 25, 662-672	3.9	31
177	Supporting better mental health services for rural Australians: Secondary analysis from the Australian National Social Survey. <i>Australian Journal of Rural Health</i> , 2020 , 28, 122-123	1.3	0
176	Changing health workforce attitudes to promote improved physical health in mental health service users: Keeping our Staff in Mind (KoSiM). <i>Health Promotion Journal of Australia</i> , 2020 , 31, 447-455	1.7	8
175	Is change in mental distress among adolescents predicted by sedentary behaviour or screen time? Results from the longitudinal population study The Tromsø Study: Fit Futures. <i>BMJ Open</i> , 2020 , 10, e035549	3.9	7

174	Do exercise trials for adults with depression account for comorbid anxiety? A systematic review. <i>Mental Health and Physical Activity</i> , 2020 , 18, 100320	5	6
173	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020 , 20, 1438-1445	1.1	1
172	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020 , 20, 1438-1445	1.1	2
171	Prevalence of anxiety and depressive symptoms among physicians during the COVID-19 pandemic in Bangladesh: a cross-sectional study 2020 ,		7
170	Get Moving: Physical Activity and Exercise for Mental Health 2020 , 493-510		
169	Sedentary behavior and depression among community-dwelling adults aged 80 years: Results from the Irish longitudinal study on Ageing. <i>Journal of Affective Disorders</i> , 2020 , 262, 389-396	6.6	13
168	Does physical activity reduce the risk of psychosis? A systematic review and meta-analysis of prospective studies. <i>Psychiatry Research</i> , 2020 , 284, 112675	9.9	12
167	Stepping up early treatment for help-seeking youth with at-risk mental states: Feasibility and acceptability of a real-world exercise program. <i>Microbial Biotechnology</i> , 2020 , 14, 450-462	3.3	8
166	Keeping the body in mind: A qualitative analysis of the experiences of people experiencing first-episode psychosis participating in a lifestyle intervention programme. <i>International Journal of Mental Health Nursing</i> , 2020 , 29, 278-289	3.8	7
165	Do we need physical activity guidelines for mental health: What does the evidence tell us?. <i>Mental Health and Physical Activity</i> , 2020 , 18, 100315	5	80
164	Implementing Exercise in Healthcare Settings: The Potential of Implementation Science. <i>Sports Medicine</i> , 2020 , 50, 1-14	10.6	21
163	High Intensity Interval training (HIIT) for people with severe mental illness: A systematic review & meta-analysis of intervention studies- considering diverse approaches for mental and physical recovery. <i>Psychiatry Research</i> , 2020 , 284, 112601	9.9	15
162	Effectiveness of a brief lifestyle intervention targeting mental health staff: analysis of physical fitness and activity in the Keeping Our Staff in Mind study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000761	3.4	0
161	Australian exercise physiology student attitudes and knowledge towards people living with mental illness. <i>Journal of Mental Health Training, Education and Practice</i> , 2020 , 15, 193-205	0.9	0
160	An open trial of the RECONNECT exercise program for NSW Police Officers with posttraumatic stress disorder or psychological injury. <i>Health Promotion Journal of Australia</i> , 2020 ,	1.7	1
159	A meta-review of "lifestyle psychiatry": the role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. <i>World Psychiatry</i> , 2020 , 19, 360-380	14.4	132
158	Self-reported physical activity levels of the 2017 Royal Australian and New Zealand College of Psychiatrists (RANZCP) conference delegates and their exercise referral practices. <i>Journal of Mental Health</i> , 2020 , 29, 565-572	2.7	8
157	Feeling states of people experiencing depression, anxiety, or comorbid depression and anxiety symptoms during a multi-day charity cycling ride: An ecological momentary assessment study. <i>Psychology of Sport and Exercise</i> , 2020 , 47, 101489	4.2	1

156	From impact factors to real impact: translating evidence on lifestyle interventions into routine mental health care. <i>Translational Behavioral Medicine</i> , 2020 , 10, 1070-1073	3.2	22
155	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. <i>Sports Medicine</i> , 2020 , 50, 151-170	10.6	104
154	Reliability and Convergent Validity of Self-Reported Physical Activity Questionnaires for People With Mental Disorders: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2020 , 18, 109-115	2.5	
153	Correlates of physical activity among 142,118 adolescents aged 12-15 years from 48 low- and middle-income countries. <i>Preventive Medicine</i> , 2019 , 127, 105819	4.3	12
152	Embedding an exercise professional within an inpatient mental health service: A qualitative study. <i>Mental Health and Physical Activity</i> , 2019 , 17, 100300	5	1
151	Physical activity protects from incident anxiety: A meta-analysis of prospective cohort studies. <i>Depression and Anxiety</i> , 2019 , 36, 846-858	8.4	117
150	The effectiveness of the Keeping the Body in Mind Xtend pilot lifestyle program on dietary intake in first-episode psychosis: Two-year outcomes. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 214-216	5.4	10
149	Dietary Intake, Adherence to Mediterranean Diet and Lifestyle-Related Factors in People with Schizophrenia. <i>Issues in Mental Health Nursing</i> , 2019 , 40, 851-860	1.5	7
148	Cannabis use and leisure-time sedentary behavior among 94,035 adolescents aged 12-15 years from 24 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019 , 99, 106104	4.2	2
147	General strength and conditioning versus motor control with manual therapy for improving depressive symptoms in chronic low back pain: A randomised feasibility trial. <i>PLoS ONE</i> , 2019 , 14, e0220442	2.7	4
146	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019 , 6, 675-712	23.3	411
145	Physical activity and loneliness among adults aged 50 years or older in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1855-1864	3.9	12
144	Prevalence of Chronic Health Conditions in Australian Adults with Depression and/or Anxiety. <i>Issues in Mental Health Nursing</i> , 2019 , 40, 902-907	1.5	9
143	Change in physical activity is not associated with change in mental distress among adolescents: the Tromsø study: Fit Futures. <i>BMC Public Health</i> , 2019 , 19, 916	4.1	14
142	Protecting physical health in people with mental illness - Authors' reply. <i>Lancet Psychiatry</i> , 2019 , 6, 890-891	23.3	18
141	Temporal trends in exercise physiology services in Australia-Implications for rural and remote service provision. <i>Australian Journal of Rural Health</i> , 2019 , 27, 514-519	1.3	
140	Physical activity as a psychosocial intervention among Rohingya refugees in Bangladesh: a rapid ecological community assessment. <i>Intervention</i> , 2019 , 17, 140	1.2	2
139	Investigating Exercise for Anxiety and Depression Treatment: A Case Report. <i>Bioengineered</i> , 2019 , 8, 115-120	5.7	

138	Mental health informed physical activity for first responders and their support partner: a protocol for a stepped-wedge evaluation of an online, codesigned intervention. <i>BMJ Open</i> , 2019 , 9, e030668	3	11
137	Correlates of leisure-time sedentary behavior among 181,793 adolescents aged 12-15 years from 66 low- and middle-income countries. <i>PLoS ONE</i> , 2019 , 14, e0224339	3.7	7
136	Implementation barriers and facilitators of an integrated multidisciplinary lifestyle enhancing treatment for inpatients with severe mental illness: the MULTI study IV. <i>BMC Health Services Research</i> , 2019 , 19, 740	2.9	14
135	Associations between ability to recognise a mental health disorder and lived experience of mental illness in an Australian sample. <i>Psychiatry Research</i> , 2019 , 272, 206-208	9.9	7
134	Health benefits, safety and cost of physical activity interventions for mental health conditions: A meta-review to inform translation efforts. <i>Mental Health and Physical Activity</i> , 2019 , 16, 140-151	5	30
133	Exercise and mental health literacy in an Australian adult population. <i>Depression and Anxiety</i> , 2019 , 36, 465-472	8.4	7
132	Does exercise improve sleep quality in individuals with mental illness? A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2019 , 109, 96-106	5.2	47
131	Sedentary Behavior and Quality of Life in People with Psychotic Disorders from a Low Income Country: A Study from Uganda. <i>Community Mental Health Journal</i> , 2019 , 55, 714-720	2.1	1
130	Validity and correlates of the International Physical Activity Questionnaire in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 562-567	3.3	7
129	Cardio-metabolic risk and its management in a cohort of clozapine-treated outpatients. <i>Schizophrenia Research</i> , 2018 , 199, 367-373	3.6	19
128	Grip Strength Is Associated With Cognitive Performance in Schizophrenia and the General Population: A UK Biobank Study of 476559 Participants. <i>Schizophrenia Bulletin</i> , 2018 , 44, 728-736	1.3	47
127	Physical Activity and Incident Depression: A Meta-Analysis of Prospective Cohort Studies. <i>American Journal of Psychiatry</i> , 2018 , 175, 631-648	11.9	497
126	Adjunctive nutrients in first-episode psychosis: A systematic review of efficacy, tolerability and neurobiological mechanisms. <i>Microbial Biotechnology</i> , 2018 , 12, 774-783	3.3	11
125	Improving the health of mental health staff through exercise interventions: a systematic review. <i>Journal of Mental Health</i> , 2018 , 27, 184-191	2.7	16
124	2-year follow-up: Still keeping the body in mind. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 602-603	2.6	9
123	Adherence to physical activity recommendations and physical and mental health risk in people with severe mental illness in Uganda. <i>Psychiatry Research</i> , 2018 , 260, 236-240	9.9	7
122	Is autonomous motivation the key to maintaining an active lifestyle in first-episode psychosis?. <i>Microbial Biotechnology</i> , 2018 , 12, 821-827	3.3	22
121	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018 , 193, 412-417	3.6	18

120	Implementation in action: how Australian Exercise Physiologists approach exercise prescription for people with mental illness. <i>Journal of Mental Health</i> , 2018 , 27, 150-156	2.7	18
119	The Validity and Value of Self-reported Physical Activity and Accelerometry in People With Schizophrenia: A Population-Scale Study of the UK Biobank. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1293-1300	1.3	52
118	Treating depression with physical activity in adolescents and young adults: a systematic review and meta-analysis of randomised controlled trials. <i>Psychological Medicine</i> , 2018 , 48, 1068-1083	6.9	121
117	Physical activity and suicidal ideation: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 225, 438-448	6.6	91
116	Association of lifestyle-related factors and psychological factors on quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2018 , 267, 382-393	9.9	11
115	Evaluating the Feasibility of a Pilot Exercise Intervention Implemented Within a Residential Rehabilitation Unit for People With Severe Mental Illness: GO HEART: (Group Occupational Health Exercise and Rehabilitation Treatment). <i>Frontiers in Psychiatry</i> , 2018 , 9, 343	5	9
114	The Role of Sport, Exercise, and Physical Activity in Closing the Life Expectancy Gap for People with Mental Illness: An International Consensus Statement by Exercise and Sports Science Australia, American College of Sports Medicine, British Association of Sport and Exercise Science, and Sport and Exercise Science New Zealand. <i>Translational Journal of the American College of Sports Medicine</i> , 2018 , 3, 72-73	1.1	22
113	Exercise and Posttraumatic Stress Disorder 2018 , 375-387		1
112	Gender differences in motives for physical activity across the stages of change in Ugandan outpatients with psychosis. <i>Schizophrenia Research</i> , 2018 , 197, 568-569	3.6	4
111	Sport-Related Concussion and Mental Health Outcomes in Elite Athletes: A Systematic Review. <i>Sports Medicine</i> , 2018 , 48, 447-465	10.6	85
110	Differential Experimental Effects of a Short Bout of Walking, Meditation, or Combination of Walking and Meditation on State Anxiety Among Young Adults. <i>American Journal of Health Promotion</i> , 2018 , 32, 949-958	2.5	9
109	Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. <i>NeuroImage</i> , 2018 , 166, 230-238	7.9	203
108	A Novel Landscape for Understanding Physical and Mental Health: Body Mapping Research with Youth Experiencing Psychosis. <i>Art/Research International</i> , 2018 , 3, 236-261	0.1	12
107	Physical activity and mental health. <i>Lancet Psychiatry</i> , 2018 , 5, 873	23.3	17
106	The utility of two interview-based physical activity questionnaires in healthy young adults: Comparison with accelerometer data. <i>PLoS ONE</i> , 2018 , 13, e0203525	3.7	16
105	Exercise Interventions in Secure and Forensic Services 2018 , 209-216		0
104	Research and Evaluation in Exercise and Mental Health 2018 , 301-317		
103	Tackling mental health: the role of professional football clubs. <i>Sport in Society</i> , 2017 , 20, 281-291	1	12

102	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017 , 47, 343-352	10.6	120
101	A critical review of exercise as a treatment for clinically depressed adults: time to get pragmatic. <i>Acta Neuropsychiatrica</i> , 2017 , 29, 65-71	3.9	36
100	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 6	8.4	78
99	An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. <i>Psychiatry Research</i> , 2017 , 249, 102-108	9.9	252
98	Are people with schizophrenia adherent to diabetes medication? A comparative meta-analysis. <i>Psychiatry Research</i> , 2017 , 250, 17-24	9.9	13
97	The effects of vitamin and mineral supplementation on symptoms of schizophrenia: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2017 , 47, 1515-1527	6.9	43
96	Can smartphone mental health interventions reduce symptoms of anxiety? A meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2017 , 218, 15-22	6.6	297
95	Physical activity and sedentary behavior in people with major depressive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 210, 139-150	6.6	272
94	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017 , 186, 979-989	3.8	42
93	Higher cardio-respiratory fitness is associated with increased mental and physical quality of life in people with bipolar disorder: A controlled pilot study. <i>Psychiatry Research</i> , 2017 , 256, 219-224	9.9	11
92	Embedding exercise interventions as routine mental health care: implementation strategies in residential, inpatient and community settings. <i>Australasian Psychiatry</i> , 2017 , 25, 451-455	1.7	42
91	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017 , 221, 81-88	6.6	12
90	Exercise works for depression: bridging the implementation gap and making exercise a core component of treatment. <i>Acta Neuropsychiatrica</i> , 2017 , 29, 124-126	3.9	4
89	Solving a weighty problem: systematic review and meta-analysis of nutrition interventions in severe mental illness. <i>British Journal of Psychiatry</i> , 2017 , 210, 110-118	5.4	103
88	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017 , 16, 308-315	14.4	381
87	Exercise as an Essential Therapeutic Tool in Mental Health: Closing the Gap From Research to Practice, A Portuguese Perspective. <i>Acta Medica Portuguesa</i> , 2017 , 30, 354-355	1.4	2
86	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017 , 43, 536-545	1.3	29
85	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 546-556	1.3	189

84	The efficacy of smartphone-based mental health interventions for depressive symptoms: a meta-analysis of randomized controlled trials. <i>World Psychiatry</i> , 2017 , 16, 287-298	14.4	424
83	Role Of Physical Activity In Closing The Life Expectancy Gap of People With Mental Illness. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 842-843	1.2	4
82	Is the link between movement and mental health a two-way street? Prospective associations between physical activity, sedentary behaviour and depressive symptoms among women living in socioeconomically disadvantaged neighbourhoods. <i>Preventive Medicine</i> , 2017 , 102, 72-78	4.3	17
81	Modifiable cardiometabolic risk factors in youth with at-risk mental states: A cross-sectional pilot study. <i>Psychiatry Research</i> , 2017 , 257, 424-430	9.9	8
80	Comorbidity of depression and anxiety in exercise research. <i>Lancet Psychiatry</i> , 2017 , 4, 519	23.3	9
79	Lifestyle interventions to reduce premature mortality in schizophrenia. <i>Lancet Psychiatry</i> , 2017 , 4, e14	23.3	6
78	Physical activity and anxiety: A perspective from the World Health Survey. <i>Journal of Affective Disorders</i> , 2017 , 208, 545-552	6.6	142
77	Physical fitness in people with posttraumatic stress disorder: a systematic review. <i>Disability and Rehabilitation</i> , 2017 , 39, 2461-2467	2.4	18
76	The Validity and Reliability Characteristics of the M-BACK Questionnaire to Assess the Barriers, Attitudes, Confidence, and Knowledge of Mental Health Staff Regarding Metabolic Health of Mental Health Service Users. <i>Frontiers in Public Health</i> , 2017 , 5, 321	6	8
75	Exercise and Posttraumatic Stress Disorder 2017 , 1-13		
74	Exercise improves cardiorespiratory fitness in people with depression: A meta-analysis of randomized control trials. <i>Journal of Affective Disorders</i> , 2016 , 190, 249-253	6.6	109
73	Implementing evidence-based physical activity interventions for people with mental illness: an Australian perspective. <i>Australasian Psychiatry</i> , 2016 , 24, 49-54	1.7	46
72	Physical Activity in People With Posttraumatic Stress Disorder: A Systematic Review of Correlates. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 910-8	2.5	33
71	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. <i>Preventive Medicine</i> , 2016 , 93, 159-165	4.3	62
70	Exercise for adults with depressive symptoms: Beyond the weight loss paradigm. <i>Psychiatry Research</i> , 2016 , 246, 364-365	9.9	4
69	Preferences and motivations for exercise in early psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 83-4	6.5	18
68	Impact of antipsychotic medication on physical activity and physical fitness in adolescents: An exploratory study. <i>Psychiatry Research</i> , 2016 , 242, 192-197	9.9	14
67	Psychiatry heal thyself: a lifestyle intervention targeting mental health staff to enhance uptake of lifestyle interventions for people prescribed antipsychotic medication. <i>European Psychiatry</i> , 2016 , 33, S619-S619	6	2

66	How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. <i>Schizophrenia Research</i> , 2016 , 176, 431-440	3.6	214
65	Psychiatry HeAL thyself!. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 600	2.6	9
64	What are the top 10 physical activity research questions in schizophrenia?. <i>Disability and Rehabilitation</i> , 2016 , 38, 2235-43	2.4	17
63	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. <i>General Hospital Psychiatry</i> , 2016 , 39, 15-23	5.6	130
62	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. <i>Schizophrenia Research</i> , 2016 , 170, 336-40	3.6	25
61	Top 10 research questions to promote physical activity in bipolar disorders: A consensus statement from the International Organization of Physical Therapists in Mental Health. <i>Journal of Affective Disorders</i> , 2016 , 195, 82-7	6.6	14
60	Concurrent validity of the international physical activity questionnaire in outpatients with bipolar disorder: Comparison with the Sensewear Armband. <i>Psychiatry Research</i> , 2016 , 237, 122-6	9.9	15
59	The Simple Physical Activity Questionnaire. <i>Lancet Psychiatry</i> , 2016 , 3, e1	23.3	66
58	The prevalence and predictors of obstructive sleep apnea in major depressive disorder, bipolar disorder and schizophrenia: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 197, 259-67	6.6	86
57	Consensus statement on the role of Accredited Exercise Physiologists within the treatment of mental disorders: a guide for mental health professionals. <i>Australasian Psychiatry</i> , 2016 , 24, 347-51	1.7	40
56	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. <i>Journal of Psychiatric Research</i> , 2016 , 77, 42-51	5.2	646
55	Top 10 research questions to promote physical activity research in people with binge eating disorder. <i>Eating Disorders</i> , 2016 , 24, 326-37	3.9	2
54	Challenges Establishing the Efficacy of Exercise as an Antidepressant Treatment: A Systematic Review and Meta-Analysis of Control Group Responses in Exercise Randomised Controlled Trials. <i>Sports Medicine</i> , 2016 , 46, 699-713	10.6	32
53	Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. <i>Journal of Affective Disorders</i> , 2016 , 190, 457-466	6.6	149
52	The Roles of Exercise and Yoga in Ameliorating Depression as a Risk Factor for Cognitive Decline. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 4612953	2.3	11
51	Breaking down the silos of treatment for post-traumatic stress disorder: integrating mind and body. <i>Medical Journal of Australia</i> , 2016 , 204, 337-8	4	3
50	Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 247-54	2.6	111
49	Type 2 Diabetes Among People With Posttraumatic Stress Disorder: Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2016 , 78, 465-73	3.7	46

48	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 15-9	1.8	13
47	How can we increase physical activity and exercise among youth experiencing first-episode psychosis? A systematic review of intervention variables. <i>Microbial Biotechnology</i> , 2016 , 10, 435-40	3.3	15
46	Preventing antipsychotic-induced weight gain in first-episode psychosis: Transitioning dietitians into routine care. <i>Nutrition and Dietetics</i> , 2016 , 73, 303-304	2.5	3
45	Evaluating an individualized lifestyle and life skills intervention to prevent antipsychotic-induced weight gain in first-episode psychosis. <i>Microbial Biotechnology</i> , 2016 , 10, 267-76	3.3	143
44	Positive cardiometabolic health for adults with intellectual disability: an early intervention framework. <i>Australian Journal of Primary Health</i> , 2016 , 22, 288-293	1.4	6
43	Motivating factors and barriers towards exercise in severe mental illness: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2016 , 46, 2869-2881	6.9	221
42	A nutrition intervention is effective in improving dietary components linked to cardiometabolic risk in youth with first-episode psychosis. <i>British Journal of Nutrition</i> , 2016 , 115, 1987-93	3.6	42
41	Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 201, 145-52	6.6	78
40	Bridging the gap: What have we done and what more can we do to reduce the burden of avoidable death in people with psychotic illness?. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 205-10	5.1	24
39	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. <i>Psychiatry Research</i> , 2016 , 241, 47-54	9.9	93
38	Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 546-556	6.5	64
37	Physical activity as a vital sign in patients with bipolar disorder. <i>Psychiatry Research</i> , 2016 , 246, 218-222	9.9	12
36	Dropout from physical activity interventions in children and adolescents with attention deficit hyperactivity disorder: A systematic review and meta-analysis. <i>Mental Health and Physical Activity</i> , 2016 , 11, 46-52	5	7
35	Cardiorespiratory fitness levels and moderators in people with HIV: A systematic review and meta-analysis. <i>Preventive Medicine</i> , 2016 , 93, 106-114	4.3	27
34	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 2016 , 15, 166-74	14.4	365
33	Could autonomous motivation hold the key to successfully implementing lifestyle changes in affective disorders? A multicentre cross sectional study. <i>Psychiatry Research</i> , 2015 , 228, 100-6	9.9	42
32	Test-retest reliability, feasibility and clinical correlates of the Eurofit test battery in people with bipolar disorder. <i>Psychiatry Research</i> , 2015 , 228, 620-5	9.9	15
31	Aerobic exercise intervention in young people with schizophrenia spectrum disorders; improved fitness with no change in hippocampal volume. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 200-1	2.9	20

30	Why moving more should be promoted for severe mental illness. <i>Lancet Psychiatry, the</i> , 2015 , 2, 295	23.3	34
29	Exercise as a novel treatment option to address cardiometabolic dysfunction associated with PTSD. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, e5-6	12.7	10
28	Individual dietetic consultations in first episode psychosis: a novel intervention to reduce cardiometabolic risk. <i>Community Mental Health Journal</i> , 2015 , 51, 211-4	2.1	11
27	Aerobic exercise capacity: an important correlate of psychosocial function in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 234	6.5	18
26	Exercise augmentation compared with usual care for post-traumatic stress disorder: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 350-9	6.5	98
25	Associations between metabolic and aerobic fitness parameters in patients with schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 23-7	1.8	15
24	Promotion of cardiorespiratory fitness in schizophrenia: a clinical overview and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 131-43	6.5	82
23	Physical activity in the treatment of Post-traumatic stress disorder: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015 , 230, 130-6	9.9	160
22	Online physical activity interventions for mental disorders: A systematic review. <i>Internet Interventions</i> , 2015 , 2, 214-220	4.4	18
21	Aerobic capacity is associated with global functioning in people with schizophrenia. <i>Journal of Mental Health</i> , 2015 , 24, 214-8	2.7	11
20	The prevalence and risk of metabolic syndrome and its components among people with posttraumatic stress disorder: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 926-33	12.7	121
19	Negative symptoms are associated with lower autonomous motivation towards physical activity in people with schizophrenia. <i>Comprehensive Psychiatry</i> , 2015 , 56, 128-32	7.3	57
18	The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 75-88	6.5	55
17	A call to action: exercise as treatment for patients with mental illness. <i>Australian Journal of Primary Health</i> , 2015 , 21, 120-5	1.4	18
16	Health-related quality of life and aerobic fitness in people with schizophrenia. <i>International Journal of Mental Health Nursing</i> , 2015 , 24, 394-402	3.8	29
15	Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. <i>World Psychiatry</i> , 2015 , 14, 339-47	14.4	627
14	No evidence of a control group response in exercise randomised controlled trials in people with schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015 , 229, 840-3	9.9	4
13	Exercise improves cardiorespiratory fitness in people with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2015 , 169, 453-457	3.6	69

12	Schizophrenia and the risk of fractures: a systematic review and comparative meta-analysis. <i>General Hospital Psychiatry</i> , 2015 , 37, 126-33	5.6	55
11	What are the factors that influence physical activity participation in individuals with depression? A review of physical activity correlates from 59 studies. <i>Psychiatria Danubina</i> , 2015 , 27, 210-24	1.8	49
10	Physical activity interventions for people with mental illness: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 964-74	4.6	392
9	Observation to action: progressive implementation of lifestyle interventions to improve physical health outcomes in a community-based early psychosis treatment program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 1063-4	2.6	5
8	Assessing physical activity in people with posttraumatic stress disorder: feasibility and concurrent validity of the International Physical Activity Questionnaire--short form and actigraph accelerometers. <i>BMC Research Notes</i> , 2014 , 7, 576	2.3	18
7	Reliability and clinical correlates of the Astrand-Rhyming sub-maximal exercise test in patients with schizophrenia or schizoaffective disorder. <i>Psychiatry Research</i> , 2014 , 220, 778-83	9.9	23
6	Nurse-assessed metabolic monitoring: a file audit of risk factor prevalence and impact of an intervention to enhance measurement of waist circumference. <i>International Journal of Mental Health Nursing</i> , 2014 , 23, 252-6	3.8	23
5	Comment on the prescription of exercise for major depressive disorder: reply to Drs. Rethorst and Trivedi. <i>Journal of Psychiatric Practice</i> , 2013 , 19, 271-2	1.3	1
4	Rehabilitation to prevent premature mortality among people with serious mental illness. <i>International Journal of Therapy and Rehabilitation</i> , 2013 , 20, 528-529	0.4	
3	Exercise augmentation compared to usual care for post traumatic stress disorder: a randomised controlled trial (the REAP study: Randomised Exercise Augmentation for PTSD). <i>BMC Psychiatry</i> , 2011 , 11, 115	4.2	19
2	Is exercise effective in promoting mental well-being in older age? A systematic review. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1079-80	10.3	16
1	Physical activity and severe mental illness 385-408		2