

Xuehang Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6694849/publications.pdf>

Version: 2024-02-01

35
papers

3,734
citations

218592

26
h-index

377752

34
g-index

39
all docs

39
docs citations

39
times ranked

4131
citing authors

#	ARTICLE	IF	CITATIONS
1	Energy Storage Data Reporting in Perspective—Guidelines for Interpreting the Performance of Electrochemical Energy Storage Systems. <i>Advanced Energy Materials</i> , 2019, 9, 1902007.	10.2	793
2	Influences from solvents on charge storage in titanium carbide MXenes. <i>Nature Energy</i> , 2019, 4, 241-248.	19.8	363
3	3D MXene Architectures for Efficient Energy Storage and Conversion. <i>Advanced Functional Materials</i> , 2020, 30, 2000842.	7.8	276
4	A new etching environment (FeF ₃ /HCl) for the synthesis of two-dimensional titanium carbide MXenes: a route towards selective reactivity vs. water. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22012-22023.	5.2	227
5	Electrode material—ionic liquid coupling for electrochemical energy storage. <i>Nature Reviews Materials</i> , 2020, 5, 787-808.	23.3	210
6	An Ultrafast Conducting Polymer@MXene Positive Electrode with High Volumetric Capacitance for Advanced Asymmetric Supercapacitors. <i>Small</i> , 2020, 16, e1906851.	5.2	186
7	Maximizing ion accessibility in MXene-knotted carbon nanotube composite electrodes for high-rate electrochemical energy storage. <i>Nature Communications</i> , 2020, 11, 6160.	5.8	183
8	MXene-conducting polymer electrochromic microsupercapacitors. <i>Energy Storage Materials</i> , 2019, 20, 455-461.	9.5	136
9	All-pseudocapacitive asymmetric MXene-carbon-conducting polymer supercapacitors. <i>Nano Energy</i> , 2020, 75, 104971.	8.2	119
10	Geometrically confined favourable ion packing for high gravimetric capacitance in carbon—ionic liquid supercapacitors. <i>Energy and Environmental Science</i> , 2016, 9, 232-239.	15.6	109
11	Selective Charging Behavior in an Ionic Mixture Electrolyte-Supercapacitor System for Higher Energy and Power. <i>Journal of the American Chemical Society</i> , 2017, 139, 18681-18687.	6.6	101
12	Extending the low temperature operational limit of Li-ion battery to ~80°C. <i>Energy Storage Materials</i> , 2019, 23, 383-389.	9.5	101
13	Enhancing capacitance of supercapacitor with both organic electrolyte and ionic liquid electrolyte on a biomass-derived carbon. <i>RSC Advances</i> , 2017, 7, 23859-23865.	1.7	87
14	Atomically dispersed Fe-N-P-C complex electrocatalysts for superior oxygen reduction. <i>Applied Catalysis B: Environmental</i> , 2019, 249, 306-315.	10.8	85
15	Bath Electrospinning of Continuous and Scalable Multifunctional MXene-Infiltrated Nanoyarns. <i>Small</i> , 2020, 16, e2002158.	5.2	81
16	Stable high-voltage aqueous pseudocapacitive energy storage device with slow self-discharge. <i>Nano Energy</i> , 2019, 64, 103961.	8.2	78
17	Li-Metal-Free Prelithiation of Si-Based Negative Electrodes for Full Li-Ion Batteries. <i>ChemSusChem</i> , 2015, 8, 2737-2744.	3.6	63
18	Low-Temperature pseudocapacitive energy storage in Ti ₃ C ₂ T MXene. <i>Energy Storage Materials</i> , 2020, 33, 382-389.	9.5	61

#	ARTICLE	IF	CITATIONS
19	Titanium Carbide MXene Shows an Electrochemical Anomaly in Water-in-Salt Electrolytes. ACS Nano, 2021, 15, 15274-15284.	7.3	56
20	Tunable stable operating potential window for high-voltage aqueous supercapacitors. Nano Energy, 2019, 63, 103848.	8.2	55
21	Adjustable electrochemical properties of solid-solution MXenes. Nano Energy, 2021, 88, 106308.	8.2	55
22	Ion Structure Transition Enhances Charging Dynamics in Subnanometer Pores. ACS Nano, 2020, 14, 2395-2403.	7.3	52
23	Surface Redox Pseudocapacitance of Partially Oxidized Titanium Carbide MXene in Water-in-Salt Electrolyte. ACS Energy Letters, 2022, 7, 30-35.	8.8	43
24	High capacity Mg batteries based on surface-controlled electrochemical reactions. Nano Energy, 2018, 48, 227-237.	8.2	35
25	Boosted Supercapacitive Energy with High Rate Capability of a Carbon Framework with Hierarchical Pore Structure in an Ionic Liquid. ChemSusChem, 2016, 9, 3093-3101.	3.6	33
26	Unimpeded migration of ions in carbon electrodes with bimodal pores at an ultralow temperature of ~ 100 Å°C. Journal of Materials Chemistry A, 2019, 7, 16339-16346.	5.2	21
27	Intercalation-Induced Reversible Electrochromic Behavior of Two-Dimensional $\text{Ti}_3\text{C}_2\text{T}_x$ MXene in Organic Electrolytes. ChemElectroChem, 2021, 8, 151-156.	1.7	21
28	Capacitance of coarse-grained carbon electrodes with thickness up to $800 \mu\text{m}$. Electrochimica Acta, 2019, 302, 38-44.	2.6	14
29	Boosting the Energy Density of 3D Dual-Manganese Oxides-Based Li-Ion Supercabattery by Controlled Mass Ratio and Charge Injection. Journal of the Electrochemical Society, 2016, 163, A2618-A2622.	1.3	10
30	Design and characterization of 2D MXene-based electrode with high-rate capability. MRS Bulletin, 2021, 46, 755-766.	1.7	9
31	Boosting Properties of 3D Binder-Free Manganese Oxide Anodes by Preformation of a Solid Electrolyte Interphase. ChemSusChem, 2015, 8, 1368-1380.	3.6	7
32	Microscopic Insight to Nonlinear Voltage Dependence of Charge in Carbon-Ionic Liquid Supercapacitors. Energy Material Advances, 2021, 2021, .	4.7	7
33	Water dynamics in pristine and porous $\text{Ti}_3\text{C}_2\text{T}_x$ MXene as probed by quasielastic neutron scattering. Physical Review Materials, 2022, 6, .	0.9	1
34	First-principles Study on the Properties of Point Defects in Hcp-Dy. , 2015, , .		0
35	Ion Intercalation Process in MXene Pseudocapacitors With Aqueous and Non-Aqueous Electrolytes. , 2022, , .		0