

Olaf Gefeller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6695370/olaf-gefeller-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

269
papers

10,492
citations

51
h-index

95
g-index

311
ext. papers

11,773
ext. citations

3.6
avg, IF

5.84
L-index

#	Paper	IF	Citations
269	The Role of the Global Solar UV Index for Sun Protection of Children in German Kindergartens.. <i>Children</i> , 2022 , 9,	2.8	1
268	Tanning Bed Legislation for Minors: A Comprehensive International Comparison. <i>Children</i> , 2022 , 9, 768	2.8	0
267	Spectrum Bias and Individual Strengths of SARS-CoV-2 Serological Tests-A Population-Based Evaluation. <i>Diagnostics</i> , 2021 , 11,	3.8	1
266	Estimates and Determinants of SARS-Cov-2 Seroprevalence and Infection Fatality Ratio Using Latent Class Analysis: The Population-Based Tirschenreuth Study in the Hardest-Hit German County in Spring 2020. <i>Viruses</i> , 2021 , 13,	6.2	6
265	Sun Protection and Sunburn in Children Aged 1-10 Years in Germany: Prevalence and Determinants. <i>Children</i> , 2021 , 8,	2.8	3
264	"I've Heard of It, Yes, but I Can't Remember What Exactly It Was"-A Qualitative Study on Awareness, Knowledge, and Use of the UV Index. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
263	Quality of Information for Skin Cancer Prevention: A Quantitative Evaluation of Internet Offerings. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	1
262	Randomized phase-III-trial of concurrent chemoradiation for locally advanced head and neck cancer comparing dose reduced radiotherapy with paclitaxel/cisplatin to standard radiotherapy with fluorouracil/cisplatin: The PacCis-trial. <i>Radiotherapy and Oncology</i> , 2020 , 144, 209-217	5.3	11
261	Trends and current spectrum of contact allergy in Central Europe: results of the Information Network of Departments of Dermatology (IVDK) 2007-2018. <i>British Journal of Dermatology</i> , 2020 , 183, 857-865	4	21
260	In-hospital mortality and failure to rescue following hepatobiliary surgery in Germany - a nationwide analysis. <i>BMC Surgery</i> , 2020 , 20, 171	2.3	2
259	Risk Prediction Models for Melanoma: A Systematic Review on the Heterogeneity in Model Development and Validation. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
258	Effects of a Texture-Modified, Enriched, and Reshaped Diet on Dietary Intake and Body Weight of Nursing Home Residents with Chewing and/or Swallowing Problems: An Study. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2019 , 38, 361-376	2.1	12
257	Public Health Messages Associated with Low UV Index Values Need Reconsideration. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	14
256	Erythematous UV Radiation on Days with Low UV Index Values-an Analysis of Data from the German Solar UV Monitoring Network over a Ten-year Period. <i>Photochemistry and Photobiology</i> , 2019 , 95, 1076-1082	3.6	8
255	The extent of public awareness, understanding and use of the Global Solar UV index as a worldwide health promotion instrument to improve sun protection: protocol for a systematic review. <i>BMJ Open</i> , 2019 , 9, e028092	3	3
254	Public Health Messages Associated with the Low Exposure Category of the UV Index Need Reconsideration. <i>Proceedings (mdpi)</i> , 2019 , 6, 6	0.3	2
253	Soluble intercellular adhesion molecule-1 is a prognostic marker in colorectal carcinoma. <i>International Journal of Colorectal Disease</i> , 2019 , 34, 309-317	3	8

252	The Garment Protection Factor: further advances in labelling sun-protective clothing. <i>British Journal of Dermatology</i> , 2018 , 178, 835-836	4	4
251	Pilot Assessment of the Angiosome Concept by Intra-operative Fluorescence Angiography After Tibial Bypass Surgery. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018 , 55, 215-221	2.3	13
250	The betaboost package-a software tool for modelling bounded outcome variables in potentially high-dimensional epidemiological data. <i>International Journal of Epidemiology</i> , 2018 , 47, 1383-1388	7.8	4
249	Shedding Light on the Shade: How Nurseries Protect Their Children from Ultraviolet Radiation. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
248	A permutation test to analyse systematic bias and random measurement errors of medical devices via boosting location and scale models. <i>Statistical Methods in Medical Research</i> , 2017 , 26, 1443-1460	2.3	11
247	Positive reactions to pairs of allergens associated with polysensitization: analysis of IVDK data with machine-learning techniques. <i>Contact Dermatitis</i> , 2017 , 76, 247-251	2.7	6
246	Reply to: Seasonality of birth for skin melanoma deserves further investigation. <i>International Journal of Epidemiology</i> , 2017 , 46, 765-766	7.8	1
245	An Update on Statistical Boosting in Biomedicine. <i>Computational and Mathematical Methods in Medicine</i> , 2017 , 2017, 6083072	2.8	13
244	Back on Track. <i>Methods of Information in Medicine</i> , 2017 , 56, 274-275	1.5	1
243	Randomised phase-III-trial of concurrent chemoradiation (CRT) for locally advanced head and neck cancer (stage III-IVB): Comparing dose reduced radiotherapy (63,6 Gy) with paclitaxel/cisplatin to standard radiotherapy (70,6 Gy) with fluorouracil/cisplatinum.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 6016-6016	2.2	3
242	Association between month of birth and melanoma risk: fact or fiction?. <i>International Journal of Epidemiology</i> , 2017 , 46, 686-693	7.8	4
241	Implications of Low Levels of the UV Index for Sun Protection. <i>Studies in Health Technology and Informatics</i> , 2017 , 243, 25-29	0.5	4
240	On Incentives for Open Access Publishing: A Survey at IMIA's Annual General Assembly During HEC2016. <i>Studies in Health Technology and Informatics</i> , 2017 , 245, 901-904	0.5	2
239	Ensemble Pruning for Glaucoma Detection in an Unbalanced Data Set. <i>Methods of Information in Medicine</i> , 2016 , 55, 557-563	1.5	2
238	Approaches to Regularized Regression - A Comparison between Gradient Boosting and the Lasso. <i>Methods of Information in Medicine</i> , 2016 , 55, 422-430	1.5	59
237	Exploring Possibilities for Transforming Established Subscription-based Scientific Journals into Open Access Journals. Present Situation, Transformation Criteria, and Exemplary Implementation within Trans-O-MIM. <i>Methods of Information in Medicine</i> , 2016 , 55, 481-487	1.5	4
236	Protection from Ultraviolet Radiation during Childhood: The Parental Perspective in Bavaria. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	12
235	Does a short patch test training course have an impact?. <i>Contact Dermatitis</i> , 2016 , 74, 317-9	2.7	4

234	Seasonal variation in diagnosis of invasive cutaneous melanoma. <i>Cancer Epidemiology</i> , 2016 , 40, 196-7	2.8	1
233	Long-term development of parental knowledge about skin cancer risks in Germany: Has it changed for the better?. <i>Preventive Medicine</i> , 2016 , 89, 31-36	4.3	8
232	Monitoring of naevus density at age 6: Is it both feasible and meaningful?. <i>International Journal of Hygiene and Environmental Health</i> , 2016 , 219, 118-22	6.9	
231	The Effect of Exposure to Ultraviolet Radiation in Infancy on Melanoma Risk. <i>Studies in Health Technology and Informatics</i> , 2016 , 228, 788-92	0.5	1
230	443 paediatric cases of malignant melanoma registered with the German Central Malignant Melanoma Registry between 1983 and 2011. <i>European Journal of Cancer</i> , 2015 , 51, 861-8	7.5	37
229	Malnutrition According to Mini Nutritional Assessment Is Associated With Severe Functional Impairment in Geriatric Patients Before and up to 6 Months After Hip Fracture. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 661-7	5.9	72
228	Disease burden and risk profile in referred patients with moderate chronic kidney disease: composition of the German Chronic Kidney Disease (GCKD) cohort. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 441-51	4.3	93
227	Computer-based auditory phoneme discrimination training improves speech recognition in noise in experienced adult cochlear implant listeners. <i>International Journal of Audiology</i> , 2015 , 54, 190-8	2.6	19
226	Prevalence and correlates of gout in a large cohort of patients with chronic kidney disease: the German Chronic Kidney Disease (GCKD) study. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 613-21	4.3	55
225	Low postoperative dietary intake is associated with worse functional course in geriatric patients up to 6 months after hip fracture. <i>British Journal of Nutrition</i> , 2015 , 113, 1940-50	3.6	22
224	Good, but Not Perfect: Parental Knowledge About Risk Factors for Skin Cancer and the Necessity of Sun Protection in Southern Germany. <i>Pediatric Dermatology</i> , 2015 , 32, e159-60	1.9	12
223	Characteristics of patients patch tested in the European Surveillance System on Contact Allergies (ESSCA) network, 2009-2012. <i>Contact Dermatitis</i> , 2015 , 73, 82-90	2.7	29
222	Replacing surrogate measures by direct quantification of ultraviolet radiation exposure in registry-based analyses of seasonality of melanoma diagnoses. <i>Melanoma Research</i> , 2015 , 25, 543-9	3.3	4
221	Contact sensitization to fragrance mix I and II, to Myroxylon pereirae resin and oil of turpentine: multifactorial analysis of risk factors based on data of the IVDK network. <i>Flavour and Fragrance Journal</i> , 2015 , 30, 255-263	2.5	13
220	The Angiosome Concept Evaluated on the Basis of Microperfusion in Critical Limb Ischemia Patients-an Oxygen to See Guided Study. <i>Microcirculation</i> , 2015 , 22, 737-43	2.9	15
219	Memorandum "Open Metadata". Open Access to Documentation Forms and Item Catalogs in Healthcare. <i>Methods of Information in Medicine</i> , 2015 , 54, 376-8	1.5	15
218	Contact allergy to ingredients of hair cosmetics - a comparison of female hairdressers and clients based on IVDK 2007-2012 data. <i>Contact Dermatitis</i> , 2014 , 71, 13-20	2.7	46
217	The evolution of boosting algorithms. From machine learning to statistical modelling. <i>Methods of Information in Medicine</i> , 2014 , 53, 419-27	1.5	128

216	Extending statistical boosting. An overview of recent methodological developments. <i>Methods of Information in Medicine</i> , 2014 , 53, 428-35	1.5	31
215	The impact of parental knowledge and tanning attitudes on sun protection practice for young children in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 4768-81	4.6	22
214	Contact sensitization to cobalt--multifactorial analysis of risk factors based on long-term data of the Information Network of Departments of Dermatology. <i>Contact Dermatitis</i> , 2014 , 71, 326-37	2.7	31
213	Accuracy and reliability of naevus self-counts. <i>Melanoma Research</i> , 2014 , 24, 611-6	3.3	5
212	Assessing skin pigmentation in epidemiological studies: the reliability of measurements under different conditions. <i>Skin Research and Technology</i> , 2013 , 19, 100-6	1.9	6
211	Seasonality of cutaneous melanoma diagnoses: a comprehensive comparison of results in Bavaria and Northern Ireland. <i>Melanoma Research</i> , 2013 , 23, 321-30	3.3	7
210	Risk factors of polysensitization to contact allergens. <i>British Journal of Dermatology</i> , 2013 , 169, 611-7	4	19
209	What can be learnt from nothing? - A statistical perspective. <i>Contact Dermatitis</i> , 2013 , 69, 350-4	2.7	29
208	Risk factors associated with sensitization to hydroxyisohexyl 3-cyclohexene carboxaldehyde. <i>Contact Dermatitis</i> , 2013 , 69, 72-7	2.7	8
207	The German version of the Material Values Scale. <i>Gms Psycho-social-medicine</i> , 2013 , 10, Doc05		6
206	Validation of the German Version of the Exercise Dependence Scale. <i>European Journal of Psychological Assessment</i> , 2013 , 29, 213-219	2.2	19
205	Methylchloroisothiazolinone/methylisothiazolinone contact sensitization: diverging trends in subgroups of IVDK patients in a period of 19 years. <i>Contact Dermatitis</i> , 2012 , 67, 125-9	2.7	32
204	Web-based data collection yielded an additional response bias--but had no direct effect on outcome scales. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 970-7	5.7	30
203	INTERBED: internet-based guided self-help for overweight and obese patients with full or subsyndromal binge eating disorder. A multicenter randomized controlled trial. <i>Trials</i> , 2012 , 13, 220	2.8	29
202	Common variants of the genes encoding erythropoietin and its receptor modulate cognitive performance in schizophrenia. <i>Molecular Medicine</i> , 2012 , 18, 1029-40	6.2	25
201	Boosting into a New Terminological Era. <i>Methods of Information in Medicine</i> , 2012 , 51, 150-151	1.5	2
200	A comparison of patterns of sun protection during beach holidays and everyday outdoor activities in a population sample of young German children. <i>British Journal of Dermatology</i> , 2012 , 166, 803-10	4	20
199	The German Chronic Kidney Disease (GCKD) study: design and methods. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1454-60	4.3	89

198	The birth and evolution of a discipline devoted to information in biomedicine and health care. As reflected in its longest running journal. <i>Methods of Information in Medicine</i> , 2011 , 50, 491-507	1.5	17
197	A robust alternative to the schemper-henderson estimator of prediction error. <i>Biometrics</i> , 2011 , 67, 524-38		14
196	Parental perspective on sun protection for young children in Bavaria. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2011 , 27, 196-202	2.4	15
195	EPO treatment preserves gray matter in discrete brain regions of chronic schizophrenic patients: indication of areas with most progressive neurodegeneration inherent to the disease process. <i>Molecular Psychiatry</i> , 2011 , 16, 1-1	15.1	14
194	Recombinant human erythropoietin delays loss of gray matter in chronic schizophrenia. <i>Molecular Psychiatry</i> , 2011 , 16, 26-36, 1	15.1	61
193	Anxiety and depression in bariatric surgery patients: a prospective, follow-up study using structured clinical interviews. <i>Journal of Affective Disorders</i> , 2011 , 133, 61-8	6.6	248
192	Malignant melanoma of the skin: long-term follow-up and time to first recurrence. <i>World Journal of Surgery</i> , 2011 , 35, 580-9	3.3	24
191	Prediction of the risk of comorbid alcoholism in schizophrenia by interaction of common genetic variants in the corticotropin-releasing factor system. <i>Archives of General Psychiatry</i> , 2011 , 68, 1247-56		28
190	Estimated prevalence of compulsive buying in Germany and its association with sociodemographic characteristics and depressive symptoms. <i>Psychiatry Research</i> , 2010 , 180, 137-42	9.9	168
189	Contact allergy to thiurams: multifactorial analysis of clinical surveillance data collected by the IVDK network. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 675-81	3.2	39
188	Point and interval estimation of partial attributable risks from case-control data using the R-package 'pARccs'. <i>Computer Methods and Programs in Biomedicine</i> , 2009 , 94, 88-95	6.9	10
187	SURVSOFIT-Software for nonparametric survival analysis. <i>Computer Methods and Programs in Biomedicine</i> , 2009 , 96, 63-71	6.9	12
186	Assessment of multiple ordinal endpoints. <i>Biometrical Journal</i> , 2009 , 51, 217-26	1.5	9
185	Outdoor work and skin cancer incidence: a registry-based study in Bavaria. <i>International Archives of Occupational and Environmental Health</i> , 2009 , 82, 357-63	3.2	69
184	The importance of context information in the diagnostic rating of digital images of patch test reactions. <i>British Journal of Dermatology</i> , 2009 , 161, 554-9	4	8
183	Are we biased when reading a doubtful patch test reaction to a 'clear-cut' allergen such as the thiuram mix?. <i>Contact Dermatitis</i> , 2009 , 60, 234-5	2.7	10
182	Invited commentary: Recall bias in melanoma -- much ado about almost nothing?. <i>American Journal of Epidemiology</i> , 2009 , 169, 267-70; discussion 271-2	3.8	14
181	Weight loss maintenance in a population-based sample of German adults. <i>Obesity</i> , 2008 , 16, 2535-40	8	26

180	The impact of meteorological conditions on patch test results with 12 standard series allergens (fragrances, biocides, topical ingredients). <i>British Journal of Dermatology</i> , 2008 , 158, 734-9	4	33
179	Patch test results with metals and meteorological conditions. <i>International Archives of Allergy and Immunology</i> , 2008 , 147, 235-40	3.7	9
178	Response to Letter Regarding Article, Randomized Trial of Acupuncture to Lower Blood Pressure. <i>Circulation</i> , 2008 , 117,	16.7	1
177	Errors in assessing risk factors for melanoma: lack of reproducibility is the minor problem. <i>Melanoma Research</i> , 2008 , 18, 300-1	3.3	7
176	Flexible modeling of malignant melanoma survival. <i>Methods of Information in Medicine</i> , 2008 , 47, 47-55	1.5	1
175	Cyclosporin A is superior to cyclophosphamide in children with steroid-resistant nephrotic syndrome—a randomized controlled multicentre trial by the Arbeitsgemeinschaft für Pädiatrische Nephrologie. <i>Pediatric Nephrology</i> , 2008 , 23, 1483-93	3.2	77
174	Changes of the patch test population (MOAHLFA index) in long-term participants of the Information Network of Departments of Dermatology, 1999-2006. <i>Contact Dermatitis</i> , 2008 , 59, 56-7	2.7	25
173	Double-smoothing in Kernel Hazard Rate Estimation. <i>Methods of Information in Medicine</i> , 2008 , 47, 167-173	1.5	5
172	Meteorological conditions and the diagnosis of occupationally related contact sensitizations. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008 , 34, 316-21	4.3	8
171	Double-smoothing in kernel hazard rate estimation. <i>Methods of Information in Medicine</i> , 2008 , 47, 167-73	1.5	5
170	The validity of rating patch test reactions based on digital images. <i>Contact Dermatitis</i> , 2007 , 57, 337-42	2.7	20
169	The relation between patterns of vacation sun exposure and the development of acquired melanocytic nevi in German children 6-7 years of age. <i>American Journal of Epidemiology</i> , 2007 , 165, 1162-39	3.8	30
168	Randomized trial of acupuncture to lower blood pressure. <i>Circulation</i> , 2007 , 115, 3121-9	16.7	149
167	Generalized approaches to partitioning the attributable risk of interacting risk factors can remedy existing pitfalls. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 461-8	5.7	11
166	Comparison of confidence intervals for adjusted attributable risk estimates under multinomial sampling. <i>Biometrical Journal</i> , 2006 , 48, 805-19	1.5	14
165	Re: "Applying recursive partitioning to a prospective study of factors associated with adherence to mammography screening guidelines". <i>American Journal of Epidemiology</i> , 2006 , 164, 400-1; author reply 401-2	3.8	2
164	Biological monitoring of welders exposed to aluminium. <i>Toxicology Letters</i> , 2006 , 162, 239-45	4.4	26
163	Association between Split Selection Instability and Predictive Error in Survival Trees. <i>Methods of Information in Medicine</i> , 2006 , 45, 548-556	1.5	10

162	Onset of action of levetiracetam: a RCT trial using therapeutic intensive seizure analysis (TISA). <i>Epilepsia</i> , 2006 , 47, 516-22	6.4	25
161	Both mercaptobenzothiazole and mercapto mix should be part of the standard series. <i>Contact Dermatitis</i> , 2006 , 55, 314-6; author reply 316	2.7	14
160	The attributable risk in a multifactorial situation--evaluation of different methods of partitioning. <i>Methods of Information in Medicine</i> , 2006 , 45, 404-8	1.5	1
159	Association between split selection instability and predictive error in survival trees. <i>Methods of Information in Medicine</i> , 2006 , 45, 548-56	1.5	1
158	Prior immunisation of patients with malignant melanoma with vaccinia or BCG is associated with better survival. An European Organization for Research and Treatment of Cancer cohort study on 542 patients. <i>European Journal of Cancer</i> , 2005 , 41, 118-25	7.5	73
157	The effects of joint misclassification of exposure and disease on the attributable risk. <i>Statistics in Medicine</i> , 2005 , 24, 1881-96	2.3	13
156	A Computer Program to Estimate Power and Relative Efficiency of Flexibly Matched Case-control Studies. <i>Methods of Information in Medicine</i> , 2005 , 44, 693-696	1.5	1
155	Efficiency of a minicourse in radiation reducing techniques: a pilot initiative to encourage less irradiating cardiological interventional techniques (ELICIT). <i>Heart</i> , 2005 , 91, 1221-2	5.1	8
154	Quantitative Assessment of the Responsibility for the Disease Load in a Population 2005 , 109-117		
153	A computer program to estimate power and relative efficiency of flexibly matched case-control studies. <i>Methods of Information in Medicine</i> , 2005 , 44, 693-6	1.5	
152	Contact allergy in construction workers: results of a multifactorial analysis. <i>Annals of Occupational Hygiene</i> , 2004 , 48, 21-7		55
151	Inter-relation between variables determining constitutional UV sensitivity in Caucasian children. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2004 , 20, 9-13	2.4	10
150	Population attributable fraction estimates of familial risk in cutaneous melanoma. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 853-4	4.3	
149	Induction of the photoaging-associated mitochondrial common deletion in vivo in normal human skin. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 1277-83	4.3	146
148	Reproducibility of patch tests. <i>Contact Dermatitis</i> , 2004 , 51, 43-4; author reply 45-46	2.7	7
147	Guidelines for the descriptive presentation and statistical analysis of contact allergy data. <i>Contact Dermatitis</i> , 2004 , 51, 47-56	2.7	163
146	A computer program to estimate power and relative efficiency to assess multiplicative interactions in flexibly matched case-control studies. <i>Computer Methods and Programs in Biomedicine</i> , 2004 , 74, 261-5	6.9	2
145	Period analysis for 'up-to-date' cancer survival data: theory, empirical evaluation, computational realisation and applications. <i>European Journal of Cancer</i> , 2004 , 40, 326-35	7.5	224

144	Modification of SAS macros for a more efficient analysis of relative survival rates. <i>European Journal of Cancer</i> , 2004 , 40, 778-9	7.5	18
143	An alternative approach to age adjustment of cancer survival rates. <i>European Journal of Cancer</i> , 2004 , 40, 2317-22	7.5	60
142	Monitoring of nevus density in children as a method to detect shifts in melanoma risk in the population. <i>Preventive Medicine</i> , 2004 , 38, 382-7	4.3	20
141	Lung function among workers in the soft tissue paper-producing industry. <i>Chest</i> , 2004 , 125, 731-6	5.3	17
140	Assoziation zwischen Beruf und Kontaktsensibilisierung gegen den Duftstoff-Mix - Eine multifaktorielle Analyse von Daten des Informationsverbundes Dermatologischer Kliniken (IVDK). <i>Aktuelle Dermatologie</i> , 2003 , 29, 169-175	0.1	1
139	Short communication: time of day influences patient radiation exposure from percutaneous cardiac interventions. <i>British Journal of Radiology</i> , 2003 , 76, 189-91	3.4	16
138	Standardization of occupational dose to patient DAP enables reliable assessment of radiation-protection devices in invasive cardiology. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2003 , 175, 1545-50	2.3	16
137	Predialing the number of cinegraphic frames enables an effective patient dose due to coronary angiography of 0.8 mSv. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2003 , 175, 1706-10	2.3	10
136	Diagnosis of Glaucoma by Indirect Classifiers. <i>Methods of Information in Medicine</i> , 2003 , 42, 99-103	1.5	5
135	Longitudinal study examining the neurotoxicity of occupational exposure to aluminium-containing welding fumes. <i>International Archives of Occupational and Environmental Health</i> , 2003 , 76, 539-48	3.2	39
134	Predicting mortality in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1530-42		203
133	Risk factors for contact allergy to nickel - results of a multifactorial analysis. <i>Contact Dermatitis</i> , 2003 , 48, 33-8	2.7	59
132	The association between ambient air conditions (temperature and absolute humidity), irritant sodium lauryl sulfate patch test reactions and patch test reactivity to standard allergens. <i>Contact Dermatitis</i> , 2003 , 49, 97-102	2.7	26
131	Impact of vaccinations and infectious diseases on the risk of melanoma--evaluation of an EORTC case-control study. <i>European Journal of Cancer</i> , 2003 , 39, 2372-8	7.5	70
130	The Effects of Simultaneous Misclassification on the Attributable Risk. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 2003 , 392-400	0.2	
129	Automated Classification of Optic Nerve Head Topography Images for Glaucoma Screening. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 2003 , 346-356	0.2	
128	Diagnosis of glaucoma by indirect classifiers. <i>Methods of Information in Medicine</i> , 2003 , 42, 99-103	1.5	
127	Implications of Nondifferential Misclassification on Estimates of Attributable Risk. <i>Methods of Information in Medicine</i> , 2002 , 41, 342-348	1.5	6

126	Erythropoietin Therapy for Acute Stroke Is Both Safe and Beneficial. <i>Molecular Medicine</i> , 2002 , 8, 495-506.2	8.4	1
125	Vaccination and melanoma risk. <i>International Journal of Cancer</i> , 2002 , 102, 96-7	7.5	5
124	Patch tests with thiurams at 0.25% pet. and 1% pet. are of equal diagnostic value. <i>Contact Dermatitis</i> , 2002 , 46, 258-61	2.7	5
123	Epidemiology of contact allergy: an estimation of morbidity employing the clinical epidemiology and drug-utilization research (CE-DUR) approach. <i>Contact Dermatitis</i> , 2002 , 47, 32-9	2.7	135
122	Sunscreen use and melanoma: a case of evidence-based prevention?. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2002 , 18, 153-6; discussion 156	2.4	12
121	Inverse association between melanoma and previous vaccinations against tuberculosis and smallpox: results of the FEBIM study. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 570-5	4.3	64
120	Respiratory symptoms and diseases among workers in the soft tissue producing industry. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 830-5	2.1	16
119	The need for expanding and re-focusing of statistical approaches in diagnostic research. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 338-9	5.1	2
118	A computer program for period analysis of cancer patient survival. <i>European Journal of Cancer</i> , 2002 , 38, 690-5	7.5	89
117	Erythropoietin therapy for acute stroke is both safe and beneficial. <i>Molecular Medicine</i> , 2002 , 8, 495-505.6.2	25.0	
116	Impact of repetitive manual materials handling and psychosocial work factors on the future prevalence of chronic low-back pain among construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002 , 28, 314-23	4.3	44
115	Effects of Independent Non-differential Misclassification on the Attributable Risk. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 2002 , 515-522	0.2	
114	The Classification of Critical Periods for Melanoma Development due to UV-Radiation. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 2002 , 499-505	0.2	
113	Computational realization of period analysis for monitoring cancer patient survival. <i>Epidemiology</i> , 2002 , 13, 611-2	3.1	19
112	Implications of nondifferential misclassification on estimates of attributable risk. <i>Methods of Information in Medicine</i> , 2002 , 41, 342-8	1.5	2
111	Atopic signs and symptoms: assessing the 'atopy score' concept. <i>Dermatology</i> , 2001 , 202, 4-8	4.4	24
110	Timing of excessive ultraviolet radiation and melanoma: epidemiology does not support the existence of a critical period of high susceptibility to solar ultraviolet radiation- induced melanoma. <i>British Journal of Dermatology</i> , 2001 , 144, 471-5	4	104
109	Limited concordance between "oakmoss" and colophony in clinical patch testing. <i>Journal of Investigative Dermatology</i> , 2001 , 116, 478-80	4.3	4

108	Another look at seasonal variation in patch test results. A multifactorial analysis of surveillance data of the IVDK. Information Network of Departments of Dermatology. <i>Contact Dermatitis</i> , 2001 , 44, 146-52	2.7	29
107	A Multifactorial Variant of the Attributable Risk for Groups of Exposure Variables. <i>Biometrical Journal</i> , 2001 , 43, 461-481	1.5	7
106	Partitioning methods for multifactorial risk attribution. <i>Statistical Methods in Medical Research</i> , 2001 , 10, 217-30	2.3	36
105	Native tissue second harmonic imaging improves endocardial and epicardial border definition in dobutamine stress echocardiography. <i>European Journal of Echocardiography</i> , 2001 , 2, 52-61		17
104	Differential expression of the lung resistance-related protein/major vault protein in the histological compartments of nephroblastomas. <i>International Journal of Oncology</i> , 2001 , 19, 163-8	1	5
103	Differential expression of the multidrug resistance-related protein MRP1 in the histological compartments of nephroblastomas. <i>International Journal of Oncology</i> , 2001 , 19, 367-71	1	4
102	Re: "assessing the impact of classical risk factors on myocardial infarction by rate advancement periods". <i>American Journal of Epidemiology</i> , 2001 , 154, 486-8	3.8	2
101	Association between occupation and contact allergy to the fragrance mix: a multifactorial analysis of national surveillance data. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 392-8	2.1	68
100	Epidemiology of ischemic stroke subtypes according to TOAST criteria: incidence, recurrence, and long-term survival in ischemic stroke subtypes: a population-based study. <i>Stroke</i> , 2001 , 32, 2735-40	6.7	924
99	Partitioning methods for multifactorial risk attribution. <i>Statistical Methods in Medical Research</i> , 2001 , 10, 217-230	2.3	20
98	More Up-To-Date Monitoring of Long-Term Survival Rates by Cancer Registries: An Empirical Example. <i>Methods of Information in Medicine</i> , 2001 , 40, 248-252	1.5	8
97	Reporting of attributable risk in epidemiologic studies. <i>Epidemiology</i> , 2001 , 12, 474-5	3.1	2
96	More up-to-date monitoring of long-term survival rates by cancer registries: an empirical example. <i>Methods of Information in Medicine</i> , 2001 , 40, 248-52	1.5	
95	Differential expression of the heat shock protein 70 in the histological compartments of nephroblastomas. <i>Anticancer Research</i> , 2001 , 21, 2915-20	2.3	6
94	Surfactant treatment of neonates with respiratory failure and group B streptococcal infection. Members of the Collaborative European Multicenter Study Group. <i>Pediatrics</i> , 2000 , 106, 957-64; discussion 1135	7.4	110
93	Current clinical diagnosis in Creutzfeldt-Jakob disease: Identification of uncommon variants. <i>Annals of Neurology</i> , 2000 , 48, 323-329	9.4	107
92	Positive nickel patch tests do not intensify positive reactions to adjacent patch tests with dichromate. Results from a double-blind multicentre study of the German Contact Dermatitis Research Group (Deutsche Kontaktallergie-Gruppe, DKG). <i>Contact Dermatitis</i> , 2000 , 43, 144-9	2.7	9
91	Re: "Attributable risk in practice". <i>American Journal of Epidemiology</i> , 2000 , 151, 208-12	3.8	19

90	Patch testing with methyl dibromoglutaronitrile. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , 2000 , 11, 207-12		29
89	A Bridge from the Nearest Neighbour to the Fixed Bandwidth in Nonparametric Functional Estimation. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 2000 , 119-126	0.2	
88	A Generalized Estimating Equations Approach to Quantifying the Influence of Meteorological Conditions on Hand Dermatitis. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 2000 , 396-403	0.2	
87	Current clinical diagnosis in Creutzfeldt-Jakob disease: Identification of uncommon variants 2000 , 48, 323		1
86	A Multiplicative Variant of the Shapley Value for Factorizing the Risk of Disease. <i>Theory and Decision Library Series C, Game Theory, Mathematical Programming and Operations Research</i> , 2000 , 143-158		6
85	Current clinical diagnosis in Creutzfeldt-Jakob disease: identification of uncommon variants. <i>Annals of Neurology</i> , 2000 , 48, 323-9	9.4	36
84	Hazard Rate Estimation from Censored Data. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1999 , 155-162	0.2	
83	Kinetics of serum neuron-specific enolase and prolactin in patients after single epileptic seizures. <i>Epilepsia</i> , 1999 , 40, 713-8	6.4	38
82	The association between size of test chamber and patch test reaction: a statistical reanalysis. <i>Contact Dermatitis</i> , 1999 , 40, 14-8	2.7	20
81	Patch test reactions at D4, D5 and D6. <i>Contact Dermatitis</i> , 1999 , 40, 119-26	2.7	53
80	Hand dermatitis in a prospectively-followed cohort of hairdressing apprentices: final results of the POSH study. Prevention of occupational skin disease in hairdressers. <i>Contact Dermatitis</i> , 1999 , 41, 280-6	2.7	119
79	The effect of stress on the onset and progression of Creutzfeldt-Jakob disease: results of a German pilot case-control study. <i>European Journal of Epidemiology</i> , 1999 , 15, 631-5	12.1	8
78	Infections and melanoma risk. <i>Melanoma Research</i> , 1999 , 9, 511-520	3.3	55
77	Risk of hand dermatitis among hairdressers versus office workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1999 , 25, 450-6	4.3	29
76	Attributing Shares of Risk to Grouped or Hierarchically Ordered Factors. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1999 , 572-579	0.2	
75	Infections and melanoma risk: results of a multicentre EORTC case-control study. European Organization for Research and Treatment of Cancer. <i>Melanoma Research</i> , 1999 , 9, 511-9	3.3	22
74	An empirical investigation on matching in published case-control studies. <i>European Journal of Epidemiology</i> , 1998 , 14, 321-5	12.1	9
73	Detection of 14-3-3 protein in the cerebrospinal fluid supports the diagnosis of Creutzfeldt-Jakob disease. <i>Annals of Neurology</i> , 1998 , 43, 32-40	9.4	394

72	Authors' reply: Variation of sensitivity, specificity, likelihood ratios and predictive values with disease prevalence by H. Brenner and O. Gefeller, <i>Statistics in Medicine</i> , 16, 981-991 (1997). <i>Statistics in Medicine</i> , 1998 , 17, 947-948	2.3	
71	Prevalence and incidence of hand dermatitis in hairdressing apprentices: results of the POSH study. Prevention of occupational skin disease in hairdressers. <i>International Archives of Occupational and Environmental Health</i> , 1998 , 71, 487-92	3.2	61
70	Cutaneous malignant melanoma in women and the role of oral contraceptives. <i>British Journal of Dermatology</i> , 1998 , 138, 122-4	4	46
69	An epidemiological study of the influence of season (cold and dry air) on the occurrence of irritant skin changes of the hands. <i>British Journal of Dermatology</i> , 1998 , 138, 266-72	4	109
68	Averaging attributable fractions in the multifactorial situation: assumptions and interpretation. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 437-41	5.7	37
67	GEFELLER AND BRENNER REPLY. <i>American Journal of Epidemiology</i> , 1998 , 148, 621-621	3.8	1
66	Diagnosis of Creutzfeldt-Jakob disease by measurement of S100 protein in serum: prospective case-control study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 577-82		75
65	A Multiplicative Approach to Partitioning the Risk of Disease. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1998 , 73-80	0.2	3
64	Hand eczema in a prospectively-followed cohort of office-workers. <i>Contact Dermatitis</i> , 1998 , 38, 83-9	2.7	28
63	Public awareness of malignant melanoma risk factors in Germany. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 698-700	5.1	20
62	Deriving more up-to-date estimates of long-term patient survival. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 211-6	5.7	104
61	Endocrine and Hemodynamic Effects of Stress Versus Systemic CRF in Alcoholics during Early and Medium Term Abstinence. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 1285-1293	3.7	138
60	Melanoma risk and residence in sunny areas. EORTC Melanoma Co-operative Group. European Organization for Research and Treatment of Cancer. <i>British Journal of Cancer</i> , 1997 , 76, 1521-4	8.7	49
59	Sustained elevation of vasopressin plasma levels in healthy young men, but not in abstinent alcoholics, upon expectation of novelty. <i>Psychoneuroendocrinology</i> , 1997 , 22, 13-24	5	16
58	Zur Auswahl von Kontrollpersonen in Fall-Kontroll-Studien. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 1997 , 5, 32-41	1.4	
57	S-100 protein concentration in the cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Journal of Neurology</i> , 1997 , 244, 566-70	5.5	99
56	A Game-Theoretic Approach to Partitioning Attributable Risks in Epidemiology. <i>Biometrical Journal</i> , 1997 , 39, 777-792	1.5	26
55	Variation of sensitivity, specificity, likelihood ratios and predictive values with disease prevalence. <i>Statistics in Medicine</i> , 1997 , 16, 981-91	2.3	364

54	Conceptual aspects of attributable risk with recurrent disease events. <i>Statistics in Medicine</i> , 1997 , 16, 1107-20	2.3	9
53	Statistical Methods to Estimate the Impact of Risk Factors on the Disease Load in a Population. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1997 , 441-448	0.2	1
52	Variations on the Shapley Solution for Partitioning Risks in Epidemiology. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1997 , 458-466	0.2	3
51	Sunscreens in Melanoma Protection - Pros and Cons 1997 , 343-356		1
50	Meta-analysis of the Role of Oral Contraceptives in the Development of Malignant Melanoma Based on Published Case-Control Studies Revealed no Evidence for an Association 1997 , 547-551		
49	The Knowledge about Melanoma Risk Factors in the Public: Has it Changed for the Better? 1997 , 915-919		
48	VARIATION OF SENSITIVITY, SPECIFICITY, LIKELIHOOD RATIOS AND PREDICTIVE VALUES WITH DISEASE PREVALENCE 1997 , 16, 981		2
47	Critical levels of spinal cord blood flow and duration of ischemia for the acute recovery of segmental spinal cord responses in cats. <i>Journal of Spinal Disorders</i> , 1997 , 10, 288-95		8
46	Endocrine and hemodynamic effects of stress versus systemic CRF in alcoholics during early and medium term abstinence. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 1285-93	3.7	40
45	Systematic review of case-control studies: oral contraceptives show no effect on melanoma risk. <i>Public Health Reviews</i> , 1997 , 25, 309-15	4.3	26
44	Re: "Reliability of reported sunburn history in a case-control study of cutaneous malignant melanoma". <i>American Journal of Epidemiology</i> , 1996 , 144, 707-8	3.8	5
43	Diagnosis of Creutzfeldt-Jakob disease by two-dimensional gel electrophoresis of cerebrospinal fluid. <i>Lancet, The</i> , 1996 , 348, 846-9	4.0	87
42	How to decrease morbidity and mortality of skin cancer: primary prevention of skin cancer/screening of skin cancer. <i>European Journal of Cancer Prevention</i> , 1996 , 5, 297-299	2	4
41	A novelty-related sustained elevation of vasopressin plasma levels in young men is not associated with an enhanced response of adrenocorticotrophic hormone (ACTH) to human corticotropin releasing factor (hCRF). <i>Research in Experimental Medicine</i> , 1996 , 196, 291-9		1
40	An alternative approach to monitoring cancer patient survival. <i>Cancer</i> , 1996 , 78, 2004-2010	6.4	258
39	Induction of heat shock protein 70 genes in human lymphocytes during fever therapy. <i>European Journal of Clinical Investigation</i> , 1996 , 26, 499-505	4.6	7
38	Dynamic patterns of allergic patch test reactions to 10 European standard allergens. An analysis of data recorded by the Information Network of Departments of Dermatology (IVDK). <i>Contact Dermatitis</i> , 1996 , 35, 17-22	2.7	27
37	Quantification of the negative feedback mechanism between pituitary and thyroid in subjects with normal thyroid function. <i>European Journal of Endocrinology</i> , 1996 , 135, 316-21	6.5	1

36	Randomised clinical trial of two treatment regimens of natural surfactant preparations in neonatal respiratory distress syndrome. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1995 , 72, F8-13	4.7	106
35	Sequential and average attributable fractions as aids in the selection of preventive strategies. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 645-55	5.7	137
34	The impact of different definitions of nearest neighbour distances for censored data on nearest neighbour kernel estimators of the hazard rate. <i>Journal of Nonparametric Statistics</i> , 1995 , 4, 271-278	0.7	10
33	Sensitivity of patch tests with rubber mixes: Results of the Information Network of Departments of Dermatology from 1990 to 1993. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , 1995 , 6, 143-149		34
32	Occupational Dermatitis in Hairdressing Apprentices. <i>Current Problems in Dermatology</i> , 1995 , 23, 49-55		23
31	Melanoma and use of sunscreens: an Eortc case-control study in Germany, Belgium and France. The EORTC Melanoma Cooperative Group. <i>International Journal of Cancer</i> , 1995 , 61, 749-55	7.5	169
30	Definitions of attributable risk--revisited. <i>Public Health Reviews</i> , 1995 , 23, 343-55	4.3	16
29	Intracerebral haemorrhages in surfactant treated neonates with severe respiratory distress syndrome: age at diagnosis, severity and risk factors. <i>European Journal of Pediatrics</i> , 1994 , 153, 842-9	4.1	6
28	Zeitliche Entwicklungstrends in Design, Durchführung und Auswertung von Fall-Kontroll-Studien. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 1994 , 2, 257-269	1.4	
27	Chance-corrected measures of the validity of a binary diagnostic test. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 627-33	5.7	6
26	Neutrophil elastase in the diagnosis of neonatal infection. <i>Pediatric Infectious Disease Journal</i> , 1994 , 13, 323-6	3.4	9
25	A ventilator with an integrated gas-exchange monitoring function. <i>Critical Care Medicine</i> , 1994 , 22, 864-714		4
24	How to correct for chance agreement in the estimation of sensitivity and specificity of diagnostic tests. <i>Methods of Information in Medicine</i> , 1994 , 33, 180-6	1.5	
23	Evaluation of Screening in Case-Control Studies: an Alternative to Randomized Controlled Trials?. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1994 , 445-452	0.2	
22	Intracerebral haemorrhages in surfactant treated neonates with severe respiratory distress syndrome: age at diagnosis, severity and risk factors. <i>European Journal of Pediatrics</i> , 1994 , 153, 842-849	4.1	
21	The effects of joint misclassification of exposure and disease on epidemiologic measures of association. <i>Journal of Clinical Epidemiology</i> , 1993 , 46, 1195-202	5.7	37
20	Use of the positive predictive value to correct for disease misclassification in epidemiologic studies. <i>American Journal of Epidemiology</i> , 1993 , 138, 1007-15	3.8	71
19	Risk and rate advancement periods as measures of exposure impact on the occurrence of chronic diseases. <i>Epidemiology</i> , 1993 , 4, 229-36	3.1	86

18	A general method of estimating measures of association and their asymptotic variances under the multinomial model using standard statistical software. <i>Computational Statistics and Data Analysis</i> , 1993 , 16, 127-130	1.6	
17	Methods of adjustment for estimating the attributable risk in case-control studies: a review. <i>Statistics in Medicine</i> , 1993 , 12, 91-6	2.3	5
16	The misuse of attributable and prevented fractions in the evaluation of screening in case-control studies. <i>Cancer Detection and Prevention</i> , 1993 , 17, 591-9		1
15	Neutrophil elastase and acute pulmonary damage in neonates with severe respiratory distress syndrome. <i>Pediatrics</i> , 1993 , 91, 794-9	7.4	79
14	The descriptive epidemiology of sedentary lifestyle: methodological concerns. <i>International Journal of Epidemiology</i> , 1992 , 21, 1193-5	7.8	2
13	The attributable fraction of the combined effect of two risk factors. <i>International Journal of Epidemiology</i> , 1992 , 21, 819-20, 823-4	7.8	8
12	Nearest neighbour kernel estimation of the hazard function from censored data. <i>Journal of Statistical Computation and Simulation</i> , 1992 , 43, 93-101	0.9	14
11	Factors influencing morbidity and mortality in infants with severe respiratory distress syndrome treated with single or multiple doses of a natural porcine surfactant. <i>Neonatology</i> , 1992 , 61 Suppl 1, 26-30	4	25
10	Febrile infections and malignant melanoma: results of a case-control study. <i>Melanoma Research</i> , 1992 , 2, 207-11	3.3	29
9	Cuff size and hypertension diagnosis. <i>Epidemiology</i> , 1992 , 3, 73-5	3.1	8
8	Comparison of adjusted attributable risk estimators. <i>Statistics in Medicine</i> , 1992 , 11, 2083-91	2.3	42
7	An Annotated Bibliography on the Attributable Risk. <i>Biometrical Journal</i> , 1992 , 34, 1007-1012	1.5	30
6	Randomized European multicenter trial of surfactant replacement therapy for severe neonatal respiratory distress syndrome: single versus multiple doses of Curosurf. <i>Pediatrics</i> , 1992 , 89, 13-20	7.4	37
5	Randomized European Multicenter Trial of Surfactant Replacement Therapy for Severe Neonatal Respiratory Distress Syndrome: Single Versus Multiple Doses of Curosurf. <i>Pediatrics</i> , 1992 , 89, 13-20	7.4	124
4	Diagnosis and management of hypertension by physicians in the Federal Republic of Germany. <i>Journal of Hypertension</i> , 1991 , 9, 131-4	1.9	11
3	Risk factors for cervical cancer: comments on attributable risk calculations and the evaluation of screening in case-control studies. <i>International Journal of Epidemiology</i> , 1991 , 20, 1140-3	7.8	8
2	The impact of deviation from standardized blood pressure determination on prevalence estimates of hypertension in Germany. <i>Public Health Reviews</i> , 1990 , 18, 179-82	4.3	
1	Estimates and determinants of SARS-CoV-2 seroprevalence and infection fatality ratio using latent class analysis: the population-based Tirschenreuth study in the hardest-hit German county in spring 2020		2

