

# Mariana Romão-Veiga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6697440/publications.pdf>

Version: 2024-02-01

36  
papers

832  
citations

566801

15  
h-index

500791

28  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1069  
citing authors

#	ARTICLE	IF	CITATIONS
1	Vitamin D decreases expression of NLRP1 and NLRP3 inflammasomes in placental explants from women with preeclampsia cultured with hydrogen peroxide. <i>Human Immunology</i> , 2022, 83, 74-80.	1.2	6
2	DAMPs are able to skew CD4+ T cell subsets and increase the inflammatory profile in pregnant women with preeclampsia. <i>Journal of Reproductive Immunology</i> , 2022, 149, 103470.	0.8	7
3	Immunomodulatory effect of vitamin D on the STATs and transcription factors of CD4+ T cell subsets in pregnant women with preeclampsia. <i>Clinical Immunology</i> , 2022, 234, 108917.	1.4	8
4	COVID-19: A new risk factor or just a new imitator of preeclampsia? NLRP3 activation: A possible common mechanism. <i>Journal of Medical Virology</i> , 2022, 94, 1813-1814.	2.5	3
5	Increase of autophagy marker p62 in the placenta from pregnant women with preeclampsia. <i>Human Immunology</i> , 2022, 83, 447-452.	1.2	5
6	Inflammasomes in placental explants of women with preeclampsia cultured with monosodium urate may be modulated by vitamin D. <i>Hypertension in Pregnancy</i> , 2022, , 1-10.	0.5	0
7	Potential role of uric acid to activate NLRP3 inflammasome triggering endothelial dysfunction in preeclampsia. <i>Clinical Immunology Communications</i> , 2022, 2, 69-75.	0.5	3
8	Vitamin D decreases cell death and inflammation in human umbilical vein endothelial cells and placental explants from pregnant women with preeclampsia cultured with TNF- $\alpha$ . <i>Immunological Investigations</i> , 2022, 51, 1630-1646.	1.0	1
9	Silibinin downregulates the expression of the Th1 and Th17 profiles by modulation of STATs and transcription factors in pregnant women with preeclampsia. <i>International Immunopharmacology</i> , 2022, 109, 108807.	1.7	5
10	Modulatory effect of two regimens of magnesium sulfate on the systemic inflammatory response in pregnant women with imminent eclampsia. <i>Pregnancy Hypertension</i> , 2022, 29, 46-53.	0.6	0
11	Progesterone and vitamin D downregulate the activation of the NLRP1/NLRP3 inflammasomes and TLR4-MyD88-NF- $\kappa$ B pathway in monocytes from pregnant women with preeclampsia. <i>Journal of Reproductive Immunology</i> , 2021, 144, 103286.	0.8	19
12	P-031. Vitamin D maintains viability and decreases apoptosis in huvec and modulates inflammation in placenta from preeclamptic women cultured with TNF- $\alpha$ . <i>Pregnancy Hypertension</i> , 2021, 25, e39.	0.6	0
13	O-006. Modulatory effect of two regimens of magnesium sulfate on the systemic inflammatory response in pregnant women with eclampsia or imminent eclampsia. <i>Pregnancy Hypertension</i> , 2021, 25, e27.	0.6	0
14	Association between Adverse Maternal Clinical Outcomes and Imbalance of Cytokines and Angiogenic Factors in Preterm Preeclampsia. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2021, 43, 669-675.	0.3	1
15	Vitamin D modulates the transcription factors of T cell subsets to anti-inflammatory and regulatory profiles in preeclampsia. <i>International Immunopharmacology</i> , 2021, , 108366.	1.7	3
16	Silibinin induces in vitro M2-like phenotype polarization in monocytes from preeclamptic women. <i>International Immunopharmacology</i> , 2020, 89, 107062.	1.7	7
17	Increased TLR4 pathway activation and cytokine imbalance led to lipopolysaccharide tolerance in monocytes from preeclamptic women. <i>Pregnancy Hypertension</i> , 2020, 21, 159-165.	0.6	12
18	Autophagy in Preeclampsia. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
19	Vitamin D association with immunoregulatory profiles in pregnant women with preeclampsia. <i>Pregnancy Hypertension</i> , 2019, 17, S27.	0.6	0
20	Downregulation of CD163 in monocytes and its soluble form in the plasma is associated with a pro-inflammatory profile in pregnant women with preeclampsia. <i>Immunologic Research</i> , 2019, 67, 194-201.	1.3	18
21	Silibinin Downregulates the NF- $\kappa$ B Pathway and NLRP1/NLRP3 Inflammasomes in Monocytes from Pregnant Women with Preeclampsia. <i>Molecules</i> , 2019, 24, 1548.	1.7	64
22	Modulatory effects of silibinin in cell behavior during osteogenic phenotype. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 13413-13425.	1.2	11
23	Induction of systemic inflammation by hyaluronan and hsp70 in women with pre-eclampsia. <i>Cytokine</i> , 2018, 105, 23-31.	1.4	33
24	Maternal left ventricular hypertrophy and diastolic dysfunction and brain natriuretic peptide concentration in early- and late-onset pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 519-523.	0.9	41
25	172. Vitamin D decreases gene and protein expression of NLRP3 inflammasome in placental explants cultured with hydrogen peroxide from women with preeclampsia. <i>Pregnancy Hypertension</i> , 2018, 13, S91-S92.	0.6	0
26	Hydrogen peroxide-mediated oxidative stress induces inflammasome activation in term human placental explants. <i>Pregnancy Hypertension</i> , 2018, 14, 29-36.	0.6	15
27	Association between cytokine profile and transcription factors produced by T $\alpha$ cell subsets in early- and late-onset pre-eclampsia. <i>Immunology</i> , 2017, 152, 163-173.	2.0	69
28	Increased expression of NLRP3 inflammasome in placentas from pregnant women with severe preeclampsia. <i>Journal of Reproductive Immunology</i> , 2017, 123, 40-47.	0.8	100
29	Association between Placental Lesions, Cytokines and Angiogenic Factors in Pregnant Women with Preeclampsia. <i>PLoS ONE</i> , 2016, 11, e0157584.	1.1	82
30	Elevated circulating adenosine deaminase activity in women with preeclampsia: association with pro-inflammatory cytokine production and uric acid levels. <i>Pregnancy Hypertension</i> , 2016, 6, 400-405.	0.6	16
31	Endogenous and Uric Acid-Induced Activation of NLRP3 Inflammasome in Pregnant Women with Preeclampsia. <i>PLoS ONE</i> , 2015, 10, e0129095.	1.1	90
32	Monocytes from Pregnant Women with Pre-Eclampsia are Polarized to a M1 Phenotype. <i>American Journal of Reproductive Immunology</i> , 2014, 72, 5-13.	1.2	48
33	Elevated hyaluronan and extracellular matrix metalloproteinase inducer levels in women with preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 575-579.	0.8	22
34	High levels of heat shock protein 70 are associated with pro-inflammatory cytokines and may differentiate early- from late-onset preeclampsia. <i>Journal of Reproductive Immunology</i> , 2013, 100, 129-134.	0.8	64
35	Hepatoprotective and anti-inflammatory effects of silibinin on experimental preeclampsia induced by L-NAME in rats. <i>Life Sciences</i> , 2012, 91, 159-165.	2.0	50
36	Downregulation of nuclear factor-kappa B (NF- $\kappa$ B) pathway by silibinin in human monocytes challenged with <i>Paracoccidioides brasiliensis</i> . <i>Life Sciences</i> , 2010, 86, 880-886.	2.0	29