Antti Sukura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6698480/publications.pdf

Version: 2024-02-01

		1040056	940533
19	269	9	16
papers	citations	h-index	g-index
20	20	20	395
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Toxoplasma gondii in wild cervids and sheep in Finland: North-south gradient in seroprevalence. Veterinary Parasitology, 2010, 171, 331-336.	1.8	63
2	Detection of Pneumocystis carinii DNA by Filtration of Air. Scandinavian Journal of Infectious Diseases, 1996, 28, 279-282.	1.5	47
3	Genomic insights into the host specific adaptation of the Pneumocystis genus. Communications Biology, 2021, 4, 305.	4.4	23
4	Risk factors for equine intestinal parasite infections and reduced efficacy of pyrantel embonate against Parascaris sp Veterinary Parasitology, 2019, 273, 52-59.	1.8	21
5	Innovative molecular diagnosis of <scp><i>T</i></scp> <i>richinella</i> species based on βâ€carbonic anhydrase genomic sequence. Microbial Biotechnology, 2016, 9, 172-179.	4.2	16
6	Basal Autophagy Is Altered in Lagotto Romagnolo Dogs with an <i>ATG4D</i> Mutation. Veterinary Pathology, 2017, 54, 953-963.	1.7	16
7	Characterization of a New Epidemic Necrotic Pyoderma in Fur Animals and Its Association with Arcanobacterium phocae Infection. PLoS ONE, 2014, 9, e110210.	2.5	14
8	Hereditary Sterilizing Short-Tail Sperm Defect in Finnish Yorkshire Boars. Journal of Veterinary Diagnostic Investigation, 2002, 14, 382-388.	1.1	12
9	Diversity and Complexity of the Large Surface Protein Family in the Compacted Genomes of Multiple <i>Pneumocystis</i> Species. MBio, 2020, 11, .	4.1	11
_			
10	Berries as a potential transmission vehicle for taeniid eggs. Parasitology International, 2019, 70, 58-63.	1.3	9
10	Berries as a potential transmission vehicle for taeniid eggs. Parasitology International, 2019, 70, 58-63. Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of Fur Animal Epidemic Necrotic Pyoderma (FENP). PLoS ONE, 2016, 11, e0168129.	2.5	9
	Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of		
11	Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of Fur Animal Epidemic Necrotic Pyoderma (FENP). PLoS ONE, 2016, 11, e0168129. Antibodies Against Hepatitis E Virus (HEV) in European Moose and White-Tailed Deer in Finland. Food	2.5	9
11 12	Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of Fur Animal Epidemic Necrotic Pyoderma (FENP). PLoS ONE, 2016, 11, e0168129. Antibodies Against Hepatitis E Virus (HEV) in European Moose and White-Tailed Deer in Finland. Food and Environmental Virology, 2020, 12, 333-341. Penicillin G increases the synthesis of a suicidal marker (CidC) and virulence (HlgBC) proteins in	2.5	7
11 12 13	Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of Fur Animal Epidemic Necrotic Pyoderma (FENP). PLoS ONE, 2016, 11, e0168129. Antibodies Against Hepatitis E Virus (HEV) in European Moose and White-Tailed Deer in Finland. Food and Environmental Virology, 2020, 12, 333-341. Penicillin G increases the synthesis of a suicidal marker (CidC) and virulence (HlgBC) proteins in Staphylococcus aureus biofilm cells. International Journal of Medical Microbiology, 2016, 306, 69-74. Parasite infections and their risk factors in foals and young horses in Finland. Veterinary	2.5 3.4 3.6	9 7 6
11 12 13	Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of Fur Animal Epidemic Necrotic Pyoderma (FENP). PLoS ONE, 2016, 11, e0168129. Antibodies Against Hepatitis E Virus (HEV) in European Moose and White-Tailed Deer in Finland. Food and Environmental Virology, 2020, 12, 333-341. Penicillin G increases the synthesis of a suicidal marker (CidC) and virulence (HlgBC) proteins in Staphylococcus aureus biofilm cells. International Journal of Medical Microbiology, 2016, 306, 69-74. Parasite infections and their risk factors in foals and young horses in Finland. Veterinary Parasitology: Regional Studies and Reports, 2018, 12, 35-38. A new SYBR green real-time PCR assay for semi-quantitative detection of Echinococcus multilocularis and Echinococcus canadensis DNA on bilberries (Vaccinium myrtillus). Food and Waterborne	2.5 3.4 3.6 0.5	9 7 6
11 12 13 14	Experimental Infection of Mink Enforces the Role of Arcanobacterium phocae as Causative Agent of Fur Animal Epidemic Necrotic Pyoderma (FENP). PLoS ONE, 2016, 11, e0168129. Antibodies Against Hepatitis E Virus (HEV) in European Moose and White-Tailed Deer in Finland. Food and Environmental Virology, 2020, 12, 333-341. Penicillin G increases the synthesis of a suicidal marker (CidC) and virulence (HlgBC) proteins in Staphylococcus aureus biofilm cells. International Journal of Medical Microbiology, 2016, 306, 69-74. Parasite infections and their risk factors in foals and young horses in Finland. Veterinary Parasitology: Regional Studies and Reports, 2018, 12, 35-38. A new SYBR green real-time PCR assay for semi-quantitative detection of Echinococcus multilocularis and Echinococcus canadensis DNA on bilberries (Vaccinium myrtillus). Food and Waterborne Parasitology, 2019, 17, e00068. Sarcocystis calchasi in a captive Patagonian conure (Cyanoliseus patagonus) in Finland. Journal of	2.5 3.4 3.6 0.5	9 7 6 4

#	Article	IF	CITATIONS
19	Dispersal of taeniid eggs: Experimental faecal contamination of forest environment followed by DNA detection in wild berries. Food and Waterborne Parasitology, 2022, 27, e00152.	2.7	1