

# Kabagambe E And Kabagambe Ek

## List of Publications by Year in Descending Order

**Source:**

<https://exaly.com/author-pdf/6699026/kabagambe-e-and-kabagambe-ek-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103  
papers

3,750  
citations

32  
h-index

58  
g-index

105  
ext. papers

4,334  
ext. citations

5.2  
avg, IF

4.64  
L-index

#	Paper	IF	Citations
103	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation.. <i>Nature Genetics</i> , <b>2022</b> ,	36.3	7
102	Discovery and fine-mapping of height loci via high-density imputation of GWASs in individuals of African ancestry. <i>American Journal of Human Genetics</i> , <b>2021</b> , 108, 564-582	11	7
101	A Description of Risk Factors for Non-alcoholic Fatty Liver Disease in the Southern Community Cohort Study: A Nested Case-Control Study. <i>Frontiers in Nutrition</i> , <b>2020</b> , 7, 71	6.2	4
100	Salivary AMY1 Copy Number Variation Modifies Age-Related Type 2 Diabetes Risk. <i>Clinical Chemistry</i> , <b>2020</b> , 66, 718-726	5.5	1
99	Factors associated with plasma n-3 and n-6 polyunsaturated fatty acid levels in Tanzanian infants. <i>European Journal of Clinical Nutrition</i> , <b>2020</b> , 74, 97-105	5.2	1
98	Racial disparities in end-stage renal disease in a high-risk population: the Southern Community Cohort Study. <i>BMC Nephrology</i> , <b>2019</b> , 20, 308	2.7	6
97	Intakes of magnesium, calcium and risk of fatty liver disease and prediabetes. <i>Public Health Nutrition</i> , <b>2018</b> , 21, 2088-2095	3.3	17
96	Protein Intake and Long-term Change in Glomerular Filtration Rate in the Jackson Heart Study. <i>Journal of Renal Nutrition</i> , <b>2018</b> , 28, 245-250	3	20
95	Erythrocyte folate, serum vitamin B12, and hearing loss in the 2003-2004 National Health And Nutrition Examination Survey (NHANES). <i>European Journal of Clinical Nutrition</i> , <b>2018</b> , 72, 720-727	5.2	8
94	Outcomes of Onabotulinum Toxin A Treatment for Adductor Spasmodic Dysphonia and Laryngeal Tremor. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2018</b> , 144, 293-299	3.9	8
93	Neighborhood Deprivation Predicts Heart Failure Risk in a Low-Income Population of Blacks and Whites in the Southeastern United States. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2018</b> , 11, e004052	5.8	41
92	Alcohol Consumption and Incident Stroke Among Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , <b>2018</b> , 73, 636-648	4.6	10
91	Impaired Hematologic Status in Relation to Clinical Outcomes among HIV-Infected Adults from Uganda: A Prospective Cohort Study. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	5
90	Race- and Sex-related Differences in Nephrolithiasis Risk Among Blacks and Whites in the Southern Community Cohort Study. <i>Urology</i> , <b>2018</b> , 118, 36-42	1.6	9
89	Genome-wide association meta-analysis of circulating odd-numbered chain saturated fatty acids: Results from the CHARGE Consortium. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196951	3.7	10
88	Left Ventricular Function Across the Spectrum of Body Mass Index in African-Americans: The Jackson Heart Study. <i>JACC: Heart Failure</i> , <b>2017</b> , 5, 182-190	7.9	6
87	Heart Failure Incidence and Mortality in the Southern Community Cohort Study. <i>Circulation: Heart Failure</i> , <b>2017</b> , 10,	7.6	16

86	Interactions between calcium intake and polymorphisms in genes essential for calcium reabsorption and risk of colorectal neoplasia in a two-phase study. <i>Molecular Carcinogenesis</i> , <b>2017</b> , 56, 2258-2266	5	5
85	Discovery and fine-mapping of loci associated with MUFAs through trans-ethnic meta-analysis in Chinese and European populations. <i>Journal of Lipid Research</i> , <b>2017</b> , 58, 974-981	6.3	12
84	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002383	11.6	223
83	Magnesium intake and mortality due to liver diseases: Results from the Third National Health and Nutrition Examination Survey Cohort. <i>Scientific Reports</i> , <b>2017</b> , 7, 17913	4.9	21
82	High prevalence of non-steroidal anti-inflammatory drug use among acute kidney injury survivors in the southern community cohort study. <i>BMC Nephrology</i> , <b>2016</b> , 17, 189	2.7	26
81	Dietary polyunsaturated fatty acids and incidence of end-stage renal disease in the Southern Community Cohort Study. <i>BMC Nephrology</i> , <b>2016</b> , 17, 152	2.7	9
80	The effects of omega-3 polyunsaturated fatty acids and genetic variants on methylation levels of the interleukin-6 gene promoter. <i>Molecular Nutrition and Food Research</i> , <b>2016</b> , 60, 410-9	5.9	24
79	Interaction of methylation-related genetic variants with circulating fatty acids on plasma lipids: a meta-analysis of 7 studies and methylation analysis of 3 studies in the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 567-78	7	21
78	Alcohol Consumption and Cardiovascular Disease in Aging Populations <b>2016</b> , 57-64		
77	Calcium/magnesium intake ratio, but not magnesium intake, interacts with genetic polymorphism in relation to colorectal neoplasia in a two-phase study. <i>Molecular Carcinogenesis</i> , <b>2016</b> , 55, 1449-57	5	7
76	Plasma n-6 Fatty Acid Levels Are Associated With CD4 Cell Counts, Hospitalization, and Mortality in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2016</b> , 73, 598-605	3.1	5
75	Polyunsaturated fat intake and mortality in non-statin users, is there an independent relationship? The authors reply. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2016</b> , 26, 78-9	4.5	
74	Higher protein intake is associated with increased risk for incident end-stage renal disease among blacks with diabetes in the Southern Community Cohort Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2016</b> , 26, 1079-1087	4.5	8
73	Smoking, sex, risk factors and abdominal aortic aneurysms: a prospective study of 18 782 persons aged above 65 years in the Southern Community Cohort Study. <i>Journal of Epidemiology and Community Health</i> , <b>2015</b> , 69, 481-8	5.1	56
72	Association of a 62 Variants Type 2 Diabetes Genetic Risk Score With Markers of Subclinical Atherosclerosis: A Transethnic, Multicenter Study. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 507-15		11
71	Anti-mullerian hormone (AMH) is associated with natural menopause in a population-based sample: The CARDIA Women's Study. <i>Maturitas</i> , <b>2015</b> , 81, 493-8	5	29
70	Intake of polyunsaturated fat in relation to mortality among statin users and non-users in the Southern Community Cohort Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2015</b> , 25, 1016-24	4.5	8
69	Plasma Fatty Acids in Zambian Adults with HIV/AIDS: Relation to Dietary Intake and Cardiovascular Risk Factors. <i>Journal of Nutrition and Metabolism</i> , <b>2015</b> , 2015, 635817	2.7	4

68	Is it Time to Enhance Assessment of Alcohol Intake in Patients Slated for Statin Therapy?. <i>Current Nutrition Reports</i> , <b>2015</b> , 4, 1-5	6	2
67	Genetic loci associated with circulating phospholipid trans fatty acids: a meta-analysis of genome-wide association studies from the CHARGE Consortium. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 101, 398-406	7	33
66	Dietary fatty acids modulate associations between genetic variants and circulating fatty acids in plasma and erythrocyte membranes: Meta-analysis of nine studies in the CHARGE consortium. <i>Molecular Nutrition and Food Research</i> , <b>2015</b> , 59, 1373-83	5.9	32
65	Genetic loci associated with circulating levels of very long-chain saturated fatty acids. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 176-84	6.3	24
64	Intake of trans fat and incidence of stroke in the REasons for Geographic And Racial Differences in Stroke (REGARDS) cohort. <i>American Journal of Clinical Nutrition</i> , <b>2014</b> , 99, 1071-6	7	21
63	Genetic Modification of the Effects of Alcohol on Metabolic and Clinical Phenotypes: A Review. <i>Current Nutrition Reports</i> , <b>2014</b> , 3, 213-222	6	6
62	Race, regionality and pre-diabetes in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study. <i>Preventive Medicine</i> , <b>2014</b> , 63, 43-7	4.3	12
61	Meta-analysis of genome-wide association studies in African Americans provides insights into the genetic architecture of type 2 diabetes. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004517	6	151
60	Epigenome-wide association study of fasting measures of glucose, insulin, and HOMA-IR in the Genetics of Lipid Lowering Drugs and Diet Network study. <i>Diabetes</i> , <b>2014</b> , 63, 801-7	0.9	120
59	A prospective study of statin use and mortality among 67,385 blacks and whites in the Southeastern United States. <i>Clinical Epidemiology</i> , <b>2014</b> , 6, 15-25	5.9	20
58	Cardiometabolic risk factors among HIV patients on antiretroviral therapy. <i>Lipids in Health and Disease</i> , <b>2013</b> , 12, 50	4.4	28
57	High sodium:potassium intake ratio increases the risk for all-cause mortality: the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. <i>Journal of Nutritional Science</i> , <b>2013</b> , 2, e13	2.7	11
56	Intake of trans fat and all-cause mortality in the Reasons for Geographical and Racial Differences in Stroke (REGARDS) cohort. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 1121-8	7	38
55	Serum Phosphate Predicts Early Mortality among Underweight Adults Starting ART in Zambia: A Novel Context for Refeeding Syndrome?. <i>Journal of Nutrition and Metabolism</i> , <b>2013</b> , 2013, 545439	2.7	8
54	Short- and long-term sunlight radiation and stroke incidence. <i>Annals of Neurology</i> , <b>2013</b> , 73, 32-7	9.4	26
53	Genome-wide association study identifies novel loci associated with concentrations of four plasma phospholipid fatty acids in the de novo lipogenesis pathway: results from the Cohorts for Heart and Aging Research in Genomic Epidemiology (CHARGE) consortium. <i>Circulation: Cardiovascular Genetics</i> , <b>2013</b> , 6, 171-83		65
52	Vitamin K intake, body mass index and warfarin maintenance dose. <i>Cardiology</i> , <b>2013</b> , 126, 214-8	1.6	6
51	Self-reported dietary intake and appetite predict early treatment outcome among low-BMI adults initiating HIV treatment in sub-Saharan Africa. <i>Public Health Nutrition</i> , <b>2013</b> , 16, 549-58	3.3	16

50	Preliminary evidence for an association between LRP-1 genotype and body mass index in humans. <i>PLoS ONE</i> , <b>2012</b> , 7, e30732	3.7	8
49	The relation between erythrocyte trans fat and triglyceride, VLDL- and HDL-cholesterol concentrations depends on polyunsaturated fat. <i>PLoS ONE</i> , <b>2012</b> , 7, e47430	3.7	10
48	A dietary pattern associated with LINE-1 methylation alters the risk of developing cervical intraepithelial neoplasia. <i>Cancer Prevention Research</i> , <b>2012</b> , 5, 385-92	3.2	21
47	A genome-wide association study of inflammatory biomarker changes in response to fenofibrate treatment in the Genetics of Lipid Lowering Drug and Diet Network. <i>Pharmacogenetics and Genomics</i> , <b>2012</b> , 22, 191-7	1.9	51
46	Rare PPARA variants and extreme response to fenofibrate in the Genetics of Lipid-Lowering Drugs and Diet Network Study. <i>Pharmacogenetics and Genomics</i> , <b>2012</b> , 22, 367-72	1.9	10
45	Heavy drinking is associated with poor blood pressure control in the REasons for Geographic and Racial Differences in Stroke (REGARDS) study. <i>International Journal of Environmental Research and Public Health</i> , <b>2011</b> , 8, 1601-12	4.6	15
44	Nutrition and inflammation serum biomarkers are associated with 12-week mortality among malnourished adults initiating antiretroviral therapy in Zambia. <i>Journal of the International AIDS Society</i> , <b>2011</b> , 14, 19	5.4	25
43	Lipoprotein lipase S447X variant associated with VLDL, LDL and HDL diameter clustering in the MetS. <i>Lipids in Health and Disease</i> , <b>2011</b> , 10, 143	4.4	7
42	A clustering analysis of lipoprotein diameters in the metabolic syndrome. <i>Lipids in Health and Disease</i> , <b>2011</b> , 10, 237	4.4	15
41	Short-term effect of fenofibrate on C-reactive protein: A meta-analysis of randomized controlled trials. <i>Diabetology and Metabolic Syndrome</i> , <b>2011</b> , 3, 24	5.6	8
40	Relative efficiency and sample size for cluster randomized trials with variable cluster sizes. <i>Clinical Trials</i> , <b>2011</b> , 8, 27-36	2.2	11
39	Inflammation biomarkers and risk of all-cause mortality in the Reasons for Geographic And Racial Differences in Stroke cohort. <i>American Journal of Epidemiology</i> , <b>2011</b> , 174, 284-92	3.8	40
38	Genetic loci associated with plasma phospholipid n-3 fatty acids: a meta-analysis of genome-wide association studies from the CHARGE Consortium. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002193	6	257
37	Apolipoprotein E polymorphisms and postprandial triglyceridemia before and after fenofibrate treatment in the Genetics of Lipid Lowering and Diet Network (GOLDN) Study. <i>Circulation: Cardiovascular Genetics</i> , <b>2010</b> , 3, 462-7		36
36	Pharmacogenetic association of hypertension candidate genes with fasting glucose in the GenHAT Study. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 2076-83	1.9	21
35	Dietary iron intake in the first 4 months of infancy and the development of type 1 diabetes: a pilot study. <i>Diabetology and Metabolic Syndrome</i> , <b>2010</b> , 2, 58	5.6	10
34	Serum phosphate predicts early mortality in adults starting antiretroviral therapy in Lusaka, Zambia: a prospective cohort study. <i>PLoS ONE</i> , <b>2010</b> , 5, e10687	3.7	30
33	Comparison of Postprandial Responses to a High-Fat Meal in Hypertriglyceridemic Men and Women before and after Treatment with Fenofibrate in the Genetics and Lipid Lowering Drugs and Diet Network (GOLDN) Study <b>2010</b> , 2010, 485146		2

32	Fasting Triglyceride Concentrations are Associated with Early Mortality Following Antiretroviral Therapy in Zambia. <i>North American Journal of Medicine &amp; Science</i> , <b>2010</b> , 3, 79-88		3
31	Polyunsaturated fatty acids modulate the effect of TCF7L2 gene variants on postprandial lipemia. <i>Journal of Nutrition</i> , <b>2009</b> , 139, 439-46	4.1	41
30	Suggestion for linkage of chromosome 1p35.2 and 3q28 to plasma adiponectin concentrations in the GOLDN Study. <i>BMC Medical Genetics</i> , <b>2009</b> , 10, 39	2.1	9
29	WDC1, the ortholog of Drosophila adipose gene, associates with human obesity, modulated by MUFA intake. <i>Obesity</i> , <b>2009</b> , 17, 593-600	8	24
28	ADIPOQ polymorphisms, monounsaturated fatty acids, and obesity risk: the GOLDN study. <i>Obesity</i> , <b>2009</b> , 17, 510-7	8	67
27	TCF7L2 polymorphisms and inflammatory markers before and after treatment with fenofibrate. <i>Diabetology and Metabolic Syndrome</i> , <b>2009</b> , 1, 16	5.6	9
26	Smoking, inflammatory patterns and postprandial hypertriglyceridemia. <i>Atherosclerosis</i> , <b>2009</b> , 203, 633-9.	3.1	31
25	Acute hypophosphataemia and hypokalaemia in a patient starting antiretroviral therapy in Zambia-a new context for refeeding syndrome?. <i>BMJ Case Reports</i> , <b>2009</b> , 2009,	0.9	9
24	Serum phosphate predicts early mortality in HIV patients on ART in Zambia. <i>FASEB Journal</i> , <b>2009</b> , 23, 918.8	0.9	
23	Erythrocyte fatty acid composition and the metabolic syndrome: a National Heart, Lung, and Blood Institute GOLDN study. <i>Clinical Chemistry</i> , <b>2008</b> , 54, 154-62	5.5	56
22	Interleukin1beta genetic polymorphisms interact with polyunsaturated fatty acids to modulate risk of the metabolic syndrome. <i>Journal of Nutrition</i> , <b>2007</b> , 137, 1846-51	4.1	50
21	The -256T>C polymorphism in the apolipoprotein A-II gene promoter is associated with body mass index and food intake in the genetics of lipid lowering drugs and diet network study. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 1144-52	5.5	103
20	Coffee and Myocardial Infarction. <i>Epidemiology</i> , <b>2007</b> , 18, 282-283	3.1	
19	Nonfatal acute myocardial infarction in Costa Rica: modifiable risk factors, population-attributable risks, and adherence to dietary guidelines. <i>Circulation</i> , <b>2007</b> , 115, 1075-81	16.7	36
18	Coffee and Myocardial Infarction. <i>Epidemiology</i> , <b>2007</b> , 18, 519	3.1	
17	Socio-economic status and health awareness are associated with choice of cooking oil in Costa Rica. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 1214-22	3.3	14
16	Triggers of nonfatal myocardial infarction in Costa Rica: heavy physical exertion, sexual activity, and infection. <i>Annals of Epidemiology</i> , <b>2007</b> , 17, 112-8	6.4	32
15	Coffee, CYP1A2 genotype, and risk of myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 295, 1135-41	27.4	309

14	Influence of saturated fat and linolenic acid on the association between intake of dairy products and blood pressure. <i>Hypertension</i> , <b>2006</b> , 48, 335-41	8.5	34
13	Transient exposure to coffee as a trigger of a first nonfatal myocardial infarction. <i>Epidemiology</i> , <b>2006</b> , 17, 506-11	3.1	91
12	The type of oil used for cooking is associated with the risk of nonfatal acute myocardial infarction in costa rica. <i>Journal of Nutrition</i> , <b>2005</b> , 135, 2674-9	4.1	62
11	Decreased consumption of dried mature beans is positively associated with urbanization and nonfatal acute myocardial infarction. <i>Journal of Nutrition</i> , <b>2005</b> , 135, 1770-5	4.1	50
10	Alcohol intake, drinking patterns, and risk of nonfatal acute myocardial infarction in Costa Rica. <i>American Journal of Clinical Nutrition</i> , <b>2005</b> , 82, 1336-45	7	41
9	Costa Rican adolescents have a deleterious nutritional profile as compared to adults in terms of lower dietary and plasma concentrations of antioxidant micronutrients. <i>Journal of the American College of Nutrition</i> , <b>2005</b> , 24, 122-8	3.5	6
8	Adipose tissue alpha-linolenic acid and nonfatal acute myocardial infarction in Costa Rica. <i>Circulation</i> , <b>2003</b> , 107, 1586-91	16.7	108
7	High 18:2 trans-fatty acids in adipose tissue are associated with increased risk of nonfatal acute myocardial infarction in costa rican adults. <i>Journal of Nutrition</i> , <b>2003</b> , 133, 1186-91	4.1	86
6	Individual saturated fatty acids and nonfatal acute myocardial infarction in Costa Rica. <i>European Journal of Clinical Nutrition</i> , <b>2003</b> , 57, 1447-57	5.2	57
5	Comparison of dietary intakes of micro- and macronutrients in rural, suburban and urban populations in Costa Rica. <i>Public Health Nutrition</i> , <b>2002</b> , 5, 835-42	3.3	22
4	Adipose tissue biomarkers of fatty acid intake. <i>American Journal of Clinical Nutrition</i> , <b>2002</b> , 76, 750-7	7	251
3	Risk factors for Brucella seropositivity in goat herds in eastern and western Uganda. <i>Preventive Veterinary Medicine</i> , <b>2001</b> , 52, 91-108	3.1	49
2	Application of the method of triads to evaluate the performance of food frequency questionnaires and biomarkers as indicators of long-term dietary intake. <i>American Journal of Epidemiology</i> , <b>2001</b> , 154, 1126-35	3.8	187
1	Risk factors for fecal shedding of Salmonella in 91 US dairy herds in 1996. <i>Preventive Veterinary Medicine</i> , <b>2000</b> , 43, 177-94	3.1	69