

Min Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6699135/min-zhou-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

5,212
citations

37
h-index

69
g-index

160
ext. papers

5,724
ext. citations

3.7
avg, IF

6.06
L-index

#	Paper	IF	Citations
146	Dynamic behavior of concrete at high strain rates and pressures: I. experimental characterization. <i>International Journal of Impact Engineering</i> , 2001 , 25, 869-886	4	449
145	A new look at the atomic level virial stress: on continuum-molecular system equivalence. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2003 , 459, 2347-2392	2.4	378
144	Dynamically propagating shear bands in impact-loaded prenotched plates II. Experimental investigations of temperature signatures and propagation speed. <i>Journal of the Mechanics and Physics of Solids</i> , 1996 , 44, 981-1006	5	221
143	Orientation and size dependence of the elastic properties of zinc oxide nanobelts. <i>Nanotechnology</i> , 2005 , 16, 2749-2756	3.4	216
142	Shape memory effect in Cu nanowires. <i>Nano Letters</i> , 2005 , 5, 2039-43	11.5	208
141	Silicon-Carbon Nanotube Coaxial Sponge as Li-Ion Anodes with High Areal Capacity. <i>Advanced Energy Materials</i> , 2011 , 1, 523-527	21.8	206
140	Dynamically propagating shear bands in impact-loaded prenotched plates II. Numerical simulations. <i>Journal of the Mechanics and Physics of Solids</i> , 1996 , 44, 1007-1032	5	165
139	Novel phase transformation in ZnO nanowires under tensile loading. <i>Physical Review Letters</i> , 2006 , 97, 105502	7.4	162
138	Atomistic simulations reveal shape memory of fcc metal nanowires. <i>Physical Review B</i> , 2006 , 73,	3.3	136
137	Bounds for element size in a variable stiffness cohesive finite element model. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 61, 1894-1920	2.4	131
136	Atomistic investigation of the effects of temperature and surface roughness on diffusion bonding between Cu and Al. <i>Acta Materialia</i> , 2007 , 55, 3169-3175	8.4	113
135	A Lagrangian framework for analyzing microstructural level response of polymer-bonded explosives. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2011 , 19, 055001	2	110
134	Finite element simulations of shear localization in plate impact. <i>Journal of the Mechanics and Physics of Solids</i> , 1994 , 42, 423-458	5	97
133	Dynamic behavior of concrete at high strain rates and pressures: II. numerical simulation. <i>International Journal of Impact Engineering</i> , 2001 , 25, 887-910	4	84
132	Energy localization in HMX-Estane polymer-bonded explosives during impact loading. <i>Journal of Applied Physics</i> , 2012 , 111, 054902	2.5	83
131	Micromechanical Simulation of Dynamic Fracture Using the Cohesive Finite Element Method. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2004 , 126, 179-191	1.8	80
130	Pseudoelasticity of Single Crystalline Cu Nanowires Through Reversible Lattice Reorientations. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2005 , 127, 423-433	1.8	79

129	Molecular dynamics and density functional studies of a body-centered-tetragonal polymorph of ZnO. <i>Physical Review B</i> , 2007 , 76,	3.3	74
128	Ignition criterion for heterogeneous energetic materials based on hotspot size-temperature threshold. <i>Journal of Applied Physics</i> , 2013 , 113, 064906	2.5	69
127	High-speed digital imaging and computational modeling of dynamic failure in composite structures subjected to underwater impulsive loads. <i>International Journal of Impact Engineering</i> , 2015 , 77, 147-165	4	65
126	Strong stress-enhanced diffusion in amorphous lithium alloy nanowire electrodes. <i>Journal of Applied Physics</i> , 2011 , 109, 014310	2.5	65
125	Size-dependent thermal conductivity of zinc oxide nanobelts. <i>Applied Physics Letters</i> , 2006 , 88, 141921	3.4	64
124	Coupled mechano-diffusional driving forces for fracture in electrode materials. <i>Journal of Power Sources</i> , 2013 , 230, 176-193	8.9	62
123	Novel mechanical behavior of ZnO nanorods. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2008 , 197, 3182-3189	5.7	61
122	Response of copper nanowires in dynamic tensile deformation. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2004 , 218, 599-606	1.3	61
121	Prediction of fracture toughness of ceramic composites as function of microstructure: I. Numerical simulations. <i>Journal of the Mechanics and Physics of Solids</i> , 2013 , 61, 472-488	5	58
120	?Stability of wurtzite, unbuckled wurtzite, and rocksalt phases of SiC, GaN, InN, ZnO, and CdSe under loading of different triaxialities. <i>Physical Review B</i> , 2008 , 77,	3.3	58
119	Finite element analysis of micromechanical failure modes in a heterogeneous ceramic material system. <i>International Journal of Fracture</i> , 2000 , 101, 161-180	2.3	49
118	Dynamic Constitutive and Failure Behavior of a Two-Phase Tungsten Composite. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1997 , 64, 487-494	2.7	44
117	Equivalent continuum for dynamically deforming atomistic particle systems. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002 , 82, 2547-2574		42
116	Experimental investigation and multiscale modeling of ultra-high-performance concrete panels subject to blast loading. <i>International Journal of Impact Engineering</i> , 2014 , 69, 95-103	4	39
115	An analysis of the dynamic shear failure resistance of structural metals. <i>Journal of the Mechanics and Physics of Solids</i> , 1998 , 46, 2155-2170	5	39
114	Separation of elastic waves in split Hopkinson bars using one-point strain measurements. <i>Experimental Mechanics</i> , 1999 , 39, 287-294	2.6	39
113	Microstructural level response of HMX/Estane polymer-bonded explosive under effects of transient stress waves. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2012 , 468, 3725-3744	2.4	38
112	Prediction of shock initiation thresholds and ignition probability of polymer-bonded explosives using mesoscale simulations. <i>Journal of the Mechanics and Physics of Solids</i> , 2018 , 114, 97-116	5	37

111	Effect of Facesheet Thickness on Dynamic Response of Composite Sandwich Plates to Underwater Impulsive Loading. <i>Experimental Mechanics</i> , 2012 , 52, 83-93	2.6	37
110	Surface-effects-dominated thermal and mechanical responses of zinc oxide nanobelts. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2006 , 22, 217-224	2	37
109	Determination of fracture toughness of AZ31 Mg alloy using the cohesive finite element method. <i>Engineering Fracture Mechanics</i> , 2012 , 96, 401-415	4.2	36
108	Prediction of probabilistic ignition behavior of polymer-bonded explosives from microstructural stochasticity. <i>Journal of Applied Physics</i> , 2013 , 113, 184907	2.5	36
107	Analyses of tensile deformation of nanocrystalline β -Fe ₂ O ₃ +fcc-Al composites using molecular dynamics simulations. <i>Journal of the Mechanics and Physics of Solids</i> , 2007 , 55, 1053-1085	5	35
106	Deterministic and stochastic analyses of fracture processes in a brittle microstructure system. <i>Engineering Fracture Mechanics</i> , 2005 , 72, 1920-1941	4.2	33
105	A semi-analytical method for quantifying the size-dependent elasticity of nanostructures. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2008 , 16, 025002	2	32
104	Computational analysis of temperature rises in microstructures of HMX-Estane PBXs. <i>Computational Mechanics</i> , 2013 , 52, 151-159	4	31
103	Mechanical reliability of alloy-based electrode materials for rechargeable Li-ion batteries. <i>Journal of Mechanical Science and Technology</i> , 2013 , 27, 1205-1224	1.6	29
102	Materials science. Exceptional properties by design. <i>Science</i> , 2013 , 339, 1161-2	33.3	29
101	Stress relaxation through interdiffusion in amorphous lithium alloy electrodes. <i>Journal of the Mechanics and Physics of Solids</i> , 2013 , 61, 579-596	5	28
100	Effect of Microstructure on Dynamic Failure Resistance of Titanium Diboride/Alumina Ceramics. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 449-457	3.8	28
99	Ignition probability of polymer-bonded explosives accounting for multiple sources of material stochasticity. <i>Journal of Applied Physics</i> , 2014 , 115, 174902	2.5	27
98	Prediction of fracture toughness of ceramic composites as function of microstructure: II. analytical model. <i>Journal of the Mechanics and Physics of Solids</i> , 2013 , 61, 489-503	5	27
97	Wurtzite-to-tetragonal structure phase transformation and size effect in ZnO nanorods. <i>Journal of Applied Physics</i> , 2010 , 107, 023512	2.5	27
96	Compressive response of sandwich plates to water-based impulsive loading. <i>International Journal of Impact Engineering</i> , 2016 , 93, 196-210	4	26
95	Computational prediction of probabilistic ignition threshold of pressed granular octahydro-1,3,5,7-tetranitro-1,2,3,5-tetrazocine (HMX) under shock loading. <i>Journal of Applied Physics</i> , 2016 , 120, 115902	2.5	26
94	Micro-crack initiation and propagation in a high strength aluminum alloy during very high cycle fatigue. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 715, 404-413	5.3	25

93	A micromechanical continuum model for the tensile behavior of shape memory metal nanowires. <i>Journal of the Mechanics and Physics of Solids</i> , 2007 , 55, 1729-1761	5	24
92	Tunable thermal response of ZnO nanowires. <i>Nanotechnology</i> , 2007 , 18, 435706	3.4	24
91	On the growth of shear bands and failure-mode transition in prenotched plates: A comparison of singly and doubly notched specimens. <i>International Journal of Plasticity</i> , 1998 , 14, 435-451	7.6	23
90	Discovery, characterization and modelling of novel shape memory behaviour of fcc metal nanowires. <i>Philosophical Magazine</i> , 2007 , 87, 2191-2220	1.6	23
89	Thermomechanical continuum representation of atomistic deformation at arbitrary size scales. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2005 , 461, 3437-3472	2.4	23
88	Simulation of single fiber pullout response with account of fiber morphology. <i>Cement and Concrete Composites</i> , 2014 , 48, 42-52	8.6	22
87	Effect of microstructure on load-carrying and energy-dissipation capacities of UHPC. <i>Cement and Concrete Research</i> , 2013 , 43, 34-50	10.3	22
86	Tension-compression strength asymmetry of nanocrystalline Fe ₂ O ₃ +fcc-Al ceramic-metal composites. <i>Applied Physics Letters</i> , 2006 , 88, 233107	3.4	22
85	Classical molecular-dynamics potential for the mechanical strength of nanocrystalline composite fcc Al+Fe ₂ O ₃ . <i>Physical Review B</i> , 2006 , 73,	3.3	22
84	Energy dissipation in polymer-bonded explosives with various levels of constituent plasticity and internal friction. <i>Computational Materials Science</i> , 2019 , 159, 136-149	3.2	22
83	Analysis of thermomechanical response of polycrystalline HMX under impact loading through mesoscale simulations. <i>AIP Advances</i> , 2014 , 4, 097136	1.5	19
82	Density functional theory study of the mechanism of Li diffusion in rutile RuO ₂ . <i>AIP Advances</i> , 2014 , 4, 017104	1.5	19
81	Thermal and mechanical response of [0001]-oriented GaN nanowires during tensile loading and unloading. <i>Journal of Applied Physics</i> , 2012 , 112, 083522	2.5	19
80	Dynamic ductile rupture under conditions of plane strain. <i>International Journal of Impact Engineering</i> , 1997 , 19, 189-206	4	19
79	Ab initio study of the fracture energy of LiFePO ₄ /FePO ₄ interfaces. <i>Journal of Power Sources</i> , 2013 , 243, 706-714	8.9	18
78	Quantification of probabilistic ignition thresholds of polymer-bonded explosives with microstructure defects. <i>Journal of Applied Physics</i> , 2018 , 124, 165110	2.5	18
77	Strong dependency of lithium diffusion on mechanical constraints in high-capacity Li-ion battery electrodes. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2012 , 28, 1068-1077	2	17
76	Time-Resolved Impact Response and Damage of Fiber-Reinforced Composite Laminates. <i>Journal of Composite Materials</i> , 2000 , 34, 879-904	2.7	16

75	Response of Cylindrical Composite Structures to Underwater Impulsive Loading. <i>Procedia Engineering</i> , 2014 , 88, 69-76		15
74	Strain dependence of thermal conductivity of [0001]-oriented GaN nanowires. <i>Applied Physics Letters</i> , 2011 , 98, 041909	3.4	15
73	Surface transformation and inversion domain boundaries in gallium nitride nanorods. <i>Applied Physics Letters</i> , 2009 , 95, 211907	3.4	15
72	The growth of shear bands in composite microstructures. <i>International Journal of Plasticity</i> , 1998 , 14, 733-754	7.6	15
71	Synergistic Enhancement of Thermal Conductivity and Dielectric Properties in Al _{0.7} BaTiO ₃ /PP Composites. <i>Materials</i> , 2018 , 11,	3.5	15
70	Exploration of CdTe quantum dots as mesoscale pressure sensors via time-resolved shock-compression photoluminescent emission spectroscopy. <i>Journal of Applied Physics</i> , 2016 , 120, 043107	2.5	14
69	Experimental characterization of the dynamic failure behavior of mortar under impact loading. <i>Journal of Applied Physics</i> , 2001 , 89, 2115-2123	2.5	14
68	Laser-excited optical emission response of CdTe quantum dot/polymer nanocomposite under shock compression. <i>Applied Physics Letters</i> , 2016 , 108, 011908	3.4	14
67	A general scenario of fish-eye crack initiation on the life of high-strength steels in the very high-cycle fatigue regime. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2019 , 42, 2183-2194	2.3	13
66	Effect of load triaxiality on polymorphic transitions in zinc oxide. <i>Mechanics Research Communications</i> , 2008 , 35, 73-80	2.2	11
65	Prediction of fracture toughness scatter of composite materials. <i>Computational Materials Science</i> , 2016 , 116, 44-51	3.2	10
64	Computational Analysis of Ignition in Heterogeneous Energetic Materials. <i>Materials Science Forum</i> , 2013 , 767, 13-21	0.4	10
63	Characterization of novel pseudoelastic behaviour of zinc oxide nanowires. <i>Philosophical Magazine</i> , 2007 , 87, 2117-2134	1.6	10
62	A novel technique for time-resolved detection and tracking of interfacial and matrix fracture in layered materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2004 , 52, 2771-2799	5	10
61	Effect of core density on deformation and failure in sandwich composites subjected to underwater impulsive loads. <i>International Journal of Multiphysics</i> , 2012 , 6, 241-266	0.6	10
60	Prediction of Probabilistic Detonation Threshold via Millimeter-Scale Microstructure-Explicit and Void-Explicit Simulations. <i>Propellants, Explosives, Pyrotechnics</i> , 2020 , 45, 254-269	1.7	10
59	Response of Cylindrical Composite Structures Subjected to Underwater Impulsive Loading: Experimentations and Computations. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2017 , 139,	1.8	9
58	Grain boundary sliding mechanism in plastic deformation of nano-grained YAG transparent ceramics: Generalized self-consistent model and nanoindentation experimental validation. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 2705-2715	6	9

57	Ignition Desensitization of PBX via Aluminization. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 4578-4586	2.3	9
56	Novel experimental and 3D multiphysics computational framework for analyzing deformation and failure of composite laminates subjected to water blasts. <i>International Journal of Impact Engineering</i> , 2017 , 106, 223-237	4	9
55	Response of submerged metallic sandwich structures to underwater impulsive loads. <i>Journal of Mechanics of Materials and Structures</i> , 2015 , 10, 17-41	1.2	9
54	Dynamic high-strain-rate mechanical behavior of microstructurally biased two-phase TIB2+AL2O3 ceramics. <i>Journal of Applied Physics</i> , 2002 , 91, 1921-1927	2.5	9
53	Mechanism for the Pseudoelastic Behavior of FCC Shape Memory Nanowires. <i>Experimental Mechanics</i> , 2009 , 49, 183-190	2.6	8
52	Effect of competing mechanisms on fracture toughness of metals with ductile grain structures. <i>Engineering Fracture Mechanics</i> , 2019 , 205, 14-27	4.2	8
51	Novel Capability for Microscale In-situ Imaging of Temperature and Deformation Fields under Dynamic Loading. <i>Experimental Mechanics</i> , 2019 , 59, 775-790	2.6	7
50	High-speed Digital Imaging and Computational Modeling of Hybrid Metal-Composite Plates Subjected to Water-based Impulsive Loading. <i>Experimental Mechanics</i> , 2016 , 56, 545-567	2.6	6
49	Electrochemical synthesis of Li-Mo-O compounds as novel and high performance anode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017 , 712, 555-559	5.7	6
48	Integrated Lagrangian and Eulerian 3D microstructure-explicit simulations for predicting macroscopic probabilistic SDT thresholds of energetic materials. <i>Computational Mechanics</i> , 2019 , 64, 547-561	4	6
47	Heating in microstructures of HMX/Estane PBX during dynamic deformation 2012 ,		6
46	Continuum characterization of novel pseudoelasticity of ZnO nanowires. <i>Journal of the Mechanics and Physics of Solids</i> , 2008 , 56, 2473-2493	5	6
45	Effect of viscoplasticity on ignition sensitivity of an HMX based PBX 2017 ,		5
44	Ignition thresholds of aluminized HMX-based polymer-bonded explosives. <i>AIP Advances</i> , 2019 , 9, 045103	1.5	5
43	A computational framework for predicting the fracture toughness of metals as function of microstructure. <i>Journal of the Mechanics and Physics of Solids</i> , 2020 , 142, 103955	5	5
42	High-speed x-ray phase contrast imaging and digital image correlation analysis of microscale shock response of an additively manufactured energetic material simulant. <i>Journal of Applied Physics</i> , 2020 , 127, 235902	2.5	5
41	Experimental method for dynamic residual strength characterisation of aircraft sandwich structures. <i>International Journal of Crashworthiness</i> , 2013 , 18, 64-81	1	5
40	Deformation-induced blueshift in emission spectrum of CdTe quantum dot composites. <i>Composites Part B: Engineering</i> , 2017 , 120, 54-62	10	4

39	Three-dimensional microstructure-explicit and void-explicit mesoscale simulations of detonation of HMX at millimeter sample size scale. <i>Journal of Applied Physics</i> , 2020 , 127, 125105	2.5	4
38	Thermal conductivity prediction for GaN nanowires from atomistic potential. <i>AIP Advances</i> , 2013 , 3, 072123	1.3	4
37	Characterization of Impact in Composite Laminates. <i>AIP Conference Proceedings</i> , 2002 ,	0	4
36	Equivalent continuum for dynamically deforming atomistic particle systems		4
35	Multi-scale peridynamic modeling of dynamic fracture in concrete 2017 ,		3
34	Size- and structure-dependence of thermal and mechanical behaviors of single-crystalline and polytypic superlattice ZnS nanowires. <i>Journal of Applied Physics</i> , 2015 , 117, 214307	2.5	3
33	Dynamic Fracture and Dissipation Behaviors of Concrete at the Mesoscale. <i>International Journal of Applied Mechanics</i> , 2015 , 07, 1550038	2.4	3
32	Computational Design of Three-Dimensional Multi-Constituent Material Microstructure Sets with Prescribed Statistical Constituent and Geometric Attributes. <i>Multiscale Science and Engineering</i> , 2020 , 2, 7-19	1.2	3
31	Implosion of composite cylinders due to underwater impulsive loads 2017 , 239-262		3
30	Indentation on a one-dimensional hexagonal quasi-crystal half-space by an elliptic indenter. <i>Meccanica</i> , 2019 , 54, 1225-1243	2.1	3
29	Structure and thermomechanical behavior of bent GaN nanowires. <i>Computational Materials Science</i> , 2014 , 81, 524-529	3.2	3
28	Size and Strain Rate Effects in Tensile Deformation of CU Nanowires 2003 ,		3
27	Effect of grain orientations on fracture behavior of polycrystalline metals. <i>Journal of the Mechanics and Physics of Solids</i> , 2021 , 151, 104384	5	3
26	Computational study of ignition behavior and hotspot dynamics of a potential class of aluminized explosives. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2018 , 26, 085004	2	3
25	Microstructure-performance relations of ultra-high-performance concrete accounting for effect of alpha-quartz-to-coesite silica phase transformation. <i>International Journal of Solids and Structures</i> , 2013 , 50, 1879-1896	3.1	2
24	A Framework for Analyzing the Microstructure Level Thermomechanical Response Polymer Bonded Explosives. <i>Materials Science Forum</i> , 2011 , 673, 21-33	0.4	2
23	Energy dissipation in ultra-high performance fiber-reinforced concrete (UHPFRC) subjected to rapid loading 2012 ,		2
22	Molecular Dynamics Simulation of Shock Induced Detonation. <i>AIP Conference Proceedings</i> , 2004 ,	0	2

21	A Molecular Dynamics Simulation Framework for an Al+Fe ₂ O ₃ Reactive Metal Powder Mixture. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 821, 140		2
20	A Study of Shock-Wave Propagation in Single Crystalline fcc-Al and Fe ₂ O ₃ and an Interface between Two Such Phases Using MD Simulations. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 896, 31		2
19	Modelling of micromechanical fracture using a cohesive finite element method. <i>AIP Conference Proceedings</i> , 2000 ,	0	2
18	Time-Resolved Impact Response and Damage of Fiber-Reinforced Composite Laminates		2
17	Multi-Physics Modeling of Fire-Induced Damage in High-Performance Concrete. <i>International Journal of Multiphysics</i> , 2014 , 8, 101-122	0.6	1
16	Strength Analyses of Fe ₂ O ₃ +Al Nanocomposites Using Classical Molecular Dynamics 2005 , 439		1
15	The Virial Stress Is Not a Measure of Mechanical Stress. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 731, 261		1
14	Microwave Stimulation of Energetic Al-Based Nanoparticle Composites for Ignition Modulation. <i>ACS Applied Nano Materials</i> ,	5.6	1
13	Effect of void positioning on the detonation sensitivity of a heterogeneous energetic material. <i>Journal of Applied Physics</i> , 2022 , 131, 065101	2.5	1
12	Experimental Analysis of Dynamic Deformation and Damage in Composite Sandwich Structures Subjected to Underwater Impulsive Loads. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2013 , 275-286	0.3	1
11	Piezoelectric response of energetic composites under an electrostatic excitation. <i>Journal of Applied Physics</i> , 2021 , 129, 245103	2.5	1
10	Effects of flexoelectric and piezoelectric properties on the impact-driven ignition sensitivity of P(VDF-TrFE)/nAl films. <i>Combustion and Flame</i> , 2022 , 242, 112181	5.3	1
9	Microscopic modelling of ignition and burning for well-arranged energetic crystals in response to drop-weight impact. <i>Journal of Physics: Conference Series</i> , 2014 , 500, 052051	0.3	0
8	Modeling and Simulation of the Mechanical Response of Nanowires 2003 , 125-155		0
7	Geometry and Size Effects in Response of Composite Structures Subjected to Water-Based Impulsive Loading. <i>Springer Transactions in Civil and Environmental Engineering</i> , 2018 , 443-470	0.4	
6	Special Issue on Nanomaterials and Nanomechanics. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2005 , 127, 357-357	1.8	
5	Post-Impact Behaviour of Polymeric Composites and the Effects of Salt Water Aging on Tensile Properties. <i>Advanced Composites Letters</i> , 1999 , 8, 096369359900800	1.2	
4	Shape Memory Effect and Pseudoelasticity in Cu Nanowires 2007 , 135-144		

- 3 Repeatable mechanical energy absorption of ZnO nanopillars. *Materials Today Communications*, **2021**, 29, 102904 2.5
- 2 A Multiscale Framework for Predicting Fracture Toughness of Polycrystalline Metals. *Materials Performance and Characterization*, **2014**, 3, 20130064 0.5
- 1 Thermo-Mechanical Response of an Additively Manufactured Energetic Material Simulant to Dynamic Loading. *Journal of Dynamic Behavior of Materials*, **2020**, 6, 502-519 1.8