Reinhard Stauder

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6699338/publications.pdf

Version: 2024-02-01

| 111 | 7,618 | 31 h-index | 85 |
|----------|----------------|--------------|----------------|
| papers | citations | | g-index |
| 115 | 115 | 115 | 6485 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Revised International Prognostic Scoring System for Myelodysplastic Syndromes. Blood, 2012, 120, 2454-2465. | 0.6 | 2,458 |
| 2 | New insights into the prognostic impact of the karyotype in MDS and correlation with subtypes: evidence from a core dataset of 2124 patients. Blood, 2007, 110, 4385-4395. | 0.6 | 719 |
| 3 | New Comprehensive Cytogenetic Scoring System for Primary Myelodysplastic Syndromes (MDS) and Oligoblastic Acute Myeloid Leukemia After MDS Derived From an International Database Merge. Journal of Clinical Oncology, 2012, 30, 820-829. | 0.8 | 584 |
| 4 | Diagnosis and treatment of primary myelodysplastic syndromes in adults: recommendations from the European LeukemiaNet. Blood, 2013, 122, 2943-2964. | 0.6 | 567 |
| 5 | Definitions and standards in the diagnosis and treatment of the myelodysplastic syndromes: Consensus statements and report from a working conference. Leukemia Research, 2007, 31, 727-736. | 0.4 | 478 |
| 6 | Allogeneic hematopoietic stem cell transplantation for MDS and CMML: recommendations from an international expert panel. Blood, 2017, 129, 1753-1762. | 0.6 | 278 |
| 7 | Anemia at older age: etiologies, clinical implications, and management. Blood, 2018, 131, 505-514. | 0.6 | 266 |
| 8 | Proposed minimal diagnostic criteria for myelodysplastic syndromes (MDS) and potential pre-MDS conditions. Oncotarget, 2017, 8, 73483-73500. | 0.8 | 153 |
| 9 | Coalesced Multicentric Analysis of 2,351 Patients With Myelodysplastic Syndromes Indicates an Underestimation of Poor-Risk Cytogenetics of Myelodysplastic Syndromes in the International Prognostic Scoring System. Journal of Clinical Oncology, 2011, 29, 1963-1970. | 0.8 | 139 |
| 10 | Prevalence and possible causes of anemia in the elderly: a cross-sectional analysis of a large European university hospital cohort. Clinical Interventions in Aging, 2014, 9, 1187. | 1.3 | 111 |
| 11 | Azacitidine in 302 patients with WHO-defined acute myeloid leukemia: results from the Austrian Azacitidine Registry of the AGMT-Study Group. Annals of Hematology, 2014, 93, 1825-1838. | 0.8 | 84 |
| 12 | Exclusion of Older Patients From Ongoing Clinical Trials for Hematological Malignancies: An Evaluation of the National Institutes of Health Clinical Trial Registry. Oncologist, 2014, 19, 1069-1075. | 1.9 | 76 |
| 13 | Prognostic value of self-reported fatigue on overall survival in patients with myelodysplastic syndromes: a multicentre, prospective, observational, cohort study. Lancet Oncology, The, 2015, 16, 1506-1514. | 5.1 | 76 |
| 14 | Validation of the revised international prognostic scoring system (<scp>IPSS</scp> â€R) in patients with lowerâ€risk myelodysplastic syndromes: a report from the prospective European LeukaemiaNet <scp>MDS</scp> (<scp>EUMDS</scp>) registry. British Journal of Haematology, 2015, 170, 372-383. | 1.2 | 72 |
| 15 | Health-related quality of life in lower-risk MDS patients compared with age- and sex-matched reference populations: a European LeukemiaNet study. Leukemia, 2018, 32, 1380-1392. | 3.3 | 66 |
| 16 | ESMO Consensus Conference on malignant lymphoma: general perspectives and recommendations for the clinical management of the elderly patient with malignant lymphoma. Annals of Oncology, 2018, 29, 544-562. | 0.6 | 64 |
| 17 | Anemia in the elderly: clinical implications and new therapeutic concepts. Haematologica, 2014, 99, 1127-1130. | 1.7 | 62 |
| 18 | Diffuse large B-cell lymphoma in the elderly: Impact of prognosis, comorbidities, geriatric assessment, and supportive care on clinical practice. An International Society of Geriatric Oncology (SIOG) Expert Position Paper. Journal of Geriatric Oncology, 2015, 6, 141-152. | 0.5 | 61 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Adapting care for older cancer patients during the COVID-19 pandemic: Recommendations from the International Society of Geriatric Oncology (SIOG) COVID-19 Working Group. Journal of Geriatric Oncology, 2020, 11, 1190-1198. | 0.5 | 60 |
| 20 | Azacitidine in CMML: Matched-pair analyses of daily-life patients reveal modest effects on clinical course and survival. Leukemia Research, 2014, 38, 475-483. | 0.4 | 59 |
| 21 | Prevalence, severity and correlates of fatigue in newly diagnosed patients with myelodysplastic syndromes. British Journal of Haematology, 2015, 168, 361-370. | 1.2 | 59 |
| 22 | Geriatric assessment in older patients with a hematologic malignancy: a systematic review. Haematologica, 2020, 105, 1484-1493. | 1.7 | 57 |
| 23 | Azacitidine in patients with WHO-defined AML – Results of 155 patients from the Austrian Azacitidine Registry of the AGMT-Study Group. Journal of Hematology and Oncology, 2013, 6, 32. | 6.9 | 56 |
| 24 | Normal and pathological erythropoiesis in adults: from gene regulation to targeted treatment concepts. Haematologica, 2018, 103, 1593-1603. | 1.7 | 49 |
| 25 | Structured assessment of frailty in multiple myeloma as a paradigm of individualized treatment algorithms in cancer patients at advanced age. Haematologica, 2020, 105, 1183-1188. | 1.7 | 46 |
| 26 | Azacitidine for Front-Line Therapy of Patients with AML: Reproducible Efficacy Established by Direct Comparison of International Phase 3 Trial Data with Registry Data from the Austrian Azacitidine Registry of the AGMT Study Group. International Journal of Molecular Sciences, 2017, 18, 415. | 1.8 | 45 |
| 27 | The challenge of individualised risk assessment and therapy planning in elderly high-risk myelodysplastic syndromes (MDS) patients. Annals of Hematology, 2012, 91, 1333-1343. | 0.8 | 41 |
| 28 | Impact of Age and Comorbidity in Myelodysplastic Syndromes. Journal of the National Comprehensive Cancer Network: JNCCN, 2008, 6, 927-934. | 2.3 | 37 |
| 29 | Azacitidine front-line in 339 patients with myelodysplastic syndromes and acute myeloid leukaemia: comparison of French-American-British and World Health Organization classifications. Journal of Hematology and Oncology, 2016, 9, 39. | 6.9 | 36 |
| 30 | Impact of red blood cell transfusion dose density on progression-free survival in patients with lower-risk myelodysplastic syndromes. Haematologica, 2020, 105, 632-639. | 1.7 | 35 |
| 31 | Impact of treatment with iron chelation therapy in patients with lower-risk myelodysplastic syndromes participating in the European MDS registry. Haematologica, 2020, 105, 640-651. | 1.7 | 32 |
| 32 | Patientâ€reported outcomes enhance the survival prediction of traditional disease risk classifications: An international study in patients with myelodysplastic syndromes. Cancer, 2018, 124, 1251-1259. | 2.0 | 31 |
| 33 | The cancer patient's perspective of COVIDâ€19â€induced distressâ€"A crossâ€sectional study and a longitudinal comparison of HRQOL assessed before and during the pandemic. Cancer Medicine, 2021, 10, 3928-3937. | 1.3 | 28 |
| 34 | Azacitidine in Patients with Acute Myeloid Leukemia: Impact of Intermediate-Risk Vs High-Risk Cytogenetics on Patient Outcomes. Blood, 2014, 124, 955-955. | 0.6 | 26 |
| 35 | Aging and blood disorders: new perspectives, new challenges. Haematologica, 2015, 100, 415-417. | 1.7 | 25 |
| 36 | Patientâ€reported outcome measures in studies of myelodysplastic syndromes and acute myeloid leukemia: Literature review and landscape analysis. European Journal of Haematology, 2020, 104, 476-487. | 1.1 | 25 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Clustering of comorbidities is related to age and sex and impacts clinical outcome in myelodysplastic syndromes. Journal of Geriatric Oncology, 2014, 5, 299-306. | 0.5 | 24 |
| 38 | Real life experience with frontline azacitidine in a large series of older adults with acute myeloid leukemia stratified by MRC/LRF score: results from the expanded international E-ALMA series (E-ALMA+). Leukemia and Lymphoma, 2018, 59, 1113-1120. | 0.6 | 23 |
| 39 | Multidisciplinary care in the hematology clinic: Implementation of geriatric oncology. Journal of Geriatric Oncology, 2019, 10, 497-503. | 0.5 | 22 |
| 40 | Myelodysplastic syndromes, aging, and age: Correlations, common mechanisms, and clinical implications. Leukemia and Lymphoma, 2007, 48, 1900-1909. | 0.6 | 21 |
| 41 | PPT and VES-13 in elderly patients with cancer: Evaluation in multidimensional geriatric assessment and prediction of survival. Journal of Geriatric Oncology, 2014, 5, 415-421. | 0.5 | 21 |
| 42 | Validation of cytogenetic risk groups according to International Prognostic Scoring Systems by peripheral blood CD34+FISH: results from a German diagnostic study in comparison with an international control group. Haematologica, 2015, 100, 205-213. | 1.7 | 20 |
| 43 | Transfusion-Dependency Is the Most Important Prognostic Factor for Survival in 1000 Newly Diagnosed MDS Patients with Low- and Intermediate-1 Risk MDS in the European LeukemiaNet MDS Registry. Blood, 2011, 118, 2775-2775. | 0.6 | 20 |
| 44 | Clinical Outcomes of 217 Patients with Acute Erythroleukemia According to Treatment Type and Line: A Retrospective Multinational Study. International Journal of Molecular Sciences, 2017, 18, 837. | 1.8 | 19 |
| 45 | Early platelet count kinetics has prognostic value in lower-risk myelodysplastic syndromes. Blood Advances, 2018, 2, 2079-2089. | 2.5 | 18 |
| 46 | The Austrian biodatabase for chronic myelomonocytic leukemia (ABCMML). Wiener Klinische Wochenschrift, 2019, 131, 410-418. | 1.0 | 18 |
| 47 | Myelodysplastic Syndromes in the Elderly: Treatment Options and Personalized Management. Drugs and Aging, 2015, 32, 891-905. | 1.3 | 15 |
| 48 | Malnutrition in Older Patients With Hematological Malignancies at Initial Diagnosis – Association With Impairments in Health Status, Systemic Inflammation and Adverse Outcome. HemaSphere, 2020, 4, e332. | 1.2 | 14 |
| 49 | The IPSS-R more accurately captures fatigue severity of newly diagnosed patients with myelodysplastic syndromes compared with the IPSS index. Leukemia, 2020, 34, 2451-2459. | 3.3 | 14 |
| 50 | Impact of Treatment with Iron Chelators in Lower-Risk MDS Patients Participating in the European Leukemianet MDS (EUMDS) Registry. Blood, 2016, 128, 3186-3186. | 0.6 | 14 |
| 51 | Proposed score for survival of patients with myelodysplastic syndromes. European Journal of Clinical Investigation, 2013, 43, 1120-1128. | 1.7 | 12 |
| 52 | Guideline-based indicators for adult patients with myelodysplastic syndromes. Blood Advances, 2020, 4, 4029-4044. | 2.5 | 12 |
| 53 | A predictive algorithm using clinical and laboratory parameters may assist in ruling out and in diagnosing MDS. Blood Advances, 2021, 5, 3066-3075. | 2.5 | 12 |
| 54 | Novel dynamic outcome indicators and clinical endpoints in myelodysplastic syndrome; the European LeukemiaNet MDS Registry and MDS-RIGHT project perspective. Haematologica, 2020, 105, 2516-2523. | 1.7 | 12 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Cytomorphology review of 100 newly diagnosed lower-risk MDS patients in the European LeukemiaNet MDS (EUMDS) registry reveals a high inter-observer concordance. Annals of Hematology, 2017, 96, 1105-1112. | 0.8 | 11 |
| 56 | Correlation of RAS-Pathway Mutations and Spontaneous Myeloid Colony Growth with Progression and Transformation in Chronic Myelomonocytic Leukemia—A Retrospective Analysis in 337 Patients. International Journal of Molecular Sciences, 2020, 21, 3025. | 1.8 | 11 |
| 57 | The SIOG COVID-19 working group recommendations on the rollout of COVID-19 vaccines among older adults with cancer. Journal of Geriatric Oncology, 2021, 12, 848-850. | 0.5 | 11 |
| 58 | The EORTC QLU-C10D was more efficient in detecting clinical known group differences in myelodysplastic syndromes than the EQ-5D-3L. Journal of Clinical Epidemiology, 2021, 137, 31-44. | 2.4 | 11 |
| 59 | A call to action in hematologic disorders: A report from the ASH scientific workshop on hematology and aging. Journal of Geriatric Oncology, 2018, 9, 287-290. | 0.5 | 10 |
| 60 | Development of a core outcome set for myelodysplastic syndromes – a Delphi study from the EUMDS Registry Group. British Journal of Haematology, 2020, 191, 405-417. | 1.2 | 10 |
| 61 | Impact of age on the cumulative risk of transformation in patients with chronic myelomonocytic leukaemia. European Journal of Haematology, 2021, 107, 265-274. | 1.1 | 10 |
| 62 | Frequency of del(12p) is commonly underestimated in myelodysplastic syndromes: Results from a $\langle scp \rangle G \langle scp \rangle erman$ diagnostic study in comparison with an international control group. Genes Chromosomes and Cancer, 2015, 54, 809-817. | 1.5 | 8 |
| 63 | MRIâ€Based Iron Phenotyping and Patient Selection for Nextâ€Generation Sequencing of Non–Homeostatic Iron Regulator Hemochromatosis Genes. Hepatology, 2021, 74, 2424-2435. | 3.6 | 8 |
| 64 | ecancermedicalscience. Ecancermedicalscience, 2014, 8, ed39. | 0.6 | 7 |
| 65 | Growing Evidence for an Underestimation of Poor-Risk Cytogenetics in the International Prognostic Scoring System in Myelodysplastic Syndromes. Clinical Leukemia, 2007, 1, 353-356. | 0.2 | 7 |
| 66 | The EHA Research Roadmap: Anemias. HemaSphere, 2021, 5, e607. | 1.2 | 7 |
| 67 | The anemia-independent impact of myelodysplastic syndromes on health-related quality of life. Annals of Hematology, 2021, 100, 2921-2932. | 0.8 | 7 |
| 68 | Panobinostat Plus Azacitidine in Adult Patients with MDS, CMML, or AML: Results of a Phase 2b Study. Blood, 2015, 126, 2861-2861. | 0.6 | 7 |
| 69 | Core Set of Patient-Reported Outcomes for Myelodysplastic Syndromes - EUMDS Delphi Study in Patients and Hematologists. Blood Advances, 2021, , . | 2.5 | 6 |
| 70 | Comorbidities cluster with impaired functional capacities and depressive mood and predict adverse outcome in older patients with hematological malignancies. Leukemia and Lymphoma, 2020, 61, 1954-1964. | 0.6 | 6 |
| 71 | Early Mortality in 1000 Newly Diagnosed MDS Patients with Low- and Intermediate-1 Risk MDS in the European Leukemianet MDS (EUMDS) Registry. Blood, 2012, 120, 3830-3830. | 0.6 | 6 |
| 72 | A phase I study of lenalidomide in patients with chronic myelomonocytic leukemia (CMML) – AGMT_CMML-1. Leukemia and Lymphoma, 2018, 59, 1121-1126. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Molecular Basis and Clinical Application of Growth-Factor-Independent In Vitro Myeloid Colony Formation in Chronic Myelomonocytic Leukemia. International Journal of Molecular Sciences, 2020, 21, 6057. | 1.8 | 5 |
| 74 | Disease-Management of Low- and Intermediate-1 Risk Myelodysplastic Syndromes: Report on 800 Newly Diagnosed MDS Patients From the European LeukemiaNet MDS Registry. Blood, 2010, 116, 2917-2917. | 0.6 | 5 |
| 75 | Azacitidine in Acute Myeloid Leukemia with >30% Bone Marrow Blasts and <15 G/L White Blood Cell Count: Results from the Austrian Azacitidine Registry of the AGMT Study Group Versus Randomized Controlled Phase III Clinical Trial Data. Blood, 2015, 126, 2515-2515. | 0.6 | 5 |
| 76 | Is Myelodysplasia a Consequence of Normal Aging?. Current Oncology Reports, 2021, 23, 142. | 1.8 | 5 |
| 77 | Prognostic impact of a suboptimal number of analyzed metaphases in normal karyotype lower-risk MDS. Leukemia Research, 2018, 67, 21-26. | 0.4 | 4 |
| 78 | Adverse Events in 1406 Patients Receiving 13,780 Cycles of Azacitidine within the Austrian Registry of Hypomethylating Agentsâ€"A Prospective Cohort Study of the AGMT Study-Group. Cancers, 2022, 14, 2459. | 1.7 | 4 |
| 79 | Complete remission after a single cycle of azacitidine in a case of relapsed acute myeloid leukemia. Wiener Klinische Wochenschrift, 2013, 125, 50-53. | 1.0 | 3 |
| 80 | Diagnosis, management and response criteria of iron overload in myelodysplastic syndromes (MDS): updated recommendations of the Austrian MDS platform. Expert Review of Hematology, 2018, 11, 109-116. | 1.0 | 3 |
| 81 | Clonal architecture in patients with myelodysplastic syndromes and double or minor complex abnormalities: Detailed analysis of clonal composition, involved abnormalities, and prognostic significance. Genes Chromosomes and Cancer, 2018, 57, 547-556. | 1.5 | 3 |
| 82 | Clinical, Hematologic, Biologic and Molecular Characteristics of Patients with Myeloproliferative Neoplasms and a Chronic Myelomonocytic Leukemia-Like Phenotype. Cancers, 2020, 12, 1891. | 1.7 | 3 |
| 83 | The Prognostic Impact of Comorbidities in Patients with De-Novo Diffuse Large B-Cell Lymphoma Treated with R-CHOP Immunochemotherapy in Curative Intent. Journal of Clinical Medicine, 2020, 9, 1005. | 1.0 | 3 |
| 84 | Validation Of The Revised International Prognostic Scoring System (IPSS-R) In 1000 Newly Diagnosed MDS Patients With Low- and Intermediate-1 Risk MDS In The European Leukemianet MDS (EUMDS) Registry. Blood, 2013, 122, 2770-2770. | 0.6 | 3 |
| 85 | Azacitidine in Acute Myeloid Leukemia: Comparison of Patients with AML-MRF Vs AML-NOS Enrolled in the Austrian Azacitidine Registry. Blood, 2014, 124, 3681-3681. | 0.6 | 3 |
| 86 | Is It Time to Redefine Response in Elderly Patients with WHO-Acute Myeloid Leukemia (AML) Unfit for Intensive Chemotherapy?. Blood, 2015, 126, 3742-3742. | 0.6 | 3 |
| 87 | Multistep pathogenesis of chronic myelomonocytic leukemia in patients. European Journal of Haematology, 2022, , . | 1.1 | 3 |
| 88 | High serum ferritin levels in newly diagnosed patients with myelodysplastic syndromes are associated with greater symptom severity. International Journal of Hematology, 2020, 112, 141-146. | 0.7 | 2 |
| 89 | Activity of Azacitidine in 26 Unselected, Consecutive CMML Patients Included in the Austrian Azacitidine Registry (AAR) of the AGMT-Study Group. Blood, 2011, 118, 1715-1715. | 0.6 | 2 |
| 90 | Prognostic Relevance of the Kinetics of Worsening of Cytopenias in Lower-Risk MDS: A Substudy From the European Leukemianet Low Risk MDS (EUMDS) Registry. Blood, 2012, 120, 700-700. | 0.6 | 2 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Azacitidine in Patients with Treatment-Related Acute Myeloid Leukemia: Retrospective Analysis of the Austrian Azacitidine Registry. Blood, 2014, 124, 2284-2284. | 0.6 | 2 |
| 92 | Azacitidine in Patients with Relapsed/Refractory Acute Myeloid Leukemia: Retrospective Analysis of the Austrian Azacitidine Registry. Blood, 2014, 124, 943-943. | 0.6 | 2 |
| 93 | Azacitidine in Older Patients with Acute Myeloid Leukemia (AML). Results from the Expanded International E-Alma Series (E-ALMA+) According to the MRC Risk Index Score. Blood, 2015, 126, 2554-2554. | 0.6 | 2 |
| 94 | Expanding on Current Definitions of Hematologic Improvement in MDS, CMML and AML: Landmark Analyses of 1301 Patients Treated with Azacitidine in the Austrian Registry of Hypomethylating Agents By the AGMT-Study Group. Blood, 2019, 134, 3821-3821. | 0.6 | 2 |
| 95 | Mutation Profiles Identify Distinct Clusters of Lower Risk Myelodysplastic Syndromes with Unique Clinical and Biological Features and Clinical Endpoints. Blood, 2020, 136, 29-29. | 0.6 | 2 |
| 96 | Updated SIOG COVID-19 working group recommendations on COVID-19 vaccination among older adults with cancer. Journal of Geriatric Oncology, 2022, , . | 0.5 | 2 |
| 97 | 10th anniversary of the Austrian MDS Platform: aims and ongoing projects. Wiener Klinische Wochenschrift, 2015, 127, 12-15. | 1.0 | 1 |
| 98 | MDS Diagnosis: Many Patients May Not Require Bone Marrow Examination. Blood, 2018, 132, 4357-4357. | 0.6 | 1 |
| 99 | The G8 Screening Tool Detects Relevant Geriatric Impairments and Predicts Survival In Elderly Blood Cancer Patients. Blood, 2013, 122, 5209-5209. | 0.6 | 1 |
| 100 | A Phase I Study of Lenalidomide in Patients with Chronic Myelomonocytic Leukaemia (CMML) – AGMT_CMML 1. Blood, 2014, 124, 3268-3268. | 0.6 | 1 |
| 101 | Azacitidine in Patients with Acute Myeloid Leukemia: Assessing the Potential Negative Impact of Elevated Baseline White Blood Cell Count on Outcome. Blood, 2014, 124, 3683-3683. | 0.6 | 1 |
| 102 | Prognostic Impact of Rare Single Abnormalities in Myelodysplastic Syndromes. Blood, 2015, 126, 2879-2879. | 0.6 | 1 |
| 103 | Myelodysplastic syndromes (MDS). Memo - Magazine of European Medical Oncology, 2009, 2, 108-109. | 0.3 | 0 |
| 104 | New developments in MDS. Memo - Magazine of European Medical Oncology, 2012, 5, 186-189. | 0.3 | 0 |
| 105 | Establishment and validation of aÂnovel risk model for estimating time to first treatment in 120 patients with chronic myelomonocytic leukaemia. Wiener Klinische Wochenschrift, 2018, 130, 115-125. | 1.0 | O |
| 106 | Report on Response and Overall Survival of 128 Unselected, Consecutive AML Patients From the Austrian Azacitidine Registry (AAR) of the AGMT-Study Group. Blood, 2011, 118, 4266-4266. | 0.6 | 0 |
| 107 | Myelodysplastic Syndromes in Older Patients. , 2015, , 49-61. | | 0 |
| 108 | Age and Gender-Related Pretreatment Quality of Life Profiles in Patients with Higher-Risk Myelodysplastic Syndromes. Establishing Benchmark Data from an International Study. Blood, 2015, 126, 2099-2099. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Prognostic Impact of Transfusions Intensity on Survival and Development of Thrombocytopenia in Newly Diagnosed Lower-Risk MDS Patients Participating in the European Leukemianet EU-MDS Registry. Blood, 2015, 126, 1677-1677. | 0.6 | 0 |
| 110 | High Prevalence and Clinical Impact of Malnutrition in Older Patients with a Hematological Malignancyâ€"Basis for Patient Orientated Guidelines and Healthcare Interventions. Blood, 2018, 132, 3532-3532. | 0.6 | 0 |
| 111 | Deriving Core Patient-Reported Outcomes in Patients with Myelodysplastic Syndromes — a Delphi Survey from the European-MDS Registry. Blood, 2018, 132, 2295-2295. | 0.6 | 0 |